

Report No.: 98075262

Mode: TX

Tested By: Hong, Report No.: 98075262


Scan Settings (1 Range)

Frequencies				Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB	

Final Measurement: X QP

Transducer No.	Start	Stop	Name
3	9k	30M	E1078

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB



PAGE 1

Ctrl. No.: N/A

Report No.: 98075262

Mode: TX

Tested By: Hong, Report No.: 98075262

Scan Settings (1 Range)

|----- Frequencies -----|----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamplifier	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

Mode: Charging

Report No.: 98075262

Tested By: Hong, Report No.: 98075262

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: X QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start

3 9k


Stop

30M

Name

EI078

dBuV



PAGE 1

Ctrl. No.: N/A

Mode: Charging

Report No.: *98075262*

Tested By: Hong, Report No.: 98075262

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
3.59500	31.7	48.0

* limit exceeded

Ctrl. No.: *N/A*

Mode: Standby

Report No.: 98075262

Tested By: Hong, Report No.: 98075262


Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB	

Final Measurement: X QP

Transducer No.	Start	Stop	Name
3	9k	30M	SI078

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB



Ctrl. No.: N/A

Report No.: 98075262

Mode: Stand by

Tested By: Hong, Report No.: 98075262

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A