

INDEX OF SUBMITTED MEASURED DATA

This exhibit contains the measured data for this equipment as follows:

EXHIBIT 6A - RF Power Output (Table)

EXHIBIT 6F - Conducted Spurious Emissions (3 Graphs)

6F-1 – 1 Watts, 450.000 MHz

6F-2 – 1 Watts, 470.000 MHz

6F-3 – 4 Watts, 450.000 MHz

6F-4 – 4 Watts, 470.000 MHz

EXHIBIT 6G - Radiated Spurious Emissions

6G-1 – 1 Watts (Graph), 461.000 MHz

6G-2 – 4 Watts (Graph), 461.000 MHz

EXHIBIT 6K - Transient Frequency Behavior (2 Graphs)

6K-1 – 25 kHz Key-Up Attack Time

6K-2 – 25 kHz De-Key Attack Time

HIGH-POWER SETTING, FREQUENCY 450.000 MHz

Measured RF Output Power:	4.38 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	1.55 Amperes
Measured DC Input Power:	11.63 Watts

HIGH-POWER SETTING, FREQUENCY 470.000 MHz

Measured RF Output Power:	4.39 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	1.55 Amperes
Measured DC Input Power:	11.63 Watt


LOW-POWER SETTING, FREQUENCY 450.000 MHz


Measured RF Output Power:	1.19 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	0.83 Amperes
Measured DC Input Power:	6.15 Watts


LOW-POWER SETTING, FREQUENCY 470.000 MHz


Measured RF Output Power:	1.25 Watts
Measured DC Voltage:	7.5 Volts
Measured DC Current:	0.80 Amperes
Measured DC Input Power:	6.00 Watt


Conducted Spurious Emissions
(Frequency = 450.0 MHz, Power Output = 1 watts)















Transient Frequency Behavior – 25 kHz Turn On Characteristic

Transient Frequency Behavior – 25 kHz Turn Off Characteristic