



11N20SISO_Ant1_High_5320




Date: 22.JAN.2025 11:38:32

11N20SISO_Ant1_Low_5500




Date: 22.JAN.2025 13:43:55

11N20SISO_Ant1_High_5700




Date: 22.JAN.2025 13:57:38

11N40SISO_Ant1_Low_5190




Date: 22.JAN.2025 15:13:31

11N40SISO_Ant1_High_5230




Date: 22.JAN.2025 15:17:25

11N40SISO_Ant1_Low_5270




Date: 22.JAN.2025 15:23:35


11N40SISO_Ant1_High_5310




11N40SISO_Ant1_Low_5510



11N40SISO_Ant1_High_5670




11A_Ant1_Low_5745




Date: 22.JAN.2025 13:04:30

11A_Ant1_High_5825




Date: 22.JAN.2025 13:17:10

11N20SISO_Ant1_Low_5745




Date: 22.JAN.2025 13:30:33

11N20SISO Ant1 High 5825




Date: 22.JAN.2025 13:23:29

11N40SISO Ant1 Low 5755



Date: 22.JAN.2025 15:56:50

11N40SISO Ant1 High 5795




Date: 22.JAN.2025 16:02:47

TestMode	Antenna	ChName	Freq(MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Ant Right	Low	5180	-30.68	≤-27	PASS
		High	5240	-28.85	≤-27	PASS
		Low	5260	-29.96	≤-27	PASS
		High	5320	-29.7	≤-27	PASS
		Low	5500	-29.05	≤-27	PASS
		High	5700	-29.29	≤-27	PASS
11N20SISO	Ant Right	Low	5180	-31.27	≤-27	PASS
		High	5240	-29.09	≤-27	PASS
		Low	5260	-29.88	≤-27	PASS
		High	5320	-28.17	≤-27	PASS
		Low	5500	-27.48	≤-27	PASS
		High	5700	-29.32	≤-27	PASS
11N40SISO	Ant Right	Low	5190	-31.22	≤-27	PASS
		High	5230	-30.68	≤-27	PASS
		Low	5270	-30.55	≤-27	PASS
		High	5310	-29.69	≤-27	PASS
		Low	5510	-28.59	≤-27	PASS
		High	5670	-30.21	≤-27	PASS


TestMode	Antenna	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant Right	Low	5745	5650~5700	-31.29	≤-26.75	PASS
				5700~5720	-32.58	≤10.37	PASS
				5720~5725	-33.88	≤15.98	PASS
				5760~5650	-31.97	≤-27	PASS
		High	5825	5850~5855	-32.85	≤15.65	PASS
				5855~5875	-31.71	≤11.22	PASS
				5875~5925	-32.09	≤-25.86	PASS
				5925~5935	-31.11	≤-27	PASS
11N20SISO	Ant Right	Low	5745	5650~5700	-33.66	≤-26.88	PASS
				5700~5720	-31.25	≤10.05	PASS
				5720~5725	-31.65	≤15.98	PASS
				5760~5650	-31.53	≤-27	PASS
		High	5825	5850~5855	-32.3	≤15.65	PASS
				5855~5875	-31.57	≤10.18	PASS
				5875~5925	-31	≤-25.42	PASS
				5925~5935	-31.77	≤-27	PASS
11N40SISO	Ant Right	Low	5755	5650~5700	-32.83	≤-26.50	PASS
				5700~5720	-31.91	≤10.27	PASS
				5720~5725	-31.17	≤15.90	PASS
				5780~5650	-32.61	≤-27	PASS
		High	5795	5850~5855	-31.84	≤15.85	PASS
				5855~5875	-30.15	≤10.01	PASS
				5875~5925	-32.29	≤-26.26	PASS
				5925~5935	-31.56	≤-27	PASS

11A_Ant1_Low_5180




Date: 24.DEC.2024 12:24:01

11A_Ant1_High_5240




Date: 31.DEC.2024 18:50:07

11A_Ant1_Low_5260




Date: 31.DEC.2024 19:10:14

11A_Ant1_High_5320




Date: 24.DEC.2024 13:36:00

11A_Ant1_Low_5500




Date: 31.DEC.2024 19:17:16

11A_Ant1_High_5700




Date: 24.DEC.2024 20:03:14

11N20SISO_Ant1_Low_5180




Date: 24.DEC.2024 12:44:06

11N20SISO_Ant1_High_5240




Date: 31.DEC.2024 19:01:32

11N20SISO_Ant1_Low_5260




Date: 24.DEC.2024 13:42:22

11N20SISO_Ant1_High_5320




Date: 24.DEC.2024 19:07:16

11N20SISO_Ant1_Low_5500




Date: 31.DEC.2024 19:30:30

11N20SISO_Ant1_High_5700




Date: 24.DEC.2024 20:20:16

11N40SISO_Ant1_Low_5190




Date: 24.DEC.2024 13:02:29

11N40SISO_Ant1_High_5230




Date: 24.DEC.2024 13:08:40

11N40SISO_Ant1_Low_5270




Date: 24.DEC.2024 19:13:43


11N40SISO_Ant1_High_5310



11N40SISO_Ant1_Low_5510



11N40SISO_Ant1_High_5670



Emissions in Restricted Bands
Only show the worst mode 11A ANT Left

TestMode	Antenna	ChName	Freq(MHz)	Detect or	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-56.66	≤-41.20	38.54	≤54	PASS
				AV	5032.609	-53.87	≤-41.20	41.33	≤54	PASS
				AV	5150.000	-54.04	≤-41.20	41.16	≤54	PASS
				Peak	4500.000	-37.41	≤-21.20	57.79	≤74	PASS
				Peak	4809.420	-34.13	≤-21.20	61.07	≤74	PASS
				Peak	5150.000	-36.05	≤-21.20	59.15	≤74	PASS
	Ant2	Low	5180	AV	4500.000	-55.88	≤-41.20	39.32	≤54	PASS
				AV	5032.609	-52.33	≤-41.20	42.87	≤54	PASS
				AV	5150.000	-53.86	≤-41.20	41.34	≤54	PASS
				Peak	4500.000	-36.86	≤-21.20	58.34	≤74	PASS
				Peak	5077.246	-32.86	≤-21.20	62.34	≤74	PASS
				Peak	5150.000	-35.37	≤-21.20	59.83	≤74	PASS
	Ant1	High	5320	AV	5350.000	-52.14	≤-41.20	43.06	≤54	PASS
				AV	5351.246	-52.31	≤-41.20	42.89	≤54	PASS
				AV	5460.000	-53.91	≤-41.20	41.29	≤54	PASS
				Peak	5350.000	-41.99	≤-21.20	53.21	≤74	PASS
				Peak	5400.406	-29.06	≤-21.20	66.14	≤74	PASS
				Peak	5460.000	-41.99	≤-21.20	53.21	≤74	PASS
	Ant2	High	5320	AV	5350.000	-53.88	≤-41.20	41.32	≤54	PASS
				AV	5447.942	-51.92	≤-41.20	43.28	≤54	PASS
				AV	5460.000	-54.04	≤-41.20	41.16	≤54	PASS
				Peak	5350.000	-43.84	≤-21.20	51.36	≤74	PASS
				Peak	5370.029	-40.41	≤-21.20	54.79	≤74	PASS
				Peak	5460.000	-42.89	≤-21.20	52.31	≤74	PASS
	Ant1	Low	5500	AV	5350.000	-54.46	≤-41.20	40.74	≤54	PASS
				AV	5454.913	-51.84	≤-41.20	43.36	≤54	PASS
				AV	5460.000	-52.39	≤-41.20	42.81	≤54	PASS
				Peak	5350.000	-43.65	≤-21.20	51.55	≤74	PASS
				Peak	5426.609	-40.75	≤-21.20	54.45	≤74	PASS
				Peak	5460.000	-42.84	≤-21.20	52.36	≤74	PASS
	Ant2	Low	5500	AV	5350.000	-53.72	≤-41.20	41.48	≤54	PASS
				AV	5455.217	-51.23	≤-41.20	43.97	≤54	PASS
				AV	5460.000	-52	≤-41.20	43.20	≤54	PASS
				Peak	5350.000	-42.88	≤-21.20	52.32	≤74	PASS
				Peak	5454.609	-40.44	≤-21.20	54.76	≤74	PASS
				Peak	5460.000	-42.11	≤-21.20	53.09	≤74	PASS
	Ant1	Low	5745	Peak	5650.000	-44.6	≤-27.00	---	---	PASS
				Peak	5700.000	-43.02	≤10.00	---	---	PASS
				Peak	5720.000	-42.86	≤15.60	---	---	PASS
				Peak	5725.000	-33.79	≤27.00	---	---	PASS
	Ant2	Low	5745	Peak	5650.000	-44.32	≤-27.00	---	---	PASS
				Peak	5700.000	-44.03	≤10.00	---	---	PASS
				Peak	5720.000	-42.71	≤15.60	---	---	PASS
				Peak	5725.000	-41.15	≤27.00	---	---	PASS
	Ant1	High	5825	Peak	5850.000	-34.24	≤15.60	---	---	PASS
				Peak	5855.000	-41.47	≤27.00	---	---	PASS
				Peak	5875.000	-44.8	≤15.60	---	---	PASS
				Peak	5925.000	-43.84	≤10.00	---	---	PASS
	Ant2	High	5825	Peak	5850.000	-41.1	≤15.60	---	---	PASS
				Peak	5855.000	-41.98	≤27.00	---	---	PASS
				Peak	5875.000	-42.81	≤15.60	---	---	PASS
				Peak	5925.000	-43.36	≤10.00	---	---	PASS


Note:

1. The Antenna Gain is compensated in the graph.


For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm

2. The test system adds the internal line loss into the compensation according to different frequencies, and the conduction antenna line loss and antenna gain have also been added, which is finally reflected in offset


11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant2_Low_5180_AV




11A_Ant2_Low_5180_Peak




11A Ant1 High 5320 AV




11A Ant1 High 5320 Peak




11A Ant2 High 5320 AV




11A Ant2 High 5320 Peak




11A Ant1 Low 5500 AV




11A Ant1 Low 5500 Peak




11A_Ant2_Low_5500_AV




11A_Ant2_Low_5500_Peak




11A_Ant1_Low_5745_Peak




11A_Ant2_Low_5745_Peak



11A_Ant1_High_5825_Peak



11A_Ant2_High_5825_Peak



ABOVE 1000 MHz

Note: All the modes have been tested and recorded worst mode in the report.

UNII-1

TX A Channel 36 / 5180 MHz Ant Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10651	H	43.13	---	9.03	52.16	---	74	54	-21.84
15523	H	39.68	---	9.87	49.55	---	74	54	-24.45
---	H	---	---	---	---	---	---	---	---
10655	V	44.57	---	9.03	53.60	---	74	54	-20.40
15542	V	39.36	---	9.88	49.24	---	74	54	-24.76
---	V	---	---	---	---	---	---	---	---
TX A Channel 40 / 5200 MHz Ant Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10601	H	44.67	---	9.09	53.76	---	74	54	-20.24
15600	H	39.23	---	9.91	49.14	---	74	54	-24.86
---	H	---	---	---	---	---	---	---	---
10601	V	44.88	---	9.09	53.97	---	74	54	-20.03
15600	V	41.42	---	9.91	51.33	---	74	54	-22.67
---	V	---	---	---	---	---	---	---	---
TX A Channel 48 / 5240 MHz Ant Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10760	H	44.09	---	9.24	53.33	---	74	54	-20.67
15725	H	43.49	---	10.01	53.50	---	74	54	-20.50
---	H	---	---	---	---	---	---	---	---
10759	V	44.59	---	9.24	53.83	---	74	54	-20.17
15725	V	43.79	---	10.01	53.80	---	74	54	-20.20
---	V	---	---	---	---	---	---	---	---

UNII-2A

11A Channel 52 / 5260 MHz Ant Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10521	H	43.58	---	9.44	53.02	---	74	54	-20.98
15781	H	42.51	---	10.12	52.63	---	74	54	-21.37
---	H	---	---	---	---	---	---	---	---
10523	V	43.06	---	9.46	52.52	---	74	54	-21.48
15782	V	42.73	---	10.13	52.86	---	74	54	-21.14
---	V	---	---	---	---	---	---	---	---
11A Channel 56 / 5280 MHz Ant Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10561	H	43.00	---	9.51	52.51	---	74	54	-21.49
15842	H	43.05	---	10.51	53.56	---	74	54	-20.44
---	H	---	---	---	---	---	---	---	---
10561	V	43.41	---	9.51	52.92	---	74	54	-21.08
15841	V	43.01	---	10.49	53.50	---	74	54	-20.50
---	V	---	---	---	---	---	---	---	---
11A Channel 64 / 5320 MHz Ant Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10641	H	41.90	---	9.63	51.53	---	74	54	-22.47
15961	H	42.69	---	11.25	53.94	---	74	54	-20.06
---	H	---	---	---	---	---	---	---	---
10642	V	43.59	---	9.63	53.22	---	74	54	-20.78
15959	V	42.35	---	11.23	53.58	---	74	54	-20.42
---	V	---	---	---	---	---	---	---	---

UNII-2C

11A Channel 100 / 5500 MHz ANT Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10651	H	43.87	---	9.15	53.02	---	74	54	-20.98
15799	H	43.31	---	10.25	53.56	---	74	54	-20.44
---	H	---	---	---	---	---	---	---	---
10758	V	42.82	---	9.99	52.81	---	74	54	-21.19
15836	V	42.63	---	10.95	53.58	---	74	54	-20.42
---	V	---	---	---	---	---	---	---	---
11A Channel 116 / 5580 MHz ANT Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10793	H	40.56	---	10.01	50.57	---	74	54	-23.43
15902	H	41.90	---	10.79	52.69	---	74	54	-21.31
---	H	---	---	---	---	---	---	---	---
10963	V	43.44	---	10.05	53.49	---	74	54	-20.51
15991	V	41.02	---	11.93	52.95	---	74	54	-21.05
---	V	---	---	---	---	---	---	---	---
11A Channel 140 / 5700 MHz ANT Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10789	H	43.95	---	10.00	53.95	---	74	54	-20.05
16199	H	40.18	---	12.04	52.22	---	74	54	-21.78
---	H	---	---	---	---	---	---	---	---
10853	V	42.79	---	10.12	52.91	---	74	54	-21.09
16014	V	41.40	---	11.32	52.72	---	74	54	-21.28
---	V	---	---	---	---	---	---	---	---

UNII-3

TX A Channel 149 / 5745 MHz ANT Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11727	H	44.02	---	9.81	53.83	---	74	54	-20.17
17739	H	40.50	---	12.96	53.46	---	74	54	-20.54
---	H	---	---	---	---	---	---	---	---
11726	V	43.25	---	9.81	53.06	---	74	54	-20.94
17738	V	40.15	---	12.95	53.10	---	74	54	-20.90
---	V	---	---	---	---	---	---	---	---
TX A Channel 153 / 5765 MHz ANT Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11837	H	43.82	---	9.91	53.73	---	74	54	-20.27
18126	H	39.24	---	13.21	52.45	---	74	54	-21.55
---	H	---	---	---	---	---	---	---	---
11849	V	43.82	---	9.92	53.74	---	74	54	-20.26
18356	V	40.33	---	13.22	53.55	---	74	54	-20.45
---	V	---	---	---	---	---	---	---	---
TX A Channel 165/ 5825 MHz ANT Left									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11906	H	43.77	---	10.01	53.78	---	74	54	-20.22
18254	H	38.94	---	14.01	52.95	---	74	54	-21.05
---	H	---	---	---	---	---	---	---	---
11932	V	42.87	---	9.98	52.85	---	74	54	-21.15
18298	V	39.38	---	13.99	53.37	---	74	54	-20.63
---	V	---	---	---	---	---	---	---	---


Notes:

- 1). Radiated emissions measured in frequency range from 9 KHz~10th harmonic or 40GHz (which is less) were made with an instrument using Peak detector mode.
- 2). Data of measurement within this frequency range shown "---" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.
- 3). Measured Level = Reading Level + Factor, Margin = Measured Level – Limit


APPENDIXE -BANDWIDTH

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant Left	5180	21.12	5169.56	5190.68	---	---
		5200	21.48	5189.28	5210.76	---	---
		5240	21.44	5229.40	5250.84	---	---
		5260	21.72	5249.36	5271.08	---	---
		5300	23.40	5289.40	5312.80	---	---
		5320	22.40	5309.28	5331.68	---	---
		5500	21.56	5489.28	5510.84	---	---
		5600	21.44	5589.40	5610.84	---	---
		5700	21.36	5689.52	5710.88	---	---
		5745	21.00	5734.44	5755.44	---	---
		5785	21.12	5774.32	5795.44	---	---
		5825	21.12	5814.56	5835.68	---	---
11N20SISO	Ant Left	5180	22.24	5168.64	5190.88	---	---
		5200	22.64	5188.76	5211.40	---	---
		5240	22.04	5228.92	5250.96	---	---
		5260	22.64	5248.60	5271.24	---	---
		5300	22.84	5288.92	5311.76	---	---
		5320	22.84	5308.56	5331.40	---	---
		5500	22.40	5488.56	5510.96	---	---
		5600	22.68	5588.56	5611.24	---	---
		5700	23.12	5688.44	5711.56	---	---
		5745	22.92	5733.44	5756.36	---	---
		5785	22.88	5773.72	5796.60	---	---
		5825	22.24	5813.76	5836.00	---	---
11N40SISO	Ant Left	5190	38.96	5170.48	5209.44	---	---
		5230	39.20	5210.32	5249.52	---	---
		5270	39.12	5250.40	5289.52	---	---
		5310	38.96	5290.56	5329.52	---	---
		5510	39.04	5490.40	5529.44	---	---
		5590	38.96	5570.48	5609.44	---	---
		5670	38.88	5650.64	5689.52	---	---
		5755	39.20	5735.48	5774.68	---	---
		5795	38.80	5775.56	5814.36	---	---


11A_Ant1_5180




11A_Ant1_5200




11A_Ant1_5240




11A_Ant1_5260






11A_Ant1_5300




11A_Ant1_5320







11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5600



11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




Date: 22.JAN.2025 13:28:12

11N20SISO_Ant1_5785




Date: 22.JAN.2025 13:35:02

11N20SISO_Ant1_5825




Date: 22.JAN.2025 13:22:21

11N40SISO_Ant1_5190




Date: 22.JAN.2025 15:07:00

11N40SISO_Ant1_5230




Date: 22.JAN.2025 15:16:26

11N40SISO_Ant1_5270




Date: 22.JAN.2025 15:22:12


11N40SISO_Ant1_5310




11N40SISO_Ant1_5510



11N40SISO_Ant1_5590




11N40SISO_Ant1_5670




Date: 22.JAN.2025 15:47:05

11N40SISO_Ant1_5755



Date: 22.JAN.2025 15:53:59


11N40SISO_Ant1_5795




Date: 22.JAN.2025 16:01:21

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant Right	5180	23.32	5168.40	5191.72	---	---
		5200	21.80	5189.16	5210.96	---	---
		5240	21.44	5229.56	5251.00	---	---
		5260	21.72	5249.32	5271.04	---	---
		5300	21.96	5289.40	5311.36	---	---
		5320	21.68	5309.32	5331.00	---	---
		5500	21.12	5489.52	5510.64	---	---
		5600	21.20	5589.40	5610.60	---	---
		5700	21.12	5689.60	5710.72	---	---
		5745	21.16	5734.60	5755.76	---	---
		5785	20.80	5774.76	5795.56	---	---
11N20SISO	Ant Right	5825	21.36	5814.32	5835.68	---	---
		5180	22.76	5168.88	5191.64	---	---
		5200	22.60	5189.00	5211.60	---	---
		5240	22.56	5228.56	5251.12	---	---
		5260	22.40	5248.76	5271.16	---	---
		5300	22.44	5289.08	5311.52	---	---
		5320	22.88	5308.96	5331.84	---	---
		5500	22.48	5488.64	5511.12	---	---
		5600	21.64	5588.96	5610.60	---	---
		5700	22.08	5689.04	5711.12	---	---
		5745	22.04	5733.88	5755.92	---	---
11N40SISO	Ant Right	5785	22.12	5773.88	5796.00	---	---
		5825	22.00	5813.84	5835.84	---	---
		5190	39.04	5170.40	5209.44	---	---
		5230	39.12	5210.40	5249.52	---	---
		5270	39.28	5250.40	5289.68	---	---
		5310	38.88	5290.64	5329.52	---	---
		5510	39.12	5490.48	5529.60	---	---
		5590	38.96	5570.48	5609.44	---	---
		5670	38.80	5650.56	5689.36	---	---
		5755	39.20	5735.32	5774.52	---	---
		5795	38.72	5775.56	5814.28	---	---

11A_Ant1_5180




11A_Ant1_5200




11A_Ant1_5240




11A_Ant1_5260




11A_Ant1_5300



11A_Ant1_5320




11A_Ant1_5500




Date: 31.DEC.2024 19:16:14

11A_Ant1_5600




Date: 31.DEC.2024 19:22:14

11A_Ant1_5700




Date: 24.DEC.2024 20:02:15

11A_Ant1_5745




Date: 24.DEC.2024 20:42:53

11A_Ant1_5785




Date: 24.DEC.2024 20:49:05

11A_Ant1_5825




Date: 24.DEC.2024 20:54:28

11N20SISO_Ant1_5180




Date: 24.DEC.2024 12:43:06

11N20SISO_Ant1_5200



Date: 24.DEC.2024 12:49:10

11N20SISO_Ant1_5240



Date: 31.DEC.2024 19:00:30