

FCC Part 15D – Compliance Information

EUT AND PRODUCT INFORMATION

Type of Equipment	UPCS (DECT 6.0)
Applicant Name	Panasonic Corporation of North America
Responsible Mfr Name	Panasonic Corporation
Address	1-62, 4-chome, Minoshima, Hakata-ku, Fukuoka 812-8531, Japan
Contact	Kazunori Ata

	FP		
EUT Type/System	☒		
FCC ID	ACJ96NKX-TGF780A (IC:216A-KXTGF780A)		
Model name	KX-TGF780, KX- TGF770, KX-TGF970, KX-TGF790C, KX-TGF780C, KX-TGF980C		
HW Version	PNLB2793xx		
SW Version	SW200		
Max antenna Gain (dBi)	0dBi		
Can the EUT be Initiating Device	☐ YES		
Does the EUT transmit signaling channels	☒ YES		
Max number of slots in use simultaneously	1 slot		
Test standard:	☒ FCC part 15D	☒ Other: Industry Canada RSS-213, Issue 3	
Frequency Band	1921.536 – 1928.448 MHz		
# of RF Channels	5		
Frame Period	10 ms		
Max. Burst length	417us / duplex channel (For Narrow band) 833us / duplex channel (For Wide band via only Bluetooth)		
Min. Burst Length	106us / signaling channel		
# of Logical Channels	60 (12 duplex channels per RF carrier)(For Narrow band) 30 (6 duplex channels per RF carrier)(For Wide band via only Bluetooth)		
Operating Mode	☐ Simplex	☒ Duplex	

FCC Part 15D – Compliance Information

ANTENNAS				
Base (FP)	Antenna	Type	Internal	External
	1	Wired Antenna	☒	☐
	2	Pattern Antenna	☒	☐
	3		☐	☐
	4		☐	☐
Does RX and TX use the same antenna(s)?			☒ Yes	☐ No
Handset (PP)	Antenna	Type	Internal	External
	1	Pattern Antenna	☒	☐
	2		☐	☐
Does RX and TX use the same antenna(s)?			☒ Yes	☐ No

ANTENNA DIVERSITY			
	Antenna	Diversity Supported	
		TX	RX
Base (FP) and Repeater	1	☒	☒
	2	☒	☒
	3	☐	☐
	4	☐	☐
Handset (PP)	1	☐	☐
	2	☐	☐

VOLTAGE AND TEMPERATURE RANGES			
VOLTAGES	FP		
Nominal Voltage	120V AC		
Cut-Off Voltage (if applicable)	-	-	-
POWER SOURCE	Type	Manufacturer	
Base or Repeater	PNLV226 (AC Adaptor)	Panasonic	
Handset (PP) (charger)			
Data Connections	☒ PSTN (Base) ☐ Others (please specify)		

Description	AC Adaptor and Charger
Type	PNLV226 (AC Adaptor)
Manufacturer	Panasonic

Description	
Type	
Manufacturer	

FCC Part 15D – Compliance Information

MANUFACTURERS DECLARATIONS

FCC part 15.323 (c)(5)

No device or group of co-operating devices located within 1m of each other shall during any frame period occupy more than 6 MHz of aggregate bandwidth, or alternatively, more than one third of the time and spectrum windows defined by the system.

Applicant Agrees

☒ Yes

☐ No

FCC part 15.323 (c)(10)

The applicant hereby declares that the system in this application **does** use the criteria of (c)(10) of this section.

Applicant Agrees

☒ Yes

☐ No

FCC part 15.323 (c)(11)

The applicant hereby declares that system in this application **does not** use the criteria of (c)(11) of this section.

Applicant Agrees

☒ Yes

☐ No

FCC part 15.323 (c)(12)

The provisions of (c)(10) or (c)(11) of this section **shall not** be used to extend the range of spectrum occupied over space or time for the purpose of denying fair access to spectrum to other devices.

Applicant Agrees

☒ Yes

☐ No

FCC part 15.307 (b)

The Applicant is a participating member of UTAM, Inc. and will provide an affidavit from UTAM, Inc. certifying this.

Confirmed By Applicant

☒ Yes

☐ No

ADDITIONAL REMARKS:

>

DECLARED BY:

December 11, 2020

Ben Botros

