


Band n258b, Antenna #0, 100 MHz, Upper Band Edge, DFT-s-OFDM




Band n258b, Antenna #1, H+V


Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-12.67	-5	7.67
					24.745	-21.72	-13	8.72
			DFT-s-OFDM	QPSK	24.750	-12.92	-5	7.92
					24.745	-24.12	-13	11.12
			DFT-s-OFDM	16QAM	24.750	-17.73	-5	12.73
					24.745	-23.04	-13	10.04
		Full (32/0)	DFT-s-OFDM	64QAM	24.750	-15.96	-5	10.96
					24.745	-26.97	-13	13.97
			DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-23.90	-5	18.90
					24.745	-27.64	-13	14.64
			DFT-s-OFDM	QPSK	24.750	-25.30	-5	20.30
					24.745	-28.43	-13	15.43
	100	1RB (1/0)	DFT-s-OFDM	16QAM	24.750	-28.62	-5	23.62
					24.747	-26.88	-13	13.88
			DFT-s-OFDM	64QAM	24.750	-30.46	-5	25.46
					24.745	-29.92	-13	16.92
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-10.76	-5	5.76
					24.740	-25.61	-13	12.61
			DFT-s-OFDM	QPSK	24.750	-13.22	-5	8.22
					24.740	-30.65	-13	17.65
			DFT-s-OFDM	16QAM	24.750	-13.94	-5	8.94
					24.740	-28.23	-13	15.23
		Full (64/0)	DFT-s-OFDM	64QAM	24.750	-15.14	-5	10.14
					24.740	-26.48	-13	13.48
			DFT-s-OFDM	$\pi/2$ -BPSK	24.740	-28.88	-5	23.88
					24.750	-29.20	-13	16.20
			DFT-s-OFDM	QPSK	24.750	-26.94	-5	21.94
					24.740	-29.39	-13	16.39
		Full (64/0)	DFT-s-OFDM	16QAM	24.750	-30.57	-5	25.57
					24.740	-30.40	-13	17.40
			DFT-s-OFDM	64QAM	24.750	-30.14	-5	25.14
					24.740	-29.85	-13	16.85

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-12.65	-5	7.65
					25.255	-19.88	-13	6.88
			DFT-s-OFDM	QPSK	25.250	-11.04	-5	6.04
					25.266	-19.08	-13	6.08
			DFT-s-OFDM	16QAM	25.250	-14.87	-5	9.87
					25.255	-21.94	-13	8.94
		Full (32/0)	DFT-s-OFDM	64QAM	25.250	-15.08	-5	10.08
					25.266	-23.58	-13	10.58
			DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-23.13	-5	18.13
					25.264	-24.49	-13	11.49
			DFT-s-OFDM	QPSK	25.250	-21.71	-5	16.71
					25.266	-22.94	-13	9.94
	100	1RB (1/65)	DFT-s-OFDM	16QAM	25.250	-24.50	-5	19.50
					25.255	-24.45	-13	11.45
			DFT-s-OFDM	64QAM	25.250	-27.97	-5	22.97
					25.266	-27.80	-13	14.80
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-12.45	-5	7.45
					25.260	-25.88	-13	12.88
			DFT-s-OFDM	QPSK	25.250	-11.66	-5	6.66
					25.260	-28.17	-13	15.17
			DFT-s-OFDM	16QAM	25.250	-13.92	-5	8.92
					25.260	-27.84	-13	14.84
		Full (64/0)	DFT-s-OFDM	64QAM	25.250	-16.51	-5	11.51
					25.260	-27.87	-13	14.87
			DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-28.07	-5	23.07
					25.260	-29.88	-13	16.88
			DFT-s-OFDM	QPSK	25.250	-24.37	-5	19.37
					25.260	-27.21	-13	14.21
		Full (64/0)	DFT-s-OFDM	16QAM	25.250	-29.59	-5	24.59
					25.262	-26.69	-13	13.69
		Full (64/0)	DFT-s-OFDM	64QAM	25.250	-28.66	-5	23.66
					24.265	-26.93	-13	13.93


Band n258b, Antenna #1, 50 MHz, Lower Band Edge, DFT-s-OFDM




Band n258b, Antenna #1, 50 MHz, Upper Band Edge, DFT-s-OFDM



Band n258b, Antenna #1, 100 MHz, Lower Band Edge, DFT-s-OFDM



Band n258b, Antenna #1, 100 MHz, Upper Band Edge, DFT-s-OFDM




Band n258b, Antenna #2, H+V


Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-11.27	-5	6.27
					24.745	-18.60	-13	5.60
			DFT-s-OFDM	QPSK	24.750	-9.88	-5	4.88
					24.745	-18.96	-13	5.96
			DFT-s-OFDM	16QAM	24.750	-11.75	-5	6.75
					24.745	-21.13	-13	8.13
			DFT-s-OFDM	64QAM	24.750	-13.75	-5	8.75
					24.745	-21.90	-13	8.90
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.749	-21.91	-5	16.91
					24.744	-24.54	-13	11.54
			DFT-s-OFDM	QPSK	24.750	-19.23	-5	14.23
					24.744	-22.07	-13	9.07
			DFT-s-OFDM	16QAM	24.750	-22.07	-5	17.07
					24.745	-22.87	-13	9.87
			DFT-s-OFDM	64QAM	24.748	-23.06	-5	18.06
					24.745	-24.25	-13	11.25
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-9.52	-5	4.52
					24.739	-25.19	-13	12.19
			DFT-s-OFDM	QPSK	24.750	-10.21	-5	5.21
					24.740	-24.39	-13	11.39
			DFT-s-OFDM	16QAM	24.750	-12.72	-5	7.72
					24.740	-24.96	-13	11.96
			DFT-s-OFDM	64QAM	24.750	-13.90	-5	8.90
					24.740	-26.57	-13	13.57
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.749	-22.48	-5	17.48
					24.712	-25.56	-13	12.56
			DFT-s-OFDM	QPSK	24.750	-21.82	-5	16.82
					24.719	-24.44	-13	11.44
			DFT-s-OFDM	16QAM	24.749	-24.02	-5	19.02
					24.732	-26.24	-13	13.24
			DFT-s-OFDM	64QAM	24.750	-26.19	-5	21.19
					24.737	-26.27	-13	13.27

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-9.85	-5	4.85
					25.256	-18.30	-13	5.30
			DFT-s-OFDM	QPSK	25.250	-9.97	-5	4.97
					25.255	-18.23	-13	5.23
			DFT-s-OFDM	16QAM	25.250	-12.64	-5	7.64
					25.255	-19.81	-13	6.81
			DFT-s-OFDM	64QAM	25.250	-14.47	-5	9.47
					25.255	-21.90	-13	8.90
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	25.251	-20.68	-5	15.68
					25.256	-23.54	-13	10.54
			DFT-s-OFDM	QPSK	25.251	-18.26	-5	13.26
					25.257	-20.41	-13	7.41
			DFT-s-OFDM	16QAM	25.250	-21.01	-5	16.01
					25.255	-22.14	-13	9.14
			DFT-s-OFDM	64QAM	25.252	-22.98	-5	17.98
					25.256	-23.94	-13	10.94
	100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-10.81	-5	5.81
					25.260	-25.01	-13	12.01
			DFT-s-OFDM	QPSK	25.250	-10.76	-5	5.76
					25.260	-24.45	-13	11.45
			DFT-s-OFDM	16QAM	25.250	-13.43	-5	8.43
					25.266	-25.36	-13	12.36
			DFT-s-OFDM	64QAM	25.250	-14.03	-5	9.03
					25.260	-27.07	-13	14.07
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-24.89	-5	19.89
					25.281	-25.89	-13	12.89
			DFT-s-OFDM	QPSK	25.250	-23.50	-5	18.50
					25.264	-24.03	-13	11.03
			DFT-s-OFDM	16QAM	25.251	-24.40	-5	19.40
					25.265	-24.12	-13	11.12
			DFT-s-OFDM	64QAM	25.251	-23.50	-5	18.50
					25.293	-25.52	-13	12.52

Band n258b, Antenna #2, 50 MHz, Lower Band Edge, DFT-s-OFDM



Band n258b, Antenna #2, 50 MHz, Upper Band Edge, DFT-s-OFDM



Band n258b, Antenna #2, 100 MHz, Lower Band Edge, DFT-s-OFDM

