


Band n258b, Antenna #2, 100 MHz, Upper Band Edge, DFT-s-OFDM




Band n260, Antenna #0, H+V


| Channel | Bandwidth<br>[MHz] | RB<br>(Size/Offset) | Transmission<br>scheme | Modulation    | Frequency<br>[GHz] | EIRP<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] |
|---------|--------------------|---------------------|------------------------|---------------|--------------------|---------------|----------------|----------------|
| Low     | 50                 | 1RB<br>(1/0)        | DFT-s-OFDM             | $\pi/2$ -BPSK | 37.000             | -7.85         | -5             | 2.85           |
|         |                    |                     |                        |               | 36.995             | -17.29        | -13            | 4.29           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 37.000             | -7.32         | -5             | 2.32           |
|         |                    |                     |                        |               | 36.994             | -17.24        | -13            | 4.24           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -9.73         | -5             | 4.73           |
|         |                    |                     |                        |               | 36.995             | -16.89        | -13            | 3.89           |
|         |                    | Full<br>(32/0)      | DFT-s-OFDM             | 64QAM         | 37.000             | -10.12        | -5             | 5.12           |
|         |                    |                     |                        |               | 36.995             | -19.66        | -13            | 6.66           |
|         |                    |                     | DFT-s-OFDM             | $\pi/2$ -BPSK | 36.999             | -18.80        | -5             | 13.80          |
|         |                    |                     |                        |               | 36.987             | -19.51        | -13            | 6.51           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 36.996             | -15.40        | -5             | 10.40          |
|         |                    |                     |                        |               | 36.994             | -16.57        | -13            | 3.57           |
|         | 100                | 1RB<br>(1/0)        | DFT-s-OFDM             | 16QAM         | 37.000             | -18.94        | -5             | 13.94          |
|         |                    |                     |                        |               | 36.995             | -17.91        | -13            | 4.91           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 36.999             | -20.57        | -5             | 15.57          |
|         |                    |                     |                        |               | 36.964             | -20.11        | -13            | 7.11           |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 37.000             | -8.64         | -5             | 3.64           |
|         |                    |                     |                        |               | 36.982             | -19.64        | -13            | 6.64           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 37.000             | -9.52         | -5             | 4.52           |
|         |                    |                     |                        |               | 36.887             | -20.08        | -13            | 7.08           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -9.95         | -5             | 4.95           |
|         |                    |                     |                        |               | 36.922             | -19.66        | -13            | 6.66           |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | 64QAM         | 37.000             | -11.43        | -5             | 6.43           |
|         |                    |                     |                        |               | 36.890             | -19.51        | -13            | 6.51           |
|         |                    |                     | DFT-s-OFDM             | $\pi/2$ -BPSK | 36.999             | -18.19        | -5             | 13.19          |
|         |                    |                     |                        |               | 36.940             | -20.08        | -13            | 7.08           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 36.998             | -18.02        | -5             | 13.02          |
|         |                    |                     |                        |               | 36.985             | -18.34        | -13            | 5.34           |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | 16QAM         | 37.000             | -19.24        | -5             | 14.24          |
|         |                    |                     |                        |               | 36.986             | -19.97        | -13            | 6.97           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 36.999             | -19.34        | -5             | 14.34          |
|         |                    |                     |                        |               | 36.987             | -19.71        | -13            | 6.71           |

| Channel | Bandwidth<br>[MHz] | RB<br>(Size/Offset) | Transmission<br>scheme | Modulation    | Frequency<br>[GHz] | EIRP<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] |
|---------|--------------------|---------------------|------------------------|---------------|--------------------|---------------|----------------|----------------|
| High    | 50                 | 1RB<br>(1/31)       | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -9.07         | -5             | 4.07           |
|         |                    |                     |                        |               | 40.005             | -17.20        | -13            | 4.20           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -9.01         | -5             | 4.01           |
|         |                    |                     |                        |               | 40.005             | -16.94        | -13            | 3.94           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.000             | -11.20        | -5             | 6.20           |
|         |                    |                     |                        |               | 40.005             | -17.99        | -13            | 4.99           |
|         |                    | Full<br>(32/0)      | DFT-s-OFDM             | 64QAM         | 40.000             | -11.68        | -5             | 6.68           |
|         |                    |                     |                        |               | 40.005             | -19.74        | -13            | 6.74           |
|         |                    |                     | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -16.63        | -5             | 11.63          |
|         |                    |                     |                        |               | 40.011             | -22.11        | -13            | 9.11           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -15.10        | -5             | 10.10          |
|         |                    |                     |                        |               | 40.007             | -17.76        | -13            | 4.76           |
|         | 100                | 1RB<br>(1/65)       | DFT-s-OFDM             | 16QAM         | 40.000             | -18.73        | -5             | 13.73          |
|         |                    |                     |                        |               | 40.006             | -22.80        | -13            | 9.80           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.000             | -24.23        | -5             | 19.23          |
|         |                    |                     |                        |               | 40.006             | -27.34        | -13            | 14.34          |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -13.75        | -5             | 8.75           |
|         |                    |                     |                        |               | 40.013             | -26.61        | -13            | 13.61          |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -12.50        | -5             | 7.50           |
|         |                    |                     |                        |               | 40.012             | -26.60        | -13            | 13.60          |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.000             | -12.51        | -5             | 7.51           |
|         |                    |                     |                        |               | 40.010             | -24.93        | -13            | 11.93          |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | 64QAM         | 40.000             | -15.05        | -5             | 10.05          |
|         |                    |                     |                        |               | 40.010             | -26.80        | -13            | 13.80          |
|         |                    |                     | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -23.88        | -5             | 18.88          |
|         |                    |                     |                        |               | 40.032             | -25.59        | -13            | 12.59          |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.002             | -22.04        | -5             | 17.04          |
|         |                    |                     |                        |               | 40.012             | -22.86        | -13            | 9.86           |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | 16QAM         | 40.000             | -26.69        | -5             | 21.69          |
|         |                    |                     |                        |               | 40.026             | -26.32        | -13            | 13.32          |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | 64QAM         | 40.004             | -28.38        | -5             | 23.38          |
|         |                    |                     |                        |               | 40.067             | -28.20        | -13            | 15.20          |


Band n260, Antenna #0, 50 MHz, Lower Band Edge, DFT-s-OFDM




Band n260, Antenna #0, 50 MHz, Upper Band Edge, DFT-s-OFDM



Band n260, Antenna #0, 100 MHz, Lower Band Edge, DFT-s-OFDM



Band n260, Antenna #0, 100 MHz, Upper Band Edge, DFT-s-OFDM




Band n260, Antenna #1, H+V


| Channel | Bandwidth<br>[MHz] | RB<br>(Size/Offset) | Transmission<br>scheme | Modulation    | Frequency<br>[GHz] | EIRP<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] |
|---------|--------------------|---------------------|------------------------|---------------|--------------------|---------------|----------------|----------------|
| Low     | 50                 | 1RB<br>(1/0)        | DFT-s-OFDM             | $\pi/2$ -BPSK | 37.000             | -6.81         | -5             | 1.81           |
|         |                    |                     |                        |               | 36.995             | -14.71        | -13            | 1.71           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 37.000             | -6.01         | -5             | 1.01           |
|         |                    |                     |                        |               | 36.995             | -14.91        | -13            | 1.91           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -7.49         | -5             | 2.49           |
|         |                    |                     |                        |               | 36.994             | -16.41        | -13            | 3.41           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 37.000             | -8.91         | -5             | 3.91           |
|         |                    |                     |                        |               | 36.995             | -18.04        | -13            | 5.04           |
|         |                    | Full<br>(32/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 36.999             | -16.46        | -5             | 11.46          |
|         |                    |                     |                        |               | 36.989             | -19.61        | -13            | 6.61           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 37.000             | -14.19        | -5             | 9.19           |
|         |                    |                     |                        |               | 36.994             | -15.85        | -13            | 2.85           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -17.00        | -5             | 12.00          |
|         |                    |                     |                        |               | 36.994             | -18.34        | -13            | 5.34           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 37.000             | -19.38        | -5             | 14.38          |
|         |                    |                     |                        |               | 36.988             | -19.53        | -13            | 6.53           |
|         | 100                | 1RB<br>(1/0)        | DFT-s-OFDM             | $\pi/2$ -BPSK | 37.000             | -7.94         | -5             | 2.94           |
|         |                    |                     |                        |               | 36.990             | -20.53        | -13            | 7.53           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 37.000             | -6.15         | -5             | 1.15           |
|         |                    |                     |                        |               | 36.986             | -19.36        | -13            | 6.36           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -8.12         | -5             | 3.12           |
|         |                    |                     |                        |               | 36.989             | -19.15        | -13            | 6.15           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 37.000             | -10.27        | -5             | 5.27           |
|         |                    |                     |                        |               | 36.979             | -20.24        | -13            | 7.24           |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 36.992             | -18.81        | -5             | 13.81          |
|         |                    |                     |                        |               | 36.985             | -20.09        | -13            | 7.09           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 36.997             | -17.73        | -5             | 12.73          |
|         |                    |                     |                        |               | 36.988             | -18.11        | -13            | 5.11           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -19.25        | -5             | 14.25          |
|         |                    |                     |                        |               | 36.953             | -19.39        | -13            | 6.39           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 36.999             | -19.94        | -5             | 14.94          |
|         |                    |                     |                        |               | 36.943             | -19.26        | -13            | 6.26           |

| Channel | Bandwidth<br>[MHz] | RB<br>(Size/Offset) | Transmission<br>scheme | Modulation    | Frequency<br>[GHz] | EIRP<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] |
|---------|--------------------|---------------------|------------------------|---------------|--------------------|---------------|----------------|----------------|
| High    | 50                 | 1RB<br>(1/31)       | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -7.98         | -5             | 2.98           |
|         |                    |                     |                        |               | 40.005             | -14.92        | -13            | 1.92           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -7.86         | -5             | 2.86           |
|         |                    |                     |                        |               | 40.005             | -15.73        | -13            | 2.73           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.000             | -8.90         | -5             | 3.90           |
|         |                    |                     |                        |               | 40.005             | -17.26        | -13            | 4.26           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.000             | -12.50        | -5             | 7.50           |
|         |                    |                     |                        |               | 40.005             | -19.65        | -13            | 6.65           |
|         |                    | Full<br>(32/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -16.45        | -5             | 11.45          |
|         |                    |                     |                        |               | 40.005             | -21.50        | -13            | 8.50           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -15.31        | -5             | 10.31          |
|         |                    |                     |                        |               | 40.007             | -18.69        | -13            | 5.69           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.001             | -19.64        | -5             | 14.64          |
|         |                    |                     |                        |               | 40.006             | -23.02        | -13            | 10.02          |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.001             | -22.62        | -5             | 17.62          |
|         |                    |                     |                        |               | 40.007             | -26.41        | -13            | 13.41          |
|         | 100                | 1RB<br>(1/65)       | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -9.85         | -5             | 4.85           |
|         |                    |                     |                        |               | 40.010             | -21.80        | -13            | 8.80           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -9.40         | -5             | 4.40           |
|         |                    |                     |                        |               | 40.010             | -22.37        | -13            | 9.37           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.000             | -10.79        | -5             | 5.79           |
|         |                    |                     |                        |               | 40.010             | -22.15        | -13            | 9.15           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.000             | -14.09        | -5             | 9.09           |
|         |                    |                     |                        |               | 40.010             | -24.56        | -13            | 11.56          |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -22.58        | -5             | 17.58          |
|         |                    |                     |                        |               | 40.012             | -26.39        | -13            | 13.39          |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -21.21        | -5             | 16.21          |
|         |                    |                     |                        |               | 40.019             | -22.19        | -13            | 9.19           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.001             | -24.35        | -5             | 19.35          |
|         |                    |                     |                        |               | 40.013             | -25.95        | -13            | 12.95          |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.001             | -28.34        | -5             | 23.34          |
|         |                    |                     |                        |               | 40.011             | -28.51        | -13            | 15.51          |


Band n260, Antenna #1, 50 MHz, Lower Band Edge, DFT-s-OFDM




Band n260, Antenna #1, 50 MHz, Upper Band Edge, DFT-s-OFDM



Band n260, Antenna #1, 100 MHz, Lower Band Edge, DFT-s-OFDM



Band n260, Antenna #1, 100 MHz, Upper Band Edge, DFT-s-OFDM



Band n260, Antenna #2, H+V

| Channel | Bandwidth<br>[MHz] | RB<br>(Size/Offset) | Transmission<br>scheme | Modulation    | Frequency<br>[GHz] | EIRP<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] |
|---------|--------------------|---------------------|------------------------|---------------|--------------------|---------------|----------------|----------------|
| Low     | 50                 | 1RB<br>(1/0)        | DFT-s-OFDM             | $\pi/2$ -BPSK | 37.000             | -7.02         | -5             | 2.02           |
|         |                    |                     |                        |               | 36.995             | -17.43        | -13            | 4.43           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 37.000             | -7.25         | -5             | 2.25           |
|         |                    |                     |                        |               | 36.995             | -18.34        | -13            | 5.34           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -8.95         | -5             | 3.95           |
|         |                    |                     |                        |               | 36.995             | -16.09        | -13            | 3.09           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 37.000             | -9.91         | -5             | 4.91           |
|         |                    |                     |                        |               | 36.994             | -18.84        | -13            | 5.84           |
|         |                    | Full<br>(32/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 37.000             | -16.93        | -5             | 11.93          |
|         |                    |                     |                        |               | 36.992             | -19.74        | -13            | 6.74           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 36.999             | -14.70        | -5             | 9.70           |
|         |                    |                     |                        |               | 36.995             | -15.66        | -13            | 2.66           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -16.80        | -5             | 11.80          |
|         |                    |                     |                        |               | 36.995             | -18.74        | -13            | 5.74           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 36.998             | -20.34        | -5             | 15.34          |
|         |                    |                     |                        |               | 36.946             | -20.59        | -13            | 7.59           |
|         | 100                | 1RB<br>(1/0)        | DFT-s-OFDM             | $\pi/2$ -BPSK | 37.000             | -8.18         | -5             | 3.18           |
|         |                    |                     |                        |               | 36.964             | -20.35        | -13            | 7.35           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 37.000             | -8.43         | -5             | 3.43           |
|         |                    |                     |                        |               | 36.986             | -20.92        | -13            | 7.92           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 37.000             | -11.10        | -5             | 6.10           |
|         |                    |                     |                        |               | 36.985             | -20.92        | -13            | 7.92           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 37.000             | -10.70        | -5             | 5.70           |
|         |                    |                     |                        |               | 36.969             | -20.50        | -13            | 7.50           |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 36.998             | -17.88        | -5             | 12.88          |
|         |                    |                     |                        |               | 36.989             | -19.42        | -13            | 6.42           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 36.998             | -17.34        | -5             | 12.34          |
|         |                    |                     |                        |               | 36.988             | -17.28        | -13            | 4.28           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 36.996             | -18.63        | -5             | 13.63          |
|         |                    |                     |                        |               | 36.973             | -19.92        | -13            | 6.92           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 36.992             | -20.89        | -5             | 15.89          |
|         |                    |                     |                        |               | 36.936             | -19.50        | -13            | 6.50           |

| Channel | Bandwidth<br>[MHz] | RB<br>(Size/Offset) | Transmission<br>scheme | Modulation    | Frequency<br>[GHz] | EIRP<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] |
|---------|--------------------|---------------------|------------------------|---------------|--------------------|---------------|----------------|----------------|
| High    | 50                 | 1RB<br>(1/31)       | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -8.93         | -5             | 3.93           |
|         |                    |                     |                        |               | 40.005             | -16.70        | -13            | 3.70           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -9.24         | -5             | 4.24           |
|         |                    |                     |                        |               | 40.005             | -16.93        | -13            | 3.93           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.000             | -11.04        | -5             | 6.04           |
|         |                    |                     |                        |               | 40.005             | -18.17        | -13            | 5.17           |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.000             | -13.01        | -5             | 8.01           |
|         |                    |                     |                        |               | 40.005             | -20.31        | -13            | 7.31           |
|         |                    | Full<br>(32/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -18.22        | -5             | 13.22          |
|         |                    |                     |                        |               | 40.007             | -22.77        | -13            | 9.77           |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -15.28        | -5             | 10.28          |
|         |                    |                     |                        |               | 40.006             | -17.66        | -13            | 4.66           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.000             | -19.45        | -5             | 14.45          |
|         |                    |                     |                        |               | 40.005             | -23.05        | -13            | 10.05          |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.000             | -22.67        | -5             | 17.67          |
|         |                    |                     |                        |               | 40.009             | -27.66        | -13            | 14.66          |
|         | 100                | 1RB<br>(1/65)       | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -11.44        | -5             | 6.44           |
|         |                    |                     |                        |               | 40.010             | -23.20        | -13            | 10.20          |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -11.05        | -5             | 6.05           |
|         |                    |                     |                        |               | 40.010             | -22.98        | -13            | 9.98           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.000             | -11.52        | -5             | 6.52           |
|         |                    |                     |                        |               | 40.010             | -23.55        | -13            | 10.55          |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.000             | -14.49        | -5             | 9.49           |
|         |                    |                     |                        |               | 40.010             | -25.62        | -13            | 12.62          |
|         |                    | Full<br>(64/0)      | DFT-s-OFDM             | $\pi/2$ -BPSK | 40.000             | -22.38        | -5             | 17.38          |
|         |                    |                     |                        |               | 40.032             | -25.88        | -13            | 12.88          |
|         |                    |                     | DFT-s-OFDM             | QPSK          | 40.000             | -20.21        | -5             | 15.21          |
|         |                    |                     |                        |               | 40.014             | -21.80        | -13            | 8.80           |
|         |                    |                     | DFT-s-OFDM             | 16QAM         | 40.001             | -23.44        | -5             | 18.44          |
|         |                    |                     |                        |               | 40.011             | -24.79        | -13            | 11.79          |
|         |                    |                     | DFT-s-OFDM             | 64QAM         | 40.000             | -27.34        | -5             | 22.34          |
|         |                    |                     |                        |               | 40.026             | -28.62        | -13            | 15.62          |