




Mode	100																																																																																																															
	SHF																																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																															
ANT	Chain A																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak	Level (dBuV/m) Date: 2026-05-06 Site : 03CH15-HY Condition: PEAK(UNII) 1m SHF_1224_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 23292.73</td><td>39.03</td><td>68.20</td><td>-29.17</td><td>57.57</td><td>39.00</td><td>6.37</td><td>54.37</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>2 39664.63</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>57.97</td><td>44.70</td><td>8.33</td><td>56.27</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 23292.73	39.03	68.20	-29.17	57.57	39.00	6.37	54.37	-9.54	-- -- PEAK	2 39664.63	45.19	74.00	-28.81	57.97	44.70	8.33	56.27	-9.54	-- -- PEAK	Level (dBuV/m) Date: 2026-05-06 Site : 03CH15-HY Condition: PEAK(UNII) 1m SHF_1224_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 20720.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>61.07</td><td>37.94</td><td>5.85</td><td>55.04</td><td>-9.54</td><td>150 311 Peak</td></tr><tr><td>2 20720.00</td><td>31.29</td><td>54.00</td><td>-22.71</td><td>52.08</td><td>37.94</td><td>5.85</td><td>55.04</td><td>-9.54</td><td>150 311 Average</td></tr><tr><td>3 39343.02</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>58.67</td><td>45.24</td><td>8.27</td><td>56.63</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 20720.00	40.28	74.00	-33.72	61.07	37.94	5.85	55.04	-9.54	150 311 Peak	2 20720.00	31.29	54.00	-22.71	52.08	37.94	5.85	55.04	-9.54	150 311 Average	3 39343.02	46.01	74.00	-27.99	58.67	45.24	8.27	56.63	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 23292.73	39.03	68.20	-29.17	57.57	39.00	6.37	54.37	-9.54	-- -- PEAK																																																																																																							
2 39664.63	45.19	74.00	-28.81	57.97	44.70	8.33	56.27	-9.54	-- -- PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 20720.00	40.28	74.00	-33.72	61.07	37.94	5.85	55.04	-9.54	150 311 Peak																																																																																																							
2 20720.00	31.29	54.00	-22.71	52.08	37.94	5.85	55.04	-9.54	150 311 Average																																																																																																							
3 39343.02	46.01	74.00	-27.99	58.67	45.24	8.27	56.63	-9.54	-- -- PEAK																																																																																																							




Appendix C. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
Ant A	5GHz 802.11a	97.66	2090	0.48	510Hz
Ant B	5GHz 802.11a	97.65	2080	0.48	510Hz
Ant A+B	5GHz 802.11be EHT20 Full RU	98.76	3980	0.25	10Hz
Ant A+B	5GHz 802.11be EHT80 Full RU	98.88	3990	0.25	10Hz
Ant A+B	5GHz 802.11be EHT160 Full RU	98.76	3990	0.25	10Hz

<Ant. A>



<Ant. B>





MIMO <Ant. A+B>

