



FCC RADIO TEST REPORT

FCC ID : ACJ9TGWW24A
Equipment : Radio Module
Brand Name : Panasonic
Model Name : WW24A
Applicant : Panasonic Corporation of North America
Two Riverfront Plaza, Newark, New Jersey, 07102-5490,
USA
Standard : FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(R), Part 90(S)

The product was received on Oct. 29, 2025 and testing was performed from Nov. 15, 2025 to Jan. 28, 2026. We, Sporton International Inc. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures given in ANSI / TIA-603-E and has been in compliance with the applicable technical standards.

The test results in this partial report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Louis Wu

Approved by: Louis Wu

Sporton International Inc. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)



Table of Contents

History of this test report.....	3
Summary of Test Result.....	4
1 General Description	6
1.1 Product Feature of Equipment Under Test.....	6
1.2 Modification of EUT	7
1.3 Testing Location	8
1.4 Applicable Standards.....	8
2 Test Configuration of Equipment Under Test	9
2.1 Test Mode.....	9
2.2 Connection Diagram of Test System.....	10
2.3 Support Unit used in test configuration and system	11
2.4 Measurement Results Explanation Example.....	11
2.5 Frequency List of Low/Middle/High Channels	12
3 Conducted Test Items.....	25
3.1 Measuring Instruments	25
3.2 Conducted Output Power and ERP/EIRP	26
3.3 Occupied Bandwidth.....	27
3.4 Conducted Band Edge	28
3.5 Conducted Spurious Emission	30
4 Radiated Test Items	31
4.1 Measuring Instruments	31
4.2 Radiated Spurious Emission Measurement	33
5 List of Measuring Equipment.....	35
6 Measurement Uncertainty	37
Appendix A. Test Results of Conducted Test	
Appendix B. Test Results of Radiated Test	
Appendix C. Test Setup Photographs	



History of this test report

Report No.	Version	Description	Issue Date
FG5O2912C	01	Initial issue of report	Feb. 13, 2026
FG5O2912C	02	Revise Appendix A This report is an updated version, replacing the report issued on Feb. 13, 2026.	Feb. 24, 2026

Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.2	§2.1046 RSS-195 5.5 RSS-140 4.3	Conducted Output Power	Pass	-
	§22.913 (a)(5) §90.635	Effective Radiated Power (Band 5) (Band 26)	Pass	
	§27.50 (b)(10) §27.50 (c)(10)	Effective Radiated Power (Band 12) (Band 13) (Band 17) (Band 71)		
	RSS-133 5.5 SRSP-510 §27.50 (h)(2)	Equivalent Isotropic Radiated Power (Band 2) (Band 25) (Band 7) (Band 41)		
	§27.50 (d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)		
	§90.542 (a)(7)	Effective Radiated Power (Band 14)		
-	§24.232 (d) §27.50 (d)(5)	Peak-to-Average Ratio	Pass	See Note
3.3	§2.1049 RSS-195 3.1 RSS-140 2.3	Occupied Bandwidth	Pass	-
3.4	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2)(4) §27.53 (g) §27.53 (h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	-
	§2.1051 §27.53 (m)(4)	Conducted Band Edge Measurement (Band 7) (Band 41)		
	§2.1051 §90.543 (e)(2)	Conducted Band Edge Measuremen (Band 14)		
-	§2.1051 §90.210 (n)	Emission Mask (Band 14)	Pass	See Note
	§2.1051 §90.691	Emission masks (Band 26)		



Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.5	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (g) §27.53 (h)§90.691	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	-
	§2.1051 §27.53 (m)(4)	Conducted Spurious Emission (Band 7) (Band 41)		
	§2.1051 §90.543 (e)(3)	Conducted Spurious Emission (Band 14)		
-	§2.1055 §22.355 §24.235 §27.54 §90.539 (e)§90.213	Frequency Stability Temperature & Voltage	Pass	See Note
4.2	§2.1053 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (f) §27.53 (g) §27.53 (h)§90.691	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	-
	§2.1053 §27.53 (m)(4)	Radiated Spurious Emission (Band 7) (Band 41)		
	§2.1053 §90.543 (e)(3) §90.543 (f)	Radiated Spurious Emission (Band 14)		

Note:

1. For host device, except for B2C&B66B is full test, other band is the spot check Radiated Spurious Emission and complies with the limit in this test report.
2. For host device, except for B2C&B66B is full test, other band is the spot check Conducted Output Power is no difference after compared to module (Model: Panasonic WW24A)

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Keven Cheng**Report Producer: Freda Wu**



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature	
General Specs WCDMA /LTE/5G NR	
Antenna Type WWAN: Monopole Antenna	

The product was installed into Portable Computer (Brand Name: Panasonic, Model Name: FZ-56(mk1) during test

Support band and evaluated information	
Supported band	B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B41, B66, B71, B2C, B5B, B7C, B41C, B66B, B66C
Evaluated and Tested band	B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B41, B66, B71, B2C, B5B, B7C, B41C, B66B, B66C

FDD/TDD band Power Class				
	PC3	PC2		
B2/B2C	V			
B4	V			
B5/B5B	V			
B7/B7C	V			
B12	V			
B13	V			
B14	V			
B17	V			
B25	V			
B26	V			
B41/B41C	V	V		
B66/B66B/B66C	V			
B71	V			



Antenna information(dBi)					
Band	Ant 0 (WWAN-main)		Main Ant. #		
B2	2.07		0		
B4	2.43		0		
B5	0.74		0		
B7	2.76		0		
B12	0.14		0		
B13	0.40		0		
B14	0.54		0		
B17	0.14		0		
B25	2.07		0		
B26	0.74		0		
B41	2.83		0		
B66	2.43		0		
B71	-0.62		0		

Remark: The above EUT's information was declared by manufacturer. Please refer to Disclaimer in report summary.

1.2 Modification of EUT

No modifications made to the EUT during the testing.

1.3 Testing Location

Test Site	Sporton International Inc. EMC & Wireless Communications Laboratory
Test Site Location	No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)
Test Site No.	Sporton Site No.
	TH03-HY
Test Engineer	Wei Shun Hung
Temperature (°C)	22.1~22.8
Relative Humidity (%)	53.2~55.5

Note: The test site complies with ANSI C63.4 2014 requirement.

Test Site	Sporton International Inc. Wensan Laboratory
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)
Test Site No.	Sporton Site No.
	03CH20-HY (TAF Code: 3786)
Test Engineer	John Chuang, David Dai and Sam Chou
Temperature (°C)	18.8 ~ 22.4
Relative Humidity (%)	64.3 ~ 70.5
Remark	The Radiated Spurious Emission test item subcontracted to Sporton International Inc. Wensan Laboratory.

Note: The test site complies with ANSI C63.4 2014 requirement.

FCC Designation No.: TW1190 and TW3786

1.4 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ ANSI C63.26-2015
- ♦ FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(R), Part 90(S)
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.

Remark:

1. All the test items were validated and recorded in accordance with the standards without any modification during the testing.
2. The TAF code is not including all the FCC KDB listed without accreditation.

2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v03r01 with maximum output power.

For radiated measurement, the measured emission level of the EUT was maximized by rotating the EUT on a turntable and verify accessory (Adapter) and adjusting the measurement antenna orientation, following C63.26 exploratory test procedures and only the worst case emissions were reported in this report..

Modulation Type	Modulation
A	QPSK
B	16QAM
C	64QAM
D	256QAM

LTE B2/4/5/7/12/13/14/17/25/26/41/66/71

Test Item	Modulation Type	Bandwidth	RB Size	Channel
Conducted Power	A, B,C	All	1, Half, Full	L, M, H
EIRP	A, B,C	All	1, Half, Full	L, M, H
RSE	A	Max	1RB	M
Remark: 1. Evaluated all the transmitter signal and reporting worst-case configuration among all modulation types. 2. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst-case emissions are reported.				

LTE 5B/7C/41C/66C

Test Item	Modulation Type	Bandwidth	RB Size	Channel
Conducted Power	A, B,C	All	1RB	L, M, H
EIRP	A, B,C	All	1RB	L, M, H
RSE	A	Max	1RB	M
Remark: 1. Evaluated all the transmitter signal and reporting worst-case configuration among all modulation types. 2. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst-case emissions are reported.				


LTE B2C/B66B

Test Item	Modulation Type	Bandwidth	RB Size	Channel
Conducted Power	A, B, C, D	All	1, Half, Full	L, M, H
EIRP	A, B, C, D	All	1, Half, Full	L, M, H
Bandwidth	A, B	All	Full	M
CBE	A	All	1RB Full	L, H
CSE	A	All	1RB	L, M, H
RSE	A	Max	1RB	L, M, H

Remark:

1. Evaluated all the transmitter signal and reporting worst-case configuration among all modulation types.
2. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst-case emissions are reported.

2.2 Connection Diagram of Test System





2.3 Support Unit used in test configuration and system

Item	Equipment	Brand Name	Model No.	FCC ID	Data Cable	Power Cord
1.	Notebook	DELL	Latitude5310	FCC DoC	N/A	AC I/P: Unshielded, 1.2 m DC O/P: Shielded, 1.8 m
2.	Base Station	Anritsu	MT8821C	N/A	N/A	Unshielded, 1.8 m
3.	Base Station	Anritsu	MT8000A	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

Example :

$$\begin{aligned}\text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)} \\ &= 4.2 + 10 = 14.2 \text{ (dB)}\end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3



LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5
LTE Band 14 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23330	-
	Frequency	-	793	-
5	Channel	23305	23330	23355
	Frequency	790.5	793	795.5
LTE Band 17 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23780	23790	23800
	Frequency	709	710	711
5	Channel	23755	23790	23825
	Frequency	706.5	710	713.5
LTE Band 25 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	26140	26340	26590
	Frequency	1860	1880	1905
15	Channel	26115	26340	26615
	Frequency	1857.5	1880	1907.5
10	Channel	26090	26340	26640
	Frequency	1855	1880	1910
5	Channel	26065	26340	26665
	Frequency	1852.5	1880	1912.5
3	Channel	26055	26340	26675
	Frequency	1851.5	1880	1913.5
1.4	Channel	26047	26340	26683
	Frequency	1850.7	1880	1914.3



LTE Band 26 Channel and Frequency List (Part22H)				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829.0	836.5	844.0
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

LTE Band 26 Channel and Frequency List (Part90 S)				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	26740	-
	Frequency	-	819	-
5	Channel	26715	26740	26765
	Frequency	816.5	819	821.5
3	Channel	26705	26740	26775
	Frequency	815.5	819	822.5
1.4	Channel	26697	26740	26783
	Frequency	814.7	819	823.3

LTE Band 26 Channel and Frequency List (Part90 S)				
BW [MHz]	Channel/Frequency(MHz)	cross-rule channels		
15	Channel	26765	26790	-
	Frequency	821.5	824	-
10	Channel	-	26790	-
	Frequency	-	824	-
5	Channel	-	26790	-
	Frequency	-	824	-
3	Channel	-	26790	-
	Frequency	-	824	-
1.4	Channel	-	26790	-
	Frequency	-	824	-



LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506.0	2593.0	2680.0
15	Channel	39725	40620	41515
	Frequency	2503.5	2593.0	2682.5
10	Channel	39700	40620	41540
	Frequency	2501.0	2593.0	2685.0
5	Channel	39675	40620	41565
	Frequency	2498.5	2593.0	2687.5

LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3

LTE Band 71 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	133222	133297	133372
	Frequency	673.0	680.5	688.0
15	Channel	133197	133297	133397
	Frequency	670.5	680.5	690.5
10	Channel	133172	133297	133422
	Frequency	668.0	680.5	693.0
5	Channel	133147	133297	133447
	Frequency	665.5	680.5	695.5



LTE Band 2C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
10 + 15	PCC	Channel	18653	18829	19005
		Frequency	1855.3	1872.9	1890.5
	SCC	Channel	18773	18949	19125
		Frequency	1867.3	1884.9	1902.5
15 + 10	PCC	Channel	18675	18851	19027
		Frequency	1857.5	1875.1	1892.7
	SCC	Channel	18795	18971	19147
		Frequency	1869.5	1887.1	1904.7
10 + 20	PCC	Channel	18655	18806	18956
		Frequency	1855.5	1870.6	1885.6
	SCC	Channel	18799	18950	19100
		Frequency	1869.9	1885	1900
20 + 10	PCC	Channel	18700	18551	19001
		Frequency	1860	1875.1	1890.1
	SCC	Channel	18844	18995	19145
		Frequency	1874.4	1889.5	1904.5
15 + 15	PCC	Channel	18675	18825	18975
		Frequency	1857.5	1872.5	1887.5
	SCC	Channel	18825	18975	19125
		Frequency	1872.5	1887.5	1902.5
15 + 20	PCC	Channel	18678	18803	18929
		Frequency	1857.8	1870.3	1882.9
	SCC	Channel	18849	18974	19100
		Frequency	1874.9	1887.4	1900
20 + 20	PCC	Channel	18700	18801	18902
		Frequency	1860	1870.1	1880.2
	SCC	Channel	18898	18999	19100
		Frequency	1879.8	1889.9	1900
20 + 15	PCC	Channel	18700	18826	18951
		Frequency	1860	1872.6	1885.1
	SCC	Channel	18871	18997	19122
		Frequency	1877.1	1889.7	1902.2



LTE Band 2C Channel and Frequency List_CA					
20 + 5	PCC	Channel	18700	18875	19050
		Frequency	1860	1877.5	1895
	SCC	Channel	18817	18992	19167
		Frequency	1871.7	1889.2	1906.7
5 + 20	PCC	Channel	18633	18808	18983
		Frequency	1853.3	1870.8	1888.3
	SCC	Channel	18750	18925	19100
		Frequency	1865	1882.5	1900

LTE Band 5B Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
3 + 5	PCC	Channel	20416	20501	20586
		Frequency	825.6	834.1	842.6
	SCC	Channel	20455	20540	20575
		Frequency	829.5	838.0	841.5
5 + 3	PCC	Channel	20425	20510	20595
		Frequency	826.5	835.0	843.5
	SCC	Channel	20464	20549	20634
		Frequency	830.4	838.9	847.4
5 + 10	PCC	Channel	20428	20478	20528
		Frequency	826.8	831.8	836.8
	SCC	Channel	20500	20550	20600
		Frequency	834.0	839.0	844.0
10 + 5	PCC	Channel	20450	20500	20550
		Frequency	829.0	834.0	839.0
	SCC	Channel	20522	20572	20622
		Frequency	836.2	841.2	846.2
10 + 10	PCC	Channel	20450	20476	20501
		Frequency	829.0	831.6	834.1
	SCC	Channel	20549	20575	20600
		Frequency	838.9	841.5	844.0

LTE Band 7C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	20850	21001	21152
		Frequency	2510.0	2525.1	2540.2
	SCC	Channel	21048	21199	21350
		Frequency	2529.8	2544.9	2560.0
20 + 15	PCC	Channel	20850	21026	21201
		Frequency	2510.0	2527.6	2545.1
	SCC	Channel	21021	21197	21372
		Frequency	2527.1	2544.7	2562.2
15 + 20	PCC	Channel	20828	21003	21179
		Frequency	2507.8	2525.3	2542.9
	SCC	Channel	20999	21174	21350
		Frequency	2524.9	2542.4	2560.0
20 + 10	PCC	Channel	20850	21051	21251
		Frequency	2510.0	2530.1	2550.1
	SCC	Channel	20994	21195	21395
		Frequency	2524.4	2544.5	2564.5
10 + 20	PCC	Channel	20805	21006	21206
		Frequency	2505.5	2525.6	2545.6
	SCC	Channel	20949	21150	21350
		Frequency	2519.9	2540.0	2560.0
15 + 15	PCC	Channel	20825	21025	21225
		Frequency	2507.5	2527.5	2547.5
	SCC	Channel	20975	21175	21375
		Frequency	2522.5	2542.5	2562.5
15 + 10	PCC	Channel	20825	21051	21277
		Frequency	2507.5	2530.1	2552.7
	SCC	Channel	20945	21171	21397
		Frequency	2519.5	2542.1	2564.7



LTE Band 41C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	39750	40521	41292
		Frequency	2506.0	2583.1	2660.2
	SCC	Channel	39948	40719	41490
		Frequency	2525.8	2602.9	2680.0
20 + 15	PCC	Channel	39750	40546	41341
		Frequency	2506.0	2585.6	2665.1
	SCC	Channel	39921	40717	41512
		Frequency	2523.1	2602.7	2682.2
15 + 20	PCC	Channel	39728	40523	41319
		Frequency	2503.8	2593.3	2662.9
	SCC	Channel	39899	40694	41490
		Frequency	2520.9	2600.4	2680.0
20 + 10	PCC	Channel	39750	40571	41391
		Frequency	2506.0	2588.1	2670.1
	SCC	Channel	39894	40715	41535
		Frequency	2520.4	2602.5	2684.5
10 + 20	PCC	Channel	39705	40526	41346
		Frequency	2501.5	2583.6	2665.6
	SCC	Channel	39849	40670	41490
		Frequency	2515.9	2598.0	2680.0



LTE Band 41C Channel and Frequency List_CA					
20 + 5	PCC	Channel	39750	40595	41440
		Frequency	2506.0	2590.5	2675.0
	SCC	Channel	39867	40712	41557
		Frequency	2517.7	2602.2	2686.7
5 + 20	PCC	Channel	39683	40528	41373
		Frequency	2499.3	2583.8	2668.3
	SCC	Channel	39800	40645	41490
		Frequency	2511.0	2595.5	2680.0
15 + 15	PCC	Channel	39725	40545	41365
		Frequency	2503.5	2585.5	2667.5
	SCC	Channel	39875	40695	41515
		Frequency	2518.5	2600.5	2682.5
10 + 15	PCC	Channel	39703	40549	41395
		Frequency	2501.3	2585.9	2670.5
	SCC	Channel	39823	40669	41515
		Frequency	2513.3	2597.9	2682.5
15 + 10	PCC	Channel	39725	40571	41417
		Frequency	2503.5	2588.1	2672.7
	SCC	Channel	39845	40691	41537
		Frequency	2515.5	2600.1	2684.7



LTE Band 66B Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
5 + 5	PCC	Channel	131997	132398	132599
		Frequency	1712.5	1752.6	1772.7
	SCC	Channel	132045	133346	132647
		Frequency	1717.3	1757.4	1777.5
5 + 10	PCC	Channel	132000	132375	132550
		Frequency	1712.8	1750.3	1767.8
	SCC	Channel	132072	133347	132622
		Frequency	1720.0	1757.5	1775.0
10 + 5	PCC	Channel	132022	132397	132572
		Frequency	1715.0	1752.5	1770.0
	SCC	Channel	132094	133369	132644
		Frequency	1722.2	1759.7	1777.2
5 + 15	PCC	Channel	132002	132353	132504
		Frequency	1713.0	1748.1	1763.2
	SCC	Channel	132095	133346	132597
		Frequency	1722.3	1757.4	1772.5
15 + 5	PCC	Channel	132047	132398	132549
		Frequency	1717.5	1752.6	1767.7
	SCC	Channel	132140	133391	132642
		Frequency	1726.8	1761.9	1777.0
10 + 10	PCC	Channel	132022	132373	135523
		Frequency	1715.0	1750.1	1765.1
	SCC	Channel	132121	133372	132622
		Frequency	1724.9	1760.0	1775.0



LTE Band 66C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
10 + 15	PCC	Channel	132025	132351	132477
		Frequency	1715.3	1747.9	1760.5
	SCC	Channel	132145	133371	132597
		Frequency	1727.3	1759.9	1772.5
15 + 10	PCC	Channel	132047	132373	132499
		Frequency	1717.5	1750.1	1762.7
	SCC	Channel	132167	132493	132619
		Frequency	1729.5	1762.1	1774.7
10 + 20	PCC	Channel	132027	132328	132428
		Frequency	1715.5	1745.6	1755.6
	SCC	Channel	131171	133372	132572
		Frequency	1729.9	1760.0	1770.0
20 + 10	PCC	Channel	132072	132373	132473
		Frequency	1720.0	1750.1	1760.1
	SCC	Channel	132216	133417	132617
		Frequency	1734.4	1764.5	1774.5
15 + 15	PCC	Channel	132047	132347	132447
		Frequency	1717.5	1747.5	1757.5
	SCC	Channel	132197	133397	132597
		Frequency	1732.5	1762.5	1772.5
15 + 20	PCC	Channel	132050	132325	132401
		Frequency	1717.8	1745.3	1752.9
	SCC	Channel	132221	133396	132572
		Frequency	1734.9	1762.4	1770.0
20 + 15	PCC	Channel	132072	132348	132423
		Frequency	1720.0	1747.6	1755.1
	SCC	Channel	132243	133419	132594
		Frequency	1737.1	1764.7	1772.2
20 + 5	PCC	Channel	132072	132397	132522
		Frequency	1720.0	1752.5	1765.0
	SCC	Channel	132189	133414	132639
		Frequency	1731.7	1764.2	1776.7



LTE Band 66C Channel and Frequency List_CA					
5 + 20	PCC	Channel	132005	132330	132455
		Frequency	1713.3	1745.8	1758.3
	SCC	Channel	132122	132447	132572
		Frequency	1725.0	1757.5	1770.0
20 + 20	PCC	Channel	132072	132323	132374
		Frequency	1720.0	1745.1	1750.2
	SCC	Channel	132270	133421	132572
		Frequency	1739.8	1764.9	1770.0


3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.1.1 Test Setup

3.1.2 Conducted Output Power



3.1.3 EIRP, Occupied Bandwidth, Conducted Band-Edge, and Conducted Spurious Emission



3.1.4 Test Result of Conducted Test

Please refer to Appendix A.

3.2 Conducted Output Power and ERP/EIRP

3.2.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5, Band 26 (Part 22H)

The output power of mobile transmitters must not exceed 100 Watts for LTE Band 26 (Part 90S)

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 13, Band 14, Band 17, Band 71

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2, Band 25, Band 7, Band 41

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4, Band 66

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.2.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.



3.3 Occupied Bandwidth

3.3.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.3.2 Test Procedures

The testing follows ANSI C63.26-2015 Section 5.4.3 (26dB) and Section 5.4.4 (99OB)

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency.
The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
3. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
4. Set the detection mode to peak, and the trace mode to max hold.
5. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
6. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
7. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
8. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.



3.4 Conducted Band Edge

3.4.1 Description of Conducted Band Edge Measurement

22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (c)

For operations in the 776-788 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100 kHz bandwidth. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed. In addition, the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least $65 + 10 \log_{10} p(\text{watts})$, dB, for mobile and portable equipment.

27.53 (g)

For operations in the 600MHz band and 698-746 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100 kHz bandwidth. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

27.53 (h)

For operations in the 1710 – 1755 MHz band, 1755-1780 MHz, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

**27.53(m)(4)**

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

90.543(e)

- (1) On all frequencies between 769-775 MHz and 799-805 MHz, by a factor not less than $76 + 10 \log (P)$ dB in a 6.25 kHz band segment, for base and fixed stations.
- (2) On all frequencies between 769-775 MHz and 799-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.
- (3) On any frequency between 775-788 MHz, above 805 MHz, and below 758 MHz, by at least $43 + 10 \log (P)$ dB.

3.4.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 6.1.

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured.
3. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
4. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
5. Set spectrum analyzer with RMS detector.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
7. Checked that all the results comply with the emission limit line.

The limit line is derived from $43 + 10 \log (P)$ dB below the transmitter power P(Watts)

For LTE Band 7, 41

The other 40 dB, and 55 dB have additionally applied same calculation above.



3.5 Conducted Spurious Emission

3.5.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For LTE Band 7, 41

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.5.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 6.1.

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. The conducted spurious emission for the whole frequency range was taken.
4. Make the measurement with the spectrum analyzer's RBW = 100 kHz if the authorized frequency band/block is at or below 1 GHz and 1 MHz if the authorized frequency band/block is above 1 GH, VBW = 3 * RBW.
5. Set spectrum analyzer with RMS detector.
6. Taking the record of maximum spurious emission.
7. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
8. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

For LTE Band 7, 41

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.1.1 Test Setup


For radiated test below 30MHz




For radiated test from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



4.1.2 Test Result of Radiated Test

Please refer to Appendix B.

Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.



4.2 Radiated Spurious Emission Measurement

4.2.1 Description of Radiated Spurious Emission Measurement

The radiated spurious emission was measured by substitution method according to ANSI C63.26-2015. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For LTE Band 7, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

For LTE Band 13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

For LTE Band 14

For operations in the 758-775 MHz and 788-805 MHz bands, all emissions including harmonics in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.



4.2.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 7 and ANSI C63.26-2015 section 5.5.4 Radiated measurement using the field strength method.

1. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. To convert spectrum reading E(dBuV/m) to EIRP(dBm)
$$\text{EIRP(dBm)} = \text{Level (dBuV/m)} + 20\log(d) - 104.77,$$
where d is the distance at which field strength limit is specified in the rules
7. Field Strength Level (dBm) = Spectrum Reading (dBm) + Antenna Factor + Cable Loss + Read Level - Preamp Factor.
8. ERP (dBm) = EIRP (dBm) - 2.15
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
For LTE Band 7, 41
The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)



5 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
EMI Test Receiver	Keysight	N9038B	MY62210111	N/A	Aug. 29, 2025	Nov. 15, 2025~ Jan. 10, 2026	Aug. 28, 2026	Radiation (03CH20-HY)
Loop Antenna	Rohde & Schwarz	HFH2-Z2E	101108	9 kHz~30 MHz	Dec. 18, 2024	Nov. 15, 2025~ Dec. 09, 2025	Dec. 17, 2025	Radiation (03CH20-HY)
Loop Antenna	Rohde & Schwarz	HFH2-Z2E	101108	9 kHz~30 MHz	Dec. 11, 2025	Jan. 10, 2026	Dec. 10, 2026	Radiation (03CH20-HY)
Preamplifier	EMEC	EM18G40G	060871	18GHz~40GHz	Aug. 25, 2025	Nov. 15, 2025~ Jan. 10, 2026	Aug. 24, 2026	Radiation (03CH20-HY)
Controller	ChainTek	3000-1	N/A	Control Turn table & Ant Mast	N/A	Nov. 15, 2025~ Jan. 10, 2026	N/A	Radiation (03CH20-HY)
Antenna Mast	ChainTek	MBS-520-1	N/A	1m~4m	N/A	Nov. 15, 2025~ Jan. 10, 2026	N/A	Radiation (03CH20-HY)
Turn Table	ChainTek	T-200-S-1	N/A	0~360 Degree	N/A	Nov. 15, 2025~ Jan. 10, 2026	N/A	Radiation (03CH20-HY)
Signal Analyzer	Keysight	N9010B	MY60240520	N/A	Dec. 09, 2024	Nov. 15, 2025~ Dec. 07, 2025	Dec. 08, 2025	Radiation (03CH20-HY)
Signal Analyzer	Keysight	N9010B	MY60240520	N/A	Dec. 10, 2025	Jan. 10, 2026	Dec. 09, 2026	Radiation (03CH20-HY)
Signal Analyzer	Keysight	N9010B	MY54200485	N/A	Aug. 27, 2025	Dec. 08, 2025~ Jan. 10, 2026	Aug. 26, 2026	Radiation (03CH20-HY)
Bilog Antenna	TESEQ	CBL 6111D&00800 N1D01N-06	55606 & 08	30MHz~1GHz	Nov. 27, 2024	Nov. 15, 2025~ Nov. 25, 2025	Nov. 26, 2025	Radiation (03CH20-HY)
Bilog Antenna	TESEQ	CBL 6111D&00800 N1D01N-06	55606 & 08	30MHz~1GHz	Nov. 26, 2025	Jan. 10, 2026	Nov. 25, 2026	Radiation (03CH20-HY)
Bilog Antenna	TESEQ	CBL 6111D & 00802N1D01N -06	63304 & 002	30MHz~1GHz	Dec. 17, 2024	Nov. 26, 2025~ Dec. 09, 2025	Dec. 16, 2025	Radiation (03CH20-HY)
Bilog Antenna	TESEQ	CBL 6111D & 00802N1D01N -06	63304 & 002	30MHz~1GHz	Nov. 26, 2025	Jan. 10, 2026	Nov. 25, 2026	Radiation (03CH20-HY)
Horn Antenna	SCHWARZBE CK	BBHA 9120 D	02360	1GHz-18GHz	Nov. 05, 2025	Nov. 15, 2025~ Jan. 10, 2026	Nov. 04, 2026	Radiation (03CH20-HY)
SHF-EHF Horn Antenna	SCHWARZBE CK	BBHA 9170	1223	18GHz-40GHz	Jul. 02, 2025	Nov. 15, 2025~ Jan. 10, 2026	Jul. 01, 2026	Radiation (03CH20-HY)
Preamplifier	COM-POWER	PAM-103	18020201	1MHz-1000MHz	Dec. 31, 2024	Nov. 15, 2025~ Dec. 09, 2025	Dec. 30, 2025	Radiation (03CH20-HY)
Preamplifier	COM-POWER	PAM-103	18020201	1MHz-1000MHz	Dec. 30, 2025	Jan. 10, 2026	Dec. 29, 2026	Radiation (03CH20-HY)
Amplifier	EMCI	EMC118A45S E	980792	N/A	Nov. 11, 2025	Nov. 15, 2025~ Jan. 10, 2026	Nov. 10, 2026	Radiation (03CH20-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	519229/2,80 4015/2,8040 27/2	N/A	Jan. 16, 2025	Nov. 15, 2025~ Jan. 10, 2026	Jan. 15, 2026	Radiation (03CH20-HY)
Hygrometer	TECPEL	DTM-303A	TP211382	N/A	Mar. 31, 2025	Nov. 15, 2025~ Jan. 10, 2026	Mar. 30, 2026	Radiation (03CH20-HY)
Software	Audix	N/A	RK-002156	N/A	N/A	Nov. 15, 2025~ Jan. 10, 2026	N/A	Radiation (03CH20-HY)



Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Radio Communication Analyzer	Anritsu	MT8821C	6262025353	LTE FDD/TDD LTE-2CC DLCA/ULCA	Oct. 08, 2025	Nov. 17, 2025~ Jan. 28, 2026	Oct. 07, 2026	Conducted (TH03-HY)
Coupler	Warison	20dB 25W SMA Directional Coupler	#A	1-18GHz	Jan. 03, 2025	Nov. 17, 2025~ Jan. 01, 2026	Jan. 02, 2026	Conducted (TH03-HY)
Coupler	MVE	MVE4816	400014	0.5~18GHz	Mar. 07, 2025	Jan. 01, 2026~ Jan. 28, 2026	Mar. 06, 2026	Conducted (TH03-HY)
Power divider	Anritsu	K241C	2143398	9KHz~40GHz	Jun. 13, 2025	Nov. 17, 2025~ Jan. 28, 2026	Jun. 12, 2026	Conducted (TH03-HY)
Spectrum Analyzer	Rohde & Schwarz	FSV40	101905	10Hz~40GHz	Jul. 21, 2025	Nov. 17, 2025~ Jan. 28, 2026	Jul. 20, 2026	Conducted (TH03-HY)
Software	Sporton	LTE Conducted Test Tools	N/A	Conducted Test Item	N/A	Nov. 17, 2025~ Jan. 28, 2026	N/A	Conducted (TH03-HY)
Hygrometer	TECPEL	DTM-303B	TP200886	-10 ~ 50°C / 20 ~ 95%RH	Mar. 03, 2025	Nov. 17, 2025~ Jan. 28, 2026	Mar. 02, 2026	Conducted (TH03-HY)



6 Measurement Uncertainty

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	6.5 dB
---	--------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 6 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.7 dB
---	--------

Uncertainty of Radiated Emission Measurement (6 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.7 dB
---	--------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.2 dB
---	--------

Appendix A. Test Results of Conducted Test

Conducted Output Power (Average power and ERI/EIRP)

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.52	22.53	22.55	24.62	0.2897
20	1	49		22.51	22.50	22.51		
20	1	99		22.51	22.53	22.50		
20	50	0		21.53	21.54	21.56		
20	50	24		21.52	21.51	21.51		
20	50	50		21.52	21.50	21.55		
20	100	0		21.51	21.50	21.51		
20	1	0	16-QAM	21.67	21.70	21.67	23.92	0.2466
20	1	49		21.84	21.73	21.85		
20	1	99		21.60	21.57	21.69		
20	50	0		20.57	20.51	20.50		
20	50	24		20.53	20.51	20.50		
20	50	50		20.52	20.51	20.57		
20	100	0		20.53	20.50	20.54		
20	1	0	64-QAM	20.62	20.60	20.63	22.81	0.1910
20	1	49		20.61	20.74	20.65		
20	1	99		20.51	20.53	20.62		
20	50	0		19.54	19.53	19.50		
20	50	24		19.55	19.52	19.50		
20	50	50		19.51	19.50	19.57		
20	100	0		19.53	19.51	19.50		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.50	22.50	22.53	24.60	0.2884
15	1	37		22.50	22.51	22.52		
15	1	74		22.51	22.50	22.50		
15	36	0		21.50	21.51	21.51		
15	36	20		21.50	21.50	21.50		
15	36	39		21.50	21.50	21.51		
15	75	0		21.50	21.50	21.50		
15	1	0	16-QAM	21.63	21.62	21.65	23.81	0.2404
15	1	37		21.71	21.60	21.74		
15	1	74		21.52	21.51	21.68		
15	36	0		20.52	20.50	20.50		
15	36	20		20.51	20.50	20.51		
15	36	39		20.50	20.50	20.51		
15	75	0		20.50	20.50	20.51		
15	1	0	64-QAM	20.51	20.51	20.50	22.72	0.1871
15	1	37		20.59	20.65	20.52		
15	1	74		20.51	20.50	20.53		
15	36	0		19.50	19.52	19.50		
15	36	20		19.50	19.51	19.50		
15	36	39		19.52	19.50	19.51		
15	75	0		19.52	19.52	19.52		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.51	22.51	22.51	24.58	0.2871
10	1	25		22.50	22.50	22.51		
10	1	49		22.50	22.51	22.50		
10	25	0		21.51	21.51	21.51		
10	25	12		21.50	21.51	21.51		
10	25	25		21.50	21.51	21.50		
10	50	0		21.50	21.50	21.50		
10	1	0	16-QAM	21.53	21.64	21.58	23.87	0.2438
10	1	25		21.73	21.68	21.80		
10	1	49		21.59	21.51	21.61		
10	25	0		20.50	20.50	20.50		
10	25	12		20.51	20.52	20.51		
10	25	25		20.50	20.51	20.50		
10	50	0		20.52	20.50	20.50		
10	1	0	64-QAM	20.52	20.57	20.54	22.77	0.1892
10	1	25		20.58	20.70	20.63		
10	1	49		20.50	20.50	20.58		
10	25	0		19.51	19.52	19.51		
10	25	12		19.50	19.50	19.51		
10	25	25		19.51	19.50	19.55		
10	50	0		19.50	19.50	19.50		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.51	22.50	22.52	24.59	0.2877
5	1	12		22.50	22.51	22.50		
5	1	24		22.50	22.50	22.50		
5	12	0		21.51	21.50	21.51		
5	12	7		21.51	21.52	21.51		
5	12	13		21.50	21.51	21.54		
5	25	0		21.50	21.50	21.51		
5	1	0	16-QAM	21.57	21.61	21.59	23.83	0.2415
5	1	12		21.71	21.69	21.76		
5	1	24		21.51	21.51	21.67		
5	12	0		20.52	20.52	20.50		
5	12	7		20.50	20.52	20.51		
5	12	13		20.50	20.50	20.50		
5	25	0		20.50	20.51	20.51		
5	1	0	64-QAM	20.57	20.51	20.50	22.75	0.1884
5	1	12		20.50	20.68	20.56		
5	1	24		20.50	20.52	20.56		
5	12	0		19.50	19.50	19.50		
5	12	7		19.50	19.52	19.52		
5	12	13		19.50	19.52	19.50		
5	25	0		19.51	19.51	19.51		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.50	22.50	22.50	24.59	0.2877
3	1	8		22.51	22.50	22.51		
3	1	14		22.51	22.50	22.52		
3	8	0		21.51	21.50	21.50		
3	8	4		21.50	21.50	21.50		
3	8	7		21.50	21.50	21.50		
3	15	0		21.50	21.50	21.50		
3	1	0	16-QAM	21.54	21.59	21.52	23.89	0.2449
3	1	8		21.82	21.65	21.80		
3	1	14		21.50	21.51	21.56		
3	8	0		20.55	20.50	20.50		
3	8	4		20.50	20.50	20.51		
3	8	7		20.51	20.52	20.53		
3	15	0		20.50	20.52	20.50		
3	1	0	64-QAM	20.59	20.55	20.50	22.73	0.1875
3	1	8		20.51	20.66	20.50		
3	1	14		20.51	20.50	20.53		
3	8	0		19.50	19.50	19.50		
3	8	4		19.50	19.50	19.50		
3	8	7		19.50	19.50	19.51		
3	15	0		19.51	19.50	19.51		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.51	22.51	22.51	24.58	0.2871
1.4	1	3		22.51	22.51	22.50		
1.4	1	5		22.51	22.51	22.51		
1.4	3	0		22.51	22.51	22.50		
1.4	3	1		22.50	22.50	22.50		
1.4	3	3		22.50	22.51	22.50		
1.4	6	0		21.51	21.51	21.50		
1.4	1	0	16-QAM	21.56	21.57	21.64	23.89	0.2449
1.4	1	3		21.73	21.60	21.82		
1.4	1	5		21.50	21.51	21.65		
1.4	3	0		21.50	21.51	21.50		
1.4	3	1		21.51	21.51	21.50		
1.4	3	3		21.50	21.51	21.50		
1.4	6	0		20.50	20.50	20.50		
1.4	1	0	64-QAM	20.55	20.51	20.50	22.70	0.1862
1.4	1	3		20.51	20.62	20.63		
1.4	1	5		20.50	20.50	20.60		
1.4	3	0		20.50	20.51	20.51		
1.4	3	1		20.50	20.50	20.50		
1.4	3	3		20.52	20.50	20.50		
1.4	6	0		19.50	19.51	19.51		
Limit	EIRP < 2W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.69	22.67	22.77	25.20	0.3311
20	1	49		22.68	22.63	22.76		
20	1	99		22.59	22.65	22.70		
20	50	0		21.76	21.77	21.78		
20	50	24		21.74	21.76	21.73		
20	50	50		21.72	21.72	21.71		
20	100	0		21.73	21.73	21.75		
20	1	0	16-QAM	21.95	21.99	22.07	24.66	0.2924
20	1	49		22.15	22.05	22.23		
20	1	99		21.91	21.91	21.97		
20	50	0		20.70	20.68	20.74		
20	50	24		20.76	20.78	20.73		
20	50	50		20.75	20.74	20.79		
20	100	0		20.75	20.74	20.74		
20	1	0	64-QAM	20.89	20.90	20.95	23.51	0.2244
20	1	49		20.96	20.92	21.08		
20	1	99		20.82	20.87	20.84		
20	50	0		19.68	19.68	19.73		
20	50	24		19.76	19.75	19.74		
20	50	50		19.72	19.70	19.79		
20	100	0		19.75	19.74	19.73		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.62	22.53	22.69	25.15	0.3273
15	1	37		22.57	22.50	22.72		
15	1	74		22.50	22.51	22.59		
15	36	0		21.72	21.63	21.67		
15	36	20		21.66	21.74	21.64		
15	36	39		21.65	21.70	21.62		
15	75	0		21.72	21.60	21.70		
15	1	0	16-QAM	21.88	21.94	22.05	24.55	0.2851
15	1	37		22.05	21.97	22.12		
15	1	74		21.85	21.84	21.88		
15	36	0		20.57	20.54	20.59		
15	36	20		20.65	20.65	20.61		
15	36	39		20.73	20.67	20.75		
15	75	0		20.71	20.67	20.65		
15	1	0	64-QAM	20.82	20.82	20.84	23.43	0.2203
15	1	37		20.85	20.83	21.00		
15	1	74		20.68	20.78	20.80		
15	36	0		19.55	19.63	19.59		
15	36	20		19.74	19.67	19.64		
15	36	39		19.61	19.65	19.73		
15	75	0		19.73	19.70	19.69		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.65	22.53	22.73	25.16	0.3281
10	1	25		22.62	22.57	22.67		
10	1	49		22.50	22.57	22.66		
10	25	0		21.73	21.72	21.70		
10	25	12		21.61	21.64	21.70		
10	25	25		21.57	21.67	21.56		
10	50	0		21.59	21.60	21.68		
10	1	0	16-QAM	21.88	21.93	22.02	24.60	0.2884
10	1	25		22.07	21.92	22.17		
10	1	49		21.84	21.78	21.94		
10	25	0		20.59	20.56	20.70		
10	25	12		20.71	20.68	20.64		
10	25	25		20.69	20.65	20.76		
10	50	0		20.74	20.70	20.69		
10	1	0	64-QAM	20.77	20.80	20.87	23.49	0.2234
10	1	25		20.87	20.84	21.06		
10	1	49		20.76	20.83	20.78		
10	25	0		19.67	19.61	19.61		
10	25	12		19.66	19.70	19.69		
10	25	25		19.65	19.66	19.67		
10	50	0		19.68	19.68	19.60		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.59	22.56	22.68	25.14	0.3266
5	1	12		22.54	22.50	22.71		
5	1	24		22.50	22.56	22.66		
5	12	0		21.63	21.64	21.74		
5	12	7		21.71	21.71	21.61		
5	12	13		21.66	21.68	21.61		
5	25	0		21.60	21.59	21.71		
5	1	0	16-QAM	21.87	21.89	21.93	24.64	0.2911
5	1	12		22.07	21.98	22.21		
5	1	24		21.87	21.86	21.89		
5	12	0		20.63	20.53	20.65		
5	12	7		20.72	20.66	20.60		
5	12	13		20.63	20.61	20.66		
5	25	0		20.69	20.73	20.63		
5	1	0	64-QAM	20.86	20.82	20.83	23.43	0.2203
5	1	12		20.92	20.89	21.00		
5	1	24		20.79	20.79	20.73		
5	12	0		19.54	19.63	19.71		
5	12	7		19.74	19.61	19.71		
5	12	13		19.63	19.65	19.73		
5	25	0		19.66	19.63	19.63		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.55	22.54	22.65	25.12	0.3251
3	1	8		22.66	22.56	22.67		
3	1	14		22.57	22.55	22.69		
3	8	0		21.69	21.71	21.68		
3	8	4		21.65	21.64	21.70		
3	8	7		21.61	21.61	21.67		
3	15	0		21.71	21.70	21.65		
3	1	0	16-QAM	21.93	21.90	22.02	24.54	0.2844
3	1	8		22.03	21.91	22.11		
3	1	14		21.84	21.87	21.92		
3	8	0		20.60	20.59	20.68		
3	8	4		20.62	20.68	20.69		
3	8	7		20.67	20.67	20.67		
3	15	0		20.72	20.70	20.72		
3	1	0	64-QAM	20.82	20.80	20.89	23.50	0.2239
3	1	8		20.87	20.78	21.07		
3	1	14		20.77	20.73	20.80		
3	8	0		19.64	19.54	19.71		
3	8	4		19.64	19.70	19.68		
3	8	7		19.66	19.58	19.77		
3	15	0		19.65	19.70	19.66		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.60	22.59	22.76	25.19	0.3304
1.4	1	3		22.58	22.60	22.61		
1.4	1	5		22.50	22.57	22.67		
1.4	3	0		22.64	22.66	22.70		
1.4	3	1		22.62	22.61	22.66		
1.4	3	3		22.65	22.63	22.58		
1.4	6	0		21.66	21.61	21.63		
1.4	1	0	16-QAM	21.84	21.90	22.02	24.57	0.2864
1.4	1	3		22.04	21.91	22.14		
1.4	1	5		21.82	21.78	21.86		
1.4	3	0		21.68	21.58	21.62		
1.4	3	1		21.65	21.63	21.67		
1.4	3	3		21.66	21.68	21.72		
1.4	6	0		20.74	20.63	20.69		
1.4	1	0	64-QAM	20.76	20.87	20.80	23.43	0.2203
1.4	1	3		20.93	20.81	21.00		
1.4	1	5		20.77	20.73	20.81		
1.4	3	0		20.54	20.67	20.64		
1.4	3	1		20.69	20.65	20.72		
1.4	3	3		20.66	20.69	20.68		
1.4	6	0		19.68	19.73	19.58		
Limit	EIRP < 1W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	22.53	22.62	22.64	21.32	0.1355
10	1	25		22.55	22.61	22.72		
10	1	49		22.56	22.57	22.73		
10	25	0		21.56	21.68	21.72		
10	25	12		21.59	21.64	21.75		
10	25	25		21.65	21.60	21.80		
10	50	0		21.62	21.65	21.73		
10	1	0	16-QAM	21.92	21.98	22.13	20.81	0.1205
10	1	25		21.91	21.96	22.15		
10	1	49		22.00	22.08	22.22		
10	25	0		20.58	20.63	20.74		
10	25	12		20.65	20.65	20.77		
10	25	25		20.60	20.70	20.81		
10	50	0		20.63	20.61	20.74		
10	1	0	64-QAM	20.75	20.79	20.91	19.58	0.0908
10	1	25		20.75	20.82	20.99		
10	1	49		20.77	20.88	20.96		
10	25	0		19.54	19.63	19.76		
10	25	12		19.65	19.64	19.76		
10	25	25		19.60	19.68	19.82		
10	50	0		19.63	19.63	19.75		
Limit	ERP < 7W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.51	22.50	22.54	21.27	0.1340
5	1	12		22.51	22.50	22.68		
5	1	24		22.50	22.58	22.65		
5	12	0		21.53	21.52	21.70		
5	12	7		21.58	21.62	21.69		
5	12	13		21.52	21.65	21.69		
5	25	0		21.51	21.59	21.67		
5	1	0	16-QAM	21.87	21.93	22.01	20.72	0.1180
5	1	12		21.83	21.83	22.00		
5	1	24		21.92	22.03	22.13		
5	12	0		20.50	20.51	20.67		
5	12	7		20.63	20.59	20.66		
5	12	13		20.55	20.59	20.72		
5	25	0		20.55	20.50	20.66		
5	1	0	64-QAM	20.69	20.70	20.79	19.52	0.0895
5	1	12		20.72	20.69	20.93		
5	1	24		20.71	20.79	20.91		
5	12	0		19.52	19.51	19.65		
5	12	7		19.55	19.61	19.72		
5	12	13		19.52	19.66	19.69		
5	25	0		19.59	19.50	19.69		
Limit	ERP < 7W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	22.50	22.55	22.53	21.30	0.1349
3	1	8		22.50	22.53	22.71		
3	1	14		22.50	22.53	22.63		
3	8	0		21.51	21.51	21.63		
3	8	4		21.58	21.61	21.72		
3	8	7		21.55	21.62	21.69		
3	15	0		21.51	21.54	21.60		
3	1	0	16-QAM	21.89	21.89	22.02	20.80	0.1202
3	1	8		21.85	21.85	22.01		
3	1	14		21.98	21.98	22.21		
3	8	0		20.52	20.58	20.64		
3	8	4		20.59	20.63	20.66		
3	8	7		20.50	20.57	20.70		
3	15	0		20.60	20.58	20.70		
3	1	0	64-QAM	20.72	20.73	20.85	19.54	0.0899
3	1	8		20.72	20.76	20.95		
3	1	14		20.69	20.84	20.87		
3	8	0		19.50	19.51	19.68		
3	8	4		19.54	19.58	19.61		
3	8	7		19.52	19.60	19.77		
3	15	0		19.51	19.57	19.73		
Limit	ERP < 7W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	22.50	22.53	22.61	21.31	0.1352
1.4	1	3		22.50	22.60	22.68		
1.4	1	5		22.50	22.57	22.72		
1.4	3	0		22.50	22.55	22.63		
1.4	3	1		22.55	22.52	22.70		
1.4	3	3		22.59	22.64	22.69		
1.4	6	0		21.50	21.59	21.60		
1.4	1	0	16-QAM	21.83	21.95	22.02	20.75	0.1189
1.4	1	3		21.84	21.87	22.10		
1.4	1	5		21.91	21.99	22.16		
1.4	3	0		21.51	21.58	21.64		
1.4	3	1		21.56	21.58	21.66		
1.4	3	3		21.50	21.55	21.76		
1.4	6	0		20.52	20.51	20.69		
1.4	1	0	64-QAM	20.73	20.77	20.82	19.50	0.0891
1.4	1	3		20.61	20.72	20.91		
1.4	1	5		20.63	20.82	20.87		
1.4	3	0		20.50	20.51	20.65		
1.4	3	1		20.52	20.56	20.74		
1.4	3	3		20.51	20.58	20.75		
1.4	6	0		19.50	19.51	19.62		
Limit	ERP < 7W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 2.76 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.03	22.18	22.06	24.94	0.3119
20	1	49		22.17	22.07	22.11		
20	1	99		22.14	22.17	22.09		
20	50	0		21.16	21.32	21.11		
20	50	24		21.29	21.16	21.23		
20	50	50		21.28	21.24	21.15		
20	100	0		21.20	21.26	21.13		
20	1	0	16-QAM	21.33	21.35	21.28	24.37	0.2735
20	1	49		21.48	21.61	21.60		
20	1	99		21.43	21.52	21.44		
20	50	0		20.17	20.18	20.13		
20	50	24		20.31	20.26	20.16		
20	50	50		20.32	20.35	20.25		
20	100	0		20.28	20.23	20.15		
20	1	0	64-QAM	20.28	20.25	20.25	23.22	0.2099
20	1	49		20.44	20.46	20.39		
20	1	99		20.30	20.43	20.30		
20	50	0		19.18	19.18	19.12		
20	50	24		19.31	19.25	19.18		
20	50	50		19.31	19.32	19.24		
20	100	0		19.29	19.21	19.17		
Limit	EIRP < 2W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 2.76 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.00	22.06	22.02	24.86	0.3062
15	1	37		22.09	22.09	22.10		
15	1	74		22.07	22.09	22.01		
15	36	0		21.15	21.11	21.02		
15	36	20		21.21	21.31	21.17		
15	36	39		21.17	21.12	21.11		
15	75	0		21.07	21.20	21.01		
15	1	0	16-QAM	21.25	21.26	21.14	24.31	0.2698
15	1	37		21.34	21.55	21.51		
15	1	74		21.34	21.42	21.39		
15	36	0		20.04	20.05	20.01		
15	36	20		20.23	20.16	20.12		
15	36	39		20.27	20.28	20.21		
15	75	0		20.16	20.10	20.04		
15	1	0	64-QAM	20.18	20.16	20.14	23.18	0.2080
15	1	37		20.42	20.42	20.25		
15	1	74		20.17	20.32	20.20		
15	36	0		19.12	19.13	19.07		
15	36	20		19.22	19.18	19.10		
15	36	39		19.22	19.20	19.21		
15	75	0		19.26	19.10	19.09		
Limit	EIRP < 2W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 2.76 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.00	22.05	22.01	24.89	0.3083
10	1	25		22.06	22.13	22.10		
10	1	49		22.04	22.06	22.01		
10	25	0		21.03	21.06	21.08		
10	25	12		21.15	21.25	21.18		
10	25	25		21.16	21.10	21.12		
10	50	0		21.05	21.15	21.05		
10	1	0	16-QAM	21.19	21.28	21.17	24.33	0.2710
10	1	25		21.34	21.57	21.56		
10	1	49		21.34	21.47	21.32		
10	25	0		20.04	20.06	20.05		
10	25	12		20.27	20.24	20.03		
10	25	25		20.24	20.29	20.22		
10	50	0		20.15	20.18	20.08		
10	1	0	64-QAM	20.15	20.19	20.21	23.18	0.2080
10	1	25		20.42	20.32	20.27		
10	1	49		20.25	20.37	20.19		
10	25	0		19.15	19.11	19.06		
10	25	12		19.28	19.11	19.04		
10	25	25		19.22	19.18	19.13		
10	50	0		19.24	19.06	19.08		
Limit	EIRP < 2W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 2.76 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.00	22.01	22.01	24.92	0.3105
5	1	12		22.09	22.16	22.09		
5	1	24		22.05	22.10	22.00		
5	12	0		21.09	21.06	21.00		
5	12	7		21.15	21.17	21.19		
5	12	13		21.17	21.15	21.07		
5	25	0		21.13	21.22	21.03		
5	1	0	16-QAM	21.19	21.22	21.24	24.25	0.2661
5	1	12		21.39	21.47	21.49		
5	1	24		21.40	21.42	21.31		
5	12	0		20.09	20.13	20.09		
5	12	7		20.19	20.13	20.05		
5	12	13		20.22	20.28	20.17		
5	25	0		20.19	20.17	20.06		
5	1	0	64-QAM	20.23	20.22	20.20	23.17	0.2075
5	1	12		20.34	20.34	20.34		
5	1	24		20.17	20.41	20.24		
5	12	0		19.09	19.14	19.08		
5	12	7		19.17	19.20	19.16		
5	12	13		19.26	19.29	19.22		
5	25	0		19.16	19.11	19.04		
Limit	EIRP < 2W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.14 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	22.10	22.14	22.12	20.13	0.1030
10	1	25		22.01	22.03	22.04		
10	1	49		22.04	22.08	22.13		
10	25	0		21.07	21.09	21.08		
10	25	12		21.05	21.06	21.05		
10	25	25		21.02	21.06	21.03		
10	50	0		21.00	21.04	21.02		
10	1	0	16-QAM	21.27	21.28	21.29	19.51	0.0893
10	1	25		21.38	21.37	21.44		
10	1	49		21.46	21.48	21.52		
10	25	0		20.05	20.05	20.02		
10	25	12		20.07	20.08	20.05		
10	25	25		20.08	20.11	20.12		
10	50	0		20.04	20.06	20.02		
10	1	0	64-QAM	20.01	20.08	20.14	18.36	0.0685
10	1	25		20.18	20.21	20.22		
10	1	49		20.29	20.30	20.37		
10	25	0		19.04	19.03	19.07		
10	25	12		19.05	19.06	19.06		
10	25	25		19.06	19.06	19.14		
10	50	0		19.05	19.04	19.02		
Limit	ERP < 3W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.14 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.02	22.09	22.01	20.08	0.1019
5	1	12		22.00	22.01	22.01		
5	1	24		22.01	22.00	22.07		
5	12	0		21.00	21.04	21.01		
5	12	7		21.03	21.03	21.00		
5	12	13		21.00	21.01	21.00		
5	25	0		21.00	21.00	21.00		
5	1	0	16-QAM	21.23	21.25	21.18	19.47	0.0885
5	1	12		21.25	21.26	21.30		
5	1	24		21.41	21.35	21.48		
5	12	0		20.03	20.01	20.01		
5	12	7		20.00	20.02	20.00		
5	12	13		20.02	20.00	20.00		
5	25	0		20.00	20.01	20.00		
5	1	0	64-QAM	20.00	20.00	20.01	18.34	0.0682
5	1	12		20.12	20.18	20.09		
5	1	24		20.23	20.28	20.35		
5	12	0		19.00	19.00	19.00		
5	12	7		19.03	19.01	19.00		
5	12	13		19.00	19.02	19.10		
5	25	0		19.00	19.01	19.01		
Limit	ERP < 3W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.14 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	22.01	22.01	22.07	20.06	0.1014
3	1	8		22.00	22.01	22.02		
3	1	14		22.01	22.00	22.06		
3	8	0		21.00	21.00	21.00		
3	8	4		21.00	21.02	21.02		
3	8	7		21.00	21.01	21.00		
3	15	0		21.00	21.00	21.00		
3	1	0	16-QAM	21.24	21.24	21.22	19.46	0.0883
3	1	8		21.28	21.30	21.32		
3	1	14		21.35	21.34	21.47		
3	8	0		20.01	20.00	20.01		
3	8	4		20.03	20.05	20.02		
3	8	7		20.00	20.07	20.06		
3	15	0		20.02	20.01	20.00		
3	1	0	64-QAM	20.00	20.03	20.01	18.34	0.0682
3	1	8		20.06	20.12	20.15		
3	1	14		20.16	20.26	20.35		
3	8	0		19.01	19.00	19.00		
3	8	4		19.01	19.00	19.04		
3	8	7		19.04	19.02	19.00		
3	15	0		19.01	19.00	19.01		
Limit	ERP < 3W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.14 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	22.00	22.01	22.03	20.06	0.1014
1.4	1	3		22.00	22.00	22.01		
1.4	1	5		22.00	22.07	22.06		
1.4	3	0		22.01	22.02	22.02		
1.4	3	1		22.01	22.02	22.00		
1.4	3	3		22.00	22.04	22.01		
1.4	6	0		21.01	21.01	21.02		
1.4	1	0	16-QAM	21.23	21.21	21.14	19.38	0.0867
1.4	1	3		21.24	21.25	21.34		
1.4	1	5		21.37	21.39	21.37		
1.4	3	0		21.00	21.00	21.00		
1.4	3	1		21.04	21.01	21.01		
1.4	3	3		21.05	21.05	21.10		
1.4	6	0		20.02	20.00	20.01		
1.4	1	0	64-QAM	20.01	20.04	20.12	18.24	0.0667
1.4	1	3		20.08	20.18	20.10		
1.4	1	5		20.14	20.15	20.25		
1.4	3	0		20.01	20.02	20.00		
1.4	3	1		20.02	20.05	20.00		
1.4	3	3		20.01	20.03	20.08		
1.4	6	0		19.01	19.03	19.01		
Limit	ERP < 3W			Result			Pass	

LTE Band 13 Maximum Average Power [dBm] (GT - LC = 0.4 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	22.77	-	21.02	0.1265
10	1	25		-	22.71	-		
10	1	49		-	22.58	-		
10	25	0		-	21.77	-		
10	25	12		-	21.76	-		
10	25	25		-	21.75	-		
10	50	0		-	21.73	-		
10	1	0	16-QAM	-	22.18	-	20.43	0.1104
10	1	25		-	22.10	-		
10	1	49		-	22.05	-		
10	25	0		-	20.80	-		
10	25	12		-	20.75	-		
10	25	25		-	20.77	-		
10	50	0		-	20.73	-		
10	1	0	64-QAM	-	21.01	-	19.26	0.0843
10	1	25		-	20.89	-		
10	1	49		-	20.86	-		
10	25	0		-	19.79	-		
10	25	12		-	19.75	-		
10	25	25		-	19.76	-		
10	50	0		-	19.75	-		
Limit	ERP < 3W			Result			Pass	

LTE Band 13 Maximum Average Power [dBm] (GT - LC = 0.4 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.59	22.72	22.68	20.97	0.1250
5	1	12		22.51	22.70	22.64		
5	1	24		22.50	22.58	22.53		
5	12	0		21.50	21.70	21.61		
5	12	7		21.51	21.68	21.59		
5	12	13		21.51	21.72	21.59		
5	25	0		21.50	21.64	21.51		
5	1	0	16-QAM	21.94	22.13	21.96	20.38	0.1091
5	1	12		21.92	22.08	21.89		
5	1	24		21.78	22.04	21.99		
5	12	0		20.54	20.77	20.68		
5	12	7		20.54	20.69	20.62		
5	12	13		20.50	20.68	20.58		
5	25	0		20.52	20.65	20.50		
5	1	0	64-QAM	20.77	20.91	20.77	19.16	0.0824
5	1	12		20.72	20.85	20.78		
5	1	24		20.57	20.82	20.76		
5	12	0		19.62	19.77	19.71		
5	12	7		19.61	19.73	19.65		
5	12	13		19.56	19.70	19.62		
5	25	0		19.52	19.70	19.55		
Limit	ERP < 3W			Result			Pass	

LTE Band 14 Maximum Average Power [dBm] (GT - LC = 0.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	22.17	-	20.56	0.1138
10	1	25		-	22.15	-		
10	1	49		-	22.03	-		
10	25	0		-	21.12	-		
10	25	12		-	21.08	-		
10	25	25		-	21.04	-		
10	50	0		-	21.01	-		
10	1	0	16-QAM	-	21.48	-	19.87	0.0971
10	1	25		-	21.39	-		
10	1	49		-	21.39	-		
10	25	0		-	20.07	-		
10	25	12		-	20.07	-		
10	25	25		-	20.06	-		
10	50	0		-	20.02	-		
10	1	0	64-QAM	-	20.32	-	18.75	0.0750
10	1	25		-	20.36	-		
10	1	49		-	20.08	-		
10	25	0		-	19.04	-		
10	25	12		-	19.08	-		
10	25	25		-	19.06	-		
10	50	0		-	19.02	-		
Limit	ERP < 3W			Result			Pass	

LTE Band 14 Maximum Average Power [dBm] (GT - LC = 0.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.11	22.15	22.07	20.54	0.1132
5	1	12		22.00	22.13	22.03		
5	1	24		22.00	22.01	22.00		
5	12	0		21.01	21.10	21.00		
5	12	7		21.00	21.06	21.01		
5	12	13		21.01	21.02	21.01		
5	25	0		21.01	21.09	21.00		
5	1	0	16-QAM	21.39	21.46	21.30	19.85	0.0966
5	1	12		21.31	21.37	21.27		
5	1	24		21.28	21.37	21.28		
5	12	0		20.00	20.05	20.00		
5	12	7		20.01	20.05	20.00		
5	12	13		20.00	20.04	20.00		
5	25	0		20.00	20.00	20.02		
5	1	0	64-QAM	20.21	20.30	20.09	18.73	0.0746
5	1	12		20.28	20.34	20.21		
5	1	24		20.00	20.06	20.01		
5	12	0		19.02	19.02	19.00		
5	12	7		19.00	19.06	19.00		
5	12	13		19.01	19.04	19.01		
5	25	0		19.00	19.05	19.01		
Limit	ERP < 3W			Result			Pass	

LTE Band 17 Maximum Average Power [dBm] (GT - LC = 0.14 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	22.03	22.13	22.04	20.12	0.1028
10	1	25		22.03	22.04	22.04		
10	1	49		22.09	22.03	22.13		
10	25	0		21.07	21.12	21.09		
10	25	12		21.10	21.06	21.06		
10	25	25		21.11	21.09	21.15		
10	50	0		21.06	21.09	21.03		
10	1	0	16-QAM	21.33	21.30	21.37	19.56	0.0904
10	1	25		21.41	21.37	21.43		
10	1	49		21.52	21.55	21.57		
10	25	0		20.06	20.01	20.03		
10	25	12		20.13	20.07	20.07		
10	25	25		20.13	20.13	20.17		
10	50	0		20.08	20.03	20.07		
10	1	0	64-QAM	20.13	20.09	20.17	18.45	0.0700
10	1	25		20.31	20.31	20.25		
10	1	49		20.35	20.44	20.46		
10	25	0		19.06	19.08	19.02		
10	25	12		19.11	19.04	19.04		
10	25	25		19.12	19.11	19.15		
10	50	0		19.07	19.02	19.04		
Limit	ERP < 3W			Result			Pass	

LTE Band 17 Maximum Average Power [dBm] (GT - LC = 0.14 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.02	22.00	22.01	20.04	0.1009
5	1	12		22.00	22.02	22.00		
5	1	24		22.02	22.05	22.00		
5	12	0		21.03	21.03	21.07		
5	12	7		21.02	21.01	21.00		
5	12	13		21.01	21.08	21.03		
5	25	0		21.00	21.00	21.02		
5	1	0	16-QAM	21.29	21.21	21.31	19.52	0.0895
5	1	12		21.32	21.32	21.38		
5	1	24		21.44	21.48	21.53		
5	12	0		20.00	20.00	20.01		
5	12	7		20.04	20.02	20.02		
5	12	13		20.01	20.04	20.02		
5	25	0		20.00	20.02	20.05		
5	1	0	64-QAM	20.09	20.04	20.08	18.42	0.0695
5	1	12		20.28	20.21	20.22		
5	1	24		20.31	20.42	20.43		
5	12	0		19.00	19.01	19.00		
5	12	7		19.06	19.01	19.00		
5	12	13		19.08	19.09	19.05		
5	25	0		19.00	19.00	19.01		
Limit	ERP < 3W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.13	22.17	22.14	24.24	0.2655
20	1	49		22.11	22.15	22.13		
20	1	99		22.01	22.02	22.01		
20	50	0		21.19	21.23	21.20		
20	50	24		21.13	21.15	21.18		
20	50	50		21.14	21.16	21.18		
20	100	0		21.18	21.27	21.22		
20	1	0	16-QAM	21.36	21.44	21.35	23.72	0.2355
20	1	49		21.59	21.65	21.46		
20	1	99		21.29	21.33	21.32		
20	50	0		20.15	20.19	20.18		
20	50	24		20.20	20.26	20.21		
20	50	50		20.19	20.21	20.26		
20	100	0		20.21	20.21	20.30		
20	1	0	64-QAM	20.31	20.33	20.36	22.54	0.1795
20	1	49		20.33	20.38	20.47		
20	1	99		20.20	20.24	20.21		
20	50	0		19.14	19.17	19.19		
20	50	24		19.22	19.24	19.22		
20	50	50		19.15	19.19	19.23		
20	100	0		19.19	19.21	19.26		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.07	22.13	22.04	24.20	0.2630
15	1	37		22.07	22.10	22.10		
15	1	74		22.00	22.00	22.00		
15	36	0		21.10	21.19	21.17		
15	36	20		21.07	21.03	21.17		
15	36	39		21.09	21.09	21.10		
15	75	0		21.10	21.19	21.17		
15	1	0	16-QAM	21.26	21.35	21.25	23.68	0.2333
15	1	37		21.46	21.61	21.42		
15	1	74		21.17	21.21	21.27		
15	36	0		20.07	20.15	20.08		
15	36	20		20.05	20.18	20.07		
15	36	39		20.07	20.12	20.23		
15	75	0		20.08	20.19	20.24		
15	1	0	64-QAM	20.23	20.31	20.29	22.50	0.1778
15	1	37		20.28	20.27	20.43		
15	1	74		20.16	20.22	20.07		
15	36	0		19.07	19.05	19.08		
15	36	20		19.13	19.16	19.10		
15	36	39		19.06	19.11	19.12		
15	75	0		19.17	19.19	19.18		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.10	22.03	22.13	24.20	0.2630
10	1	25		22.07	22.07	22.12		
10	1	49		22.02	22.01	22.00		
10	25	0		21.12	21.09	21.05		
10	25	12		21.05	21.08	21.07		
10	25	25		21.02	21.07	21.06		
10	50	0		21.07	21.14	21.15		
10	1	0	16-QAM	21.24	21.36	21.22	23.69	0.2339
10	1	25		21.55	21.62	21.35		
10	1	49		21.27	21.18	21.26		
10	25	0		20.04	20.15	20.06		
10	25	12		20.07	20.20	20.20		
10	25	25		20.17	20.16	20.22		
10	50	0		20.08	20.15	20.24		
10	1	0	64-QAM	20.18	20.31	20.26	22.50	0.1778
10	1	25		20.22	20.27	20.43		
10	1	49		20.06	20.22	20.10		
10	25	0		19.10	19.08	19.10		
10	25	12		19.10	19.21	19.19		
10	25	25		19.13	19.14	19.13		
10	50	0		19.17	19.06	19.13		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.06	22.14	22.09	24.21	0.2636
5	1	12		22.00	22.07	22.03		
5	1	24		22.00	22.00	22.02		
5	12	0		21.13	21.08	21.10		
5	12	7		21.09	21.13	21.17		
5	12	13		21.00	21.06	21.14		
5	25	0		21.05	21.20	21.11		
5	1	0	16-QAM	21.33	21.34	21.29	23.62	0.2301
5	1	12		21.47	21.55	21.35		
5	1	24		21.14	21.26	21.29		
5	12	0		20.07	20.16	20.08		
5	12	7		20.08	20.12	20.07		
5	12	13		20.10	20.08	20.21		
5	25	0		20.15	20.13	20.29		
5	1	0	64-QAM	20.20	20.25	20.22	22.42	0.1746
5	1	12		20.27	20.29	20.35		
5	1	24		20.06	20.14	20.11		
5	12	0		19.00	19.04	19.10		
5	12	7		19.16	19.17	19.08		
5	12	13		19.09	19.04	19.22		
5	25	0		19.11	19.18	19.17		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.01	22.04	22.12	24.19	0.2624
3	1	8		22.06	22.01	22.02		
3	1	14		22.01	22.01	22.00		
3	8	0		21.10	21.15	21.12		
3	8	4		21.02	21.12	21.14		
3	8	7		21.11	21.05	21.15		
3	15	0		21.06	21.20	21.12		
3	1	0	16-QAM	21.30	21.43	21.25	23.70	0.2344
3	1	8		21.54	21.63	21.39		
3	1	14		21.23	21.32	21.27		
3	8	0		20.09	20.05	20.13		
3	8	4		20.14	20.14	20.08		
3	8	7		20.11	20.17	20.16		
3	15	0		20.17	20.09	20.23		
3	1	0	64-QAM	20.23	20.20	20.27	22.51	0.1782
3	1	8		20.24	20.24	20.44		
3	1	14		20.16	20.16	20.16		
3	8	0		19.08	19.09	19.04		
3	8	4		19.18	19.14	19.09		
3	8	7		19.04	19.11	19.09		
3	15	0		19.08	19.16	19.14		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.09	22.12	22.09	24.23	0.2649
1.4	1	3		22.00	22.05	22.03		
1.4	1	5		22.01	22.02	22.02		
1.4	3	0		22.06	22.16	22.12		
1.4	3	1		22.02	22.09	22.06		
1.4	3	3		22.01	22.01	22.12		
1.4	6	0		21.07	21.16	21.09		
1.4	1	0	16-QAM	21.27	21.42	21.31	23.67	0.2328
1.4	1	3		21.56	21.60	21.40		
1.4	1	5		21.23	21.25	21.29		
1.4	3	0		21.03	21.09	21.05		
1.4	3	1		21.11	21.25	21.08		
1.4	3	3		21.12	21.14	21.22		
1.4	6	0		20.10	20.09	20.18		
1.4	1	0	64-QAM	20.20	20.21	20.27	22.43	0.1750
1.4	1	3		20.31	20.36	20.33		
1.4	1	5		20.11	20.14	20.13		
1.4	3	0		20.13	20.08	20.09		
1.4	3	1		20.18	20.15	20.10		
1.4	3	3		20.11	20.17	20.16		
1.4	6	0		19.16	19.14	19.25		
Limit	EIRP < 2W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	22.05	22.10	22.00	20.77	0.1194
15	1	37		22.01	22.12	22.16		
15	1	74		22.03	22.18	22.18		
15	36	0		21.19	21.09	21.13		
15	36	20		21.11	21.14	21.17		
15	36	39		21.05	21.29	21.33		
15	75	0		21.13	21.18	21.24		
15	1	0	16-QAM	21.22	21.09	21.36	20.08	0.1019
15	1	37		21.36	21.48	21.42		
15	1	74		21.40	21.34	21.49		
15	36	0		20.06	20.23	20.16		
15	36	20		20.13	20.27	20.18		
15	36	39		20.20	20.21	20.36		
15	75	0		20.13	20.10	20.22		
15	1	0	64-QAM	20.16	20.15	20.31	19.12	0.0817
15	1	37		20.23	20.30	20.43		
15	1	74		20.30	20.16	20.53		
15	36	0		19.08	19.01	19.14		
15	36	20		19.14	19.02	19.21		
15	36	39		19.19	18.95	19.35		
15	75	0		19.16	19.24	19.23		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	21.95	22.02	22.00	20.69	0.1172
10	1	25		21.97	21.95	22.03		
10	1	49		21.94	21.95	22.10		
10	25	0		21.01	21.18	21.08		
10	25	12		21.10	21.02	21.14		
10	25	25		21.03	21.06	21.30		
10	50	0		21.05	21.04	21.17		
10	1	0	16-QAM	21.23	21.12	21.34	20.05	0.1012
10	1	25		21.34	21.18	21.29		
10	1	49		21.08	21.21	21.46		
10	25	0		20.06	19.98	20.15		
10	25	12		20.10	20.06	20.14		
10	25	25		19.91	20.10	20.33		
10	50	0		20.11	20.05	20.11		
10	1	0	64-QAM	20.11	20.11	20.28	19.10	0.0813
10	1	25		20.02	20.12	20.39		
10	1	49		20.23	20.27	20.51		
10	25	0		19.02	18.93	19.04		
10	25	12		19.10	19.12	19.11		
10	25	25		19.03	19.18	19.30		
10	50	0		19.08	19.14	19.18		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.06	21.99	22.01	20.69	0.1172
5	1	12		22.10	21.94	22.03		
5	1	24		22.09	22.07	22.05		
5	12	0		20.90	21.19	21.03		
5	12	7		21.02	21.13	21.10		
5	12	13		21.03	21.06	21.18		
5	25	0		20.99	20.93	21.16		
5	1	0	16-QAM	21.25	21.18	21.27	20.00	0.1000
5	1	12		21.23	21.28	21.36		
5	1	24		21.13	21.35	21.41		
5	12	0		19.97	20.09	20.05		
5	12	7		20.08	20.17	20.12		
5	12	13		20.08	20.17	20.28		
5	25	0		20.07	20.01	20.20		
5	1	0	64-QAM	20.15	20.10	20.20	19.01	0.0796
5	1	12		20.19	20.22	20.40		
5	1	24		20.07	20.24	20.42		
5	12	0		19.00	19.03	19.02		
5	12	7		19.11	19.11	19.16		
5	12	13		19.04	19.07	19.26		
5	25	0		18.92	19.09	19.13		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	22.07	22.08	22.00	20.72	0.1180
3	1	8		21.99	21.99	22.13		
3	1	14		21.93	21.95	22.05		
3	8	0		21.08	21.14	21.07		
3	8	4		21.02	20.92	21.11		
3	8	7		20.93	21.03	21.30		
3	15	0		21.19	21.05	21.12		
3	1	0	16-QAM	21.25	21.04	21.31	20.00	0.1000
3	1	8		21.28	21.23	21.41		
3	1	14		21.27	21.40	21.39		
3	8	0		19.95	20.02	20.05		
3	8	4		20.09	20.07	20.10		
3	8	7		20.02	20.27	20.22		
3	15	0		20.06	20.04	20.12		
3	1	0	64-QAM	20.19	20.01	20.17	19.01	0.0796
3	1	8		20.09	20.27	20.30		
3	1	14		20.17	20.21	20.42		
3	8	0		19.00	19.00	19.03		
3	8	4		19.02	19.03	19.13		
3	8	7		19.05	19.09	19.31		
3	15	0		19.00	18.94	19.21		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	22.07	22.09	22.00	20.79	0.1199
1.4	1	3		22.10	21.93	22.04		
1.4	1	5		22.04	22.02	22.11		
1.4	3	0		22.01	22.07	22.09		
1.4	3	1		21.92	22.08	22.08		
1.4	3	3		21.92	21.92	22.20		
1.4	6	0		20.93	21.12	21.12		
1.4	1	0	16-QAM	21.16	21.08	21.22	19.97	0.0993
1.4	1	3		21.22	21.28	21.30		
1.4	1	5		21.18	21.28	21.38		
1.4	3	0		20.98	21.01	21.05		
1.4	3	1		20.93	21.16	21.13		
1.4	3	3		21.09	21.25	21.29		
1.4	6	0		20.05	20.08	20.11		
1.4	1	0	64-QAM	20.14	20.09	20.24	19.05	0.0804
1.4	1	3		20.02	20.07	20.34		
1.4	1	5		20.16	20.14	20.46		
1.4	3	0		19.97	19.93	20.00		
1.4	3	1		19.97	19.99	20.08		
1.4	3	3		20.02	20.14	20.34		
1.4	6	0		18.96	19.12	19.10		
Limit	ERP < 7W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	22.03	-	-	20.62	0.1153
15	1	37		22.01	-	-		
15	1	74		22.01	-	-		
15	36	0		21.03	-	-		
15	36	20		21.11	-	-		
15	36	39		21.09	-	-		
15	75	0		21.10	-	-		
15	1	0	16-QAM	21.23	-	-	19.97	0.0993
15	1	37		21.38	-	-		
15	1	74		21.22	-	-		
15	36	0		20.05	-	-		
15	36	20		20.12	-	-		
15	36	39		20.10	-	-		
15	75	0		20.14	-	-		
15	1	0	64-QAM	20.18	-	-	18.84	0.0766
15	1	37		20.22	-	-		
15	1	74		20.25	-	-		
15	36	0		19.06	-	-		
15	36	20		19.11	-	-		
15	36	39		19.10	-	-		
15	75	0		19.11	-	-		
Limit	ERP < 100W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	22.02	-	20.61	0.1151
10	1	25		-	22.00	-		
10	1	49		-	22.01	-		
10	25	0		-	21.10	-		
10	25	12		-	21.02	-		
10	25	25		-	21.04	-		
10	50	0		-	21.10	-		
10	1	0	16-QAM	-	21.15	-	19.89	0.0975
10	1	25		-	21.28	-		
10	1	49		-	21.30	-		
10	25	0		-	20.04	-		
10	25	12		-	20.04	-		
10	25	25		-	20.11	-		
10	50	0		-	20.06	-		
10	1	0	64-QAM	-	20.04	-	18.82	0.0762
10	1	25		-	20.17	-		
10	1	49		-	20.23	-		
10	25	0		-	19.02	-		
10	25	12		-	19.10	-		
10	25	25		-	19.13	-		
10	50	0		-	19.10	-		
Limit	ERP < 100W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.02	22.02	21.98	20.68	0.1169
5	1	12		22.00	21.93	22.02		
5	1	24		22.00	22.09	22.01		
5	12	0		21.00	20.90	21.08		
5	12	7		21.00	20.98	20.97		
5	12	13		21.07	21.15	21.15		
5	25	0		21.03	21.01	21.06		
5	1	0	16-QAM	21.17	21.20	21.18	19.96	0.0991
5	1	12		21.31	21.22	21.37		
5	1	24		21.19	21.26	21.26		
5	12	0		20.00	20.01	19.90		
5	12	7		20.10	20.20	20.16		
5	12	13		20.05	19.99	19.97		
5	25	0		20.01	19.92	19.92		
5	1	0	64-QAM	20.10	20.15	20.00	18.81	0.0760
5	1	12		20.11	20.16	20.21		
5	1	24		20.15	20.22	20.21		
5	12	0		19.00	19.03	18.90		
5	12	7		19.08	19.08	19.17		
5	12	13		19.00	18.99	18.95		
5	25	0		19.00	18.97	18.91		
Limit	ERP < 100W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	22.02	22.00	21.96	20.61	0.1151
3	1	8		22.00	21.99	22.02		
3	1	14		22.00	21.99	21.99		
3	8	0		21.00	21.04	21.00		
3	8	4		21.00	21.05	21.07		
3	8	7		21.03	21.03	20.97		
3	15	0		21.09	21.12	21.09		
3	1	0	16-QAM	21.17	21.26	21.08	19.91	0.0979
3	1	8		21.32	21.25	21.26		
3	1	14		21.17	21.08	21.17		
3	8	0		20.02	20.10	19.95		
3	8	4		20.06	20.12	20.14		
3	8	7		20.01	19.92	19.95		
3	15	0		20.06	20.10	20.07		
3	1	0	64-QAM	20.12	20.19	20.15	18.92	0.0780
3	1	8		20.07	20.04	20.16		
3	1	14		20.24	20.33	20.26		
3	8	0		19.00	19.06	19.10		
3	8	4		19.02	18.98	18.99		
3	8	7		19.00	18.94	18.93		
3	15	0		19.08	19.16	19.10		
Limit	ERP < 100W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	22.02	21.99	22.09	20.68	0.1169
1.4	1	3		22.00	21.96	21.92		
1.4	1	5		22.01	21.92	21.92		
1.4	3	0		22.01	21.96	21.98		
1.4	3	1		22.00	21.98	21.95		
1.4	3	3		22.00	21.96	21.98		
1.4	6	0		21.01	21.06	20.96		
1.4	1	0	16-QAM	21.19	21.19	21.19	19.97	0.0993
1.4	1	3		21.32	21.38	21.36		
1.4	1	5		21.13	21.14	21.19		
1.4	3	0		21.00	21.10	20.93		
1.4	3	1		21.01	20.99	21.06		
1.4	3	3		21.01	20.99	20.99		
1.4	6	0		20.02	20.03	20.00		
1.4	1	0	64-QAM	20.16	20.18	20.06	18.88	0.0773
1.4	1	3		20.08	20.16	20.18		
1.4	1	5		20.21	20.29	20.21		
1.4	3	0		20.01	19.93	19.96		
1.4	3	1		20.02	20.05	20.11		
1.4	3	3		20.03	19.97	20.13		
1.4	6	0		19.01	19.01	19.07		
Limit	ERP < 100W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	-	22.13	-	20.72	0.1180
15	1	37		-	21.93	-		
15	1	74		-	22.00	-		
15	36	0		-	21.11	-		
15	36	20		-	21.12	-		
15	36	39		-	21.17	-		
15	75	0		-	21.15	-		
15	1	0	16-QAM	-	21.27	-	20.05	0.1012
15	1	37		-	21.46	-		
15	1	74		-	21.17	-		
15	36	0		-	20.05	-		
15	36	20		-	20.20	-		
15	36	39		-	20.16	-		
15	75	0		-	20.20	-		
15	1	0	64-QAM	-	20.18	-	18.91	0.0778
15	1	37		-	20.32	-		
15	1	74		-	20.20	-		
15	36	0		-	19.15	-		
15	36	20		-	19.16	-		
15	36	39		-	19.08	-		
15	75	0		-	19.10	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	21.93	-	20.69	0.1172
10	1	25		-	22.09	-		
10	1	49		-	22.10	-		
10	25	0		-	21.09	-		
10	25	12		-	21.00	-		
10	25	25		-	21.06	-		
10	50	0		-	20.90	-		
10	1	0	16-QAM	-	21.05	-	19.94	0.0986
10	1	25		-	21.35	-		
10	1	49		-	21.22	-		
10	25	0		-	20.09	-		
10	25	12		-	20.03	-		
10	25	25		-	19.94	-		
10	50	0		-	20.08	-		
10	1	0	64-QAM	-	20.24	-	18.83	0.0764
10	1	25		-	20.02	-		
10	1	49		-	20.09	-		
10	25	0		-	19.10	-		
10	25	12		-	19.13	-		
10	25	25		-	19.06	-		
10	50	0		-	19.07	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	-	22.02	-	20.61	0.1151
5	1	12		-	21.96	-		
5	1	24		-	21.91	-		
5	12	0		-	20.97	-		
5	12	7		-	20.90	-		
5	12	13		-	21.08	-		
5	25	0		-	21.06	-		
5	1	0	16-QAM	-	21.22	-	19.93	0.0984
5	1	12		-	21.34	-		
5	1	24		-	21.10	-		
5	12	0		-	19.93	-		
5	12	7		-	20.06	-		
5	12	13		-	19.97	-		
5	25	0		-	20.06	-		
5	1	0	64-QAM	-	20.05	-	18.81	0.0760
5	1	12		-	20.20	-		
5	1	24		-	20.22	-		
5	12	0		-	19.01	-		
5	12	7		-	19.10	-		
5	12	13		-	19.10	-		
5	25	0		-	19.02	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	-	21.99	-	20.69	0.1172
3	1	8		-	22.10	-		
3	1	14		-	21.97	-		
3	8	0		-	21.08	-		
3	8	4		-	20.94	-		
3	8	7		-	20.98	-		
3	15	0		-	21.14	-		
3	1	0	16-QAM	-	21.10	-	19.82	0.0959
3	1	8		-	21.23	-		
3	1	14		-	21.15	-		
3	8	0		-	20.07	-		
3	8	4		-	20.03	-		
3	8	7		-	20.02	-		
3	15	0		-	20.01	-		
3	1	0	64-QAM	-	20.03	-	18.78	0.0755
3	1	8		-	20.14	-		
3	1	14		-	20.19	-		
3	8	0		-	19.01	-		
3	8	4		-	19.11	-		
3	8	7		-	18.94	-		
3	15	0		-	19.15	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 0.74 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	-	21.97	-	20.68	0.1169
1.4	1	3		-	21.94	-		
1.4	1	5		-	22.09	-		
1.4	3	0		-	21.94	-		
1.4	3	1		-	22.06	-		
1.4	3	3		-	22.03	-		
1.4	6	0		-	20.94	-		
1.4	1	0	16-QAM	-	21.21	-	19.91	0.0979
1.4	1	3		-	21.32	-		
1.4	1	5		-	21.12	-		
1.4	3	0		-	20.96	-		
1.4	3	1		-	21.04	-		
1.4	3	3		-	21.05	-		
1.4	6	0		-	20.10	-		
1.4	1	0	64-QAM	-	20.26	-	18.85	0.0767
1.4	1	3		-	19.98	-		
1.4	1	5		-	20.12	-		
1.4	3	0		-	20.09	-		
1.4	3	1		-	20.01	-		
1.4	3	3		-	20.06	-		
1.4	6	0		-	19.07	-		

Limit	ERP < 7W	Result	Pass
-------	----------	--------	------

LTE Band 41 PC2 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	24.09	24.00	24.05	26.94	0.4943
20	1	49		24.10	24.08	24.11		
20	1	99		24.06	24.06	24.06		
20	50	0		23.15	23.04	23.05		
20	50	24		23.22	23.14	23.16		
20	50	50		23.12	23.11	23.15		
20	100	0		23.23	23.10	23.13		
20	1	0	16-QAM	23.47	23.38	23.26	26.67	0.4645
20	1	49		23.84	23.58	23.49		
20	1	99		23.31	23.32	23.45		
20	50	0		22.16	22.04	22.06		
20	50	24		22.28	22.07	22.13		
20	50	50		22.24	22.12	22.16		
20	100	0		22.23	22.13	22.14		
20	1	0	64-QAM	22.30	22.26	22.17	25.26	0.3357
20	1	49		22.37	22.21	22.31		
20	1	99		22.29	22.28	22.43		
20	50	0		21.16	21.03	21.06		
20	50	24		21.27	21.05	21.10		
20	50	50		21.24	21.11	21.15		
20	100	0		21.25	21.11	21.13		
Limit	EIRP < 2W			Result			Pass	

LTE Band 41 PC2 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	24.02	24.00	24.00	26.92	0.4920
15	1	37		24.09	24.00	24.07		
15	1	74		24.01	24.01	24.00		
15	36	0		23.13	23.01	23.01		
15	36	20		23.16	23.00	23.00		
15	36	39		23.08	23.00	23.01		
15	75	0		23.20	23.04	23.11		
15	1	0	16-QAM	23.33	23.28	23.23	26.58	0.4550
15	1	37		23.75	23.46	23.37		
15	1	74		23.26	23.27	23.41		
15	36	0		22.09	22.00	22.01		
15	36	20		22.24	22.00	22.00		
15	36	39		22.17	22.01	22.04		
15	75	0		22.11	22.07	22.07		
15	1	0	64-QAM	22.18	22.15	22.12	25.20	0.3311
15	1	37		22.30	22.14	22.17		
15	1	74		22.16	22.26	22.37		
15	36	0		21.01	21.01	21.00		
15	36	20		21.19	21.00	21.01		
15	36	39		21.12	21.03	21.05		
15	75	0		21.14	21.01	21.04		
Limit	EIRP < 2W			Result			Pass	

LTE Band 41 PC2 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	24.00	24.01	24.00	26.90	0.4898
10	1	25		24.07	24.03	24.02		
10	1	49		24.02	24.00	24.03		
10	25	0		23.06	23.02	23.00		
10	25	12		23.18	23.01	23.02		
10	25	25		23.01	23.02	23.08		
10	50	0		23.17	23.01	23.03		
10	1	0	16-QAM	23.37	23.34	23.14	26.54	0.4508
10	1	25		23.71	23.47	23.41		
10	1	49		23.25	23.25	23.37		
10	25	0		22.02	22.00	22.00		
10	25	12		22.19	22.00	22.04		
10	25	25		22.20	22.00	22.08		
10	50	0		22.12	22.04	22.05		
10	1	0	64-QAM	22.21	22.21	22.07	25.23	0.3334
10	1	25		22.26	22.09	22.21		
10	1	49		22.22	22.25	22.40		
10	25	0		21.06	21.00	21.02		
10	25	12		21.22	21.01	21.07		
10	25	25		21.10	21.05	21.03		
10	50	0		21.12	21.10	21.04		
Limit	EIRP < 2W			Result			Pass	

LTE Band 41 PC2 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	24.07	24.01	24.00	26.92	0.4920
5	1	12		24.09	24.00	24.04		
5	1	24		24.00	24.00	24.00		
5	12	0		23.01	23.01	23.04		
5	12	7		23.19	23.00	23.00		
5	12	13		23.01	23.07	23.12		
5	25	0		23.16	23.07	23.01		
5	1	0	16-QAM	23.33	23.25	23.19	26.54	0.4508
5	1	12		23.71	23.57	23.35		
5	1	24		23.26	23.21	23.39		
5	12	0		22.03	22.01	22.02		
5	12	7		22.18	22.01	22.03		
5	12	13		22.22	22.01	22.07		
5	25	0		22.15	22.02	22.06		
5	1	0	64-QAM	22.27	22.19	22.15	25.17	0.3289
5	1	12		22.24	22.17	22.19		
5	1	24		22.24	22.23	22.34		
5	12	0		21.06	21.00	21.01		
5	12	7		21.25	21.02	21.01		
5	12	13		21.16	21.00	21.02		
5	25	0		21.22	21.05	21.09		
Limit	EIRP < 2W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.65	22.72	22.56	25.15	0.3273
20	1	49		22.56	22.72	22.52		
20	1	99		22.60	22.65	22.50		
20	50	0		21.75	21.81	21.68		
20	50	24		21.74	21.79	21.67		
20	50	50		21.68	21.80	21.59		
20	100	0		21.70	21.76	21.56		
20	1	0	16-QAM	21.86	22.01	21.90	24.59	0.2877
20	1	49		22.16	22.10	22.15		
20	1	99		21.96	21.94	21.70		
20	50	0		20.62	20.81	20.62		
20	50	24		20.72	20.78	20.66		
20	50	50		20.72	20.82	20.60		
20	100	0		20.72	20.78	20.56		
20	1	0	64-QAM	20.81	20.96	20.84	23.49	0.2234
20	1	49		20.89	21.06	20.86		
20	1	99		20.84	20.84	20.60		
20	50	0		19.63	19.79	19.61		
20	50	24		19.72	19.78	19.64		
20	50	50		19.68	19.82	19.61		
20	100	0		19.71	19.77	19.56		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.62	22.68	22.51	25.11	0.3243
15	1	37		22.50	22.66	22.50		
15	1	74		22.53	22.59	22.50		
15	36	0		21.60	21.69	21.56		
15	36	20		21.64	21.66	21.63		
15	36	39		21.65	21.67	21.51		
15	75	0		21.68	21.63	21.52		
15	1	0	16-QAM	21.79	21.97	21.77	24.51	0.2825
15	1	37		22.02	22.08	22.06		
15	1	74		21.83	21.90	21.55		
15	36	0		20.57	20.76	20.52		
15	36	20		20.59	20.71	20.64		
15	36	39		20.58	20.69	20.51		
15	75	0		20.70	20.72	20.51		
15	1	0	64-QAM	20.73	20.84	20.80	23.39	0.2183
15	1	37		20.84	20.96	20.80		
15	1	74		20.71	20.70	20.55		
15	36	0		19.60	19.64	19.50		
15	36	20		19.59	19.77	19.50		
15	36	39		19.65	19.76	19.50		
15	75	0		19.64	19.66	19.51		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.54	22.66	22.52	25.09	0.3228
10	1	25		22.51	22.63	22.51		
10	1	49		22.52	22.56	22.51		
10	25	0		21.67	21.74	21.58		
10	25	12		21.68	21.75	21.64		
10	25	25		21.63	21.68	21.54		
10	50	0		21.64	21.67	21.50		
10	1	0	16-QAM	21.83	21.97	21.78	24.55	0.2851
10	1	25		22.09	22.06	22.12		
10	1	49		21.89	21.84	21.68		
10	25	0		20.59	20.67	20.50		
10	25	12		20.69	20.73	20.55		
10	25	25		20.64	20.73	20.59		
10	50	0		20.68	20.63	20.55		
10	1	0	64-QAM	20.79	20.91	20.83	23.42	0.2198
10	1	25		20.82	20.99	20.74		
10	1	49		20.77	20.77	20.51		
10	25	0		19.50	19.75	19.58		
10	25	12		19.66	19.64	19.51		
10	25	25		19.57	19.78	19.50		
10	50	0		19.66	19.63	19.51		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.58	22.60	22.52	25.03	0.3184
5	1	12		22.50	22.59	22.50		
5	1	24		22.54	22.55	22.50		
5	12	0		21.66	21.78	21.62		
5	12	7		21.72	21.77	21.55		
5	12	13		21.61	21.74	21.55		
5	25	0		21.65	21.61	21.51		
5	1	0	16-QAM	21.77	21.86	21.84	24.51	0.2825
5	1	12		22.08	22.04	22.06		
5	1	24		21.93	21.91	21.65		
5	12	0		20.57	20.79	20.60		
5	12	7		20.61	20.75	20.63		
5	12	13		20.60	20.77	20.57		
5	25	0		20.69	20.64	20.55		
5	1	0	64-QAM	20.69	20.88	20.80	23.47	0.2223
5	1	12		20.80	21.04	20.84		
5	1	24		20.80	20.70	20.51		
5	12	0		19.52	19.67	19.59		
5	12	7		19.64	19.70	19.55		
5	12	13		19.62	19.75	19.50		
5	25	0		19.57	19.64	19.52		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.64	22.58	22.52	25.10	0.3236
3	1	8		22.54	22.67	22.50		
3	1	14		22.51	22.54	22.50		
3	8	0		21.61	21.70	21.63		
3	8	4		21.60	21.66	21.59		
3	8	7		21.60	21.77	21.51		
3	15	0		21.62	21.68	21.53		
3	1	0	16-QAM	21.78	21.87	21.85	24.51	0.2825
3	1	8		22.08	22.01	22.07		
3	1	14		21.89	21.82	21.58		
3	8	0		20.50	20.72	20.59		
3	8	4		20.65	20.69	20.63		
3	8	7		20.66	20.72	20.50		
3	15	0		20.64	20.67	20.50		
3	1	0	64-QAM	20.72	20.87	20.80	23.36	0.2168
3	1	8		20.83	20.93	20.72		
3	1	14		20.74	20.75	20.54		
3	8	0		19.52	19.64	19.56		
3	8	4		19.66	19.71	19.61		
3	8	7		19.64	19.79	19.57		
3	15	0		19.58	19.73	19.52		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.43 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.52	22.67	22.51	25.20	0.3311
1.4	1	3		22.52	22.62	22.50		
1.4	1	5		22.50	22.59	22.50		
1.4	3	0		22.72	22.77	22.57		
1.4	3	1		22.70	22.64	22.58		
1.4	3	3		22.55	22.68	22.50		
1.4	6	0		21.60	21.72	21.50		
1.4	1	0	16-QAM	21.73	21.93	21.88	24.56	0.2858
1.4	1	3		22.13	22.01	22.02		
1.4	1	5		21.94	21.88	21.66		
1.4	3	0		21.50	21.78	21.60		
1.4	3	1		21.63	21.70	21.56		
1.4	3	3		21.59	21.80	21.50		
1.4	6	0		20.63	20.74	20.51		
1.4	1	0	64-QAM	20.79	20.81	20.76	23.45	0.2213
1.4	1	3		20.87	21.02	20.84		
1.4	1	5		20.81	20.74	20.50		
1.4	3	0		20.50	20.76	20.59		
1.4	3	1		20.64	20.72	20.51		
1.4	3	3		20.59	20.76	20.51		
1.4	6	0		19.57	19.74	19.55		
Limit	EIRP < 1W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.62 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
20	1	0	QPSK	22.15	22.11	22.07	19.38	0.0867
20	1	49		22.05	22.02	22.01		
20	1	99		22.12	22.09	22.08		
20	50	0		21.12	21.04	21.02		
20	50	24		21.17	21.03	21.01		
20	50	50		21.11	21.03	21.04		
20	100	0		21.17	21.02	21.03		
20	1	0	16-QAM	21.25	21.21	21.22	18.62	0.0728
20	1	49		21.36	21.39	21.27		
20	1	99		21.30	21.18	21.11		
20	50	0		20.12	20.06	20.02		
20	50	24		20.16	20.06	20.01		
20	50	50		20.10	20.05	20.04		
20	100	0		20.18	20.04	20.04		
20	1	0	64-QAM	20.25	20.12	20.11	17.48	0.0560
20	1	49		20.19	20.25	20.06		
20	1	99		20.16	20.06	20.09		
20	50	0		19.10	19.05	19.02		
20	50	24		19.19	19.04	19.03		
20	50	50		19.12	19.05	19.02		
20	100	0		19.18	19.02	19.01		
Limit	ERP < 3W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.62 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	22.13	22.01	22.02	19.36	0.0863
15	1	37		22.00	22.01	22.00		
15	1	74		22.07	22.00	22.01		
15	36	0		21.00	21.01	21.00		
15	36	20		21.08	21.01	21.01		
15	36	39		21.01	21.01	21.00		
15	75	0		21.11	21.00	21.00		
15	1	0	16-QAM	21.16	21.19	21.19	18.54	0.0714
15	1	37		21.22	21.31	21.17		
15	1	74		21.24	21.12	21.04		
15	36	0		20.07	20.00	20.01		
15	36	20		20.03	20.01	20.00		
15	36	39		20.02	20.04	20.00		
15	75	0		20.15	20.00	20.01		
15	1	0	64-QAM	20.12	20.06	20.08	17.35	0.0543
15	1	37		20.07	20.11	20.00		
15	1	74		20.05	20.03	20.06		
15	36	0		19.02	19.02	19.01		
15	36	20		19.04	19.00	19.02		
15	36	39		19.09	19.00	19.00		
15	75	0		19.09	19.00	19.00		
Limit	ERP < 3W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.62 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	22.07	22.05	22.05	19.30	0.0851
10	1	25		22.00	22.02	22.01		
10	1	49		22.05	22.00	22.01		
10	25	0		21.08	21.00	21.01		
10	25	12		21.11	21.02	21.00		
10	25	25		21.02	21.01	21.01		
10	50	0		21.04	21.01	21.00		
10	1	0	16-QAM	21.22	21.08	21.17	18.48	0.0705
10	1	25		21.23	21.25	21.18		
10	1	49		21.18	21.13	21.01		
10	25	0		20.04	20.03	20.02		
10	25	12		20.07	20.01	20.00		
10	25	25		20.06	20.03	20.00		
10	50	0		20.08	20.02	20.01		
10	1	0	64-QAM	20.20	20.08	20.01	17.47	0.0558
10	1	25		20.13	20.24	20.00		
10	1	49		20.13	20.00	20.03		
10	25	0		19.01	19.00	19.01		
10	25	12		19.10	19.01	19.01		
10	25	25		19.10	19.00	19.00		
10	50	0		19.03	19.02	19.00		
Limit	ERP < 3W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = -0.62 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.10	22.09	22.00	19.33	0.0857
5	1	12		22.01	22.00	22.01		
5	1	24		22.02	22.00	22.06		
5	12	0		21.08	21.01	21.00		
5	12	7		21.13	21.00	21.01		
5	12	13		21.07	21.00	21.00		
5	25	0		21.09	21.00	21.01		
5	1	0	16-QAM	21.13	21.13	21.10	18.53	0.0713
5	1	12		21.30	21.27	21.16		
5	1	24		21.27	21.04	21.00		
5	12	0		20.08	20.00	20.01		
5	12	7		20.05	20.00	20.02		
5	12	13		20.02	20.00	20.00		
5	25	0		20.15	20.03	20.01		
5	1	0	64-QAM	20.22	20.10	20.00	17.45	0.0556
5	1	12		20.13	20.16	20.00		
5	1	24		20.04	20.01	20.02		
5	12	0		19.01	19.02	19.02		
5	12	7		19.06	19.01	19.01		
5	12	13		19.06	19.00	19.00		
5	25	0		19.07	19.01	19.00		
Limit	ERP < 3W			Result			Pass	

LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = 2.07 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	100	0	100	0	QPSK	21.38	21.43	21.46	25.47	0.3524
20+20	1	0	1	99		14.83	14.82	14.88		
20+20	1	99	1	0		23.38	23.19	23.40		
20+20	100	0	100	0	16-QAM	20.42	20.39	20.43	24.98	0.3148
20+20	1	0	1	99		15.33	15.28	15.26		
20+20	1	99	1	0		22.64	22.91	22.68		
20+20	100	0	100	0	64-QAM	20.42	20.44	20.43	23.80	0.2399
20+20	1	0	1	99		15.11	15.11	15.05		
20+20	1	99	1	0		21.61	21.68	21.73		
20+20	100	0	100	0	256-QAM	18.41	18.41	18.48	20.83	0.1211
20+20	1	0	1	99		15.27	15.14	15.16		
20+20	1	99	1	0		18.76	18.51	18.67		
20+15	100	0	75	0	QPSK	21.33	21.41	21.48	25.50	0.3548
20+15	1	0	1	74		14.79	14.84	14.89		
20+15	1	99	1	0		23.40	23.43	23.35		
20+15	100	0	75	0	16-QAM	20.42	20.41	20.45	24.83	0.3041
20+15	1	0	1	74		15.15	15.25	15.27		
20+15	1	99	1	0		22.52	22.73	22.76		
20+15	100	0	75	0	64-QAM	20.36	20.38	20.71	23.80	0.2399
20+15	1	0	1	74		15.06	15.24	15.03		
20+15	1	99	1	0		21.32	21.64	21.73		
20+15	100	0	75	0	256-QAM	18.36	18.45	18.44	20.81	0.1205
20+15	1	0	1	74		14.98	15.08	15.18		
20+15	1	99	1	0		18.74	18.55	18.59		
15+20	75	0	100	0	QPSK	21.32	21.45	21.45	25.51	0.3556
15+20	1	0	1	99		14.80	14.82	14.87		
15+20	1	74	1	0		23.44	23.24	23.40		
15+20	75	0	100	0	16-QAM	20.59	20.38	20.36	24.74	0.2979
15+20	1	0	1	99		15.21	15.19	15.24		
15+20	1	74	1	0		22.52	22.67	22.60		
15+20	75	0	100	0	64-QAM	20.55	20.32	20.43	23.71	0.2350
15+20	1	0	1	99		15.05	15.01	15.14		
15+20	1	74	1	0		21.64	21.58	21.64		
15+20	75	0	100	0	256-QAM	18.33	18.45	18.37	20.64	0.1159
15+20	1	0	1	99		15.11	15.12	15.00		
15+20	1	74	1	0		18.35	18.55	18.57		
Limit	EIRP < 2W					Result			Pass	

LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = 2.07 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	100	0	50	0	QPSK	21.40	21.40	21.45	25.64	0.3664
20+10	1	0	1	49		14.85	14.84	14.83		
20+10	1	99	1	0		23.39	23.40	23.57		
20+10	100	0	50	0	16-QAM	20.42	20.33	20.69	24.86	0.3062
20+10	1	0	1	49		15.29	15.18	15.30		
20+10	1	99	1	0		22.53	22.79	22.65		
20+10	100	0	50	0	64-QAM	20.39	20.38	20.45	23.87	0.2438
20+10	1	0	1	49		15.10	15.19	15.20		
20+10	1	99	1	0		21.53	21.65	21.80		
20+10	100	0	50	0	256-QAM	18.48	18.42	18.51	20.98	0.1253
20+10	1	0	1	49		14.91	15.10	15.06		
20+10	1	99	1	0		18.75	18.54	18.91		
10+20	50	0	100	0	QPSK	21.47	21.40	21.33	25.39	0.3459
10+20	1	0	1	99		14.88	14.86	14.77		
10+20	1	49	1	0		23.32	23.25	23.28		
10+20	50	0	100	0	16-QAM	20.43	20.43	20.45	24.89	0.3083
10+20	1	0	1	99		15.30	15.29	15.33		
10+20	1	49	1	0		22.82	22.73	22.61		
10+20	50	0	100	0	64-QAM	20.47	20.42	20.41	23.79	0.2393
10+20	1	0	1	99		15.20	15.23	15.15		
10+20	1	49	1	0		21.55	21.40	21.72		
10+20	50	0	100	0	256-QAM	18.43	18.43	18.41	20.70	0.1175
10+20	1	0	1	99		15.39	15.06	15.08		
10+20	1	49	1	0		18.63	18.56	18.57		
20+5	100	0	25	0	QPSK	21.37	21.35	21.41	25.48	0.3532
20+5	1	0	1	24		14.88	14.86	14.85		
20+5	1	99	1	0		23.30	23.31	23.41		
20+5	100	0	25	0	16-QAM	20.34	20.37	20.47	25.05	0.3199
20+5	1	0	1	24		15.37	15.21	15.40		
20+5	1	99	1	0		22.69	22.54	22.98		
20+5	100	0	25	0	64-QAM	20.35	20.12	20.47	23.90	0.2455
20+5	1	0	1	24		15.11	15.09	15.02		
20+5	1	99	1	0		21.71	21.55	21.83		
20+5	100	0	25	0	256-QAM	18.45	18.33	18.51	21.12	0.1294
20+5	1	0	1	24		15.07	15.04	15.08		
20+5	1	99	1	0		18.33	18.39	19.05		
Limit	EIRP < 2W					Result			Pass	

LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = 2.07 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+20	25	0	100	0	QPSK	21.35	21.40	21.35	25.39	0.3459
5+20	1	0	1	99		14.88	14.86	14.78		
5+20	1	24	1	0		23.32	23.21	23.31		
5+20	25	0	100	0	16-QAM	20.34	20.32	20.50	24.99	0.3155
5+20	1	0	1	99		15.32	15.28	15.27		
5+20	1	24	1	0		22.77	22.57	22.92		
5+20	25	0	100	0	64-QAM	20.43	20.31	20.41	23.66	0.2323
5+20	1	0	1	99		15.18	15.10	15.29		
5+20	1	24	1	0		21.58	21.43	21.59		
5+20	25	0	100	0	256-QAM	18.43	18.41	18.35	20.65	0.1161
5+20	1	0	1	99		15.13	15.16	14.91		
5+20	1	24	1	0		18.58	18.29	18.52		
Limit	EIRP < 2W					Result			Pass	

LTE Band 2C_CA Maximum Average Power [dBm] (GT - LC = 2.07 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	75	0	50	0	QPSK	21.33	21.37	21.48	25.47	0.3524
15+10	1	0	1	49		14.82	14.87	14.95		
15+10	1	74	1	0		23.28	23.26	23.40		
15+10	75	0	50	0	16-QAM	20.41	20.32	20.46	24.96	0.3133
15+10	1	0	1	49		15.18	15.18	15.26		
15+10	1	74	1	0		22.59	22.85	22.89		
15+10	75	0	50	0	64-QAM	20.34	20.44	20.54	23.85	0.2427
15+10	1	0	1	49		15.19	15.09	15.27		
15+10	1	74	1	0		21.69	21.48	21.78		
15+10	75	0	50	0	256-QAM	18.34	18.42	18.49	20.85	0.1216
15+10	1	0	1	49		15.05	15.11	15.12		
15+10	1	74	1	0		18.78	18.47	18.48		
10+15	50	0	75	0	QPSK	21.72	21.33	21.48	25.50	0.3548
10+15	1	0	1	74		14.88	14.89	14.94		
10+15	1	49	1	0		23.26	23.22	23.43		
10+15	50	0	75	0	16-QAM	20.92	20.30	20.47	24.84	0.3048
10+15	1	0	1	74		15.21	15.27	15.40		
10+15	1	49	1	0		22.74	22.77	22.74		
10+15	50	0	75	0	64-QAM	20.34	20.44	20.46	23.93	0.2472
10+15	1	0	1	74		15.12	15.21	15.27		
10+15	1	49	1	0		21.28	21.43	21.86		
10+15	50	0	75	0	256-QAM	18.35	18.44	18.49	20.67	0.1167
10+15	1	0	1	74		15.08	14.93	15.17		
10+15	1	49	1	0		18.32	18.56	18.60		
15+15	75	0	75	0	QPSK	21.44	21.42	21.47	25.41	0.3475
15+15	1	0	1	74		14.84	14.85	14.88		
15+15	1	74	1	0		23.17	23.19	23.34		
15+15	75	0	75	0	16-QAM	20.33	20.39	20.52	24.76	0.2992
15+15	1	0	1	74		15.10	15.33	15.47		
15+15	1	74	1	0		22.69	22.60	22.66		
15+15	75	0	75	0	64-QAM	20.32	20.41	20.36	23.94	0.2477
15+15	1	0	1	74		15.12	15.12	15.12		
15+15	1	74	1	0		21.42	21.50	21.87		
15+15	75	0	75	0	256-QAM	18.34	18.40	18.43	20.77	0.1194
15+15	1	0	1	74		15.04	15.13	15.10		
15+15	1	74	1	0		18.70	18.45	18.67		
Limit	EIRP < 2W					Result			Pass	

LTE Band 5B_CA Maximum Average Power [dBm] (GT - LC = 0.74 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+10	1	49	1	0	QPSK	23.07	23.07	23.11	21.7	0.1479
10+10	1	49	1	0	16-QAM	22.34	22.51	22.45	21.1	0.1288
10+5	1	49	1	0	QPSK	23.01	23.31	23.23	21.9	0.1549
10+5	1	49	1	0	16-QAM	22.42	22.40	22.52	21.11	0.1291
5+10	1	24	1	0	QPSK	23.02	23.42	23.16	22.01	0.1589
5+10	1	24	1	0	16-QAM	22.49	22.62	22.49	21.21	0.1321
Limit	ERP < 7W					Result			Pass	

LTE Band 5B_CA Maximum Average Power [dBm] (GT - LC = 0.74 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+3	1	24	1	0	QPSK	23.27	23.32	23.31	21.91	0.1552
5+3	1	24	1	0	16-QAM	23.61	23.74	23.65	22.33	0.1710
3+5	1	14	1	0	QPSK	23.26	23.24	23.37	21.96	0.1570
3+5	1	14	1	0	16-QAM	23.53	23.49	23.76	22.35	0.1718
Limit	ERP < 7W					Result			Pass	

LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = 2.76 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	1	99	1	0	QPSK	22.51	22.63	22.91	25.67	0.3690
20+20	1	99	1	0	16-QAM	21.97	22.17	22.29	25.05	0.3199
20+20	1	99	1	0	64-QAM	20.80	20.90	21.07	23.83	0.2415
20+15	1	99	1	0	QPSK	22.41	22.69	22.87	25.63	0.3656
20+15	1	99	1	0	16-QAM	22.21	22.19	22.19	24.97	0.3141
20+15	1	99	1	0	64-QAM	20.76	20.97	21.15	23.91	0.2460
15+20	1	74	1	0	QPSK	22.55	22.59	22.80	25.56	0.3597
15+20	1	74	1	0	16-QAM	21.87	22.02	22.20	24.96	0.3133
15+20	1	74	1	0	64-QAM	20.90	20.95	21.22	23.98	0.2500
Limit	EIRP < 2W					Result			Pass	

LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = 2.76 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	1	99	1	0	QPSK	22.64	22.73	22.80	25.56	0.3597
20+10	1	99	1	0	16-QAM	21.77	22.17	22.12	24.93	0.3112
20+10	1	99	1	0	64-QAM	20.81	21.02	21.12	23.88	0.2443
10+20	1	49	1	0	QPSK	22.61	22.59	22.94	25.70	0.3715
10+20	1	49	1	0	16-QAM	22.03	22.06	22.28	25.04	0.3192
10+20	1	49	1	0	64-QAM	21.00	21.01	21.17	23.93	0.2472
15+15	1	74	1	0	QPSK	22.45	22.62	22.83	25.59	0.3622
15+15	1	74	1	0	16-QAM	21.78	22.00	22.32	25.08	0.3221
15+15	1	74	1	0	64-QAM	20.81	20.94	21.09	23.85	0.2427
Limit	EIRP < 2W					Result			Pass	

LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = 2.76 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	1	74	1	0	QPSK	22.46	22.67	22.78	25.54	0.3581
15+10	1	74	1	0	16-QAM	21.97	22.15	22.11	24.91	0.3097
15+10	1	74	1	0	64-QAM	20.86	20.92	21.09	23.85	0.2427
Limit	EIRP < 2W					Result			Pass	

LTE Band 41C-PC3_CA Maximum Average Power [dBm] (GT - LC = 2.83 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	1	99	1	0	QPSK	22.98	22.92	23.01	25.84	0.3837
20+20	1	99	1	0	16-QAM	22.75	22.79	22.98	25.81	0.3811
20+15	1	99	1	0	QPSK	22.99	23.01	22.93	25.84	0.3837
20+15	1	99	1	0	16-QAM	22.71	22.89	22.92	25.75	0.3758
15+20	1	74	1	0	QPSK	22.95	22.95	22.98	25.81	0.3811
15+20	1	74	1	0	16-QAM	22.81	22.70	23.01	25.84	0.3837
Limit	EIRP < 2W					Result			Pass	

LTE Band 41C-PC3_CA Maximum Average Power [dBm] (GT - LC = 2.83 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	1	99	1	0	QPSK	23.01	23.01	22.98	25.84	0.3837
20+10	1	99	1	0	16-QAM	22.75	22.86	22.91	25.74	0.3750
10+20	1	49	1	0	QPSK	23.01	23.01	23.01	25.84	0.3837
10+20	1	49	1	0	16-QAM	22.91	22.75	22.89	25.74	0.3750
20+5	1	99	1	0	QPSK	23.00	22.97	23.01	25.84	0.3837
20+5	1	99	1	0	16-QAM	22.73	22.93	22.97	25.80	0.3802
Limit	EIRP < 2W					Result			Pass	

LTE Band 41C-PC3_CA Maximum Average Power [dBm] (GT - LC = 2.83 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+20	1	24	1	0	QPSK	23.00	22.91	22.99	25.83	0.3828
5+20	1	24	1	0	16-QAM	22.99	22.75	23.01	25.84	0.3837
15+10	1	74	1	0	QPSK	22.95	22.96	22.93	25.79	0.3793
15+10	1	74	1	0	16-QAM	22.83	22.81	22.98	25.81	0.3811
10+15	1	49	1	0	QPSK	22.96	23.01	22.95	25.84	0.3837
10+15	1	49	1	0	16-QAM	22.83	22.78	22.94	25.77	0.3776
Limit	EIRP < 2W					Result			Pass	

LTE Band 41C-PC3_CA Maximum Average Power [dBm] (GT - LC = 2.83 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+15	1	74	1	0	QPSK	22.99	22.96	23.01	25.84	0.3837
15+15	1	74	1	0	16-QAM	22.80	22.74	22.97	25.80	0.3802
Limit	EIRP < 2W					Result			Pass	

LTE Band 66B_CA Maximum Average Power [dBm] (GT - LC = 2.43 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+10	50	0	50	0	QPSK	21.14	21.08	20.98	25.41	0.3475
10+10	1	0	1	49		12.49	12.49	12.48		
10+10	1	49	1	0		22.98	22.94	22.79		
10+10	50	0	50	0	16-QAM	20.08	20.16	20.02	24.87	0.3069
10+10	1	0	1	49		12.89	12.93	12.99		
10+10	1	49	1	0		22.34	22.44	22.31		
10+10	50	0	50	0	64-QAM	20.08	20.19	20.24	23.76	0.2377
10+10	1	0	1	49		12.68	12.78	12.76		
10+10	1	49	1	0		21.21	21.33	21.08		
10+10	50	0	50	0	256-QAM	18.11	17.86	18.16	20.69	0.1172
10+10	1	0	1	49		12.83	12.82	12.67		
10+10	1	49	1	0		18.26	18.07	18.13		
15+5	75	0	25	0	QPSK	21.05	21.11	20.90	25.42	0.3483
15+5	1	0	1	24		12.44	12.52	12.41		
15+5	1	74	1	0		22.95	22.99	22.81		
15+5	75	0	25	0	16-QAM	20.08	20.07	20.03	24.90	0.3090
15+5	1	0	1	24		12.91	12.86	12.85		
15+5	1	74	1	0		22.47	22.32	22.02		
15+5	75	0	25	0	64-QAM	20.00	20.05	19.93	23.76	0.2377
15+5	1	0	1	24		12.81	12.79	12.80		
15+5	1	74	1	0		21.32	21.33	20.99		
15+5	75	0	25	0	256-QAM	18.08	18.14	18.13	20.58	0.1143
15+5	1	0	1	24		12.78	12.76	12.56		
15+5	1	74	1	0		18.15	18.12	18.11		
5+15	25	0	75	0	QPSK	21.09	21.08	21.03	25.45	0.3508
5+15	1	0	1	74		12.48	12.57	12.46		
5+15	1	24	1	0		23.00	23.02	23.02		
5+15	25	0	75	0	16-QAM	20.07	20.11	20.06	24.89	0.3083
5+15	1	0	1	74		12.91	12.93	12.89		
5+15	1	24	1	0		22.42	22.46	22.32		
5+15	25	0	75	0	64-QAM	20.11	20.14	20.14	23.76	0.2377
5+15	1	0	1	74		12.74	12.83	12.73		
5+15	1	24	1	0		21.33	21.01	21.21		
5+15	25	0	75	0	256-QAM	18.13	18.16	18.02	20.77	0.1194
5+15	1	0	1	74		12.78	12.68	12.68		
5+15	1	24	1	0		18.23	18.34	18.22		
Limit	EIRP < 1W					Result			Pass	

LTE Band 66B_CA Maximum Average Power [dBm] (GT - LC = 2.43 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+5	50	0	25	0	QPSK	21.12	21.05	20.95	25.43	0.3491
10+5	1	0	1	24		13.01	12.97	12.89		
10+5	1	49	1	0		23.00	22.93	22.81		
10+5	50	0	25	0	16-QAM	20.08	20.10	20.04	24.88	0.3076
10+5	1	0	1	24		13.45	13.29	13.29		
10+5	1	49	1	0		22.45	22.45	22.21		
10+5	50	0	25	0	64-QAM	20.02	19.91	19.93	23.68	0.2333
10+5	1	0	1	24		13.29	13.35	13.20		
10+5	1	49	1	0		21.18	21.25	21.10		
10+5	50	0	25	0	256-QAM	18.14	18.04	17.90	20.67	0.1167
10+5	1	0	1	24		13.21	13.24	13.08		
10+5	1	49	1	0		18.14	18.24	17.99		
5+10	25	0	50	0	QPSK	21.12	21.08	20.97	25.48	0.3532
5+10	1	0	1	49		12.97	12.99	12.87		
5+10	1	24	1	0		23.01	23.05	22.96		
5+10	25	0	50	0	16-QAM	20.05	20.17	20.06	24.84	0.3048
5+10	1	0	1	49		13.46	13.45	13.33		
5+10	1	24	1	0		22.41	22.37	22.33		
5+10	25	0	50	0	64-QAM	19.92	20.14	19.99	23.82	0.2410
5+10	1	0	1	49		13.25	13.27	13.32		
5+10	1	24	1	0		21.39	21.06	21.18		
5+10	25	0	50	0	256-QAM	18.11	18.08	17.97	20.76	0.1191
5+10	1	0	1	49		13.20	13.21	13.11		
5+10	1	24	1	0		18.24	18.33	18.16		
5+5	25	0	25	0	QPSK	21.17	21.24	20.95	25.72	0.3733
5+5	1	0	1	24		13.13	13.06	12.94		
5+5	1	24	1	0		23.12	23.29	22.91		
5+5	25	0	25	0	16-QAM	20.20	20.23	20.03	24.96	0.3133
5+5	1	0	1	24		13.60	13.43	13.38		
5+5	1	24	1	0		22.44	22.53	22.22		
5+5	25	0	25	0	64-QAM	20.06	20.32	20.09	23.98	0.2500
5+5	1	0	1	24		13.46	13.42	13.19		
5+5	1	24	1	0		21.55	21.35	21.22		
5+5	25	0	25	0	256-QAM	18.20	18.24	18.04	20.79	0.1199
5+5	1	0	1	24		13.28	13.37	13.09		
5+5	1	24	1	0		18.35	18.36	18.05		
Limit	EIRP < 1W					Result			Pass	

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 2.43 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	1	99	1	0	QPSK	22.86	23.04	22.78	25.47	0.3524
20+20	1	99	1	0	16-QAM	22.39	22.34	22.38	24.82	0.3034
20+15	1	74	1	0	QPSK	22.94	23.03	22.87	25.46	0.3516
20+15	1	74	1	0	16-QAM	22.33	22.47	22.49	24.92	0.3105
15+20	1	74	1	0	QPSK	23.04	22.96	22.87	25.47	0.3524
15+20	1	74	1	0	16-QAM	22.23	22.25	22.15	24.68	0.2938
Limit	EIRP < 1W					Result			Pass	

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 2.43 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	1	99	1	0	QPSK	22.89	22.83	22.80	25.32	0.3404
20+10	1	99	1	0	16-QAM	22.30	22.29	22.40	24.83	0.3041
10+20	1	49	1	0	QPSK	22.89	23.06	22.89	25.49	0.3540
10+20	1	49	1	0	16-QAM	22.41	22.51	22.23	24.94	0.3119
20+5	1	99	1	0	QPSK	22.96	22.89	22.88	25.39	0.3459
20+5	1	99	1	0	16-QAM	22.35	22.52	22.26	24.95	0.3126
Limit	EIRP < 1W					Result			Pass	

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 2.43 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+20	1	24	1	0	QPSK	23.11	22.97	22.76	25.54	0.3581
5+20	1	24	1	0	16-QAM	22.29	22.44	22.17	24.87	0.3069
Limit	EIRP < 1W					Result			Pass	

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 2.43 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	1	74	1	0	QPSK	22.91	22.94	22.73	25.37	0.3443
15+10	1	74	1	0	16-QAM	22.41	22.52	22.33	24.95	0.3126
10+15	1	49	1	0	QPSK	22.97	23.04	22.89	25.47	0.3524
10+15	1	49	1	0	16-QAM	22.31	22.45	22.42	24.88	0.3076
15+15	1	74	1	0	QPSK	22.82	22.97	22.92	25.40	0.3467
15+15	1	74	1	0	16-QAM	22.24	22.59	22.35	25.02	0.3177
Limit	EIRP < 1W					Result			Pass	



LTE Band 2C

26dB Bandwidth


Mode	LTE Band 2C : 26dB BW(MHz)				
QPSK					
BW	5MHz+20MHz	10MHz+15MHz	10MHz+20MHz	15MHz+10MHz	15MHz+15MHz
Middle CH	24.75	25.25	30.18	25.25	30.72
BW	15MHz+20MHz	20MHz+5MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Middle CH	35.07	25.25	30.24	35.00	39.92
16QAM					
BW	5MHz+20MHz	10MHz+15MHz	10MHz+20MHz	15MHz+10MHz	15MHz+15MHz
Middle CH	24.85	25.20	29.94	25.35	30.84
BW	15MHz+20MHz	20MHz+5MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Middle CH	35.21	25.10	30.12	35.07	39.92




LTE Band 2C

QPSK


Middle Channel / 5MHz+20MHz




Middle Channel / 10MHz+15MHz




Middle Channel / 10MHz+20MHz




Middle Channel / 15MHz+10MHz



Middle Channel / 15MHz+15MHz




Middle Channel / 15MHz+20MHz






LTE Band 2C

Middle Channel / 20MHz+5MHz




Date: 17.NOV.2025 04:00:25

Middle Channel / 20MHz+10MHz




Date: 17.NOV.2025 04:19:37

Middle Channel / 20MHz+15MHz



Date: 17.NOV.2025 04:22:54

Middle Channel / 20MHz+20MHz




Date: 17.NOV.2025 04:23:47




LTE Band 2C

Middle Channel / 5MHz+20MHz




Date: 17.NOV.2025 03:59:43

Middle Channel / 10MHz+15MHz




Date: 17.NOV.2025 04:16:53

Middle Channel / 10MHz+20MHz




Date: 17.NOV.2025 04:19:01

Middle Channel / 15MHz+10MHz




Date: 17.NOV.2025 04:17:47

Middle Channel / 15MHz+15MHz



Date: 17.NOV.2025 04:21:18

Middle Channel / 15MHz+20MHz




Date: 17.NOV.2025 04:22:11




LTE Band 2C

16QAM


Middle Channel / 20MHz+5MHz




Middle Channel / 20MHz+10MHz



Middle Channel / 20MHz+15MHz



Middle Channel / 20MHz+20MHz



**Occupied Bandwidth**


Mode	LTE Band 2C : 99%OBW(MHz)				
QPSK					
BW	5MHz+20MHz	10MHz+15MHz	10MHz+20MHz	15MHz+10MHz	15MHz+15MHz
Middle CH	23.16	23.54	28.08	23.53	28.93
BW	15MHz+20MHz	20MHz+5MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Middle CH	32.79	23.26	28.05	32.88	37.28
16QAM					
BW	5MHz+20MHz	10MHz+15MHz	10MHz+20MHz	15MHz+10MHz	15MHz+15MHz
Middle CH	23.15	23.34	27.65	23.43	28.76
BW	15MHz+20MHz	20MHz+5MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Middle CH	32.93	23.11	28.05	32.95	37.64




LTE Band 2C

QPSK


Middle Channel / 5MHz+20MHz




Middle Channel / 10MHz+15MHz




Middle Channel / 10MHz+20MHz




Middle Channel / 15MHz+10MHz



Middle Channel / 15MHz+15MHz



Middle Channel / 15MHz+20MHz







LTE Band 2C

QPSK


Middle Channel / 20MHz+5MHz




Middle Channel / 20MHz+10MHz



Middle Channel / 20MHz+15MHz



Middle Channel / 20MHz+20MHz







LTE Band 2C

16QAM


Middle Channel / 5MHz+20MHz




Middle Channel / 10MHz+15MHz




Middle Channel / 10MHz+20MHz




Middle Channel / 15MHz+10MHz



Middle Channel / 15MHz+15MHz



Middle Channel / 15MHz+20MHz







LTE Band 2C

16QAM


Middle Channel / 20MHz+5MHz




Middle Channel / 20MHz+10MHz



Middle Channel / 20MHz+15MHz



Middle Channel / 20MHz+20MHz






Conducted Band Edge


LTE Band 2C / 5MHz+20MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB99




Highest Band Edge / 1RB0 and 1RB99




Lowest Band Edge / 1RB24 and 1RB0




Highest Band Edge / 1RB24 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 2C / 10MHz+15MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB74




Highest Band Edge / 1RB0 and 1RB74




Lowest Band Edge / 1RB49 and 1RB0




Highest Band Edge / 1RB49 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 2C / 10MHz+20MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB99



Highest Band Edge / 1RB0 and 1RB99




Lowest Band Edge / 1RB49 and 1RB0




Highest Band Edge / 1RB49 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 2C / 15MHz+10MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB49




Highest Band Edge / 1RB0 and 1RB49




Lowest Band Edge / 1RB74 and 1RB0




Highest Band Edge / 1RB74 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 2C / 15MHz+15MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB74




Highest Band Edge / 1RB0 and 1RB74




Lowest Band Edge / 1RB74 and 1RB0




Highest Band Edge / 1RB74 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 2C / 15MHz+20MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB99




Highest Band Edge / 1RB0 and 1RB99




Lowest Band Edge / 1RB74 and 1RB0



Highest Band Edge / 1RB74 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 2C / 20MHz+5MHz

QPSK

Lowest Band Edge / 1RB0 and 1RB24



Highest Band Edge / 1RB0 and 1RB24




Lowest Band Edge / 1RB99 and 1RB0




Highest Band Edge / 1RB99 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB






LTE Band 2C / 20MHz+10MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB49




Highest Band Edge / 1RB0 and 1RB49




Lowest Band Edge / 1RB99 and 1RB0




Highest Band Edge / 1RB99 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 2C / 20MHz+15MHz

QPSK


Lowest Band Edge / 1RB0 and 1RB74




Highest Band Edge / 1RB0 and 1RB74




Lowest Band Edge / 1RB99 and 1RB0



Highest Band Edge / 1RB99 and 1RB0



Lowest Band Edge / Full RB



Highest Band Edge / Full RB

