

## SAMPLE REPRESENTATIVE OF PRODUCTION


### DECLARATION OF DIFFERENCES

Model No.: DVD-LX95

| Substitute<br>Features                                             | Details of Differences                                                                                                                              |                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                    | Representative                                                                                                                                      | Production                                                                                                                                                                                                                                                                                                           |
| Connection method of<br>Coaxial Cable of FM<br>Transmitter Antenna | <p>1. Coaxial Cable with Plug.</p> <p>2. Receptacle (connector) on PCB.</p> <p>3. Coaxial Cable and PCB is connected<br/>by Plug and connector.</p> | <p>1. Coaxial Cable without Plug.</p> <p>2. Without Receptacle (connector) on<br/>PCB.</p> <p>3. Coaxial Cable is soldered to PCB<br/>directly.</p> <p>Please refer to the drawing of sample<br/>representative and production.</p> <p>This method will be implemented by<br/>running change in mass production.</p> |

< REPRESENTATIVE >

SUB PCB



< PRODUCTION >

SUB PCB

Coaxial Cable

Soldering

Soldering

