


1

Inside view

Left: Power unit

Right: GPS interface (top), 2 DSU (under GPS interface), control board (middle), sealed board and mounting terminal (bottom)



2

Inside view

GPS interface (right), 2 DSU (under GPS interface), control board (under DSU), sealed board and mounting terminal (left)




- 3 Inside view (under GPS interface)
- 2 DSU (right), control board (under DSU), sealed board and mounting terminal (left)



- 4 Inside view (under DSU)
Control board (center), mounting terminal (left)



- 5 Inside view (under control board)
RFMB board (with sealed case, center), mounting board (left)



- 6 Inside view (under RFMB board)
- 2 Front end module (center), mounting terminal (left)



7


Bottom case




* Left side of the case (page no.: 7)



9 Power unit (Power module with cover)



10 Power module (without cover)



11 Power unit (SENDAN, Power module with cover)



12 Power module (SENDAN, without cover)




13

GPS interface (front view)

GPS interface circuit for SANYO (left)

GPS interface circuit for TRIMBLE (right)




14


GPS interface (back view)


GPS interface circuit for SANYO (left)


GPS interface circuit for TRIMBLE (right)




15 DSU (front view)









17-1 *Control board –front view (Part 1)




17-2 *Control board – front view (Part 2)




17-3 *Control board – front view (Part 3)




17-4 *Control board – front view (Part 4)






18-1 *Control board –back view (Part 1)



18-2 *Control board –back view (Part 2)



18-3 *Control board –back view (Part 3)

