

Conducted Emission


Date : 2022/01/07 15:29:53

Trade name : DX-3484
Model name : ID-5100
Serial number : 406
Test Condition : SINGLE A 127.525MHz RX

Reference No. : -
Power supply : 13.8Vdc
Temp/Humi : 24.0°C / 37%
Operator : F.Kinugawa

Memo : Heterodyne=Normal

Limit1 : FCC Part.15 Subpart.B CLASS B (QP)
Limit2 : FCC Part.15 Subpart.B CLASS B (AV)



Conducted Emission


Date : 2022/01/07 15:33:21

Trade name : DX-3484
Model name : ID-5100
Serial number : 406
Test Condition : SINGLE A 145.980MHz RX

Reference No. : -
Power supply : 13.8Vdc
Temp/Humi : 24.0°C / 37%
Operator : F.Kinugawa

Memo : Heterodyne=Normal

Limit1 : FCC Part.15 Subpart.B CLASS B (QP)
Limit2 : FCC Part.15 Subpart.B CLASS B (AV)



Conducted Emission


Date : 2022/01/07 15:37:01

Trade name : DX-3484
Model name : ID-5100
Serial number : 406
Test Condition : SINGLE A 445.020MHz RX

Reference No. : -
Power supply : 13.8Vdc
Temp/Humi : 24.0°C / 37%
Operator : F.Kinugawa

Memo : Heterodyne=Normal

Limit1 : FCC Part.15 Subpart.B CLASS B (QP)
Limit2 : FCC Part.15 Subpart.B CLASS B (AV)



Conducted Emission


Date : 2022/01/07 15:38:37

Trade name : DX-3484
Model name : ID-5100
Serial number : 406
Test Condition : SINGLE B 127.525MHz RX

Reference No. : -
Power supply : 13.8Vdc
Temp/Humi : 24.0°C / 37%
Operator : F.Kinugawa

Memo : Heterodyne=Normal

Limit1 : FCC Part.15 Subpart.B CLASS B (QP)
Limit2 : FCC Part.15 Subpart.B CLASS B (AV)



Conducted Emission


Date : 2022/01/07 15:40:55

Trade name : DX-3484
Model name : ID-5100
Serial number : 406
Test Condition : SINGLE B 145.980MHz RX

Reference No. : -
Power supply : 13.8Vdc
Temp/Humi : 24.0°C / 37%
Operator : F.Kinugawa

Memo : Heterodyne=Normal

Limit1 : FCC Part.15 Subpart.B CLASS B (QP)
Limit2 : FCC Part.15 Subpart.B CLASS B (AV)



Conducted Emission

Date : 2022/01/07 15:43:29

Trade name : DX-3484
Model name : ID-5100
Serial number : 406
Test Condition : SINGLE B 445.020MHz RX

Reference No. : -
Power supply : 13.8Vdc
Temp/Humi : 24.0°C / 37%
Operator : F.Kinugawa

Memo : Heterodyne=Normal

Limit1 : FCC Part.15 Subpart.B CLASS B (QP)
Limit2 : FCC Part.15 Subpart.B CLASS B (AV)

