





REVISION	DATE	BY	MODEL NO.
1	10/1/81	UC611BL	SX-2188
REVISION	DATE	BY	MODEL NO.
2	10/1/81	UC611BL	SX-2188
3	10/1/81	UC611BL	SX-2188
4	10/1/81	UC611BL	SX-2188
5	10/1/81	UC611BL	SX-2188
6	10/1/81	UC611BL	SX-2188
7	10/1/81	UC611BL	SX-2188
8	10/1/81	UC611BL	SX-2188
9	10/1/81	UC611BL	SX-2188
10	10/1/81	UC611BL	SX-2188

NOTES:
 1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILLO OHM, M=MEG OHM)
 2. RESISTOR RATINGS ARE 1/10W UNLESS OTHERWISE NOTED.
 3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=PICTO FARAD)
 4. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING. PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.
 5. CHIP CAPACITORS TYPE ARE (D725) UNLESS OTHERWISE NOTED.




4. ALL CAPACITORS 2SC2712-GR
UNLESS OTHERWISE NOTED.
5. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING.
PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.
6. UNLESS OTHERWISE NOTED.

24LC84T/SN

NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (E=10 OHM, M=100 OHM)
2. RESISTOR WATAGES ARE (1/4W) UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=PICTO-FARAD)

DATE	BY	MODEL NO.
1987	181	5X-21888K
CHECK BY	APPROV BY	TITLE
		PORTABLE
		SCHEMATIC DIAGRAM
		DRAWING NO.
		UNIDEN CORP.



NOTE:

1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED.
2. RESISTOR WATTAGES ARE 1/16W UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED.
4. CHIP PARTS ARE NOT SPECIFIED IN THIS SCHEMATIC DIAGRAM. PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.

DESIGN	DRAWN BY	UNIDEN NO.	MODEL NO.
98/3/21	H. OHNO	TITLE	PORT RF
CHECKED BY	APPROVED BY	SCHEMATIC DIAGRAM	
DRAWING NO.			
REV. NO.		UNIDEN CORP.	