


















SLV-779HF, ~~SLV-679HF~~

SCHEMATIC DIAGRAM INDEX FOR MODEL: ~~SLV-662HF, SLV-663HF~~


(回路図リスト)


NO	SCHEMATIC DIAGRAM (S NO)	NAME OF PWB	SLV 779HF	SLV 679HF	662HF 663HF
1	S-0721-001-11	FRAME HARNESS (1)	○		
2	S-0721-001-21	FRAME HARNESS (2)		○	○
3	S-0721-002-11	MA-341 (1/8) PS	○	○	○
4	S-0721-002-21	MA-341 (2/8) SS	○	○	○
5	S-0721-002-31	MA-341 (3/8) VA	○	○	○
6	S-0721-002-41	MA-341 (4/8) HF	○	○	○
7	S-0721-002-51	MA-341 (5/8) TU	○	○	○
8	S-0721-002-61	MA-341 (6/8) RP	○	○	○
9	S-0721-002-71	MA-341 (7/8) FR	○	○	○
10	S-0721-002-81	MA-341 (8/8) CBC	○		
11	S-0721-003-11	DRUM MOTOR (SDV-11B)	○	○	○
12	S-0721-003-21	DRUM MOTOR (DMVDMT04F)	○	○	○
13	S-0721-004-11	CAPSTAN MOTOR	○	○	○
14	S-0721-005-11	TUNER (BTF-MA431)	○	○	○
15	S-0721-006-11	MF-316	○		
16	S-0721-007-11	DM-84	○		
17	S-0721-008-11	DS-84		○	○


MA-341 MOUNT












XX means no component mounted.

ALL resistors are in ohms. $\frac{1}{10}$ W
unless otherwise noted.

ALL capacitors are in uF(p:pF)
unless otherwise noted.

ORIGINAL MODEL	SLV-779HF
DESCRIPTION	MA-341 (1/8) - PS
PART NO.	S-0721-002-11
SHEET	1/1

← B



XX means no component mounted.


ALL resistors are in ohms. $\frac{1}{10}W$ unless otherwise noted.

ALL capacitors are in μF (pF) unless otherwise noted.

SLV-779HF	SLV-679HF
	-662HF
	-663HF
C224 XX	0.1 μF
	25V

ORIGINAL MODEL	SLV-779HF
DESCRIPTION	MA-341 (3/8) VA
PART NO.	S-0721-002-31

← C



XX means no component mounted.

ALL resistors are in ohms. $\frac{1}{10}$ W
unless otherwise noted.

ALL capacitors are in pF (p.p.F)
unless otherwise noted.

ORIGINAL MODEL	SLV-779HF
DESCRIPTION	MA-341 (4/8) HF
PART NO.	
SHEET	1/1

C 0001-000-41




A		B		G	H
1998.08.05 12:12 [FR110]		SLV-779HF ABH		SLV-679HF -662HF -663HF	
	KIBAN	A	B	C	
C405	0.01u 50V B	XX	0.01u 50V B	0.01u 50V B	
C421	47u 16V	XX	XX	XX	
C425	10u 50V	10u 50V	10u 50V	10u 50V	
CN402	4P 157312711	XX	XX	XX	
CN403	5P 157312811	5P 157312811	XX	XX	
CN404	10P 157313311	10P 157313311	4P 157312721	4P 157312721	
CN423	5P 157312821	5P 157312821	5P 157312821	XX	
D405	SLR-342MCT 871904564	XX	SLR-342MCT 871904564	SLR-342MCT 871904564	
D410	SLR-342MCT 871905117	XX	XX	XX	
D420	FD5.6ES-T1 871911192	FD5.6ES-T1 871911192	FD5.6ES-T1 871911192	FD5.6ES-T1 871911192	
IC403	S8X1986-51 874204211	XX	S8X1986-51 874204211	S8X1986-51 874204211	
JS405	121629571	XX	XX	XX	
JS406	121629571	121629571	XX	XX	
JS407	121629571	XX	XX	XX	
JS408	121629571	121629571	XX	XX	
JS410	121629571	121629571	XX	XX	
JS411	121629571	121629571	XX	XX	
JS412	121629571	XX	121629571	121629571	
JS413	121629571	XX	XX	XX	
JS414	121629571	XX	121629571	121629571	
ND420	151773211	151773211	151777411	151777411	
Q401	MUN2211T1 872902487	XX	MUN2211T1 872902487	MUN2211T1 872902487	
R401	150	XX	150	150	
R402	47k	XX	47k	47k	
R409	33	XX	33	33	
R410	39k	XX	XX	XX	
R414	1500	XX	1500	1500	
R415	1500	XX	1500	1500	
R417	2200	XX	2200	2200	
R418	2200	XX	2200	2200	
R419	2700	XX	2700	2700	
R420	2700	XX	2700	2700	
R427	1500	1500	1500	1500	
R441	12k	XX	12k	12k	
R442	15k	XX	15k	15k	
R445	4700	XX	XX	XX	
R446	22k	XX	XX	XX	
R447	330	XX	XX	XX	
R449	2700	2700	XX	XX	
R450	27k	27k	XX	XX	
S401	177157421	XX	177157421	177157421	
S402	177157421	XX	177157421	177157421	
S403	177157421	XX	177157421	177157421	
S404	177157421	XX	XX	XX	
S405	177157421	XX	XX	XX	
S406	177157421	XX	177157421	177157421	
S407	177157421	177157421	XX	XX	
S408	177157421	XX	XX	XX	
S409	177157421	177157421	XX	XX	
S410	177157421	XX	177157421	177157421	
S411	177157421	177157421	XX	XX	
S412	177157421	XX	XX	XX	
S421	177157421	XX	177157421	177157421	
S422	177157421	XX	XX	XX	
S423	177157421	XX	XX	XX	
S431	177157421	XX	177157421	177157421	
ORIGINAL MODEL		SLV-779HF			
DESCRIPTION		MA-341 (7/8) FR			
PART NO.		S-0721-002-71			
SHEET		2/12			

XX means no component mounted.

ALL resistors are in ohms. $\frac{1}{10}$ W unless otherwise noted.

ALL capacitors are in μ F (p.pF) unless otherwise noted.




XX means no component mounted.

ALL resistors are in ohms, $\frac{1}{10}$ W unless otherwise noted.

ALL capacitors are in μ F (p:pF) unless otherwise noted.

ORIGINAL MODEL	SLV-779HF
DESCRIPTION	MA-341 (8/8) CBC
PART NO.	S-0721-002-81
SHEET	1/1




XX means no component mounted.

ALL resistors are in ohms, 1/10W
Unless otherwise noted.

ALL capacitors are in μF
Unless otherwise noted.

ORIGINAL MODEL	SLV-779HF
DESCRIPTION	DRUM MOTOR (DMVDMT04F)
PART NO.	S-0721-003-21

Motor circuit diagram



- Circuit constant -

IC	: M56746SP
R1	: 0.47Ω / 0.5W
R2	: 180Ω
R3	: 180Ω
R4	: 4.7kΩ
C1	: 0.047μF / 25V
C2	: 0.33μF / 25V
C3	: 0.33μF / 25V
C4	: 0.33μF / 25V
C5	: 1μF / 16V
C6	: 0.1μF / 25V
C8	: 220pF / 50V
HE1	: HW101A
HE2	: HW101A
HE3	: HW101A

ALL resistors are in ohms, 1/10W
Unless otherwise noted.

ALL capacitors are in μF
Unless otherwise noted.

- Connector pin location -

No.	FUNCTION
1	Vcc (5V)
2	F/R
3	FG-OUT
4	CTL-REF
5	CTL
6	I-LIMIT
7	Vco (12V)
8	GND
9	IC GND
10	N.C.

ORIGINAL
MODEL

SLV-779HF


DESCRIPTION



CAPSTAN MOTOR (F2QTB29)

PART NO.

S-0721-004-11








XX means no component mounted.

ALL resistors are in ohms, 1/10W
Unless otherwise noted.

ALL capacitors are in μ F(p:pF)
Unless otherwise noted.

DESCRIPTION	
(E)	SLV-779HF
(J) MF-316	
PART NO.	S-0721-006-11
SHEET	/

DRAWING
(TYPE D42)SONY STANDARD
90.101998.07.07.15:14
DM-84E/017

AB: A7 A6

	KIBAN	A	B
CN472	5P 177447141	5P 177447141	XX
D462	SLR-3420CT 871905117	SLR-3420CT 871905117	XX
R473	330	330	XX
R474	33	XX	33
S463	176219621	XX	176219621
S464	176219621	176219621	XX
S465	176219621	XX	176219621
S466	176219621	176219621	XX
S467	176219621	XX	176219621
S468	176219621	XX	176219621
S469	176219621	XX	176219621
S470	176219621	176219621	XX
S471	176219621	XX	176219621
S472	176219621	176219621	XX
S473	176219621	176219621	XX

XX means no component mounted.

ALL resistors are in ohms, 1/10W
Unless otherwise noted.ALL capacitors are in μF (p:pF)
Unless otherwise noted.

SLV-779HF

DM-84

PART NO.

S-0721-007-11

SHEET