

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	92	18	1213		1044.98
2	3	59.1	18	1209	1684	772.581
3	1	97.5	18			855.822
4	3	59	18	1725	1290	1044.423
5	2	85.2	18	1796		102.024
6	1	50.8	18			247.925
7	2	51.4	18	1248		914.815
8	2	55.6	18	1346		450.046
9	2	73.8	18	1418		640.327
10	2	68.5	18	1051		78.248
11	2	56.1	18	1296		815.709

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	93.2	11			371.963
2	2	60.7	11	1165		422.333
3	2	81.8	11	1875		625.027
4	2	97.7	11	1103		275.74
5	1	78.9	11			559.963
6	2	74.6	11	1908		602.327
7	1	82.1	11			252.17
8	3	61.8	11	1948	1742	445.513
9	2	53.6	11	1505		263.877
10	2	83	11	1215		201.91
11	3	68.2	11	1209	1943	274.813
12	3	67.7	11	1774	1500	1.787
13	3	66	11	1422	1349	302.01
14	2	57	11	1448		555.753
15	2	50.2	11	1516		398.447
16	2	64	11	1427		327.7
17	2	76.3	11	1040		288.033
18	2	96.7	11	1510		287.467

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	93.1	11	1295		74.801
2	3	51.1	11	1331	1600	134.683
3	2	77.4	11	1339		851.336
4	2	73.6	11	1283		116.599
5	1	61	11			909.172
6	2	73	11	1388		729.605
7	1	64	11			511.248
8	2	77.9	11	1014		512.032
9	2	57.2	11	1860		652.205
10	2	87	11	1237		8.588
11	1	79.3	11			803.131
12	2	90.5	11	1625		556.354
13	1	61.1	11			304.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	67.7	20	1144	1639	177.021
2	2	53.4	20	1667		197.568
3	2	72.3	20	1780		281.027
4	3	68.2	20	1245	1910	216.55
5	1	51.9	20			548.533
6	1	93.6	20			178.027
7	3	67.2	20	1056	1987	72.86
8	1	59.3	20			230.383
9	1	80.6	20			250.447
10	1	76.5	20			160.02
11	2	89.1	20	1658		31.403
12	3	53.9	20	1714	1863	39.387
13	2	63.7	20	1478		72.37
14	1	98.6	20			31.773
15	1	79.9	20			336.717
16	2	97	20	1052		607.1
17	1	67.5	20			209.733
18	1	99.3	20			218.267

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	75.6	13	1894		326.221
2	2	89.4	13	1001		66.232
3	2	85.2	13	1221		122.452
4	2	91.6	13	1564		528.463
5	3	68.5	13	1286	1752	7.104
6	2	64	13	1673		605.805
7	1	85.5	13			427.436
8	3	78.6	13	1330	1445	534.327
9	2	67.2	13	1651		385.248
10	1	64.7	13			226.609
11	2	74	13	1791		76.471
12	3	55.6	13	1996	1271	292.092
13	2	87.4	13	1985		461.333
14	3	63.5	13	1506	1521	69.474
15	3	66.6	13	1205	1509	477.955
16	2	85.3	13	1007		412.066
17	2	51.7	13	1243		240.237
18	3	66	13	1406	1801	227.558
19	1	82.2	13			288.179

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	66.1	6	1229		874.777
2	1	93.9	6			989.281
3	1	58.4	6			165.042
4	2	88.4	6	1392		517.863
5	2	88.6	6	1771		866.754
6	2	76.5	6	1809		759.745
7	2	91	6	1069		510.405
8	2	65.6	6	1171		758.136
9	2	84.9	6	1940		1035.327
10	2	65.2	6	1788		374.018
11	2	87.2	6	1843		498.909

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	53.4	8	1686		118.639
2	2	78.2	8	1513		480.67
3	2	77	8	1957		517.09
4	3	91.3	8	1971	1592	243.14
5	2	98.9	8	1392		513.39
6	2	65.2	8	1972		242.15
7	2	60.5	8	1767		34.06
8	2	69.7	8	1757		329.42
9	3	88.4	8	1635	1267	548.51
10	2	54.3	8	1739		210.72
11	2	75.8	8	1407		243.36
12	3	75.4	8	1270	1873	52.44
13	2	88.5	8	1303		105.9
14	2	94.4	8	1974		454.11
15	1	57.8	8			389.31
16	2	69.5	8	1006		184.84
17	2	67.6	8	1664		82.66
18	2	79	8	1992		359.4
19	3	98.5	8	1959	1308	138.2
20	2	76.8	8	1062		495.2

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	74.8	13	1102	1863	303.463
2	1	94.7	13			614.751
3	1	69.7	13			465.442
4	3	89.8	13	1061	1616	429.273
5	1	98.6	13			494.474
6	2	56.2	13	1173		246.605
7	2	81.1	13	1916		147.096
8	2	88.3	13	1127		8.727
9	3	74.2	13	1632	1815	383.698
10	3	76.6	13	1598	1666	480.729
11	1	85.2	13			95.441
12	1	63.5	13			370.102
13	2	94.7	13	1614		256.053
14	3	83.9	13	1186	1755	309.334
15	1	67.4	13			301.765
16	2	81.5	13	1824		98.766
17	2	64.7	13	1669		388.637
18	3	64.8	13	1805	1552	612.758
19	1	58.7	13			488.579

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	59.5	11	1542	1064	586.69
2	1	51.9	11			219.567
3	1	84	11			1311.253
4	3	67.9	11	1849	1421	165.8
5	1	92.3	11			49.127
6	1	62	11			1025.673
7	3	91	11	1056	1207	1296.71
8	1	73.4	11			464.077
9	2	60.7	11	1146		762.333

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	62.6	16	1736		11.221
2	1	97.9	16			167.541
3	2	80.8	16	1805		394.4
4	3	89.2	16	1427	1716	148.2
5	3	94.4	16	1075	1076	317.07
6	1	92	16			451.63
7	3	67	16	1812	1016	392.68
8	2	98.8	16	1134		682.3
9	3	56.4	16	1333	1599	248.86
10	2	54.2	16	1387		451.74
11	1	52.8	16			529.63
12	3	76	16	1720	1271	756.4
13	2	78.7	16	1097		27.97
14	3	72.9	16	1136	1594	412.9
15	2	78.3	16	1724		400.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	87.7	8	1141		587.627
2	1	83	8			540.103
3	2	52.3	8	1232		398.347
4	2	55.2	8	1487		311.24
5	3	68.4	8	1495	1062	206.643
6	3	80.4	8	1415	1599	607.167
7	3	59.5	8	1562	1572	20.58
8	1	91	8			454.693
9	1	90	8			237.127
10	3	97.4	8	1090	1915	565.73
11	1	55.7	8			53.563
12	1	55.5	8			516.437
13	3	98.7	8	1966	1669	542.57
14	2	97.1	8	1403		10.383
15	3	78.8	8	1288	1325	311.527
16	3	82	8	1388	1208	557.4
17	3	55.6	8	1620	1751	204.833
18	2	91	8	1764		124.467

--

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	83.6	20	1851		159.636
2	2	84	20	1764		346.067
3	1	99	20			246.794
4	2	92.6	20	1589		437.991
5	3	51.7	20	1801	1050	135.269
6	2	86.6	20	1396		131.236
7	3	80.8	20	1943	1631	789.883
8	2	57.4	20	1113		109.73
9	2	92.4	20	1338		394.437
10	1	96	20			122.564
11	3	99.2	20	1024	1498	619.131
12	2	73.6	20	1306		380.009
13	1	98.3	20			384.886
14	3	54.1	20	1811	1890	128.543

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	99.5	19	1856		688
2	2	96.6	19	1855		166.817
3	3	87.3	19	1394	1401	522.224
4	3	59.3	19	1950	1755	193.091
5	2	87.5	19	1603		621.489
6	2	99.8	19	1003		131.116
7	2	80.8	19	1124		211.853
8	2	82.7	19	1565		762.7
9	2	80.6	19	1049		222.467
10	3	94.5	19	1499	1536	374.464
11	3	84.1	19	1062	1117	519.221
12	2	60.8	19	1365		682.829
13	1	63.4	19			629.786
14	2	87.4	19	1161		231.343

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	68.6	9	1069	1049	435.812
2	1	82.6	9			71.185
3	2	86.9	9	1964		657.09
4	2	83.7	9	1464		739.76
5	3	84.4	9	1788	1768	348.94
6	3	53.7	9	1919	1041	642.81
7	3	72.9	9	1371	1014	631.86
8	1	61.7	9			665.43
9	3	51.2	9	1040	1388	152.22
10	3	56	9	1331	1665	638.16
11	3	86.6	9	1779	1040	770.9
12	2	58.8	9	1538		355.45
13	2	68.3	9	1490		526.9
14	3	71	9	1705	1382	388.3
15	1	75.6	9			441.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	55.4	20			459
2	1	75.1	20			619.85
3	2	69.6	20	1206		679.88
4	2	63.3	20	1260		404.53
5	3	75.7	20	1495	1282	86.15
6	1	56.4	20			579.96
7	2	92.3	20	1419		729.97
8	3	66.7	20	1741	1791	474.44
9	2	54.5	20	1154		406.6
10	2	53.2	20	1240		25.16
11	2	89.8	20	1172		652.1
12	2	60.3	20	1237		63.21
13	3	58.6	20	1078	1878	622.6
14	1	66.9	20			741.8
15	3	80.1	20	1839	1385	204.7

--

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	67.7	15	1501		432.935
2	2	95.4	15	1891		658.017
3	2	59.2	15	1609		578.904
4	3	55	15	1174	1211	812.811
5	2	79	15	1085		680.619
6	1	55.2	15			78.156
7	2	92.1	15	1242		704.153
8	3	74.2	15	1928	1917	631.83
9	2	93.8	15	1522		832.397
10	2	61.3	15	1089		633.624
11	2	50.7	15	1602		232.561
12	2	74.2	15	1511		722.029
13	2	82.6	15	1733		757.086
14	2	90.8	15	1284		54.743

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	97.4	8	1791		831.725
2	1	79.5	8			350.193
3	1	96.9	8			815.516
4	3	62.3	8	1862	1732	224.729
5	2	99.5	8	1392		213.962
6	2	50.8	8	1749		32.385
7	2	54.4	8	1505		850.668
8	3	84.9	8	1887	1803	56.352
9	1	51.4	8			661.955
10	2	75.6	8	1848		763.678
11	2	51.4	8	1055		27.101
12	3	85.8	8	1318	1988	308.054
13	2	85.5	8	1554		556.577

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	77.2	11	1148		614.621
2	2	66.5	11	1436		458.028
3	2	83.2	11	1016		514.325
4	2	56.2	11	1114		502.983
5	2	89.4	11	1553		668.551
6	1	92.6	11			1.918
7	1	61.9	11			471.586
8	2	79.2	11	1118		360.444
9	2	98.7	11	1450		15.531
10	3	62.1	11	1403	1927	122.719
11	1	68.4	11			688.756
12	1	51.4	11			83.794
13	2	69.3	11	1247		636.112
14	2	51.2	11	1639		104.499
15	3	95.5	11	1299	1771	416.547
16	1	82.1	11			698.665
17	1	85.2	11			225.782

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	73.6	11	1637		33.166
2	1	80.2	11			128.694
3	2	58.8	11	1394		140.16
4	2	84.1	11	1243		455
5	3	77.8	11	1326	1591	53.85
6	1	78.1	11			83.15
7	2	56.5	11	1231		441.06
8	2	63.7	11	1220		162.56
9	2	94.3	11	1334		66.12
10	2	100	11	1533		149.48
11	2	55.1	11	1885		227.97
12	1	62.6	11			45.92
13	2	77.5	11	1909		415.13
14	2	51.6	11	1953		525.84
15	1	77	11			569.35
16	3	71.4	11	1219	1624	245.03
17	2	85.4	11	1184		43.11
18	3	68.3	11	1509	1067	123.2
19	3	84.7	11	1225	1988	354.1
20	3	71.2	11	1327	1291	103

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	64.9	17	1995	1453	336.891
2	1	81.8	17			485.161
3	3	70.8	17	1070	1850	539.562
4	3	66.5	17	1432	1164	139.393
5	2	73.4	17	1971		448.834
6	2	76.7	17	1432		139.245
7	2	78.3	17	1750		126.936
8	2	55.5	17	1888		145.027
9	2	80.6	17	1895		324.578
10	2	84.5	17	1733		582.039
11	2	77.9	17	1470		506.451
12	1	98.8	17			343.402
13	1	65.7	17			468.573
14	2	56	17	1380		383.144
15	3	94.8	17	1289	1193	401.285
16	1	83.4	17			390.296
17	2	83.3	17	1434		63.837
18	3	54.5	17	1648	1372	616.758
19	1	96	17			87.079

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	66.8	13	1787		549.848
2	1	69	13			254.971
3	2	78.1	13	1022		47.722
4	2	90.1	13	1846		919.873
5	2	71.5	13	1531		478.334
6	1	97.2	13			689.945
7	2	69	13	1843		621.805
8	2	66.6	13	1536		683.276
9	2	73.6	13	1553		24.977
10	2	83.3	13	1380		507.818
11	1	50.8	13			445.309

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	73.6	13	1291		220.014
2	2	71.7	13	1790		21.166
3	2	95.9	13	1457		492.137
4	1	73.2	13			448.45
5	1	97.1	13			143.013
6	2	94.9	13	1392		571.607
7	2	54.2	13	1358		82.32
8	2	80.1	13	1347		602.533
9	2	81.3	13	1403		387.727
10	2	66.5	13	1079		521.42
11	1	80.7	13			93.993
12	3	60.7	13	1698	1226	145.647
13	2	72.5	13	1017		236.24
14	2	85.5	13	1035		488.353
15	3	92.4	13	1257	1708	259.457
16	1	89.2	13			449.4
17	1	93.4	13			582.033
18	1	91.8	13			532.967

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	70.6	14	1969		760.949
2	2	52.5	14	1431		730.737
3	2	67.4	14	1575		820.544
4	3	91.3	14	1521	1452	121.501
5	2	54.7	14	1394		394.369
6	2	73.8	14	1260		15.296
7	2	60.2	14	1101		394.093
8	2	80.1	14	1278		773.13
9	3	55.9	14	1247	1566	220.217
10	2	75.6	14	1673		71.894
11	2	57.6	14	1230		414.651
12	2	88.2	14	1015		302.169
13	3	96.9	14	1756	1836	334.486
14	1	67	14			729.743

--

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 10

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	78.3	9	1055		271.324
2	1	56.6	9			621.533
3	3	79.3	9	1796	1788	48.117
4	1	94.5	9			445.98
5	3	61.3	9	1388	1498	572.293
6	1	52.4	9			131.407
7	1	54.7	9			173.74
8	3	56	9	1856	1912	377.183
9	1	79.8	9			350.727
10	1	82	9			423.2
11	2	83.6	9	1338		324.733
12	1	89.8	9			445.017
13	1	78.1	9			184.14
14	3	91.5	9	1815	1877	285.533
15	2	80.8	9	1627		573.057
16	2	64.4	9	1652		542.6
17	2	70.7	9	1288		521.133
18	3	57.1	9	1955	1425	593.567

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	91.8	13	1952		340.137
2	3	93.3	13	1757	1812	107.132
3	1	88.6	13			131.64
4	3	91.1	13	1279	1341	553.69
5	3	87.9	13	1708	1821	161.63
6	2	98.9	13	1437		70.05
7	1	57.4	13			30.24
8	1	62.6	13			129.39
9	1	78.9	13			353.76
10	1	87.8	13			341.99
11	2	72.7	13	1440		492.18
12	2	53.2	13	1822		201.22
13	2	57.8	13	1317		46.98
14	1	87.3	13			309.78
15	1	82.7	13			225.95
16	2	65.4	13	1474		513.62
17	1	60.1	13			22.13
18	2	57.1	13	1852		566.6
19	3	56.5	13	1030	1367	80.7
20	2	91	13	1949		280.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	64.3	15	1912		1072.8
2	2	52.4	15	1220		415.34
3	2	61.8	15	1842		924.83
4	2	77.9	15	1119		652.07
5	2	60.7	15	1302		1096.47
6	2	98.7	15	1812		276.66
7	2	50	15	1601		929.28
8	3	53.8	15	1432	1186	46.14
9	3	74	15	1906	1812	374.17
10	2	75	15	1597		29.5

--

TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.26	20	*
2	5.26	5.639	20	
3	5.26	5.252	20	*
4	5.26	5.334	20	
5	5.26	5.57	20	
6	5.26	5.72	20	
7	5.26	5.506	20	
8	5.26	5.462	20	
9	5.26	5.323	20	
10	5.26	5.428	20	
11	5.26	5.696	20	
12	5.26	5.589	20	
13	5.26	5.693	20	
14	5.26	5.518	20	
15	5.26	5.326	20	
16	5.26	5.64	20	
17	5.26	5.552	20	
18	5.26	5.401	20	
19	5.26	5.507	20	
20	5.26	5.572	20	
21	5.26	5.52	20	
22	5.26	5.346	20	
23	5.26	5.688	20	
24	5.26	5.704	20	
25	5.26	5.268	20	*
26	5.26	5.308	20	
27	5.26	5.426	20	
28	5.26	5.667	20	
29	5.26	5.336	20	
30	5.26	5.66	20	
31	5.26	5.665	20	
32	5.26	5.524	20	
33	5.26	5.459	20	
34	5.26	5.491	20	
35	5.26	5.383	20	
36	5.26	5.714	20	
37	5.26	5.429	20	
38	5.26	5.278	20	
39	5.26	5.54	20	
40	5.26	5.619	20	
41	5.26	5.304	20	
42	5.26	5.724	20	
43	5.26	5.563	20	
44	5.26	5.263	20	*
45	5.26	5.447	20	
46	5.26	5.348	20	
47	5.26	5.541	20	
48	5.26	5.521	20	
49	5.26	5.39	20	

50	5.26	5.711	20	
51	5.26	5.581	20	
52	5.26	5.381	20	
53	5.26	5.261	20	*
54	5.26	5.279	20	
55	5.26	5.723	20	
56	5.26	5.514	20	
57	5.26	5.344	20	
58	5.26	5.408	20	
59	5.26	5.645	20	
60	5.26	5.285	20	
61	5.26	5.697	20	
62	5.26	5.585	20	
63	5.26	5.489	20	
64	5.26	5.685	20	
65	5.26	5.273	20	
66	5.26	5.355	20	
67	5.26	5.411	20	
68	5.26	5.549	20	
69	5.26	5.367	20	
70	5.26	5.469	20	
71	5.26	5.324	20	
72	5.26	5.512	20	
73	5.26	5.556	20	
74	5.26	5.385	20	
75	5.26	5.412	20	
76	5.26	5.442	20	
77	5.26	5.626	20	
78	5.26	5.313	20	
79	5.26	5.455	20	
80	5.26	5.655	20	
81	5.26	5.291	20	
82	5.26	5.425	20	
83	5.26	5.32	20	
84	5.26	5.3	20	
85	5.26	5.509	20	
86	5.26	5.559	20	
87	5.26	5.662	20	
88	5.26	5.327	20	
89	5.26	5.643	20	
90	5.26	5.353	20	
91	5.26	5.432	20	
92	5.26	5.471	20	
93	5.26	5.454	20	
94	5.26	5.567	20	
95	5.26	5.535	20	
96	5.26	5.341	20	
97	5.26	5.538	20	
98	5.26	5.467	20	
99	5.26	5.34	20	
100	5.26	5.395	20	

--

TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.258	20	*
2	5.26	5.627	20	
3	5.26	5.46	20	
4	5.26	5.25	20	*
5	5.26	5.566	20	
6	5.26	5.527	20	
7	5.26	5.531	20	
8	5.26	5.636	20	
9	5.26	5.514	20	
10	5.26	5.274	20	
11	5.26	5.366	20	
12	5.26	5.416	20	
13	5.26	5.259	20	*
14	5.26	5.713	20	
15	5.26	5.35	20	
16	5.26	5.401	20	
17	5.26	5.353	20	
18	5.26	5.395	20	
19	5.26	5.691	20	
20	5.26	5.309	20	
21	5.26	5.337	20	
22	5.26	5.356	20	
23	5.26	5.403	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.613	20	
2	5.26	5.409	20	
3	5.26	5.54	20	
4	5.26	5.538	20	
5	5.26	5.451	20	
6	5.26	5.253	20	*
7	5.26	5.288	20	
8	5.26	5.47	20	
9	5.26	5.361	20	
10	5.26	5.371	20	
11	5.26	5.698	20	
12	5.26	5.722	20	
13	5.26	5.364	20	
14	5.26	5.279	20	
15	5.26	5.322	20	
16	5.26	5.343	20	
17	5.26	5.618	20	
18	5.26	5.326	20	
19	5.26	5.35	20	
20	5.26	5.452	20	
21	5.26	5.467	20	
22	5.26	5.269	20	*
23	5.26	5.51	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.627	20	
2	5.26	5.342	20	
3	5.26	5.313	20	
4	5.26	5.677	20	
5	5.26	5.534	20	
6	5.26	5.326	20	
7	5.26	5.664	20	
8	5.26	5.722	20	
9	5.26	5.698	20	
10	5.26	5.684	20	
11	5.26	5.382	20	
12	5.26	5.52	20	
13	5.26	5.574	20	
14	5.26	5.408	20	
15	5.26	5.651	20	
16	5.26	5.545	20	
17	5.26	5.381	20	
18	5.26	5.668	20	
19	5.26	5.275	20	
20	5.26	5.655	20	
21	5.26	5.59	20	
22	5.26	5.58	20	
23	5.26	5.28	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.396	20	
2	5.26	5.463	20	
3	5.26	5.352	20	
4	5.26	5.616	20	
5	5.26	5.288	20	
6	5.26	5.378	20	
7	5.26	5.486	20	
8	5.26	5.518	20	
9	5.26	5.601	20	
10	5.26	5.652	20	
11	5.26	5.468	20	
12	5.26	5.702	20	
13	5.26	5.514	20	
14	5.26	5.491	20	
15	5.26	5.637	20	
16	5.26	5.526	20	
17	5.26	5.453	20	
18	5.26	5.278	20	
19	5.26	5.657	20	
20	5.26	5.673	20	
21	5.26	5.466	20	
22	5.26	5.628	20	
23	5.26	5.723	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.375	20	
2	5.26	5.384	20	
3	5.26	5.619	20	
4	5.26	5.327	20	
5	5.26	5.519	20	
6	5.26	5.409	20	
7	5.26	5.599	20	
8	5.26	5.6	20	
9	5.26	5.571	20	
10	5.26	5.263	20	*
11	5.26	5.496	20	
12	5.26	5.405	20	
13	5.26	5.414	20	
14	5.26	5.436	20	
15	5.26	5.706	20	
16	5.26	5.359	20	
17	5.26	5.321	20	
18	5.26	5.638	20	
19	5.26	5.493	20	
20	5.26	5.437	20	
21	5.26	5.466	20	
22	5.26	5.361	20	
23	5.26	5.403	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.661	20	
2	5.26	5.58	20	
3	5.26	5.607	20	
4	5.26	5.721	20	
5	5.26	5.292	20	
6	5.26	5.485	20	
7	5.26	5.54	20	
8	5.26	5.7	20	
9	5.26	5.44	20	
10	5.26	5.654	20	
11	5.26	5.315	20	
12	5.26	5.496	20	
13	5.26	5.724	20	
14	5.26	5.712	20	
15	5.26	5.284	20	
16	5.26	5.252	20	*
17	5.26	5.45	20	
18	5.26	5.374	20	
19	5.26	5.354	20	
20	5.26	5.492	20	
21	5.26	5.653	20	
22	5.26	5.629	20	
23	5.26	5.65	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.561	20	
2	5.26	5.51	20	
3	5.26	5.403	20	
4	5.26	5.718	20	
5	5.26	5.332	20	
6	5.26	5.342	20	
7	5.26	5.499	20	
8	5.26	5.552	20	
9	5.26	5.548	20	
10	5.26	5.523	20	
11	5.26	5.334	20	
12	5.26	5.544	20	
13	5.26	5.672	20	
14	5.26	5.706	20	
15	5.26	5.435	20	
16	5.26	5.357	20	
17	5.26	5.488	20	
18	5.26	5.484	20	
19	5.26	5.475	20	
20	5.26	5.469	20	
21	5.26	5.572	20	
22	5.26	5.414	20	
23	5.26	5.676	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.47	20	
2	5.26	5.607	20	
3	5.26	5.361	20	
4	5.26	5.446	20	
5	5.26	5.45	20	
6	5.26	5.283	20	
7	5.26	5.716	20	
8	5.26	5.345	20	
9	5.26	5.412	20	
10	5.26	5.417	20	
11	5.26	5.674	20	
12	5.26	5.62	20	
13	5.26	5.61	20	
14	5.26	5.594	20	
15	5.26	5.25	20	*
16	5.26	5.511	20	
17	5.26	5.605	20	
18	5.26	5.639	20	
19	5.26	5.636	20	
20	5.26	5.602	20	
21	5.26	5.343	20	
22	5.26	5.702	20	
23	5.26	5.682	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.417	20	
2	5.26	5.661	20	
3	5.26	5.508	20	
4	5.26	5.336	20	
5	5.26	5.404	20	
6	5.26	5.278	20	
7	5.26	5.382	20	
8	5.26	5.586	20	
9	5.26	5.489	20	
10	5.26	5.685	20	
11	5.26	5.467	20	
12	5.26	5.275	20	
13	5.26	5.647	20	
14	5.26	5.439	20	
15	5.26	5.359	20	
16	5.26	5.519	20	
17	5.26	5.346	20	
18	5.26	5.443	20	
19	5.26	5.273	20	
20	5.26	5.286	20	
21	5.26	5.303	20	
22	5.26	5.719	20	
23	5.26	5.256	20	*

TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.505	20	
2	5.26	5.649	20	
3	5.26	5.568	20	
4	5.26	5.564	20	
5	5.26	5.464	20	
6	5.26	5.495	20	
7	5.26	5.348	20	
8	5.26	5.372	20	
9	5.26	5.379	20	
10	5.26	5.365	20	
11	5.26	5.592	20	
12	5.26	5.512	20	
13	5.26	5.724	20	
14	5.26	5.711	20	
15	5.26	5.328	20	
16	5.26	5.582	20	
17	5.26	5.453	20	
18	5.26	5.362	20	
19	5.26	5.329	20	
20	5.26	5.701	20	
21	5.26	5.462	20	
22	5.26	5.72	20	
23	5.26	5.322	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.513	20	
2	5.26	5.53	20	
3	5.26	5.266	20	*
4	5.26	5.306	20	
5	5.26	5.282	20	
6	5.26	5.562	20	
7	5.26	5.459	20	
8	5.26	5.455	20	
9	5.26	5.684	20	
10	5.26	5.668	20	
11	5.26	5.334	20	
12	5.26	5.442	20	
13	5.26	5.592	20	
14	5.26	5.342	20	
15	5.26	5.558	20	
16	5.26	5.291	20	
17	5.26	5.415	20	
18	5.26	5.634	20	
19	5.26	5.485	20	
20	5.26	5.587	20	
21	5.26	5.424	20	
22	5.26	5.417	20	
23	5.26	5.664	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.351	20	
2	5.26	5.596	20	
3	5.26	5.587	20	
4	5.26	5.395	20	
5	5.26	5.407	20	
6	5.26	5.616	20	
7	5.26	5.48	20	
8	5.26	5.448	20	
9	5.26	5.269	20	*
10	5.26	5.416	20	
11	5.26	5.686	20	
12	5.26	5.398	20	
13	5.26	5.456	20	
14	5.26	5.289	20	
15	5.26	5.297	20	
16	5.26	5.346	20	
17	5.26	5.565	20	
18	5.26	5.467	20	
19	5.26	5.432	20	
20	5.26	5.405	20	
21	5.26	5.375	20	
22	5.26	5.382	20	
23	5.26	5.579	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.276	20	
2	5.26	5.669	20	
3	5.26	5.516	20	
4	5.26	5.43	20	
5	5.26	5.354	20	
6	5.26	5.619	20	
7	5.26	5.484	20	
8	5.26	5.48	20	
9	5.26	5.528	20	
10	5.26	5.535	20	
11	5.26	5.314	20	
12	5.26	5.628	20	
13	5.26	5.633	20	
14	5.26	5.57	20	
15	5.26	5.44	20	
16	5.26	5.561	20	
17	5.26	5.45	20	
18	5.26	5.543	20	
19	5.26	5.497	20	
20	5.26	5.419	20	
21	5.26	5.604	20	
22	5.26	5.461	20	
23	5.26	5.493	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.296	20	
2	5.26	5.616	20	
3	5.26	5.55	20	
4	5.26	5.516	20	
5	5.26	5.696	20	
6	5.26	5.559	20	
7	5.26	5.594	20	
8	5.26	5.615	20	
9	5.26	5.578	20	
10	5.26	5.319	20	
11	5.26	5.681	20	
12	5.26	5.487	20	
13	5.26	5.636	20	
14	5.26	5.39	20	
15	5.26	5.678	20	
16	5.26	5.401	20	
17	5.26	5.608	20	
18	5.26	5.548	20	
19	5.26	5.336	20	
20	5.26	5.605	20	
21	5.26	5.507	20	
22	5.26	5.577	20	
23	5.26	5.486	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.356	20	
2	5.26	5.62	20	
3	5.26	5.664	20	
4	5.26	5.316	20	
5	5.26	5.714	20	
6	5.26	5.37	20	
7	5.26	5.653	20	
8	5.26	5.265	20	*
9	5.26	5.269	20	*
10	5.26	5.501	20	
11	5.26	5.707	20	
12	5.26	5.711	20	
13	5.26	5.535	20	
14	5.26	5.482	20	
15	5.26	5.621	20	
16	5.26	5.408	20	
17	5.26	5.656	20	
18	5.26	5.287	20	
19	5.26	5.259	20	*
20	5.26	5.442	20	
21	5.26	5.519	20	
22	5.26	5.478	20	
23	5.26	5.589	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.651	20	
2	5.26	5.534	20	
3	5.26	5.357	20	
4	5.26	5.658	20	
5	5.26	5.346	20	
6	5.26	5.571	20	
7	5.26	5.628	20	
8	5.26	5.376	20	
9	5.26	5.702	20	
10	5.26	5.457	20	
11	5.26	5.678	20	
12	5.26	5.491	20	
13	5.26	5.634	20	
14	5.26	5.394	20	
15	5.26	5.411	20	
16	5.26	5.549	20	
17	5.26	5.569	20	
18	5.26	5.437	20	
19	5.26	5.404	20	
20	5.26	5.545	20	
21	5.26	5.657	20	
22	5.26	5.339	20	
23	5.26	5.595	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.345	20	
2	5.26	5.527	20	
3	5.26	5.639	20	
4	5.26	5.698	20	
5	5.26	5.559	20	
6	5.26	5.632	20	
7	5.26	5.574	20	
8	5.26	5.305	20	
9	5.26	5.675	20	
10	5.26	5.538	20	
11	5.26	5.42	20	
12	5.26	5.546	20	
13	5.26	5.684	20	
14	5.26	5.384	20	
15	5.26	5.334	20	
16	5.26	5.497	20	
17	5.26	5.441	20	
18	5.26	5.501	20	
19	5.26	5.484	20	
20	5.26	5.321	20	
21	5.26	5.424	20	
22	5.26	5.375	20	
23	5.26	5.468	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.415	20	
2	5.26	5.252	20	*
3	5.26	5.405	20	
4	5.26	5.503	20	
5	5.26	5.277	20	
6	5.26	5.443	20	
7	5.26	5.313	20	
8	5.26	5.285	20	
9	5.26	5.295	20	
10	5.26	5.422	20	
11	5.26	5.561	20	
12	5.26	5.641	20	
13	5.26	5.521	20	
14	5.26	5.621	20	
15	5.26	5.689	20	
16	5.26	5.512	20	
17	5.26	5.336	20	
18	5.26	5.706	20	
19	5.26	5.463	20	
20	5.26	5.681	20	
21	5.26	5.356	20	
22	5.26	5.419	20	
23	5.26	5.431	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.294	20	
2	5.26	5.671	20	
3	5.26	5.619	20	
4	5.26	5.308	20	
5	5.26	5.592	20	
6	5.26	5.297	20	
7	5.26	5.431	20	
8	5.26	5.356	20	
9	5.26	5.641	20	
10	5.26	5.663	20	
11	5.26	5.703	20	
12	5.26	5.405	20	
13	5.26	5.371	20	
14	5.26	5.505	20	
15	5.26	5.475	20	
16	5.26	5.572	20	
17	5.26	5.533	20	
18	5.26	5.257	20	*
19	5.26	5.252	20	*
20	5.26	5.471	20	
21	5.26	5.643	20	
22	5.26	5.698	20	
23	5.26	5.338	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.259	20	*
2	5.26	5.658	20	
3	5.26	5.37	20	
4	5.26	5.533	20	
5	5.26	5.457	20	
6	5.26	5.53	20	
7	5.26	5.706	20	
8	5.26	5.469	20	
9	5.26	5.504	20	
10	5.26	5.282	20	
11	5.26	5.688	20	
12	5.26	5.405	20	
13	5.26	5.722	20	
14	5.26	5.355	20	
15	5.26	5.284	20	
16	5.26	5.518	20	
17	5.26	5.701	20	
18	5.26	5.492	20	
19	5.26	5.506	20	
20	5.26	5.417	20	
21	5.26	5.636	20	
22	5.26	5.503	20	
23	5.26	5.719	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.293	20	
2	5.26	5.715	20	
3	5.26	5.402	20	
4	5.26	5.454	20	
5	5.26	5.712	20	
6	5.26	5.61	20	
7	5.26	5.451	20	
8	5.26	5.365	20	
9	5.26	5.281	20	
10	5.26	5.558	20	
11	5.26	5.3	20	
12	5.26	5.437	20	
13	5.26	5.531	20	
14	5.26	5.284	20	
15	5.26	5.353	20	
16	5.26	5.535	20	
17	5.26	5.461	20	
18	5.26	5.577	20	
19	5.26	5.434	20	
20	5.26	5.528	20	
21	5.26	5.36	20	
22	5.26	5.651	20	
23	5.26	5.367	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.359	20	
2	5.26	5.686	20	
3	5.26	5.295	20	
4	5.26	5.432	20	
5	5.26	5.371	20	
6	5.26	5.624	20	
7	5.26	5.535	20	
8	5.26	5.698	20	
9	5.26	5.549	20	
10	5.26	5.347	20	
11	5.26	5.385	20	
12	5.26	5.332	20	
13	5.26	5.614	20	
14	5.26	5.525	20	
15	5.26	5.313	20	
16	5.26	5.662	20	
17	5.26	5.386	20	
18	5.26	5.521	20	
19	5.26	5.321	20	
20	5.26	5.307	20	
21	5.26	5.575	20	
22	5.26	5.348	20	
23	5.26	5.343	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.338	20	
2	5.26	5.656	20	
3	5.26	5.624	20	
4	5.26	5.569	20	
5	5.26	5.484	20	
6	5.26	5.255	20	*
7	5.26	5.34	20	
8	5.26	5.318	20	
9	5.26	5.536	20	
10	5.26	5.723	20	
11	5.26	5.529	20	
12	5.26	5.552	20	
13	5.26	5.608	20	
14	5.26	5.286	20	
15	5.26	5.269	20	*
16	5.26	5.514	20	
17	5.26	5.66	20	
18	5.26	5.479	20	
19	5.26	5.534	20	
20	5.26	5.302	20	
21	5.26	5.352	20	
22	5.26	5.706	20	
23	5.26	5.71	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.271	20	
2	5.26	5.257	20	*
3	5.26	5.68	20	
4	5.26	5.351	20	
5	5.26	5.535	20	
6	5.26	5.542	20	
7	5.26	5.39	20	
8	5.26	5.633	20	
9	5.26	5.475	20	
10	5.26	5.319	20	
11	5.26	5.251	20	*
12	5.26	5.315	20	
13	5.26	5.469	20	
14	5.26	5.579	20	
15	5.26	5.267	20	*
16	5.26	5.48	20	
17	5.26	5.696	20	
18	5.26	5.685	20	
19	5.26	5.495	20	
20	5.26	5.656	20	
21	5.26	5.641	20	
22	5.26	5.344	20	
23	5.26	5.618	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.476	20	
2	5.26	5.518	20	
3	5.26	5.429	20	
4	5.26	5.25	20	*
5	5.26	5.341	20	
6	5.26	5.254	20	*
7	5.26	5.502	20	
8	5.26	5.411	20	
9	5.26	5.442	20	
10	5.26	5.286	20	
11	5.26	5.512	20	
12	5.26	5.272	20	
13	5.26	5.326	20	
14	5.26	5.447	20	
15	5.26	5.627	20	
16	5.26	5.461	20	
17	5.26	5.684	20	
18	5.26	5.396	20	
19	5.26	5.297	20	
20	5.26	5.56	20	
21	5.26	5.576	20	
22	5.26	5.263	20	*
23	5.26	5.634	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.613	20	
2	5.26	5.509	20	
3	5.26	5.437	20	
4	5.26	5.484	20	
5	5.26	5.439	20	
6	5.26	5.639	20	
7	5.26	5.347	20	
8	5.26	5.52	20	
9	5.26	5.358	20	
10	5.26	5.661	20	
11	5.26	5.663	20	
12	5.26	5.465	20	
13	5.26	5.301	20	
14	5.26	5.671	20	
15	5.26	5.515	20	
16	5.26	5.662	20	
17	5.26	5.264	20	*
18	5.26	5.272	20	
19	5.26	5.429	20	
20	5.26	5.421	20	
21	5.26	5.269	20	*
22	5.26	5.431	20	
23	5.26	5.415	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.608	20	
2	5.26	5.511	20	
3	5.26	5.362	20	
4	5.26	5.334	20	
5	5.26	5.504	20	
6	5.26	5.445	20	
7	5.26	5.454	20	
8	5.26	5.397	20	
9	5.26	5.586	20	
10	5.26	5.418	20	
11	5.26	5.602	20	
12	5.26	5.578	20	
13	5.26	5.57	20	
14	5.26	5.588	20	
15	5.26	5.251	20	*
16	5.26	5.545	20	
17	5.26	5.513	20	
18	5.26	5.637	20	
19	5.26	5.486	20	
20	5.26	5.431	20	
21	5.26	5.398	20	
22	5.26	5.267	20	*
23	5.26	5.709	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.45	20	
2	5.26	5.524	20	
3	5.26	5.53	20	
4	5.26	5.44	20	
5	5.26	5.631	20	
6	5.26	5.483	20	
7	5.26	5.485	20	
8	5.26	5.457	20	
9	5.26	5.341	20	
10	5.26	5.34	20	
11	5.26	5.604	20	
12	5.26	5.663	20	
13	5.26	5.66	20	
14	5.26	5.494	20	
15	5.26	5.577	20	
16	5.26	5.435	20	
17	5.26	5.695	20	
18	5.26	5.626	20	
19	5.26	5.63	20	
20	5.26	5.377	20	
21	5.26	5.466	20	
22	5.26	5.65	20	
23	5.26	5.468	20	

TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.425	20	
2	5.26	5.564	20	
3	5.26	5.487	20	
4	5.26	5.49	20	
5	5.26	5.503	20	
6	5.26	5.394	20	
7	5.26	5.623	20	
8	5.26	5.348	20	
9	5.26	5.457	20	
10	5.26	5.43	20	
11	5.26	5.403	20	
12	5.26	5.296	20	
13	5.26	5.304	20	
14	5.26	5.494	20	
15	5.26	5.596	20	
16	5.26	5.444	20	
17	5.26	5.469	20	
18	5.26	5.572	20	
19	5.26	5.272	20	
20	5.26	5.376	20	
21	5.26	5.358	20	
22	5.26	5.438	20	
23	5.26	5.445	20	