






(2:1)




(1:1)

	DESIGN	DATE2006-08-03	MODEL B72-2421-04
		KENWOOD	

Kenwood Corporation




(2:1)




(1:1)

	DESIGN	DATE 2006-08-03	MODEL B72-2422-04
		KENWOOD	

Kenwood Corporation



(2:1)




(1:1)

	DESIGN	DATE2006-08-03	MODEL B72-2423-04
		KENWOOD	

Kenwood Corporation

MMV	SYMBOL	REVISION NO.	CORD	ISSUED	DATE
-	 XALL	42232	NEW ADDITION		2001-03-14



CAUTION:
Device must be restricted to occupational use to satisfy FCC RF exposure. See instruction manual for specific operating requirements.
18410

(2:1)

NOTES:

MUST BE PRINTED WITH FILM.

-	-	-	-	AL EVAPORATION SHEET 10.1 FROSTED SILVER	SEAL PRINTING, STRONG TACKFIER, LAMINATE(FROSTING)	Y50-5130-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	-	
UNIT	: mm				CAUTION LABEL	-	
	DATE	2001-03-14			DRAWING NUMBER	MMV-	
JIS Z8310-84	KENWOOD	KENWOOD CORPORATION			PART NO.	SHEET NO.	REL.
					B41-1841-04	1/1	00
							S

DRWN. DATE 2001-03-14

CAD PLOT #

TK-5310-K4,-K5,-K6 FCC ID: ALH39913120 IC:282D-39913120



TK-5310-K4

TK-5310-K4,-K5,-K6 FCC ID: ALH39913120 IC:282D-39913120



TK-5310-K5

TK-5310-K4,-K5,-K6 FCC ID: ALH39913120 IC:282D-39913120



TK-5310-K6