



HCT CO.,LTD.

2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea
Tel. +82 31 645 6300 Fax. +82 31 645 6401

Appendix A. Test Setup Photo

FCC ID

ALH442000

File No.

HCT-SR-2607-FC001-P


REVISION HISTORY

The revision history for this document is shown in table.


Revision No.	Date of Issue	Description
0	July 2, 2026	Initial Release

1. Hand-held to Face

1.1 Test Setup Photo (Hand-held to Face) All




1.2 Test Setup Photo (Hand-held to Face)




Distance of 25 mm from the EUT

2. Body-worn Belt clip

2.1 Test Setup Photo (Body-worn Belt clip) All



2.2 Test Setup Photo (Body-worn Belt clip)



Distance of 0 mm from the EUT

3. DUT

3.1 DUT – NX-5400-K3



3.2 DUT – NX-5400-K3



3.3 DUT – NX-5400-K2



3.4 DUT – NX-5400-K2

3.5 Antenna – KRA-36

3.6 Battery (KNB-LS15)



3.7 Battery (KNB-LS17)

3.9 Accessory – KBH-11




3.10 Accessory – KMC-54WD




4. Spacer


4.1 5mm



4.2 10mm



4.3 5mm thickness



4.4 10mm thickness

