


Test Setup Photos


EMI Semi-anechoic Chamber #2

View from Antenna side



EMI Semi-anechoic Chamber #2

View from Turn Table side




Conducted Measurement Photos


Section(s)			IEEE802.11b WLAN	Buetooth
15.247(a)(1)	Carrier Frequency Separation	Tx		☐
	Number of Hopping Frequencies			☐
	20 dB Bandwidth per 1 hopping			☐
	Dwell time			☐
(f)	Hybrid Dwell time			☐
15.247(a)(2)	Bandwidth at 6 dB blow		☐	
15.247(b)(1)	Peak output power		☐	☐
15.247(c)	Occupied BW (or Band-edge) Out of Band Emissions (Bandwidth at 20 dB blow)		☐	☐
15.247(d)	Transmitter power density		☐	
(f)	Hybrid transmitter power density			☐

EMI Semi-anechoic Chamber #2, Operation Room

WLAN Test




Bluetooth Test



Section(s)		
15.207	AC Wireline Conducted emissions	Tx
15.207	AC Wireline Conducted emissions	Rx


Conducted EMI Room



Radiated Measurement Photos

Section(s)		
15.205 / 209	General Field Strength Limits (Restricted Bands and Radiated Emission Limits)	Tx
15.209	General Field Strength Limits (Radiated Emission Limits)	Rx

EMI Semi-anechoic Chamber #2



turn table

