







11AX40MIMO_Ant2_5230




11AX40MIMO_Ant1_5270




11AX40MIMO_Ant2_5270




11AX40MIMO_Ant1_5310




11AX40MIMO_Ant2_5310




11AX40MIMO_Ant1_5510




11AX40MIMO_Ant2_5510




11AX40MIMO_Ant1_5550




11AX40MIMO_Ant2_5550




11AX40MIMO_Ant1_5670




11AX40MIMO_Ant2_5670




11AX40MIMO_Ant1_5710




11AX40MIMO_Ant2_5710




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795




11AX80MIMO_Ant1_5210




11AX80MIMO_Ant2_5210




11AX80MIMO_Ant1_5290




11AX80MIMO_Ant2_5290




11AX80MIMO_Ant1_5530




11AX80MIMO_Ant2_5530




11AX80MIMO_Ant1_5610




11AX80MIMO_Ant2_5610




11AX80MIMO_Ant1_5690




11AX80MIMO_Ant2_5690



11AX80MIMO_Ant1_5775




11AX80MIMO_Ant2_5775



8. Maximum Output Power

8.1. Block diagram of test setup



8.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Maximum Output Power	For FCC: outdoor access point: 1 W(30 dBm) indoor access point: 1 W(30 dBm) fixed point-to-point access points1 W(30 dBm) client devices: 250 mW (23.98 dBm)	5150-5250
	For RSS: e.i.r.p. power: not exceed 200 mW (23.01 dBm) or $10 + 10 \log_{10} B$	
	For FCC: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	
	For RSS: For conducted output power: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	5250-5350
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	
	For FCC: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	
	For RSS: For conducted output power: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	5470 - 5725
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	
	1 Watt (30 dBm)	5725-5850
Note 1: For FCC: B=26 bandwidth; For ISDE: B=99% bandwidth.		
Note 2: If transmitting antennas of directional gain greater than 6 dBi are used, the peak output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi, but for fixed point-to-point transmitters operating in 5150-5250MHz band that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and operating in 5725-5850 band may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power.		

8.3. Test procedure

Connect each EUT's antenna output to power sensor by RF cable and attenuator

Measure the output power of each antenna port by power sensor.

8.4. Test result channel power

Test Engineer:	Lin Guoyuan	Test Site:	RF Measurement System 5#
Ambient Condition:	24.3-26.1°C,43.5-45%RH	Test Date:	2026.03.14-2026.04.02
Test Power Supply:	AC 230V/50Hz	Sample Number:	S26030303-005

Test Mode	Ant.	Freq [MHz]	Duty Cycle [%]	DC Factor [dB]	Result [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	ISED EIRP Limit [dBm]	Verdict
11A	Ant1	5180	97.90	0.09	15.47	≤23.98	---	18.26	≤22.35	PASS
	Ant2	5180	97.20	0.12	14.39	≤23.98	---	17.31	≤22.35	PASS
	Ant1	5200	97.20	0.12	15.45	≤23.98	---	18.24	≤22.35	PASS
	Ant2	5200	97.20	0.12	14.42	≤23.98	---	17.34	≤22.35	PASS
	Ant1	5240	97.20	0.12	15.41	≤23.98	---	18.20	≤22.35	PASS
	Ant2	5240	97.20	0.12	14.62	≤23.98	---	17.54	≤22.35	PASS
	Ant1	5260	97.89	0.09	15.38	≤23.98	≤23.35	18.17	≤22.35	PASS
	Ant2	5260	97.90	0.09	15.26	≤23.98	≤23.35	18.18	≤29.35	PASS
	Ant1	5280	97.20	0.12	15.95	≤23.98	≤23.35	18.74	≤29.35	PASS
	Ant2	5280	97.20	0.12	15.88	≤23.98	≤23.35	18.80	≤29.35	PASS
	Ant1	5320	97.89	0.09	16.94	≤23.98	≤23.35	19.73	≤29.35	PASS
	Ant2	5320	97.90	0.09	16.05	≤23.98	≤23.35	18.97	≤29.35	PASS
	Ant1	5500	97.90	0.09	16.33	≤23.98	≤23.35	19.12	≤29.35	PASS
	Ant2	5500	97.90	0.09	15.22	≤23.98	≤23.35	18.14	≤29.35	PASS
	Ant1	5580	97.20	0.12	16.28	≤23.98	≤23.35	19.07	≤29.35	PASS
	Ant2	5580	97.20	0.12	15.14	≤23.98	≤23.35	18.06	≤29.35	PASS
	Ant1	5700	97.20	0.12	14.52	≤23.98	≤23.35	17.31	≤29.35	PASS
	Ant2	5700	97.89	0.09	13.79	≤23.98	≤23.35	16.71	≤29.35	PASS
	Ant1	5720	97.89	0.09	14.27	≤23.98	≤23.35	17.06	≤29.35	PASS
	Ant2	5720	97.20	0.12	14.02	≤23.98	≤23.35	16.94	≤29.35	PASS
	Ant1	5745	97.20	0.12	14.01	≤30.00	≤30.00	16.80	---	PASS
	Ant2	5745	97.20	0.12	13.70	≤30.00	≤30.00	16.62	---	PASS
	Ant1	5785	97.90	0.09	14.63	≤30.00	≤30.00	17.42	---	PASS
	Ant2	5785	97.20	0.12	14.59	≤30.00	≤30.00	17.51	---	PASS
	Ant1	5825	97.20	0.12	14.75	≤30.00	≤30.00	17.54	---	PASS
	Ant2	5825	97.20	0.12	15.18	≤30.00	≤30.00	18.10	---	PASS

11N20 MIMO	Ant1	5180	94.37	0.25	14.91	≤23.98	≤20.2 0	17.70	≤22.48	PASS
	Ant2	5180	94.37	0.25	14.67	≤23.98	≤19.7 7	17.59	≤22.48	PASS
	total	5180	---	---	17.80	≤23.98	≤19.7 7	20.72	≤22.48	PASS
	Ant1	5200	95.71	0.19	14.74	≤23.98	≤20.2 2	17.53	≤22.48	PASS
	Ant2	5200	95.71	0.19	14.95	≤23.98	≤19.8 1	17.87	≤22.48	PASS
	total	5200	---	---	17.86	≤23.98	≤19.8 1	20.78	≤22.48	PASS
	Ant1	5240	94.37	0.25	14.68	≤23.98	≤19.7 5	17.47	≤22.48	PASS
	Ant2	5240	94.37	0.25	14.92	≤23.98	≤19.5 6	17.84	≤22.48	PASS
	total	5240	---	---	17.81	≤23.98	≤19.5 6	20.73	≤22.48	PASS
	Ant1	5260	94.37	0.25	15.15	≤23.98	≤23.4 8	17.94	≤29.48	PASS
	Ant2	5260	94.37	0.25	15.27	≤23.98	≤23.4 8	18.19	≤29.48	PASS
	total	5260	---	---	18.22	≤23.98	≤23.4 8	21.14	≤29.48	PASS
	Ant1	5280	95.71	0.19	15.88	≤23.98	≤23.4 8	18.67	≤29.48	PASS
	Ant2	5280	94.37	0.25	15.49	≤23.98	≤23.4 8	18.41	≤29.48	PASS
	total	5280	---	---	18.70	≤23.98	≤23.4 8	21.62	≤29.48	PASS
	Ant1	5320	95.71	0.19	16.32	≤23.98	≤23.4 8	19.11	≤29.48	PASS
	Ant2	5320	94.37	0.25	16.07	≤23.98	≤23.4 8	18.99	≤29.48	PASS
	total	5320	---	---	19.21	≤23.98	≤23.4 8	22.13	≤29.48	PASS
	Ant1	5500	94.37	0.25	15.84	≤23.98	≤23.4 8	18.63	≤29.48	PASS
	Ant2	5500	95.71	0.19	15.19	≤23.98	≤23.4 8	18.11	≤29.48	PASS
	total	5500	---	---	18.54	≤23.98	≤23.4 8	21.46	≤29.48	PASS
	Ant1	5580	94.37	0.25	15.86	≤23.98	≤23.4 8	18.65	≤29.48	PASS
	Ant2	5580	94.37	0.25	15.88	≤23.98	≤23.4 8	18.80	≤29.48	PASS
	total	5580	---	---	18.88	≤23.98	≤23.4 8	21.80	≤29.48	PASS
	Ant1	5700	94.37	0.25	14.09	≤23.98	≤23.4 8	16.88	≤29.48	PASS
	Ant2	5700	94.37	0.25	14.31	≤23.98	≤23.4 8	17.23	≤29.48	PASS
	total	5700	---	---	17.21	≤23.98	≤23.4 8	20.13	≤29.48	PASS
	Ant1	5720	94.37	0.25	13.83	≤23.98	≤23.4 8	16.62	≤29.48	PASS

11N40 MIMO	Ant2	5720	94.37	0.25	14.25	≤23.98	≤23.4 8	17.17	≤29.48	PASS
	total	5720	---	---	17.06	≤23.98	≤23.4 8	19.98	≤29.48	PASS
	Ant1	5745	94.37	0.25	13.70	≤30.00	≤30.0 0	16.49	---	PASS
	Ant2	5745	95.71	0.19	14.03	≤30.00	≤30.0 0	16.95	---	PASS
	total	5745	---	---	16.88	≤30.00	≤30.0 0	19.80	---	PASS
	Ant1	5785	94.37	0.25	14.09	≤30.00	≤30.0 0	16.88	---	PASS
	Ant2	5785	95.71	0.19	14.97	≤30.00	≤30.0 0	17.89	---	PASS
	total	5785	---	---	17.56	≤30.00	≤30.0 0	20.48	---	PASS
	Ant1	5825	95.71	0.19	14.51	≤30.00	≤30.0 0	17.30	---	PASS
	Ant2	5825	94.37	0.25	15.12	≤30.00	≤30.0 0	18.04	---	PASS
	total	5825	---	---	17.84	≤30.00	≤30.0 0	20.76	---	PASS
	Ant1	5190	92.11	0.36	14.06	≤23.98	---	16.85	≤23.01	PASS
	Ant2	5190	89.47	0.48	13.85	≤23.98	---	16.77	≤23.01	PASS
	total	5190	---	---	16.97	≤23.98	---	19.89	≤23.01	PASS
	Ant1	5230	89.47	0.48	13.89	≤23.98	---	16.68	≤23.01	PASS
	Ant2	5230	89.47	0.48	13.69	≤23.98	---	16.61	≤23.01	PASS
	total	5230	---	---	16.80	≤23.98	---	19.72	≤23.01	PASS
	Ant1	5270	89.47	0.48	14.68	≤23.98	≤23.9 8	17.47	≤30.00	PASS
	Ant2	5270	89.47	0.48	14.70	≤23.98	≤23.9 8	17.62	≤30.00	PASS
	total	5270	---	---	17.70	≤23.98	≤23.9 8	20.62	≤30.00	PASS
	Ant1	5310	92.11	0.36	15.50	≤23.98	≤23.9 8	18.29	≤30.00	PASS
	Ant2	5310	89.47	0.48	15.51	≤23.98	≤23.9 8	18.43	≤30.00	PASS
	total	5310	---	---	18.52	≤23.98	≤23.9 8	21.44	≤30.00	PASS
	Ant1	5510	92.11	0.36	15.28	≤23.98	≤23.9 8	18.07	≤30.00	PASS
	Ant2	5510	89.47	0.48	14.64	≤23.98	≤23.9 8	17.56	≤30.00	PASS
	total	5510	---	---	17.98	≤23.98	≤23.9 8	20.90	≤30.00	PASS
	Ant1	5550	89.47	0.48	15.81	≤23.98	≤23.9 8	18.60	≤30.00	PASS
	Ant2	5550	89.47	0.48	13.84	≤23.98	≤23.9 8	16.76	≤30.00	PASS
	total	5550	---	---	17.95	≤23.98	≤23.9 8	20.87	≤30.00	PASS
	Ant1	5670	89.74	0.47	14.00	≤23.98	≤23.9 8	16.79	≤30.00	PASS
	Ant2	5670	92.11	0.36	13.16	≤23.98	≤23.9 8	16.08	≤30.00	PASS

11AC2 0MIMO	total	5670	---	---	16.61	≤23.98	≤23.9 8	19.53	≤30.00	PASS
	Ant1	5710	92.11	0.36	13.48	≤23.98	≤23.9 8	16.27	≤30.00	PASS
	Ant2	5710	89.47	0.48	13.11	≤23.98	≤23.9 8	16.03	≤30.00	PASS
	total	5710	---	---	16.31	≤23.98	≤23.9 8	19.23	≤30.00	PASS
	Ant1	5755	89.47	0.48	13.54	≤30.00	≤30.0 0	16.33	---	PASS
	Ant2	5755	92.11	0.36	13.52	≤30.00	≤30.0 0	16.44	---	PASS
	total	5755	---	---	16.54	≤30.00	≤30.0 0	19.46	---	PASS
	Ant1	5795	92.11	0.36	13.65	≤30.00	≤30.0 0	16.44	---	PASS
	Ant2	5795	92.11	0.36	14.02	≤30.00	≤30.0 0	16.94	---	PASS
	total	5795	---	---	16.85	≤30.00	≤30.0 0	19.77	---	PASS
	Ant1	5180	97.76	0.10	15.09	≤23.98	---	17.88	≤22.46	PASS
	Ant2	5180	97.04	0.13	14.17	≤23.98	---	17.09	≤22.46	PASS
	total	5180	---	---	17.66	≤23.98	---	20.58	≤22.46	PASS
	Ant1	5200	97.04	0.13	15.11	≤23.98	---	17.90	≤22.46	PASS
	Ant2	5200	97.04	0.13	14.24	≤23.98	---	17.16	≤22.46	PASS
	total	5200	---	---	17.71	≤23.98	---	20.63	≤22.46	PASS
	Ant1	5240	97.04	0.13	15.08	≤23.98	---	17.87	≤22.46	PASS
	Ant2	5240	97.78	0.10	14.31	≤23.98	---	17.23	≤22.46	PASS
	total	5240	---	---	17.72	≤23.98	---	20.64	≤22.46	PASS
	Ant1	5260	97.04	0.13	15.17	≤23.98	≤23.4 6	17.96	≤29.46	PASS
	Ant2	5260	97.04	0.13	15.00	≤23.98	≤23.4 6	17.92	≤29.46	PASS
	total	5260	---	---	18.10	≤23.98	≤23.4 6	21.02	≤29.46	PASS
	Ant1	5280	97.76	0.10	15.87	≤23.98	≤23.4 6	18.66	≤29.46	PASS
	Ant2	5280	97.76	0.10	15.27	≤23.98	≤23.4 6	18.19	≤29.46	PASS
	total	5280	---	---	18.59	≤23.98	≤23.4 6	21.51	≤29.46	PASS
	Ant1	5320	97.04	0.13	16.68	≤23.98	≤23.4 6	19.47	≤29.46	PASS
	Ant2	5320	97.76	0.10	15.89	≤23.98	≤23.4 6	18.81	≤29.46	PASS
	total	5320	---	---	19.31	≤23.98	≤23.4 6	22.23	≤29.46	PASS
	Ant1	5500	97.78	0.10	16.12	≤23.98	≤23.4 6	18.91	≤29.46	PASS
	Ant2	5500	97.04	0.13	15.13	≤23.98	≤23.4 6	18.05	≤29.46	PASS
	total	5500	---	---	18.66	≤23.98	≤23.4 6	21.58	≤29.46	PASS
	Ant1	5580	97.04	0.13	16.10	≤23.98	≤23.4 6	18.89	≤29.46	PASS
	Ant2	5580	97.04	0.13	15.43	≤23.98	≤23.4	18.35	≤29.46	PASS

							6			
	total	5580	---	---	18.79	≤23.98	≤23.4 6	21.71	≤29.46	PASS
	Ant1	5700	97.04	0.13	14.41	≤23.98	≤23.4 6	17.20	≤29.46	PASS
	Ant2	5700	97.76	0.10	13.52	≤23.98	≤23.4 6	16.44	≤29.46	PASS
	total	5700	---	---	17.00	≤23.98	≤23.4 6	19.92	≤29.46	PASS
	Ant1	5720	97.04	0.13	14.22	≤23.98	≤23.4 6	17.01	≤29.46	PASS
	Ant2	5720	97.04	0.13	13.83	≤23.98	≤23.4 6	16.75	≤29.46	PASS
	total	5720	---	---	17.04	≤23.98	≤23.4 6	19.96	≤29.46	PASS
	Ant1	5745	97.76	0.10	14.15	≤30.00	≤30.0 0	16.94	---	PASS
	Ant2	5745	97.78	0.10	13.68	≤30.00	≤30.0 0	16.60	---	PASS
	total	5745	---	---	16.93	≤30.00	≤30.0 0	19.85	---	PASS
	Ant1	5785	97.04	0.13	14.36	≤30.00	≤30.0 0	17.15	---	PASS
	Ant2	5785	97.04	0.13	14.44	≤30.00	≤30.0 0	17.36	---	PASS
	total	5785	---	---	17.41	≤30.00	≤30.0 0	20.33	---	PASS
	Ant1	5825	97.76	0.10	14.87	≤30.00	≤30.0 0	17.66	---	PASS
	Ant2	5825	97.78	0.10	14.63	≤30.00	≤30.0 0	17.55	---	PASS
	total	5825	---	---	17.76	≤30.00	≤30.0 0	20.68	---	PASS
11AC4 OMIMO	Ant1	5190	95.59	0.20	14.43	≤23.98	---	17.22	≤23.01	PASS
	Ant2	5190	94.20	0.26	13.94	≤23.98	---	16.86	≤23.01	PASS
	total	5190	---	---	17.20	≤23.98	---	20.12	≤23.01	PASS
	Ant1	5230	94.20	0.26	14.38	≤23.98	---	17.17	≤23.01	PASS
	Ant2	5230	95.59	0.20	13.67	≤23.98	---	16.59	≤23.01	PASS
	total	5230	---	---	17.05	≤23.98	---	19.97	≤23.01	PASS
	Ant1	5270	95.59	0.20	14.81	≤23.98	≤23.9 8	17.60	≤30.00	PASS
	Ant2	5270	94.20	0.26	14.73	≤23.98	≤23.9 8	17.65	≤30.00	PASS
	total	5270	---	---	17.78	≤23.98	≤23.9 8	20.70	≤30.00	PASS
	Ant1	5310	94.20	0.26	15.97	≤23.98	≤23.9 8	18.76	≤30.00	PASS
	Ant2	5310	95.59	0.20	15.53	≤23.98	≤23.9 8	18.45	≤30.00	PASS
	total	5310	---	---	18.77	≤23.98	≤23.9 8	21.69	≤30.00	PASS
	Ant1	5510	94.20	0.26	14.04	≤23.98	≤23.9 8	16.83	≤30.00	PASS
	Ant2	5510	95.59	0.20	14.79	≤23.98	≤23.9 8	17.71	≤30.00	PASS
	total	5510	---	---	17.44	≤23.98	≤23.9	20.36	≤30.00	PASS

							8			
	Ant1	5550	94.20	0.26	14.31	≤23.98	≤23.9 8	17.10	≤30.00	PASS
	Ant2	5550	95.59	0.20	14.18	≤23.98	≤23.9 8	17.10	≤30.00	PASS
	total	5550	---	---	17.26	≤23.98	≤23.9 8	20.18	≤30.00	PASS
	Ant1	5670	95.59	0.20	12.61	≤23.98	≤23.9 8	15.40	≤30.00	PASS
	Ant2	5670	95.59	0.20	13.33	≤23.98	≤23.9 8	16.25	≤30.00	PASS
	total	5670	---	---	16.00	≤23.98	≤23.9 8	18.92	≤30.00	PASS
	Ant1	5710	95.59	0.20	12.27	≤23.98	≤23.9 8	15.06	≤30.00	PASS
	Ant2	5710	95.59	0.20	13.24	≤23.98	≤23.9 8	16.16	≤30.00	PASS
	total	5710	---	---	15.79	≤23.98	≤23.9 8	18.71	≤30.00	PASS
	Ant1	5755	95.59	0.20	12.21	≤30.00	≤30.0 0	15.00	---	PASS
	Ant2	5755	95.59	0.20	13.56	≤30.00	≤30.0 0	16.48	---	PASS
	total	5755	---	---	15.95	≤30.00	≤30.0 0	18.87	---	PASS
	Ant1	5795	95.59	0.20	12.37	≤30.00	≤30.0 0	15.16	---	PASS
	Ant2	5795	95.59	0.20	14.57	≤30.00	≤30.0 0	17.49	---	PASS
	total	5795	---	---	16.62	≤30.00	≤30.0 0	19.54	---	PASS
11AC8 OMIMO	Ant1	5210	96.58	0.15	13.05	≤23.98	---	15.84	≤23.01	PASS
	Ant2	5210	96.58	0.15	13.93	≤23.98	---	16.85	≤23.01	PASS
	total	5210	---	---	16.52	≤23.98	---	19.44	≤23.01	PASS
	Ant1	5290	97.44	0.11	13.95	≤23.98	≤23.9 8	16.74	≤30.00	PASS
	Ant2	5290	96.58	0.15	15.15	≤23.98	≤23.9 8	18.07	≤30.00	PASS
	total	5290	---	---	17.60	≤23.98	≤23.9 8	20.52	≤30.00	PASS
	Ant1	5530	97.44	0.11	14.12	≤23.98	≤23.9 8	16.91	≤30.00	PASS
	Ant2	5530	97.44	0.11	14.54	≤23.98	≤23.9 8	17.46	≤30.00	PASS
	total	5530	---	---	17.35	≤23.98	≤23.9 8	20.27	≤30.00	PASS
	Ant1	5610	96.58	0.15	13.40	≤23.98	≤23.9 8	16.19	≤30.00	PASS
	Ant2	5610	96.58	0.15	14.29	≤23.98	≤23.9 8	17.21	≤30.00	PASS
	total	5610	---	---	16.88	≤23.98	≤23.9 8	19.80	≤30.00	PASS
	Ant1	5690	97.44	0.11	12.46	≤23.98	≤23.9 8	15.25	≤30.00	PASS
	Ant2	5690	97.44	0.11	12.95	≤23.98	≤23.9 8	15.87	≤30.00	PASS

11AX2 0MIMO	total	5690	---	---	15.72	≤23.98	≤23.98	18.64	≤30.00	PASS
	Ant1	5775	96.58	0.15	12.32	≤30.00	≤30.00	15.11	---	PASS
	Ant2	5775	96.58	0.15	13.77	≤30.00	≤30.00	16.69	---	PASS
	total	5775	---	---	16.12	≤30.00	≤30.00	19.04	---	PASS
	Ant1	5180	97.14	0.13	13.98	≤23.98	≤20.10	16.77	≤22.76	PASS
	Ant2	5180	97.14	0.13	13.31	≤23.98	---	16.23	≤22.76	PASS
	total	5180	---	---	16.67	≤23.98	---	19.59	≤22.76	PASS
	Ant1	5200	96.19	0.17	13.61	≤23.98	---	16.40	≤22.76	PASS
	Ant2	5200	96.19	0.17	14.10	≤23.98	---	17.02	≤22.76	PASS
	total	5200	---	---	16.87	≤23.98	---	19.79	≤22.76	PASS
	Ant1	5240	96.19	0.17	13.34	≤23.98	---	16.13	≤22.76	PASS
	Ant2	5240	96.19	0.17	14.41	≤23.98	---	17.33	≤22.76	PASS
	total	5240	---	---	16.92	≤23.98	---	19.84	≤22.76	PASS
	Ant1	5260	97.14	0.13	13.55	≤23.98	≤23.76	16.34	≤29.76	PASS
	Ant2	5260	96.19	0.17	14.74	≤23.98	≤23.76	17.66	≤29.76	PASS
	total	5260	---	---	17.20	≤23.98	≤23.76	20.12	≤29.76	PASS
	Ant1	5280	97.14	0.13	14.04	≤23.98	≤23.76	16.83	≤29.76	PASS
	Ant2	5280	96.19	0.17	15.03	≤23.98	≤23.76	17.95	≤29.76	PASS
	total	5280	---	---	17.57	≤23.98	≤23.76	20.49	≤29.76	PASS
	Ant1	5320	97.14	0.13	14.82	≤23.98	≤23.76	17.61	≤29.76	PASS
	Ant2	5320	97.14	0.13	15.71	≤23.98	≤23.76	18.63	≤29.76	PASS
	total	5320	---	---	18.30	≤23.98	≤23.76	21.22	≤29.76	PASS
	Ant1	5500	96.19	0.17	14.46	≤23.98	≤23.76	17.25	≤29.76	PASS
	Ant2	5500	96.23	0.17	15.09	≤23.98	≤23.76	18.01	≤29.76	PASS
	total	5500	---	---	17.80	≤23.98	≤23.76	20.72	≤29.76	PASS
	Ant1	5580	96.23	0.17	14.51	≤23.98	≤23.76	17.30	≤29.76	PASS
	Ant2	5580	96.23	0.17	14.84	≤23.98	≤23.76	17.76	≤29.76	PASS
	total	5580	---	---	17.69	≤23.98	≤23.76	20.61	≤29.76	PASS
	Ant1	5700	96.23	0.17	12.89	≤23.98	≤23.76	15.68	≤29.76	PASS
	Ant2	5700	97.14	0.13	13.42	≤23.98	≤23.76	16.34	≤29.76	PASS
	total	5700	---	---	16.17	≤23.98	≤23.76	19.09	≤29.76	PASS
	Ant1	5720	96.19	0.17	12.76	≤23.98	≤23.76	15.55	≤29.76	PASS

	Ant2	5720	96.19	0.17	13.78	≤23.98	≤23.7 6	16.70	≤29.76	PASS
	total	5720	---	---	16.31	≤23.98	≤23.8 6	19.23	≤29.76	PASS
	Ant1	5745	97.14	0.13	12.65	≤30.00	≤30.0 0	15.44	---	PASS
	Ant2	5745	97.14	0.13	13.64	≤30.00	≤30.0 0	16.56	---	PASS
	total	5745	---	---	16.18	≤30.00	≤30.0 0	19.10	---	PASS
	Ant1	5785	97.14	0.13	12.95	≤30.00	≤30.0 0	15.74	---	PASS
	Ant2	5785	96.19	0.17	14.51	≤30.00	≤30.0 0	17.43	---	PASS
	total	5785	---	---	16.81	≤30.00	≤30.0 0	19.73	---	PASS
	Ant1	5825	96.19	0.17	13.27	≤30.00	≤30.0 0	16.06	---	PASS
	Ant2	5825	96.19	0.17	14.44	≤30.00	≤30.0 0	17.36	---	PASS
	total	5825	---	---	16.90	≤30.00	≤30.0 0	19.82	---	PASS
11AX4 0MIMO	Ant1	5190	92.98	0.32	13.34	≤23.98	---	16.13	≤23.01	PASS
	Ant2	5190	92.98	0.32	12.83	≤23.98	---	15.75	≤23.01	PASS
	total	5190	---	---	16.10	≤23.98	---	19.02	≤23.01	PASS
	Ant1	5230	92.98	0.32	13.56	≤23.98	---	16.35	≤23.01	PASS
	Ant2	5230	94.74	0.23	13.48	≤23.98	---	16.40	≤23.01	PASS
	total	5230	---	---	16.53	≤23.98	---	19.45	≤23.01	PASS
	Ant1	5270	92.98	0.32	14.09	≤23.98	≤23.9 8	16.88	≤30.00	PASS
	Ant2	5270	92.98	0.32	14.31	≤23.98	≤23.9 8	17.23	≤30.00	PASS
	total	5270	---	---	17.21	≤23.98	≤23.9 8	20.13	≤30.00	PASS
	Ant1	5310	92.98	0.32	14.50	≤23.98	≤23.9 8	17.29	≤30.00	PASS
	Ant2	5310	94.74	0.23	14.19	≤23.98	≤23.9 8	17.11	≤30.00	PASS
	total	5310	---	---	17.36	≤23.98	≤23.9 8	20.28	≤30.00	PASS
	Ant1	5510	94.74	0.23	14.14	≤23.98	≤23.9 8	16.93	≤30.00	PASS
	Ant2	5510	92.98	0.32	13.49	≤23.98	≤23.9 8	16.41	≤30.00	PASS
	total	5510	---	---	16.84	≤23.98	≤23.9 8	19.76	≤30.00	PASS
	Ant1	5550	94.64	0.24	14.40	≤23.98	≤23.9 8	17.19	≤30.00	PASS
	Ant2	5550	94.74	0.23	13.23	≤23.98	≤23.9 8	16.15	≤30.00	PASS
	total	5550	---	---	16.86	≤23.98	≤23.9 8	19.78	≤30.00	PASS
	Ant1	5670	92.98	0.32	13.39	≤23.98	≤23.9 8	16.18	≤30.00	PASS
	Ant2	5670	92.98	0.32	12.91	≤23.98	≤23.9 8	15.83	≤30.00	PASS

11AX8 0MIMO	total	5670	---	---	16.17	≤23.98	≤23.9 8	19.09	≤30.00	PASS
	Ant1	5710	92.98	0.32	13.05	≤23.98	≤23.9 8	15.84	≤30.00	PASS
	Ant2	5710	92.98	0.32	12.72	≤23.98	≤23.9 8	15.64	≤30.00	PASS
	total	5710	---	---	15.90	≤23.98	≤23.9 8	18.82	≤30.00	PASS
	Ant1	5755	92.98	0.32	13.06	≤30.00	≤30.0 0	15.85	---	PASS
	Ant2	5755	92.98	0.32	13.03	≤30.00	≤30.0 0	15.95	---	PASS
	total	5755	---	---	16.06	≤30.00	≤30.0 0	18.98	---	PASS
	Ant1	5795	92.98	0.32	13.21	≤30.00	≤30.0 0	16.00	---	PASS
	Ant2	5795	92.98	0.32	13.35	≤30.00	≤30.0 0	16.27	---	PASS
	total	5795	---	---	16.29	≤30.00	≤30.0 0	19.21	---	PASS
	Ant1	5210	87.50	0.58	13.42	≤23.98	---	16.21	≤23.01	PASS
	Ant2	5210	90.63	0.43	12.71	≤23.98	---	15.63	≤23.01	PASS
	total	5210	---	---	16.09	≤23.98	---	19.01	≤23.01	PASS
	Ant1	5290	87.50	0.58	14.25	≤23.98	≤23.9 8	17.04	≤30.00	PASS
	Ant2	5290	90.63	0.43	13.80	≤23.98	≤23.9 8	16.72	≤30.00	PASS
	total	5290	---	---	17.04	≤23.98	≤23.9 8	19.96	≤30.00	PASS
	Ant1	5530	90.63	0.43	14.17	≤23.98	≤23.9 8	16.96	≤30.00	PASS
	Ant2	5530	90.63	0.43	13.02	≤23.98	≤23.9 8	15.94	≤30.00	PASS
	total	5530	---	---	16.64	≤23.98	≤23.9 8	19.56	≤30.00	PASS
	Ant1	5610	87.50	0.58	13.51	≤23.98	≤23.9 8	16.30	≤30.00	PASS
	Ant2	5610	87.50	0.58	12.80	≤23.98	≤23.9 8	15.72	≤30.00	PASS
	total	5610	---	---	16.18	≤23.98	≤23.9 8	19.10	≤30.00	PASS
	Ant1	5690	90.63	0.43	13.08	≤23.98	≤23.9 8	15.87	≤30.00	PASS
	Ant2	5690	90.63	0.43	12.38	≤23.98	≤23.9 8	15.30	≤30.00	PASS
	total	5690	---	---	15.75	≤23.98	≤23.9 8	18.67	≤30.00	PASS
	Ant1	5775	90.63	0.43	12.90	≤30.00	≤30.0 0	15.69	---	PASS
	Ant2	5775	87.50	0.58	12.89	≤30.00	≤30.0 0	15.81	---	PASS
	total	5775	---	---	15.91	≤30.00	≤30.0 0	18.83	---	PASS

Test Engineer:	Lin Guoyuan	Test Site:	RF Measurement System 4#
Ambient Condition:	28.6°C, 29.6%RH	Test Date:	2026.04.21-2026.04.21


Test Supply:	Power	AC 100-240V,~50/60Hz	Sample Number:	S26030303-003
--------------	-------	----------------------	----------------	---------------

Test Mode	Ant.	Freq. [MHz]	Ru Size	Ru Index	Duty Cycle [%]	Result [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	ISED EIRP Limit [dBm]	Verdict
11AX20 MIMO	Ant1	5180	26Tone	RU0	48.33	5.65	≤23.98	---	8.44	≤22.76	PASS
			52Tone	RU37	34.74	5.83	≤23.98	---	8.62	≤22.76	PASS
			106Tone	RU53	23.46	6.24	≤23.98	---	9.03	≤22.76	PASS
	Ant2	5180	26Tone	RU0	48.33	5.77	≤23.98	---	8.69	≤22.76	PASS
			52Tone	RU37	34.74	6.13	≤23.98	---	9.05	≤22.76	PASS
			106Tone	RU53	23.75	6.44	≤23.98	---	9.36	≤22.76	PASS
	total	5180	26Tone	RU0	---	8.72	≤23.98	---	11.64	≤22.76	PASS
			52Tone	RU37	---	8.99	≤23.98	---	11.91	≤22.76	PASS
			106Tone	RU53	---	9.35	≤23.98	---	12.27	≤22.76	PASS
	Ant1	5320	26Tone	RU8	48.33	9.12	≤23.98	≤23.76	11.91	≤29.76	PASS
			52Tone	RU40	34.04	9.53	≤23.98	≤23.76	12.32	≤29.76	PASS
			106Tone	RU54	23.75	9.50	≤23.98	≤23.76	12.29	≤29.76	PASS
	Ant2	5320	26Tone	RU8	48.33	9.08	≤23.98	≤23.76	12.00	≤29.76	PASS
			52Tone	RU40	33.68	9.56	≤23.98	≤23.76	12.48	≤29.76	PASS
			106Tone	RU54	23.75	9.89	≤23.98	≤23.76	12.81	≤29.76	PASS
	total	5320	26Tone	RU8	---	12.11	≤23.98	≤23.76	15.03	≤29.76	PASS
			52Tone	RU40	---	12.56	≤23.98	≤23.76	15.48	≤29.76	PASS
			106Tone	RU54	---	12.71	≤23.98	≤23.76	15.63	≤29.76	PASS
	Ant1	5500	26Tone	RU0	48.33	8.56	≤23.98	≤23.76	11.35	≤29.76	PASS
			52Tone	RU37	33.33	9.19	≤23.98	≤23.76	11.98	≤29.76	PASS
			106Tone	RU53	23.75	9.39	≤23.98	≤23.76	12.18	≤29.76	PASS
	Ant2	5500	26Tone	RU0	48.74	7.76	≤23.98	≤23.76	10.68	≤29.76	PASS
			52Tone	RU37	34.74	8.15	≤23.98	≤23.76	11.07	≤29.76	PASS
			106Tone	RU53	23.75	8.63	≤23.98	≤23.76	11.55	≤29.76	PASS
	total	5500	26Tone	RU0	---	11.19	≤23.98	≤23.76	14.11	≤29.76	PASS

			52Tone	RU37	---	11.71	≤23.98	≤23.7 6	14.63	≤29.7 6	PASS
			106Tone	RU53	---	12.04	≤23.98	≤23.7 6	14.96	≤29.7 6	PASS
Ant1	5700		26Tone	RU8	46.03	8.23	≤23.98	≤23.7 6	11.02	≤29.7 6	PASS
			52Tone	RU40	34.74	8.28	≤23.98	≤23.7 6	11.07	≤29.7 6	PASS
			106Tone	RU54	23.75	8.65	≤23.98	≤23.7 6	11.44	≤29.7 6	PASS
Ant2	5700		26Tone	RU8	48.33	7.61	≤23.98	≤23.7 6	10.53	≤29.7 6	PASS
			52Tone	RU40	34.74	8.34	≤23.98	≤23.7 6	11.26	≤29.7 6	PASS
			106Tone	RU54	23.75	8.50	≤23.98	≤23.7 6	11.42	≤29.7 6	PASS
total	5700		26Tone	RU8	---	10.94	≤23.98	≤23.7 6	13.86	≤29.7 6	PASS
			52Tone	RU40	---	11.32	≤23.98	≤23.7 6	14.24	≤29.7 6	PASS
			106Tone	RU54	---	11.59	≤23.98	≤23.7 6	14.51	≤29.7 6	PASS
Ant1	5745		26Tone	RU0	48.33	8.56	≤30.00	≤30.0 0	11.35	---	PASS
			52Tone	RU37	34.74	8.86	≤30.00	≤30.0 0	11.65	---	PASS
			106Tone	RU53	23.75	9.31	≤30.00	≤30.0 0	12.10	---	PASS
Ant2	5745		26Tone	RU0	48.33	8.94	≤30.00	≤30.0 0	11.86	---	PASS
			52Tone	RU37	34.04	9.27	≤30.00	≤30.0 0	12.19	---	PASS
			106Tone	RU53	23.75	9.78	≤30.00	≤30.00	12.70	---	PASS
total	5745		26Tone	RU0	---	11.76	≤30.00	≤30.00	14.68	---	PASS
			52Tone	RU37	---	12.08	≤30.00	≤30.00	15.00	---	PASS
			106Tone	RU53	---	12.56	≤30.00	≤30.00	15.48	---	PASS
Ant1	5825		26Tone	RU8	48.33	9.08	≤30.00	≤30.00	11.87	---	PASS
			52Tone	RU40	34.74	9.53	≤30.00	≤30.00	12.32	---	PASS
			106Tone	RU54	23.75	9.88	≤30.00	≤30.00	12.67	---	PASS
Ant2	5825		26Tone	RU8	48.33	9.16	≤30.00	≤30.00	12.08	---	PASS
			52Tone	RU40	34.74	9.61	≤30.00	≤30.00	12.53	---	PASS
			106Tone	RU54	23.75	9.78	≤30.00	≤30.00	12.70	---	PASS
total	5825		26Tone	RU8	---	12.13	≤30.00	≤30.00	15.05	---	PASS
			52Tone	RU40	---	12.58	≤30.00	≤30.00	15.50	---	PASS
			106Tone	RU54	---	12.84	≤30.00	≤30.00	15.76	---	PASS

9. Power Spectral Density

9.1. Block diagram of test setup



9.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Power Spectral Density	For FCC: Other than Mobile and portable:17 dBm/MHz Mobile and portable client devices:11 dBm/MHz	5150-5250
	For RSS eirp: 10 dBm/MHz	
	11 dBm/MHz	5250-5350
	11 dBm/MHz	5470 - 5725
	30 dBm/500 kHz	5725-5850
Note: If transmitting antennas of directional gain greater than 6 dBi are used, the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi, but for fixed point-to-point transmitters operating in 5150-5250MHz band that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum Power Spectral Density.		

9.3. Test procedure

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW.

Connect the UUT to the spectrum analyser and use the following settings:

5150 MHz~5250 MHz, 5250 MHz~5350 MHz, 5470 MHz~5725 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS
RBW	1MHz
VBW	≥3 × RBW
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

5725 MHz-5850 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS

RBW	500 kHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

9.4. Test result

Test Engineer:	Lin Guoyuan	Test Site:	RF Measurement System 5#
Ambient Condition:	24.3-26.1°C,43.5-45%RH	Test Date:	2026.03.14-2026.04.02
Test Power Supply:	AC 230V/50Hz	Sample Number:	S26030303-005

Test Mode	Antenna	Freq. [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	ISED EIRP Limit [dBm/MHz]	Verdict
11A	Ant1	5180	2.41	≤11.00	5.20	≤10.00	PASS
	Ant2	5180	1.26	≤11.00	4.18	≤10.00	PASS
	Ant1	5200	2.53	≤11.00	5.32	≤10.00	PASS
	Ant2	5200	1.67	≤11.00	4.59	≤10.00	PASS
	Ant1	5240	2.66	≤11.00	5.45	≤10.00	PASS
	Ant2	5240	1.95	≤11.00	4.87	≤10.00	PASS
	Ant1	5260	2.30	≤11.00	5.09	---	PASS
	Ant2	5260	2.13	≤11.00	5.05	---	PASS
	Ant1	5280	3.02	≤11.00	5.81	---	PASS
	Ant2	5280	2.93	≤11.00	5.85	---	PASS
	Ant1	5320	3.98	≤11.00	6.77	---	PASS
	Ant2	5320	3.15	≤11.00	6.07	---	PASS
	Ant1	5500	3.85	≤11.00	6.64	---	PASS
	Ant2	5500	2.55	≤11.00	5.47	---	PASS
	Ant1	5580	3.71	≤11.00	6.50	---	PASS
	Ant2	5580	2.51	≤11.00	5.43	---	PASS
	Ant1	5700	2.13	≤11.00	4.92	---	PASS
	Ant2	5700	1.21	≤11.00	4.13	---	PASS
	Ant1	5720_UNII-2C	1.67	≤11.00	4.46	---	PASS
	Ant2	5720_UNII-2C	1.28	≤11.00	4.20	---	PASS
	Ant1	5720_UNII-3	-2.66	≤30.00	0.13	---	PASS
	Ant2	5720_UNII-3	-3.09	≤30.00	-0.17	---	PASS
	Ant1	5745	-1.70	≤30.00	1.09	---	PASS
	Ant2	5745	-2.07	≤30.00	0.85	---	PASS
	Ant1	5785	-0.98	≤30.00	1.81	---	PASS
	Ant2	5785	-1.09	≤30.00	1.83	---	PASS
	Ant1	5825	-0.56	≤30.00	2.23	---	PASS
	Ant2	5825	-0.35	≤30.00	2.57	---	PASS
11N20MIMO	Ant1	5180	1.79	≤11.00	4.58	≤10.00	PASS
	Ant2	5180	1.61	≤11.00	4.53	≤10.00	PASS
	total	5180	4.71	≤11.00	7.57	≤10.00	PASS
	Ant1	5200	2.07	≤11.00	4.86	≤10.00	PASS
	Ant2	5200	1.91	≤11.00	4.83	≤10.00	PASS
	total	5200	5.00	≤11.00	7.86	≤10.00	PASS
	Ant1	5240	2.12	≤11.00	4.91	≤10.00	PASS
	Ant2	5240	2.26	≤11.00	5.18	≤10.00	PASS
	total	5240	5.20	≤11.00	8.06	≤10.00	PASS
	Ant1	5260	1.90	≤11.00	4.69	---	PASS
	Ant2	5260	2.05	≤11.00	4.97	---	PASS
	total	5260	4.99	≤11.00	7.84	---	PASS
	Ant1	5280	2.82	≤11.00	5.61	---	PASS
	Ant2	5280	2.58	≤11.00	5.50	---	PASS
	total	5280	5.71	≤11.00	8.57	---	PASS
	Ant1	5320	3.26	≤11.00	6.05	---	PASS
	Ant2	5320	3.25	≤11.00	6.17	---	PASS
	total	5320	6.27	≤11.00	9.12	---	PASS
	Ant1	5500	3.38	≤11.00	6.17	---	PASS
	Ant2	5500	2.43	≤11.00	5.35	---	PASS
	total	5500	5.94	≤11.00	8.79	---	PASS
	Ant1	5580	3.19	≤11.00	5.98	---	PASS
	Ant2	5580	3.37	≤11.00	6.29	---	PASS
	total	5580	6.29	≤11.00	9.15	---	PASS

	Ant1	5700	1.47	≤11.00	4.26	---	PASS
	Ant2	5700	1.65	≤11.00	4.57	---	PASS
	total	5700	4.57	≤11.00	7.43	---	PASS
	Ant1	5720_UNII-2C	1.14	≤11.00	3.93	---	PASS
	Ant2	5720_UNII-2C	1.32	≤11.00	4.24	---	PASS
	total	5720_UNII-2C	4.24	≤11.00	7.10	---	PASS
	Ant1	5720_UNII-3	-3.08	≤30.00	-0.29	---	PASS
	Ant2	5720_UNII-3	-2.90	≤30.00	0.02	---	PASS
	total	5720_UNII-3	0.02	≤30.00	2.88	---	PASS
	Ant1	5745	-1.97	≤30.00	0.82	---	PASS
	Ant2	5745	-1.96	≤30.00	0.96	---	PASS
	total	5745	1.05	≤30.00	3.90	---	PASS
	Ant1	5785	-1.48	≤30.00	1.31	---	PASS
	Ant2	5785	-0.87	≤30.00	2.05	---	PASS
	total	5785	1.85	≤30.00	4.71	---	PASS
	Ant1	5825	-0.99	≤30.00	1.80	---	PASS
	Ant2	5825	-0.26	≤30.00	2.66	---	PASS
	total	5825	2.40	≤30.00	5.26	---	PASS
11N40MIMO	Ant1	5190	-1.95	≤11.00	0.84	≤10.00	PASS
	Ant2	5190	-2.14	≤11.00	0.78	≤10.00	PASS
	total	5190	0.97	≤11.00	3.82	≤10.00	PASS
	Ant1	5230	-2.11	≤11.00	0.68	≤10.00	PASS
	Ant2	5230	-2.19	≤11.00	0.73	≤10.00	PASS
	total	5230	0.86	≤11.00	3.72	≤10.00	PASS
	Ant1	5270	-1.40	≤11.00	1.39	---	PASS
	Ant2	5270	-1.34	≤11.00	1.58	---	PASS
	total	5270	1.64	≤11.00	4.50	---	PASS
	Ant1	5310	-0.38	≤11.00	2.41	---	PASS
	Ant2	5310	-0.36	≤11.00	2.56	---	PASS
	total	5310	2.64	≤11.00	5.50	---	PASS
	Ant1	5510	0.56	≤11.00	3.35	---	PASS
	Ant2	5510	-0.03	≤11.00	2.89	---	PASS
	total	5510	3.29	≤11.00	6.14	---	PASS
	Ant1	5550	0.91	≤11.00	3.70	---	PASS
	Ant2	5550	-0.98	≤11.00	1.94	---	PASS
	total	5550	3.08	≤11.00	5.92	---	PASS
	Ant1	5670	-0.84	≤11.00	1.95	---	PASS
	Ant2	5670	-1.66	≤11.00	1.26	---	PASS
	total	5670	1.78	≤11.00	4.63	---	PASS
	Ant1	5710_UNII-2C	-1.17	≤11.00	1.62	---	PASS
	Ant2	5710_UNII-2C	-1.32	≤11.00	1.60	---	PASS
	total	5710_UNII-2C	1.77	≤11.00	4.62	---	PASS
	Ant1	5710_UNII-3	-8.20	≤30.00	-5.41	---	PASS
	Ant2	5710_UNII-3	-8.07	≤30.00	-5.15	---	PASS
	total	5710_UNII-3	-5.12	≤30.00	-2.27	---	PASS
	Ant1	5755	-4.48	≤30.00	-1.69	---	PASS
	Ant2	5755	-4.24	≤30.00	-1.32	---	PASS
	total	5755	-1.35	≤30.00	1.51	---	PASS
	Ant1	5795	-4.20	≤30.00	-1.41	---	PASS
	Ant2	5795	-3.71	≤30.00	-0.79	---	PASS
	total	5795	-0.94	≤30.00	1.92	---	PASS
11AC20MIMO	Ant1	5180	2.01	≤11.00	4.80	≤10.00	PASS
	Ant2	5180	1.07	≤11.00	3.99	≤10.00	PASS
	total	5180	4.58	≤11.00	7.42	≤10.00	PASS
	Ant1	5200	2.15	≤11.00	4.94	≤10.00	PASS
	Ant2	5200	1.44	≤11.00	4.36	≤10.00	PASS
	total	5200	4.82	≤11.00	7.67	≤10.00	PASS
	Ant1	5240	2.37	≤11.00	5.16	≤10.00	PASS

	Ant2	5240	1.57	≤11.00	4.49	≤10.00	PASS
	total	5240	5.00	≤11.00	7.85	≤10.00	PASS
	Ant1	5260	2.14	≤11.00	4.93	---	PASS
	Ant2	5260	1.96	≤11.00	4.88	---	PASS
	total	5260	5.06	≤11.00	7.92	---	PASS
	Ant1	5280	2.95	≤11.00	5.74	---	PASS
	Ant2	5280	2.46	≤11.00	5.38	---	PASS
	total	5280	5.72	≤11.00	8.57	---	PASS
	Ant1	5320	3.92	≤11.00	6.71	---	PASS
	Ant2	5320	3.19	≤11.00	6.11	---	PASS
	total	5320	6.58	≤11.00	9.43	---	PASS
	Ant1	5500	3.38	≤11.00	6.17	---	PASS
	Ant2	5500	2.43	≤11.00	5.35	---	PASS
	total	5500	5.94	≤11.00	8.79	---	PASS
	Ant1	5580	3.38	≤11.00	6.17	---	PASS
	Ant2	5580	2.71	≤11.00	5.63	---	PASS
	total	5580	6.07	≤11.00	8.92	---	PASS
	Ant1	5700	1.65	≤11.00	4.44	---	PASS
	Ant2	5700	0.98	≤11.00	3.90	---	PASS
	total	5700	4.34	≤11.00	7.19	---	PASS
	Ant1	5720_UNII-2C	1.72	≤11.00	4.51	---	PASS
	Ant2	5720_UNII-2C	1.61	≤11.00	4.53	---	PASS
	total	5720_UNII-2C	4.68	≤11.00	7.53	---	PASS
	Ant1	5720_UNII-3	-2.54	≤30.00	0.25	---	PASS
	Ant2	5720_UNII-3	-2.67	≤30.00	0.25	---	PASS
	total	5720_UNII-3	0.41	≤30.00	3.26	---	PASS
	Ant1	5745	-1.44	≤30.00	1.35	---	PASS
	Ant2	5745	-1.82	≤30.00	1.10	---	PASS
	total	5745	1.38	≤30.00	4.24	---	PASS
	Ant1	5785	-1.36	≤30.00	1.43	---	PASS
	Ant2	5785	-1.13	≤30.00	1.79	---	PASS
	total	5785	1.77	≤30.00	4.62	---	PASS
	Ant1	5825	-0.70	≤30.00	2.09	---	PASS
	Ant2	5825	-0.83	≤30.00	2.09	---	PASS
	total	5825	2.25	≤30.00	5.10	---	PASS
11AC40MIM O	Ant1	5190	-0.71	≤11.00	2.08	≤10.00	PASS
	Ant2	5190	-1.09	≤11.00	1.83	≤10.00	PASS
	total	5190	2.11	≤11.00	4.97	≤10.00	PASS
	Ant1	5230	-0.67	≤11.00	2.12	≤10.00	PASS
	Ant2	5230	-1.35	≤11.00	1.57	≤10.00	PASS
	total	5230	2.01	≤11.00	4.86	≤10.00	PASS
	Ant1	5270	-0.32	≤11.00	2.47	---	PASS
	Ant2	5270	-0.39	≤11.00	2.53	---	PASS
	total	5270	2.66	≤11.00	5.51	---	PASS
	Ant1	5310	1.13	≤11.00	3.92	---	PASS
	Ant2	5310	0.84	≤11.00	3.76	---	PASS
	total	5310	4.00	≤11.00	6.85	---	PASS
	Ant1	5510	-0.55	≤11.00	2.24	---	PASS
	Ant2	5510	0.26	≤11.00	3.18	---	PASS
	total	5510	2.88	≤11.00	5.75	---	PASS
	Ant1	5550	-0.33	≤11.00	2.46	---	PASS
	Ant2	5550	-0.51	≤11.00	2.41	---	PASS
	total	5550	2.59	≤11.00	5.45	---	PASS
	Ant1	5670	-1.97	≤11.00	0.82	---	PASS
	Ant2	5670	-1.38	≤11.00	1.54	---	PASS
	total	5670	1.35	≤11.00	4.21	---	PASS
	Ant1	5710_UNII-2C	-2.19	≤11.00	0.60	---	PASS
	Ant2	5710_UNII-2C	-1.11	≤11.00	1.81	---	PASS
	total	5710_UNII-	1.39	≤11.00	4.26	---	PASS

		2C					
	Ant1	5710_UNII-3	-9.39	≤30.00	-6.60	---	PASS
	Ant2	5710_UNII-3	-8.09	≤30.00	-5.17	---	PASS
	total	5710_UNII-3	-5.68	≤30.00	-2.82	---	PASS
	Ant1	5755	-5.85	≤30.00	-3.06	---	PASS
	Ant2	5755	-4.22	≤30.00	-1.30	---	PASS
	total	5755	-1.95	≤30.00	0.92	---	PASS
	Ant1	5795	-5.49	≤30.00	-2.70	---	PASS
	Ant2	5795	-3.21	≤30.00	-0.29	---	PASS
11AC80MIM O	total	5795	-1.19	≤30.00	1.68	---	PASS
	Ant1	5210	-5.40	≤11.00	-2.61	≤10.00	PASS
	Ant2	5210	-4.53	≤11.00	-1.61	≤10.00	PASS
	total	5210	-1.93	≤11.00	0.93	≤10.00	PASS
	Ant1	5290	-4.21	≤11.00	-1.42	---	PASS
	Ant2	5290	-3.02	≤11.00	-0.10	---	PASS
	total	5290	-0.56	≤11.00	2.30	---	PASS
	Ant1	5530	-3.72	≤11.00	-0.93	---	PASS
	Ant2	5530	-3.36	≤11.00	-0.44	---	PASS
	total	5530	-0.53	≤11.00	2.33	---	PASS
	Ant1	5610	-4.63	≤11.00	-1.84	---	PASS
	Ant2	5610	-3.76	≤11.00	-0.84	---	PASS
	total	5610	-1.16	≤11.00	1.70	---	PASS
	Ant1	5690_UNII-2C	-5.63	≤11.00	-2.84	---	PASS
	Ant2	5690_UNII-2C	-5.21	≤11.00	-2.29	---	PASS
	total	5690_UNII-2C	-2.40	≤11.00	0.45	---	PASS
	Ant1	5690_UNII-3	-12.85	≤30.00	-10.06	---	PASS
	Ant2	5690_UNII-3	-11.55	≤30.00	-8.63	---	PASS
	total	5690_UNII-3	-9.14	≤30.00	-6.28	---	PASS
	Ant1	5775	-8.94	≤30.00	-6.15	---	PASS
	Ant2	5775	-7.36	≤30.00	-4.44	---	PASS
	total	5775	-5.07	≤30.00	-2.20	---	PASS
11AX20MIM O	Ant1	5180	0.22	≤11.00	3.01	≤10.00	PASS
	Ant2	5180	-0.29	≤11.00	2.63	≤10.00	PASS
	total	5180	2.98	≤11.00	5.83	≤10.00	PASS
	Ant1	5200	0.25	≤11.00	3.04	≤10.00	PASS
	Ant2	5200	0.79	≤11.00	3.71	≤10.00	PASS
	total	5200	3.54	≤11.00	6.40	≤10.00	PASS
	Ant1	5240	0.07	≤11.00	2.86	≤10.00	PASS
	Ant2	5240	1.25	≤11.00	4.17	≤10.00	PASS
	total	5240	3.71	≤11.00	6.57	≤10.00	PASS
	Ant1	5260	0.12	≤11.00	2.91	---	PASS
	Ant2	5260	1.34	≤11.00	4.26	---	PASS
	total	5260	3.78	≤11.00	6.65	---	PASS
	Ant1	5280	0.86	≤11.00	3.65	---	PASS
	Ant2	5280	1.80	≤11.00	4.72	---	PASS
	total	5280	4.37	≤11.00	7.23	---	PASS
	Ant1	5320	2.24	≤11.00	5.03	---	PASS
	Ant2	5320	3.07	≤11.00	5.99	---	PASS
	total	5320	5.69	≤11.00	8.55	---	PASS
	Ant1	5500	1.70	≤11.00	4.49	---	PASS
	Ant2	5500	2.35	≤11.00	5.27	---	PASS
	total	5500	5.05	≤11.00	7.91	---	PASS
	Ant1	5580	1.86	≤11.00	4.65	---	PASS
	Ant2	5580	2.20	≤11.00	5.12	---	PASS
	total	5580	5.04	≤11.00	7.90	---	PASS
	Ant1	5700	0.32	≤11.00	3.11	---	PASS
	Ant2	5700	0.90	≤11.00	3.82	---	PASS
	total	5700	3.63	≤11.00	6.49	---	PASS
	Ant1	5720_UNII-2C	0.41	≤11.00	3.20	---	PASS
	Ant2	5720_UNII-	1.64	≤11.00	4.56	---	PASS

		2C					
	total	5720_UNII-2C	4.08	≤11.00	6.94	---	PASS
	Ant1	5720_UNII-3	-3.53	≤30.00	-0.74	---	PASS
	Ant2	5720_UNII-3	-2.21	≤30.00	0.71	---	PASS
	total	5720_UNII-3	0.19	≤30.00	3.06	---	PASS
	Ant1	5745	-2.92	≤30.00	-0.13	---	PASS
	Ant2	5745	-1.82	≤30.00	1.10	---	PASS
	total	5745	0.68	≤30.00	3.54	---	PASS
	Ant1	5785	-2.74	≤30.00	0.05	---	PASS
	Ant2	5785	-1.11	≤30.00	1.81	---	PASS
	total	5785	1.16	≤30.00	4.03	---	PASS
	Ant1	5825	-2.29	≤30.00	0.50	---	PASS
	Ant2	5825	-1.11	≤30.00	1.81	---	PASS
	total	5825	1.35	≤30.00	4.21	---	PASS
	Ant1	5190	-2.23	≤11.00	0.56	≤10.00	PASS
	Ant2	5190	-2.69	≤11.00	0.23	≤10.00	PASS
11AX40MIM O	total	5190	0.56	≤11.00	3.41	≤10.00	PASS
	Ant1	5230	-2.06	≤11.00	0.73	≤10.00	PASS
	Ant2	5230	-2.04	≤11.00	0.88	≤10.00	PASS
	total	5230	0.96	≤11.00	3.82	≤10.00	PASS
	Ant1	5270	-1.49	≤11.00	1.30	---	PASS
	Ant2	5270	-1.24	≤11.00	1.68	---	PASS
	total	5270	1.65	≤11.00	4.50	---	PASS
	Ant1	5310	-0.81	≤11.00	1.98	---	PASS
	Ant2	5310	-1.04	≤11.00	1.88	---	PASS
	total	5310	2.09	≤11.00	4.94	---	PASS
	Ant1	5510	-0.99	≤11.00	1.80	---	PASS
	Ant2	5510	-1.69	≤11.00	1.23	---	PASS
	total	5510	1.68	≤11.00	4.53	---	PASS
	Ant1	5550	-0.89	≤11.00	1.90	---	PASS
	Ant2	5550	-2.10	≤11.00	0.82	---	PASS
	total	5550	1.56	≤11.00	4.40	---	PASS
	Ant1	5670	-1.94	≤11.00	0.85	---	PASS
	Ant2	5670	-2.35	≤11.00	0.57	---	PASS
	total	5670	0.87	≤11.00	3.72	---	PASS
	Ant1	5710_UNII-2C	-2.01	≤11.00	0.78	---	PASS
	Ant2	5710_UNII-2C	-2.20	≤11.00	0.72	---	PASS
	total	5710_UNII-2C	0.91	≤11.00	3.76	---	PASS
	Ant1	5710_UNII-3	-8.51	≤30.00	-5.72	---	PASS
	Ant2	5710_UNII-3	-8.41	≤30.00	-5.49	---	PASS
	total	5710_UNII-3	-5.45	≤30.00	-2.59	---	PASS
	Ant1	5755	-5.57	≤30.00	-2.78	---	PASS
	Ant2	5755	-5.49	≤30.00	-2.57	---	PASS
	total	5755	-2.52	≤30.00	0.34	---	PASS
	Ant1	5795	-5.23	≤30.00	-2.44	---	PASS
	Ant2	5795	-5.09	≤30.00	-2.17	---	PASS
	total	5795	-2.15	≤30.00	0.71	---	PASS
11AX80MIM O	Ant1	5210	-5.12	≤11.00	-2.33	≤10.00	PASS
	Ant2	5210	-5.76	≤11.00	-2.84	≤10.00	PASS
	total	5210	-2.42	≤11.00	0.43	≤10.00	PASS
	Ant1	5290	-4.15	≤11.00	-1.36	---	PASS
	Ant2	5290	-4.55	≤11.00	-1.63	---	PASS
	total	5290	-1.34	≤11.00	1.52	---	PASS
	Ant1	5530	-3.86	≤11.00	-1.07	---	PASS
	Ant2	5530	-4.99	≤11.00	-2.07	---	PASS
	total	5530	-1.38	≤11.00	1.47	---	PASS
	Ant1	5610	-4.81	≤11.00	-2.02	---	PASS
	Ant2	5610	-5.32	≤11.00	-2.40	---	PASS
	total	5610	-2.05	≤11.00	0.80	---	PASS
	Ant1	5690_UNII-	-5.23	≤11.00	-2.44	---	PASS

		2C					
	Ant2	5690_UNII-2C	-5.80	≤11.00	-2.88	---	PASS
	total	5690_UNII-2C	-2.50	≤11.00	0.36	---	PASS
	Ant1	5690_UNII-3	-12.13	≤30.00	-9.34	---	PASS
	Ant2	5690_UNII-3	-12.49	≤30.00	-9.57	---	PASS
	total	5690_UNII-3	-9.30	≤30.00	-6.44	---	PASS
	Ant1	5775	-8.45	≤30.00	-5.66	---	PASS
	Ant2	5775	-8.16	≤30.00	-5.24	---	PASS
	total	5775	-5.29	≤30.00	-2.43	---	PASS

Test Engineer:	Lin Guoyuan	Test Site:	RF Measurement System 4#
Ambient Condition:	28.6°C,29.6%RH	Test Date:	2026.04.21-2026.04.21
Test Power Supply:	AC 100-240V,~50/60Hz	Sample Number:	S26030303-003

Test Mode	Ant.	Freq. [MHz]	Ru Size	Ru Index	Result [dBm/MHz]	FCC Limit [dBm/MHz]	EIRP [dBm/MHz]	ISED EIRP Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5180	26Tone	RU0	3.47	≤11.00	6.26	≤10.00	PASS
			52Tone	RU37	1.04	≤11.00	3.83	≤10.00	PASS
			106Tone	RU53	-1.30	≤11.00	1.49	≤10.00	PASS
	Ant2	5180	26Tone	RU0	3.03	≤11.00	5.95	≤10.00	PASS
			52Tone	RU37	0.67	≤11.00	3.59	≤10.00	PASS
			106Tone	RU53	-2.61	≤11.00	0.31	≤10.00	PASS
	total	5180	26Tone	RU0	6.27	≤11.00	9.12	≤10.00	PASS
			52Tone	RU37	3.87	≤11.00	6.72	≤10.00	PASS
			106Tone	RU53	1.10	≤11.00	3.95	≤10.00	PASS
	Ant1	5320	26Tone	RU8	7.06	≤11.00	9.85	---	PASS
			52Tone	RU40	4.32	≤11.00	7.11	---	PASS
			106Tone	RU54	1.73	≤11.00	4.52	---	PASS
	Ant2	5320	26Tone	RU8	6.10	≤11.00	9.02	---	PASS
			52Tone	RU40	3.89	≤11.00	6.81	---	PASS
			106Tone	RU54	0.45	≤11.00	3.37	---	PASS
	total	5320	26Tone	RU8	9.62	≤11.00	12.47	---	PASS
			52Tone	RU40	7.12	≤11.00	9.97	---	PASS
			106Tone	RU54	4.15	≤11.00	6.99	---	PASS
	Ant1	5500	26Tone	RU0	6.44	≤11.00	9.23	---	PASS
			52Tone	RU37	4.37	≤11.00	7.16	---	PASS
			106Tone	RU53	0.99	≤11.00	3.78	---	PASS
	Ant2	5500	26Tone	RU0	5.74	≤11.00	8.66	---	PASS
			52Tone	RU37	3.26	≤11.00	6.18	---	PASS
			106Tone	RU53	0.41	≤11.00	3.33	---	PASS
	total	5500	26Tone	RU0	9.11	≤11.00	11.96	---	PASS
			52Tone	RU37	6.86	≤11.00	9.71	---	PASS
			106Tone	RU53	3.72	≤11.00	6.57	---	PASS
	Ant1	5700	26Tone	RU8	5.64	≤11.00	8.43	---	PASS
			52Tone	RU40	3.12	≤11.00	5.91	---	PASS
			106Tone	RU54	0.75	≤11.00	3.54	---	PASS
	Ant2	5700	26Tone	RU8	4.58	≤11.00	7.50	---	PASS
			52Tone	RU40	1.95	≤11.00	4.87	---	PASS
			106Tone	RU54	-0.82	≤11.00	2.10	---	PASS
	total	5700	26Tone	RU8	8.15	≤11.00	11.00	---	PASS
			52Tone	RU40	5.58	≤11.00	8.43	---	PASS
			106Tone	RU54	3.05	≤11.00	5.89	---	PASS
	Ant1	5745	26Tone	RU0	3.24	≤30.00	6.03	---	PASS
			52Tone	RU37	0.77	≤30.00	3.56	---	PASS
			106Tone	RU53	-2.30	≤30.00	0.49	---	PASS
	Ant2	5745	26Tone	RU0	2.46	≤30.00	5.38	---	PASS
			52Tone	RU37	0.38	≤30.00	3.30	---	PASS
			106Tone	RU53	-3.59	≤30.00	-0.67	---	PASS
	total	5745	26Tone	RU0	5.88	≤30.00	8.73	---	PASS

	Ant1	5825	52Tone	RU37	3.59	≤30.00	6.44	---	PASS
			106Tone	RU53	0.11	≤30.00	2.96	---	PASS
			26Tone	RU8	3.74	≤30.00	6.53	---	PASS
			52Tone	RU40	0.80	≤30.00	3.59	---	PASS
			106Tone	RU54	-1.75	≤30.00	1.04	---	PASS
			26Tone	RU8	3.48	≤30.00	6.40	---	PASS
	Ant2	5825	52Tone	RU40	0.93	≤30.00	3.85	---	PASS
			106Tone	RU54	-2.75	≤30.00	0.17	---	PASS
			26Tone	RU8	6.62	≤30.00	9.48	---	PASS
	total	5825	52Tone	RU40	3.88	≤30.00	6.73	---	PASS
			106Tone	RU54	0.79	≤30.00	3.64	---	PASS
			26Tone	RU8	6.62	≤30.00	9.48	---	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor is compensated in the graph.


9.5. Test graphs









11A_Ant1_5260




11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280




11A_Ant1_5320




11A_Ant2_5320




11A_Ant1_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5580




11A_Ant1_5700




11A_Ant2_5700




11A_Ant1_5720_UNII-2C




11A_Ant2_5720_UNII-2C




11A_Ant1_5720_UNII-3




11A Ant2 5720 UNII-3




11A Ant1 5745




11A Ant2 5745




11A_Ant1_5785




11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5180




11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




11N20MIMO_Ant2_5260







11N20MIMO_Ant2_5320




11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500



11N20MIMO_Ant1_5580




11N20MIMO_Ant2_5580




11N20MIMO_Ant1_5700







11N20MIMO_Ant1_5720_UNII-3




11N20MIMO_Ant2_5720_UNII-3




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825



11N20MIMO_Ant2_5825



11N40MIMO_Ant1_5190