







11N20MIMO\_Ant2\_2412




11N20MIMO\_Ant1\_2437




11N20MIMO\_Ant2\_2437




11N20MIMO\_Ant1\_2462




11N20MIMO\_Ant2\_2462




11N40MIMO\_Ant1\_2422







11N40MIMO\_Ant1\_2452




11N40MIMO\_Ant2\_2452




11AX20MIMO\_Ant1\_2412




11AX20MIMO\_Ant2\_2412




11AX20MIMO\_Ant1\_2437




11AX20MIMO\_Ant2\_2437




11AX20MIMO\_Ant1\_2462




11AX20MIMO\_Ant2\_2462




11AX40MIMO\_Ant1\_2422




11AX40MIMO\_Ant2\_2422




11AX40MIMO\_Ant1\_2437




11AX40MIMO\_Ant2\_2437





11AX40MIMO\_Ant1\_2452





11AX40MIMO\_Ant2\_2452



































11AX20MIMO\_Ant2\_2437\_106Tone\_RU54





11AX20MIMO\_Ant1\_2462\_26Tone\_RU0





11AX20MIMO\_Ant1\_2462\_26Tone\_RU4




































8. Band Edge Compliance (Conducted Method)

8.1. Block diagram of test setup



8.2. Limits

In any 100 kHz bandwidth outside the frequency bands in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 30 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power.

8.3. Test procedure

- Connect EUT's antenna output to spectrum analyzer by RF cable.
- Establish a reference level by using the following procedure:

|                |                                          |
|----------------|------------------------------------------|
| RBW:           | 100 kHz                                  |
| VBW:           | 300 kHz                                  |
| Span           | Encompass frequency range to be measured |
| Detector Mode: | Peak                                     |
| Sweep time:    | auto                                     |
| Trace mode     | Max hold                                 |
- Allow the trace to stabilize, use the peak marker function to determine the maximum peak power level to establish the reference level. Then mark the maximum amplitude of all unwanted emissions outside of the authorized frequency band.

8.4. Test result

|                    |                         |                |                          |
|--------------------|-------------------------|----------------|--------------------------|
| Test Engineer:     | Zhongyao                | Test Site:     | RF Measurement System 3# |
| Ambient Condition: | 24.6-27.5℃,42.9-48.7%RH | Test Date:     | 2024.09.05-2024.09.11    |
| Test Power Supply: | AC 120V/60Hz            | Sample Number: | S24081429-001            |

| EUT Set Mode | CH or Frequency | Result(dBm) | EUT Set Mode | CH or Frequency | Result (dBm) |
|--------------|-----------------|-------------|--------------|-----------------|--------------|
| 11b          | CH1             | Pass        | 11g          | CH1             | Pass         |
|              | CH11            | Pass        |              | CH11            | Pass         |
| 11n HT 20    | CH1             | Pass        | 11n HT 40    | CH3             | Pass         |
|              | CH11            | Pass        |              | CH9             | Pass         |
| 11ax HE 20   | CH1             | Pass        | 11ax HE 40   | CH3             | Pass         |
|              | CH11            | Pass        |              | CH9             | Pass         |

8.5. Test graphs

