



8 Appendix

8.1 Appendix 15.407

1.Emission Bandwidth Measurement

Test Mode	Test Channel	Ant	EBW[MHz]	Limit[MHz]	Verdict
11A	5180	Ant1	21.660	---	PASS
11A	5180	Ant2	21.750	---	PASS
11A	5220	Ant1	21.720	---	PASS
11A	5220	Ant2	21.780	---	PASS
11A	5240	Ant1	21.660	---	PASS
11A	5240	Ant2	21.780	---	PASS
11A	5260	Ant1	21.750	---	PASS
11A	5260	Ant2	21.750	---	PASS
11A	5300	Ant1	21.750	---	PASS
11A	5300	Ant2	21.750	---	PASS
11A	5320	Ant1	21.690	---	PASS
11A	5320	Ant2	21.780	---	PASS
11A	5500	Ant1	21.720	---	PASS
11A	5500	Ant2	21.690	---	PASS
11A	5580	Ant1	21.750	---	PASS
11A	5580	Ant2	21.780	---	PASS
11A	5700	Ant1	21.750	---	PASS
11A	5700	Ant2	21.840	---	PASS
11A	5745	Ant1	16.350	≥ 0.5	PASS
11A	5745	Ant2	16.380	≥ 0.5	PASS
11A	5785	Ant1	16.380	≥ 0.5	PASS
11A	5785	Ant2	16.380	≥ 0.5	PASS
11A	5825	Ant1	16.380	≥ 0.5	PASS
11A	5825	Ant2	16.380	≥ 0.5	PASS
11N20	5180	Ant1	22.020	---	PASS
11N20	5180	Ant2	21.870	---	PASS
11N20	5220	Ant1	21.750	---	PASS
11N20	5220	Ant2	21.780	---	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180600510605

Page: 318 of 646

11N20	5240	Ant1	21.810	---	PASS
11N20	5240	Ant2	21.810	---	PASS
11N20	5260	Ant1	22.020	---	PASS
11N20	5260	Ant2	21.840	---	PASS
11N20	5300	Ant1	21.930	---	PASS
11N20	5300	Ant2	21.990	---	PASS
11N20	5320	Ant1	21.840	---	PASS
11N20	5320	Ant2	21.810	---	PASS
11N20	5500	Ant1	21.960	---	PASS
11N20	5500	Ant2	22.050	---	PASS
11N20	5580	Ant1	21.960	---	PASS
11N20	5580	Ant2	21.960	---	PASS
11N20	5700	Ant1	21.900	---	PASS
11N20	5700	Ant2	22.050	---	PASS
11N20	5745	Ant1	17.640	≥ 0.5	PASS
11N20	5745	Ant2	17.610	≥ 0.5	PASS
11N20	5785	Ant1	17.610	≥ 0.5	PASS
11N20	5785	Ant2	17.640	≥ 0.5	PASS
11N20	5825	Ant1	17.640	≥ 0.5	PASS
11N20	5825	Ant2	17.610	≥ 0.5	PASS
11N40	5190	Ant1	39.780	---	PASS
11N40	5190	Ant2	40.020	---	PASS
11N40	5230	Ant1	39.780	---	PASS
11N40	5230	Ant2	40.020	---	PASS
11N40	5270	Ant1	40.680	---	PASS
11N40	5270	Ant2	41.520	---	PASS
11N40	5310	Ant1	40.380	---	PASS
11N40	5310	Ant2	40.380	---	PASS
11N40	5510	Ant1	39.780	---	PASS
11N40	5510	Ant2	39.600	---	PASS
11N40	5550	Ant1	40.380	---	PASS
11N40	5550	Ant2	40.680	---	PASS
11N40	5590	Ant1	40.200	---	PASS
11N40	5590	Ant2	40.560	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180600510605

Page: 319 of 646

11N40	5670	Ant1	40.380	---	PASS
11N40	5670	Ant2	40.500	---	PASS
11N40	5755	Ant1	36.180	≥ 0.5	PASS
11N40	5755	Ant2	36.180	≥ 0.5	PASS
11N40	5795	Ant1	36.420	≥ 0.5	PASS
11N40	5795	Ant2	36.180	≥ 0.5	PASS
11AC20	5180	Ant1	22.110	---	PASS
11AC20	5180	Ant2	21.810	---	PASS
11AC20	5220	Ant1	21.930	---	PASS
11AC20	5220	Ant2	21.810	---	PASS
11AC20	5240	Ant1	21.810	---	PASS
11AC20	5240	Ant2	21.900	---	PASS
11AC20	5260	Ant1	21.840	---	PASS
11AC20	5260	Ant2	21.900	---	PASS
11AC20	5300	Ant1	21.840	---	PASS
11AC20	5300	Ant2	21.840	---	PASS
11AC20	5320	Ant1	21.990	---	PASS
11AC20	5320	Ant2	21.690	---	PASS
11AC20	5500	Ant1	21.960	---	PASS
11AC20	5500	Ant2	21.930	---	PASS
11AC20	5580	Ant1	21.870	---	PASS
11AC20	5580	Ant2	21.840	---	PASS
11AC20	5700	Ant1	21.720	---	PASS
11AC20	5700	Ant2	21.870	---	PASS
11AC20	5745	Ant1	17.610	≥ 0.5	PASS
11AC20	5745	Ant2	17.610	≥ 0.5	PASS
11AC20	5785	Ant1	17.610	≥ 0.5	PASS
11AC20	5785	Ant2	17.610	≥ 0.5	PASS
11AC20	5825	Ant1	17.640	≥ 0.5	PASS
11AC20	5825	Ant2	17.610	≥ 0.5	PASS
11AC80	5210	Ant1	81.720	---	PASS
11AC80	5210	Ant2	82.440	---	PASS
11AC80	5290	Ant1	81.960	---	PASS
11AC80	5290	Ant2	82.440	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180600510605


Page: 320 of 646


11AC80	5530	Ant1	81.840	---	PASS
11AC80	5530	Ant2	82.200	---	PASS
11AC80	5610	Ant1	80.520	---	PASS
11AC80	5610	Ant2	80.520	---	PASS
11AC80	5775	Ant1	75.600	≥ 0.5	PASS
11AC80	5775	Ant2	75.600	≥ 0.5	PASS
11AC40	5190	Ant1	39.840	---	PASS
11AC40	5190	Ant2	39.720	---	PASS
11AC40	5230	Ant1	39.840	---	PASS
11AC40	5230	Ant2	40.920	---	PASS
11AC40	5270	Ant1	40.920	---	PASS
11AC40	5270	Ant2	42.000	---	PASS
11AC40	5310	Ant1	40.560	---	PASS
11AC40	5310	Ant2	40.200	---	PASS
11AC40	5510	Ant1	39.780	---	PASS
11AC40	5510	Ant2	40.020	---	PASS
11AC40	5550	Ant1	40.380	---	PASS
11AC40	5550	Ant2	41.820	---	PASS
11AC40	5590	Ant1	40.440	---	PASS
11AC40	5590	Ant2	40.320	---	PASS
11AC40	5670	Ant1	40.440	---	PASS
11AC40	5670	Ant2	40.740	---	PASS
11AC40	5755	Ant1	36.420	≥ 0.5	PASS
11AC40	5755	Ant2	36.420	≥ 0.5	PASS
11AC40	5795	Ant1	36.180	≥ 0.5	PASS
11AC40	5795	Ant2	36.180	≥ 0.5	PASS





















































































































































































2.Occupied Bandwidth Measurement

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
11A	5180	Ant1	17.100	---	PASS
11A	5180	Ant2	17.100	---	PASS
11A	5220	Ant1	17.070	---	PASS
11A	5220	Ant2	17.100	---	PASS
11A	5240	Ant1	17.100	---	PASS
11A	5240	Ant2	17.100	---	PASS
11A	5260	Ant1	17.160	---	PASS
11A	5260	Ant2	17.100	---	PASS
11A	5300	Ant1	17.100	---	PASS
11A	5300	Ant2	17.100	---	PASS
11A	5320	Ant1	17.070	---	PASS
11A	5320	Ant2	17.100	---	PASS
11A	5500	Ant1	17.130	---	PASS
11A	5500	Ant2	17.130	---	PASS
11A	5580	Ant1	17.130	---	PASS
11A	5580	Ant2	17.100	---	PASS
11A	5700	Ant1	17.070	---	PASS
11A	5700	Ant2	17.130	---	PASS
11A	5745	Ant1	17.070	---	PASS
11A	5745	Ant2	17.130	---	PASS
11A	5785	Ant1	17.130	---	PASS
11A	5785	Ant2	17.130	---	PASS
11A	5825	Ant1	17.130	---	PASS
11A	5825	Ant2	17.100	---	PASS
11N20	5180	Ant1	18.210	---	PASS
11N20	5180	Ant2	18.180	---	PASS
11N20	5220	Ant1	18.180	---	PASS
11N20	5220	Ant2	18.210	---	PASS
11N20	5240	Ant1	18.180	---	PASS
11N20	5240	Ant2	18.210	---	PASS
11N20	5260	Ant1	18.180	---	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180600510605

Page: 383 of 646

11N20	5260	Ant2	18.150	---	PASS
11N20	5300	Ant1	18.210	---	PASS
11N20	5300	Ant2	18.210	---	PASS
11N20	5320	Ant1	18.180	---	PASS
11N20	5320	Ant2	18.180	---	PASS
11N20	5500	Ant1	18.210	---	PASS
11N20	5500	Ant2	18.180	---	PASS
11N20	5580	Ant1	18.180	---	PASS
11N20	5580	Ant2	18.210	---	PASS
11N20	5700	Ant1	18.180	---	PASS
11N20	5700	Ant2	18.180	---	PASS
11N20	5745	Ant1	18.180	---	PASS
11N20	5745	Ant2	18.210	---	PASS
11N20	5785	Ant1	18.180	---	PASS
11N20	5785	Ant2	18.180	---	PASS
11N20	5825	Ant1	18.240	---	PASS
11N20	5825	Ant2	18.210	---	PASS
11N40	5190	Ant1	36.180	---	PASS
11N40	5190	Ant2	36.180	---	PASS
11N40	5230	Ant1	36.240	---	PASS
11N40	5230	Ant2	36.240	---	PASS
11N40	5270	Ant1	36.480	---	PASS
11N40	5270	Ant2	36.480	---	PASS
11N40	5310	Ant1	36.420	---	PASS
11N40	5310	Ant2	36.480	---	PASS
11N40	5510	Ant1	36.180	---	PASS
11N40	5510	Ant2	36.180	---	PASS
11N40	5550	Ant1	36.480	---	PASS
11N40	5550	Ant2	36.480	---	PASS
11N40	5590	Ant1	36.480	---	PASS
11N40	5590	Ant2	36.480	---	PASS
11N40	5670	Ant1	36.480	---	PASS
11N40	5670	Ant2	36.480	---	PASS
11N40	5755	Ant1	36.480	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180600510605

Page: 384 of 646

11N40	5755	Ant2	36.540	---	PASS
11N40	5795	Ant1	36.480	---	PASS
11N40	5795	Ant2	36.480	---	PASS
11AC20	5180	Ant1	18.210	---	PASS
11AC20	5180	Ant2	18.180	---	PASS
11AC20	5220	Ant1	18.150	---	PASS
11AC20	5220	Ant2	18.210	---	PASS
11AC20	5240	Ant1	18.150	---	PASS
11AC20	5240	Ant2	18.180	---	PASS
11AC20	5260	Ant1	18.180	---	PASS
11AC20	5260	Ant2	18.180	---	PASS
11AC20	5300	Ant1	18.180	---	PASS
11AC20	5300	Ant2	18.210	---	PASS
11AC20	5320	Ant1	18.180	---	PASS
11AC20	5320	Ant2	18.180	---	PASS
11AC20	5500	Ant1	18.180	---	PASS
11AC20	5500	Ant2	18.210	---	PASS
11AC20	5580	Ant1	18.180	---	PASS
11AC20	5580	Ant2	18.240	---	PASS
11AC20	5700	Ant1	18.150	---	PASS
11AC20	5700	Ant2	18.180	---	PASS
11AC20	5745	Ant1	18.180	---	PASS
11AC20	5745	Ant2	18.180	---	PASS
11AC20	5785	Ant1	18.150	---	PASS
11AC20	5785	Ant2	18.210	---	PASS
11AC20	5825	Ant1	18.180	---	PASS
11AC20	5825	Ant2	18.180	---	PASS
11AC80	5210	Ant1	75.480	---	PASS
11AC80	5210	Ant2	75.600	---	PASS
11AC80	5290	Ant1	75.720	---	PASS
11AC80	5290	Ant2	75.720	---	PASS
11AC80	5530	Ant1	75.360	---	PASS
11AC80	5530	Ant2	75.480	---	PASS
11AC80	5610	Ant1	75.480	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180600510605


Page: 385 of 646


11AC80	5610	Ant2	75.600	---	PASS
11AC80	5775	Ant1	75.600	---	PASS
11AC80	5775	Ant2	75.720	---	PASS
11AC40	5190	Ant1	36.180	---	PASS
11AC40	5190	Ant2	36.180	---	PASS
11AC40	5230	Ant1	36.240	---	PASS
11AC40	5230	Ant2	36.300	---	PASS
11AC40	5270	Ant1	36.480	---	PASS
11AC40	5270	Ant2	36.420	---	PASS
11AC40	5310	Ant1	36.420	---	PASS
11AC40	5310	Ant2	36.420	---	PASS
11AC40	5510	Ant1	36.120	---	PASS
11AC40	5510	Ant2	36.180	---	PASS
11AC40	5550	Ant1	36.480	---	PASS
11AC40	5550	Ant2	36.480	---	PASS
11AC40	5590	Ant1	36.480	---	PASS
11AC40	5590	Ant2	36.480	---	PASS
11AC40	5670	Ant1	36.480	---	PASS
11AC40	5670	Ant2	36.480	---	PASS
11AC40	5755	Ant1	36.480	---	PASS
11AC40	5755	Ant2	36.420	---	PASS
11AC40	5795	Ant1	36.480	---	PASS
11AC40	5795	Ant2	36.480	---	PASS





















































































































































































3.Maximum Conduct Output Power

Test Mode	Test Channel	Ant	Level [dBm]	10log(1/x) Factor [dB]	Power [dBm]	Limit [dBm]	Verdict
11A	5180	Ant1	14.27	0.18	14.45	<23.98	PASS
11A	5180	Ant2	13.88	0.18	14.06	<23.98	PASS
11A	5220	Ant1	14.91	0.18	15.09	<23.98	PASS
11A	5220	Ant2	15.13	0.18	15.31	<23.98	PASS
11A	5240	Ant1	15.23	0.18	15.41	<23.98	PASS
11A	5240	Ant2	15.3	0.18	15.48	<23.98	PASS
11A	5260	Ant1	16.12	0.18	16.30	<23.98	PASS
11A	5260	Ant2	15.9	0.18	16.08	<23.98	PASS
11A	5300	Ant1	16.12	0.18	16.30	<23.98	PASS
11A	5300	Ant2	15.19	0.18	15.37	<23.98	PASS
11A	5320	Ant1	13.8	0.18	13.98	<23.98	PASS
11A	5320	Ant2	13.74	0.18	13.92	<23.98	PASS
11A	5500	Ant1	14.4	0.18	14.58	<23.98	PASS
11A	5500	Ant2	14.54	0.18	14.72	<23.98	PASS
11A	5580	Ant1	14.01	0.18	14.19	<23.98	PASS
11A	5580	Ant2	14.07	0.21	14.28	<23.98	PASS
11A	5700	Ant1	14.11	0.18	14.29	<23.98	PASS
11A	5700	Ant2	14.3	0.21	14.51	<23.98	PASS
11A	5745	Ant1	13.49	0.18	13.67	<30.00	PASS
11A	5745	Ant2	13.52	0.18	13.70	<30.00	PASS
11A	5785	Ant1	13.86	0.21	14.07	<30.00	PASS
11A	5785	Ant2	13.77	0.18	13.95	<30.00	PASS
11A	5825	Ant1	13.59	0.18	13.77	<30.00	PASS
11A	5825	Ant2	13.3	0.18	13.48	<30.00	PASS
11N20	5180	Ant1	13.82	0.2	14.02	<23.98	PASS
11N20	5180	Ant2	13.32	0.2	13.52	<23.98	PASS
11N20	5220	Ant1	15.02	0.2	15.22	<23.98	PASS
11N20	5220	Ant2	14.97	0.2	15.17	<23.98	PASS
11N20	5240	Ant1	16.02	0.2	16.22	<23.98	PASS
11N20	5240	Ant2	15.45	0.2	15.65	<23.98	PASS
11N20	5260	Ant1	16.23	0.2	16.43	<23.98	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180600510605

Page: 448 of 646

11N20	5260	Ant2	16.1	0.23	16.33	<23.98	PASS
11N20	5300	Ant1	15.52	0.2	15.72	<23.98	PASS
11N20	5300	Ant2	15.82	0.23	16.05	<23.98	PASS
11N20	5320	Ant1	13.69	0.2	13.89	<23.98	PASS
11N20	5320	Ant2	14.24	0.2	14.44	<23.98	PASS
11N20	5500	Ant1	14.13	0.2	14.33	<23.98	PASS
11N20	5500	Ant2	14.55	0.2	14.75	<23.98	PASS
11N20	5580	Ant1	14.33	0.2	14.53	<23.98	PASS
11N20	5580	Ant2	14.24	0.2	14.44	<23.98	PASS
11N20	5700	Ant1	14.38	0.23	14.61	<23.98	PASS
11N20	5700	Ant2	14.27	0.2	14.47	<23.98	PASS
11N20	5745	Ant1	13.55	0.23	13.78	<30.00	PASS
11N20	5745	Ant2	13.3	0.2	13.50	<30.00	PASS
11N20	5785	Ant1	14.11	0.2	14.31	<30.00	PASS
11N20	5785	Ant2	13.94	0.2	14.14	<30.00	PASS
11N20	5825	Ant1	13.8	0.23	14.03	<30.00	PASS
11N20	5825	Ant2	13.39	0.2	13.59	<30.00	PASS
11N40	5190	Ant1	9.9	0.17	10.07	<23.98	PASS
11N40	5190	Ant2	9.41	0.14	9.55	<23.98	PASS
11N40	5230	Ant1	14.91	0.14	15.05	<23.98	PASS
11N40	5230	Ant2	14.76	0.14	14.90	<23.98	PASS
11N40	5270	Ant1	17.48	0.4	17.88	<23.98	PASS
11N40	5270	Ant2	17.56	0.4	17.96	<23.98	PASS
11N40	5310	Ant1	14.8	0.4	15.20	<23.98	PASS
11N40	5310	Ant2	13.6	0.46	14.06	<23.98	PASS
11N40	5510	Ant1	9.75	0.14	9.89	<23.98	PASS
11N40	5510	Ant2	9.57	0.14	9.71	<23.98	PASS
11N40	5550	Ant1	16.2	0.4	16.60	<23.98	PASS
11N40	5550	Ant2	16.27	0.4	16.67	<23.98	PASS
11N40	5590	Ant1	16.46	0.46	16.92	<23.98	PASS
11N40	5590	Ant2	16.23	0.46	16.69	<23.98	PASS
11N40	5670	Ant1	16.36	0.46	16.82	<23.98	PASS
11N40	5670	Ant2	16.03	0.4	16.43	<23.98	PASS
11N40	5755	Ant1	16.15	0.4	16.55	<30.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180600510605

Page: 449 of 646

11N40	5755	Ant2	16.47	0.4	16.87	<30.00	PASS
11N40	5795	Ant1	16.23	0.4	16.63	<30.00	PASS
11N40	5795	Ant2	16.29	0.4	16.69	<30.00	PASS
11AC20	5180	Ant1	13.85	0.2	14.05	<23.98	PASS
11AC20	5180	Ant2	13.7	0.2	13.90	<23.98	PASS
11AC20	5220	Ant1	15.54	0.23	15.77	<23.98	PASS
11AC20	5220	Ant2	14.99	0.23	15.22	<23.98	PASS
11AC20	5240	Ant1	15.51	0.2	15.71	<23.98	PASS
11AC20	5240	Ant2	15.67	0.23	15.90	<23.98	PASS
11AC20	5260	Ant1	16.2	0.2	16.40	<23.98	PASS
11AC20	5260	Ant2	15.72	0.2	15.92	<23.98	PASS
11AC20	5300	Ant1	15.93	0.2	16.13	<23.98	PASS
11AC20	5300	Ant2	15.28	0.2	15.48	<23.98	PASS
11AC20	5320	Ant1	13.78	0.2	13.98	<23.98	PASS
11AC20	5320	Ant2	13.97	0.2	14.17	<23.98	PASS
11AC20	5500	Ant1	14.44	0.2	14.64	<23.98	PASS
11AC20	5500	Ant2	14.43	0.2	14.63	<23.98	PASS
11AC20	5580	Ant1	14.25	0.23	14.48	<23.98	PASS
11AC20	5580	Ant2	14	0.2	14.20	<23.98	PASS
11AC20	5700	Ant1	14.43	0.2	14.63	<23.98	PASS
11AC20	5700	Ant2	14.16	0.23	14.39	<23.98	PASS
11AC20	5745	Ant1	13.53	0.2	13.73	<30.00	PASS
11AC20	5745	Ant2	13.41	0.2	13.61	<30.00	PASS
11AC20	5785	Ant1	14.1	0.2	14.30	<30.00	PASS
11AC20	5785	Ant2	14.12	0.2	14.32	<30.00	PASS
11AC20	5825	Ant1	13.82	0.23	14.05	<30.00	PASS
11AC20	5825	Ant2	13.12	0.23	13.35	<30.00	PASS
11AC80	5210	Ant1	7.86	0.19	8.05	<23.98	PASS
11AC80	5210	Ant2	8.82	0.19	9.01	<23.98	PASS
11AC80	5290	Ant1	9.97	0.19	10.16	<23.98	PASS
11AC80	5290	Ant2	9.73	0.19	9.92	<23.98	PASS
11AC80	5530	Ant1	7.43	0.19	7.62	<23.98	PASS
11AC80	5530	Ant2	6.71	0.19	6.90	<23.98	PASS
11AC80	5610	Ant1	12.61	0.19	12.80	<23.98	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180600510605

Page: 450 of 646

11AC80	5610	Ant2	12.71	0.19	12.90	<23.98	PASS
11AC80	5775	Ant1	11.37	0.22	11.59	<30.00	PASS
11AC80	5775	Ant2	11.68	0.19	11.87	<30.00	PASS
11AC40	5190	Ant1	9.93	0.14	10.07	<23.98	PASS
11AC40	5190	Ant2	9.5	0.14	9.64	<23.98	PASS
11AC40	5230	Ant1	15	0.14	15.14	<23.98	PASS
11AC40	5230	Ant2	14.66	0.14	14.80	<23.98	PASS
11AC40	5270	Ant1	17.59	0.4	17.99	<23.98	PASS
11AC40	5270	Ant2	17.6	0.46	18.06	<23.98	PASS
11AC40	5310	Ant1	14.86	0.46	15.32	<23.98	PASS
11AC40	5310	Ant2	13.96	0.4	14.36	<23.98	PASS
11AC40	5510	Ant1	10.18	0.14	10.32	<23.98	PASS
11AC40	5510	Ant2	9.53	0.14	9.67	<23.98	PASS
11AC40	5550	Ant1	16.34	0.39	16.73	<23.98	PASS
11AC40	5550	Ant2	16.25	0.39	16.64	<23.98	PASS
11AC40	5590	Ant1	16.5	0.46	16.96	<23.98	PASS
11AC40	5590	Ant2	16.35	0.39	16.74	<23.98	PASS
11AC40	5670	Ant1	16.32	0.39	16.71	<23.98	PASS
11AC40	5670	Ant2	16.01	0.39	16.40	<23.98	PASS
11AC40	5755	Ant1	16.38	0.39	16.77	<30.00	PASS
11AC40	5755	Ant2	16.1	0.39	16.49	<30.00	PASS
11AC40	5795	Ant1	16.23	0.39	16.62	<30.00	PASS
11AC40	5795	Ant2	16.1	0.39	16.49	<30.00	PASS

MIMO:

Test Mode	Test Channel	Ant	Power [dBm]	Limit [dBm]	Verdict
11N20	5180	Ant1+2	16.79	<23.98	PASS
11N20	5220	Ant1+2	18.21	<23.98	PASS
11N20	5240	Ant1+2	18.95	<23.98	PASS
11N20	5260	Ant1+2	19.39	<23.98	PASS
11N20	5300	Ant1+2	18.90	<23.98	PASS
11N20	5320	Ant1+2	17.18	<23.98	PASS
11N20	5500	Ant1+2	17.56	<23.98	PASS
11N20	5580	Ant1+2	17.50	<23.98	PASS
11N20	5700	Ant1+2	17.55	<23.98	PASS
11N20	5745	Ant1+2	16.65	<30.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180600510605


Page: 451 of 646

11N20	5785	Ant1+2	17.24	<30.00	PASS
11N20	5825	Ant1+2	16.83	<30.00	PASS
11N40	5190	Ant1+2	12.83	<23.98	PASS
11N40	5230	Ant1+2	17.99	<23.98	PASS
11N40	5270	Ant1+2	20.93	<23.98	PASS
11N40	5310	Ant1+2	17.68	<23.98	PASS
11N40	5510	Ant1+2	12.81	<23.98	PASS
11N40	5550	Ant1+2	19.65	<23.98	PASS
11N40	5670	Ant1+2	19.82	<23.98	PASS
11N40	5755	Ant1+2	19.64	<30.00	PASS
11N40	5795	Ant1+2	19.72	<30.00	PASS
11AC20	5180	Ant1+2	16.99	<23.98	PASS
11AC20	5220	Ant1+2	18.51	<23.98	PASS
11AC20	5240	Ant1+2	18.82	<23.98	PASS
11AC20	5260	Ant1+2	19.18	<23.98	PASS
11AC20	5300	Ant1+2	18.83	<23.98	PASS
11AC20	5320	Ant1+2	17.09	<23.98	PASS
11AC20	5500	Ant1+2	17.65	<23.98	PASS
11AC20	5580	Ant1+2	17.35	<23.98	PASS
11AC20	5700	Ant1+2	17.52	<23.98	PASS
11AC20	5745	Ant1+2	16.68	<30.00	PASS
11AC20	5785	Ant1+2	17.32	<30.00	PASS
11AC20	5825	Ant1+2	16.72	<30.00	PASS
11AC40	5190	Ant1+2	12.87	<23.98	PASS
11AC40	5230	Ant1+2	17.98	<23.98	PASS
11AC40	5270	Ant1+2	21.04	<23.98	PASS
11AC40	5310	Ant1+2	17.88	<23.98	PASS
11AC40	5510	Ant1+2	13.02	<23.98	PASS
11AC40	5550	Ant1+2	19.70	<23.98	PASS
11AC40	5590	Ant1+2	19.86	<23.98	PASS
11AC40	5670	Ant1+2	19.57	<23.98	PASS
11AC40	5755	Ant1+2	19.64	<30.00	PASS
11AC40	5795	Ant1+2	19.57	<30.00	PASS
11AC80	5210	Ant1+2	11.57	<23.98	PASS
11AC80	5290	Ant1+2	13.05	<23.98	PASS
11AC80	5530	Ant1+2	10.29	<23.98	PASS
11AC80	5610	Ant1+2	15.86	<23.98	PASS
11AC80	5775	Ant1+2	14.74	<30.00	PASS


Maximum Conduct Output Power_11A_5180_Ant1




Maximum Conduct Output Power_11A_5180_Ant2




Maximum Conduct Output Power_11A_5220_Ant1




Maximum Conduct Output Power_11A_5220_Ant2







Maximum Conduct Output Power_11A_5260_Ant1




Maximum Conduct Output Power_11A_5260_Ant2







Maximum Conduct Output Power_11A_5320_Ant1




Maximum Conduct Output Power_11A_5320_Ant2




Maximum Conduct Output Power_11A_5500_Ant1




Maximum Conduct Output Power_11A_5500_Ant2




Maximum Conduct Output Power_11A_5580_Ant1




Maximum Conduct Output Power_11A_5580_Ant2






Maximum Conduct Output Power_11A_5700_Ant1




Maximum Conduct Output Power_11A_5700_Ant2













Maximum Conduct Output Power_11N20_5180_Ant1




Maximum Conduct Output Power_11N20_5180_Ant2







Maximum Conduct Output Power_11N20_5240_Ant1




Maximum Conduct Output Power_11N20_5240_Ant2




Maximum Conduct Output Power_11N20_5260_Ant1




Maximum Conduct Output Power_11N20_5260_Ant2




Maximum Conduct Output Power_11N20_5300_Ant1




Maximum Conduct Output Power_11N20_5300_Ant2



Maximum Conduct Output Power_11N20_5320_Ant1



Maximum Conduct Output Power_11N20_5320_Ant2



Ref 20 dBm * Att 20 dB

* RBW 1 MHz
* VSW 3 MHz
SWT 20 ms

Offset 3 dB

1 RM *
VIEW


100 of 100

Center 5.5 GHz 3.294 MHz/ Span 32.94 MHz


Tx Channel
Bandwidth 21.96 MHz Power 14.13 dBm

The screenshot displays a Spectrum Analyzer interface. At the top left, there is a red diamond icon with 'R' and 'S' inside. The main display area shows a frequency spectrum plot with a blue trace. The plot has a grid with major lines every 10 dB on the vertical axis and 10 MHz on the horizontal axis. The vertical axis is labeled from -70 to 10 dBm. The horizontal axis is labeled from 5.5 GHz to 33.075 MHz. A red vertical line is positioned at 5.5 GHz, and another red vertical line is at 33.075 MHz. The signal trace shows a flat noise floor at approximately -40 dBm, a rising edge starting around 10 MHz, a flat top at approximately 0 dBm, and a falling edge starting around 25 MHz. The text 'Offset 3 dB' is displayed in the top left of the plot area. The text '100 dB' is displayed in the bottom left of the plot area. The text '100' is displayed in the bottom center of the plot area. The text 'Tx Channel' is displayed in the bottom left of the interface. The text 'Bandwidth' is displayed in the bottom center of the interface. The text 'Power' is displayed in the bottom right of the interface. The text 'Center 5.5 GHz' is displayed in the bottom left of the interface. The text '3.3075 MHz/' is displayed in the bottom center of the interface. The text 'Span 33.075 MHz' is displayed in the bottom right of the interface. The text '1 RM' is displayed in the top left of the interface. The text 'VIEW' is displayed in the top center of the interface. The text 'RBW 1 MHz' is displayed in the top right of the interface. The text 'VBW 3 MHz' is displayed in the top right of the interface. The text 'SWT 20 ms' is displayed in the top right of the interface. The text 'Att 20 dB' is displayed in the top right of the interface. The text 'A' is displayed in the top right of the interface. The text 'LVL' is displayed in the top right of the interface. The text '3DB' is displayed in the top right of the interface.


Maximum Conduct Output Power_11N20_5580_Ant1




Maximum Conduct Output Power_11N20_5580_Ant2




Maximum Conduct Output Power_11N20_5700_Ant1




Maximum Conduct Output Power_11N20_5700_Ant2




Maximum Conduct Output Power_11N20_5745_Ant1




Maximum Conduct Output Power_11N20_5745_Ant2




Maximum Conduct Output Power_11N20_5785_Ant1




Maximum Conduct Output Power_11N20_5785_Ant2





Tx Channel


Bandwidth	17.64 MHz	Power	13.80 dBm
-----------	-----------	-------	-----------




Tx Channel

Bandwidth	17.61 MHz	Power	13.39 dBm
-----------	-----------	-------	-----------


Maximum Conduct Output Power_11N40_5190_Ant1




Maximum Conduct Output Power_11N40_5190_Ant2




Maximum Conduct Output Power_11N40_5230_Ant1




Maximum Conduct Output Power_11N40_5230_Ant2




Maximum Conduct Output Power_11N40_5270_Ant1




Maximum Conduct Output Power_11N40_5270_Ant2




Maximum Conduct Output Power_11N40_5310_Ant1




Maximum Conduct Output Power_11N40_5310_Ant2




Maximum Conduct Output Power_11N40_5510_Ant1




Maximum Conduct Output Power_11N40_5510_Ant2




Maximum Conduct Output Power_11N40_5550_Ant1




Maximum Conduct Output Power_11N40_5550_Ant2





Maximum Conduct Output Power_11N40_5590_Ant1




Maximum Conduct Output Power_11N40_5590_Ant2







Maximum Conduct Output Power_11N40_5755_Ant1




Maximum Conduct Output Power_11N40_5755_Ant2




Maximum Conduct Output Power_11N40_5795_Ant1




Maximum Conduct Output Power_11N40_5795_Ant2




Maximum Conduct Output Power_11AC20_5180_Ant1




Maximum Conduct Output Power_11AC20_5180_Ant2




Maximum Conduct Output Power_11AC20_5220_Ant1




Maximum Conduct Output Power_11AC20_5220_Ant2




Maximum Conduct Output Power_11AC20_5240_Ant1




Maximum Conduct Output Power_11AC20_5240_Ant2



Maximum Conduct Output Power_11AC20_5260_Ant1



Maximum Conduct Output Power_11AC20_5260_Ant2



Ref 20 dBm * Att 20 dB

* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms

Offset 3 dB

1 RM *
VIEW


SWP 100 of 100

Center 5.3 GHz 3.276 MHz/ Span 32.76 MHz


Tx Channel
Bandwidth 21.84 MHz Power 15.93 dBm

The screenshot shows a Spectrum Analyzer interface. At the top left, there is a red 'RS' logo. The main display area shows a blue signal trace on a grid. The y-axis is labeled 'Offset 3 dB' and ranges from -70 to 10. The x-axis is labeled 'Center 5.3 GHz' and 'Span 32.76 MHz'. The signal trace shows a flat top at approximately 0 dBm, with a roll-off on either side. The roll-off is labeled '100 dB' and '100 dB'. The signal is labeled 'Tx Channel' and 'Bandwidth 21.84 MHz'. The power is labeled 'Power 15.28 dBm'. The signal is labeled '1 RM' and 'VIEW'. The signal is labeled 'A' and 'LVL' and '3dB'.


Maximum Conduct Output Power_11AC20_5320_Ant1




Maximum Conduct Output Power_11AC20_5320_Ant2




Maximum Conduct Output Power_11AC20_5500_Ant1



Maximum Conduct Output Power_11AC20_5500_Ant2





Maximum Conduct Output Power_11AC20_5580_Ant2



* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms

Ref 20 dBm * Att 20 dB

Offset 3 dB




Center 5.58 GHz 3.276 MHz/ Span 32.76 MHz

Tx Channel


Bandwidth 21.84 MHz Power 14.00 dBm



1 RM
VIEW

Maximum Conduct Output Power_11AC20_5700_Ant1




Maximum Conduct Output Power_11AC20_5700_Ant2







Maximum Conduct Output Power_11AC20_5785_Ant1




Maximum Conduct Output Power_11AC20_5785_Ant2




Maximum Conduct Output Power_11AC20_5825_Ant1




Maximum Conduct Output Power_11AC20_5825_Ant2




Maximum Conduct Output Power_11AC80_5210_Ant1




Maximum Conduct Output Power_11AC80_5210_Ant2





Maximum Conduct Output Power_11AC80_5530_Ant1



Maximum Conduct Output Power_11AC80_5530_Ant2

