





Emission Bandwidth Measurement_11N40_5755_Ant1




Emission Bandwidth Measurement_11N40_5795_Ant1








Emission Bandwidth Measurement_11AC20_5180_Ant1




Emission Bandwidth Measurement_11AC20_5200_Ant1









Emission Bandwidth Measurement_11AC20_5300_Ant1




Emission Bandwidth Measurement_11AC20_5320_Ant1



Emission Bandwidth Measurement_11AC20_5500_Ant1




Emission Bandwidth Measurement_11AC20_5580_Ant1







Emission Bandwidth Measurement_11AC20_5600_Ant1




Emission Bandwidth Measurement_11AC20_5700_Ant1




Emission Bandwidth Measurement_11AC20_5745_Ant1




Emission Bandwidth Measurement 11AC20 5785 Ant1




Emission Bandwidth Measurement_11AC20_5825_Ant1




Emission Bandwidth Measurement 11AC40 5190 Ant1




Emission Bandwidth Measurement_11AC40_5230_Ant1




Emission Bandwidth Measurement_11AC40_5270_Ant1



Emission Bandwidth Measurement_11AC40_5310_Ant1




Emission Bandwidth Measurement_11AC40_5510_Ant1







Emission Bandwidth Measurement_11AC40_5550_Ant1




Emission Bandwidth Measurement_11AC40_5590_Ant1



Emission Bandwidth Measurement_11AC40_5670_Ant1




Emission Bandwidth Measurement_11AC40_5755_Ant1






Emission Bandwidth Measurement_11AC40_5795_Ant1




Emission Bandwidth Measurement_11AC80_5210_Ant1






Emission Bandwidth Measurement_11AC80_5290_Ant1



Emission Bandwidth Measurement_11AC80_5530_Ant1



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch



2.Occupied Bandwidth Measurement

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
11A	5180	Ant1	16.860	---	PASS
11A	5200	Ant1	16.860	---	PASS
11A	5240	Ant1	16.860	---	PASS
11A	5260	Ant1	16.920	---	PASS
11A	5300	Ant1	16.860	---	PASS
11A	5320	Ant1	16.890	---	PASS
11A	5500	Ant1	16.890	---	PASS
11A	5580	Ant1	16.890	---	PASS
11A	5600	Ant1	16.920	---	PASS
11A	5700	Ant1	16.920	---	PASS
11A	5745	Ant1	16.920	---	PASS
11A	5785	Ant1	16.950	---	PASS
11A	5825	Ant1	16.950	---	PASS
11N20	5180	Ant1	17.760	---	PASS
11N20	5200	Ant1	17.760	---	PASS
11N20	5240	Ant1	17.760	---	PASS
11N20	5260	Ant1	17.730	---	PASS
11N20	5300	Ant1	17.730	---	PASS
11N20	5320	Ant1	17.760	---	PASS
11N20	5500	Ant1	17.790	---	PASS
11N20	5580	Ant1	17.730	---	PASS
11N20	5600	Ant1	17.760	---	PASS
11N20	5700	Ant1	17.790	---	PASS
11N20	5745	Ant1	17.760	---	PASS
11N20	5785	Ant1	17.790	---	PASS
11N20	5825	Ant1	17.760	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170300200804

Page: 351 of 795

11N40	5190	Ant1	36.360	---	PASS
11N40	5230	Ant1	36.360	---	PASS
11N40	5270	Ant1	36.360	---	PASS
11N40	5310	Ant1	36.360	---	PASS
11N40	5510	Ant1	36.360	---	PASS
11N40	5550	Ant1	36.360	---	PASS
11N40	5590	Ant1	36.360	---	PASS
11N40	5670	Ant1	36.420	---	PASS
11N40	5755	Ant1	36.420	---	PASS
11N40	5795	Ant1	36.420	---	PASS
11AC20	5180	Ant1	17.940	---	PASS
11AC20	5200	Ant1	17.760	---	PASS
11AC20	5240	Ant1	17.760	---	PASS
11AC20	5260	Ant1	17.760	---	PASS
11AC20	5300	Ant1	17.730	---	PASS
11AC20	5320	Ant1	17.730	---	PASS
11AC20	5500	Ant1	17.790	---	PASS
11AC20	5580	Ant1	17.760	---	PASS
11AC20	5600	Ant1	17.730	---	PASS
11AC20	5700	Ant1	17.790	---	PASS
11AC20	5745	Ant1	17.790	---	PASS
11AC20	5785	Ant1	17.760	---	PASS
11AC20	5825	Ant1	17.790	---	PASS
11AC40	5190	Ant1	36.300	---	PASS
11AC40	5230	Ant1	36.300	---	PASS
11AC40	5270	Ant1	36.300	---	PASS
11AC40	5310	Ant1	36.300	---	PASS
11AC40	5510	Ant1	36.360	---	PASS
11AC40	5550	Ant1	36.360	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170300200804


Page: 352 of 795

11AC40	5590	Ant1	36.360	---	PASS
11AC40	5670	Ant1	36.300	---	PASS
11AC40	5755	Ant1	36.360	---	PASS
11AC40	5795	Ant1	36.300	---	PASS
11AC80	5210	Ant1	76.560	---	PASS
11AC80	5290	Ant1	76.560	---	PASS
11AC80	5530	Ant1	76.440	---	PASS
11AC80	5610	Ant1	75.769	---	PASS
11AC80	5775	Ant1	76.680	---	PASS




TEST PLOT

Occupied Bandwidth Measurement_11A_5180_Ant1




Occupied Bandwidth Measurement_11A_5200_Ant1






Occupied Bandwidth Measurement_11A_5300_Ant1




Occupied Bandwidth Measurement_11A_5320_Ant1






Occupied Bandwidth Measurement_11A_5500_Ant1




Occupied Bandwidth Measurement_11A_5580_Ant1






Occupied Bandwidth Measurement_11A_5600_Ant1




Occupied Bandwidth Measurement_11A_5700_Ant1






Occupied Bandwidth Measurement_11A_5745_Ant1




Occupied Bandwidth Measurement_11A_5785_Ant1






Occupied Bandwidth Measurement_11A_5825_Ant1




Occupied Bandwidth Measurement_11N20_5180_Ant1






Occupied Bandwidth Measurement_11N20_5200_Ant1




Occupied Bandwidth Measurement_11N20_5240_Ant1






Occupied Bandwidth Measurement_11N20_5260_Ant1




Occupied Bandwidth Measurement_11N20_5300_Ant1






Occupied Bandwidth Measurement_11N20_5320_Ant1




Occupied Bandwidth Measurement_11N20_5500_Ant1






Occupied Bandwidth Measurement_11N20_5580_Ant1




Occupied Bandwidth Measurement_11N20_5600_Ant1






Occupied Bandwidth Measurement_11N20_5700_Ant1




Occupied Bandwidth Measurement_11N20_5745_Ant1






Occupied Bandwidth Measurement_11N20_5785_Ant1




Occupied Bandwidth Measurement_11N20_5825_Ant1






Occupied Bandwidth Measurement_11N40_5190_Ant1




Occupied Bandwidth Measurement_11N40_5230_Ant1






Occupied Bandwidth Measurement_11N40_5270_Ant1




Occupied Bandwidth Measurement_11N40_5310_Ant1






Occupied Bandwidth Measurement_11N40_5510_Ant1




Occupied Bandwidth Measurement_11N40_5550_Ant1






Occupied Bandwidth Measurement_11N40_5590_Ant1




Occupied Bandwidth Measurement_11N40_5670_Ant1






Occupied Bandwidth Measurement_11N40_5755_Ant1




Occupied Bandwidth Measurement_11N40_5795_Ant1






Occupied Bandwidth Measurement_11AC20_5180_Ant1




Occupied Bandwidth Measurement_11AC20_5200_Ant1






Occupied Bandwidth Measurement_11AC20_5240_Ant1




Occupied Bandwidth Measurement_11AC20_5260_Ant1






Occupied Bandwidth Measurement_11AC20_5300_Ant1




Occupied Bandwidth Measurement_11AC20_5320_Ant1






Occupied Bandwidth Measurement_11AC20_5600_Ant1




Occupied Bandwidth Measurement_11AC20_5700_Ant1






Occupied Bandwidth Measurement_11AC20_5745_Ant1




Occupied Bandwidth Measurement_11AC20_5785_Ant1






Occupied Bandwidth Measurement_11AC20_5825_Ant1




Occupied Bandwidth Measurement_11AC40_5190_Ant1






Occupied Bandwidth Measurement_11AC40_5230_Ant1




Occupied Bandwidth Measurement_11AC40_5270_Ant1






Occupied Bandwidth Measurement_11AC40_5310_Ant1




Occupied Bandwidth Measurement_11AC40_5510_Ant1






Occupied Bandwidth Measurement_11AC40_5550_Ant1




Occupied Bandwidth Measurement_11AC40_5590_Ant1






Occupied Bandwidth Measurement_11AC40_5670_Ant1




Occupied Bandwidth Measurement_11AC40_5755_Ant1






Occupied Bandwidth Measurement_11AC40_5795_Ant1




Occupied Bandwidth Measurement_11AC80_5210_Ant1






Occupied Bandwidth Measurement_11AC80_5610_Ant1



Occupied Bandwidth Measurement_11AC80_5775_Ant1





3. Maximum Conduct Output Power

Test Mode	Test Channel	Ant	Level [dBm]	10log(1/x) Factor [dB]	Power [dBm]	Limit [dBm]	Verdict
11A	5180	Ant1	11.69	0.3	11.99	<23.98	PASS
11A	5200	Ant1	11.43	0.3	11.73	<23.98	PASS
11A	5240	Ant1	10.99	0.3	11.29	<23.98	PASS
11A	5260	Ant1	11.44	0.3	11.74	<23.98	PASS
11A	5300	Ant1	11.08	0.3	11.38	<23.98	PASS
11A	5320	Ant1	11.44	0.3	11.74	<23.98	PASS
11A	5500	Ant1	12.9	0.3	13.20	<23.98	PASS
11A	5580	Ant1	11.66	0.3	11.96	<23.98	PASS
11A	5600	Ant1	11.44	0.3	11.74	<23.98	PASS
11A	5700	Ant1	12.3	0.3	12.60	<23.98	PASS
11A	5745	Ant1	12.87	0.3	13.17	<30.00	PASS
11A	5785	Ant1	13.13	0.3	13.43	<30.00	PASS
11A	5825	Ant1	13.53	0.3	13.83	<30.00	PASS
11N20	5180	Ant1	10.85	0.04	10.89	<23.98	PASS
11N20	5200	Ant1	10.66	0.04	10.70	<23.98	PASS
11N20	5240	Ant1	10.54	0.05	10.59	<23.98	PASS
11N20	5260	Ant1	10.29	0.05	10.34	<23.98	PASS
11N20	5300	Ant1	10.42	0.04	10.46	<23.98	PASS
11N20	5320	Ant1	10.6	0.04	10.64	<23.98	PASS
11N20	5500	Ant1	11.51	0.05	11.56	<23.98	PASS
11N20	5580	Ant1	10.13	0.04	10.17	<23.98	PASS
11N20	5600	Ant1	10.12	0.05	10.17	<23.98	PASS
11N20	5700	Ant1	10.63	0	10.63	<23.98	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170300200804

Page: 386 of 795

11N20	5745	Ant1	11.28	0.05	11.33	<30.00	PASS
11N20	5785	Ant1	12.06	0.04	12.10	<30.00	PASS
11N20	5825	Ant1	12.22	0.05	12.27	<30.00	PASS
11N40	5190	Ant1	10.73	0.54	11.27	<23.98	PASS
11N40	5230	Ant1	10.52	0.54	11.06	<23.98	PASS
11N40	5270	Ant1	10.44	0.26	10.70	<23.98	PASS
11N40	5310	Ant1	10.7	0.53	11.23	<23.98	PASS
11N40	5510	Ant1	11.12	0.54	11.66	<23.98	PASS
11N40	5550	Ant1	10.91	0.54	11.45	<23.98	PASS
11N40	5590	Ant1	10.16	0.54	10.70	<23.98	PASS
11N40	5670	Ant1	10.6	0.17	10.77	<23.98	PASS
11N40	5755	Ant1	11.81	0.53	12.34	<30.00	PASS
11N40	5795	Ant1	12.08	0.53	12.61	<30.00	PASS
11AC20	5180	Ant1	10.94	0.32	11.26	<23.98	PASS
11AC20	5200	Ant1	10.56	0.32	10.88	<23.98	PASS
11AC20	5240	Ant1	10.49	0.32	10.81	<23.98	PASS
11AC20	5260	Ant1	10.62	0.32	10.94	<23.98	PASS
11AC20	5300	Ant1	10.31	0.32	10.63	<23.98	PASS
11AC20	5320	Ant1	10.48	0.32	10.80	<23.98	PASS
11AC20	5500	Ant1	11.3	0.32	11.62	<23.98	PASS
11AC20	5580	Ant1	10.33	0.32	10.65	<23.98	PASS
11AC20	5600	Ant1	10.31	0.32	10.63	<23.98	PASS
11AC20	5700	Ant1	10.92	0.32	11.24	<23.98	PASS
11AC20	5745	Ant1	11.52	0.32	11.84	<30.00	PASS
11AC20	5785	Ant1	11.87	0.32	12.19	<30.00	PASS
11AC20	5825	Ant1	12.4	0.32	12.72	<30.00	PASS
11AC40	5190	Ant1	10.95	0.77	11.72	<23.98	PASS
11AC40	5230	Ant1	10.69	0.65	11.34	<23.98	PASS
11AC40	5310	Ant1	10.39	0.77	11.16	<23.98	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170300200804


Page: 387 of 795

11AC40	5510	Ant1	11.24	0.53	11.77	<23.98	PASS
11AC40	5550	Ant1	10.54	0.54	11.08	<23.98	PASS
11AC40	5590	Ant1	10.31	0.54	10.85	<23.98	PASS
11AC40	5670	Ant1	10.52	0.53	11.05	<23.98	PASS
11AC40	5755	Ant1	11.33	0.53	11.86	<30.00	PASS
11AC40	5795	Ant1	12.03	0.53	12.56	<30.00	PASS
11AC80	5210	Ant1	8.6	1.09	9.69	<23.98	PASS
11AC80	5290	Ant1	8.67	0.34	9.01	<23.98	PASS
11AC80	5530	Ant1	9.36	1.09	10.45	<23.98	PASS
11AC80	5610	Ant1	8.55	0.34	8.89	<23.98	PASS
11AC80	5775	Ant1	10.01	1.09	11.10	<30.00	PASS




TEST PLOT

Maximum Conduct Output Power_11A_5180_Ant1




Maximum Conduct Output Power_11A_5200_Ant1






Maximum Conduct Output Power_11A_5240_Ant1




Maximum Conduct Output Power_11A_5260_Ant1






Maximum Conduct Output Power_11A_5300_Ant1




Maximum Conduct Output Power_11A_5320_Ant1






Maximum Conduct Output Power_11A_5500_Ant1




Maximum Conduct Output Power_11A_5580_Ant1






Maximum Conduct Output Power_11A_5600_Ant1




Maximum Conduct Output Power_11A_5700_Ant1






Maximum Conduct Output Power_11A_5745_Ant1




Maximum Conduct Output Power_11A_5785_Ant1






Maximum Conduct Output Power_11A_5825_Ant1




Maximum Conduct Output Power_11N20_5180_Ant1






Maximum Conduct Output Power_11N20_5200_Ant1




Maximum Conduct Output Power_11N20_5240_Ant1






Maximum Conduct Output Power_11N20_5260_Ant1




Maximum Conduct Output Power_11N20_5300_Ant1






Maximum Conduct Output Power_11N20_5320_Ant1




Maximum Conduct Output Power_11N20_5500_Ant1






Maximum Conduct Output Power_11N20_5580_Ant1




Maximum Conduct Output Power_11N20_5600_Ant1






Maximum Conduct Output Power_11N20_5700_Ant1




Maximum Conduct Output Power_11N20_5745_Ant1






Maximum Conduct Output Power_11N20_5785_Ant1




Maximum Conduct Output Power_11N20_5825_Ant1






Maximum Conduct Output Power_11N40_5190_Ant1




Maximum Conduct Output Power_11N40_5230_Ant1







Maximum Conduct Output Power_11N40_5270_Ant1




Maximum Conduct Output Power_11N40_5310_Ant1




Maximum Conduct Output Power_11N40_5510_Ant1




Maximum Conduct Output Power_11N40_5550_Ant1



Maximum Conduct Output Power_11N40_5590_Ant1




Maximum Conduct Output Power_11N40_5670_Ant1






Maximum Conduct Output Power_11N40_5755_Ant1




Maximum Conduct Output Power_11N40_5795_Ant1






Maximum Conduct Output Power_11AC20_5180_Ant1




Maximum Conduct Output Power_11AC20_5200_Ant1






Maximum Conduct Output Power_11AC20_5240_Ant1




Maximum Conduct Output Power_11AC20_5260_Ant1






Maximum Conduct Output Power_11AC20_5300_Ant1




Maximum Conduct Output Power_11AC20_5320_Ant1






Maximum Conduct Output Power_11AC20_5500_Ant1




Maximum Conduct Output Power_11AC20_5580_Ant1






Maximum Conduct Output Power_11AC20_5600_Ant1




Maximum Conduct Output Power_11AC20_5700_Ant1






Maximum Conduct Output Power_11AC20_5745_Ant1




Maximum Conduct Output Power_11AC20_5785_Ant1






Maximum Conduct Output Power_11AC20_5825_Ant1




Maximum Conduct Output Power_11AC40_5190_Ant1






Maximum Conduct Output Power_11AC40_5510_Ant1




Maximum Conduct Output Power_11AC40_5550_Ant1






Maximum Conduct Output Power_11AC40_5590_Ant1




Maximum Conduct Output Power_11AC40_5670_Ant1






Maximum Conduct Output Power_11AC40_5755_Ant1




Maximum Conduct Output Power_11AC40_5795_Ant1






Maximum Conduct Output Power_11AC80_5210_Ant1




Maximum Conduct Output Power_11AC80_5290_Ant1






Maximum Conduct Output Power_11AC80_5530_Ant1




Maximum Conduct Output Power_11AC80_5610_Ant1





Maximum Conduct Output Power_11AC80_5775_Ant1





4. Maximum Power Spectral Density

Test Mode	Test Channel	Ant	Level [dBm/MHz]	10log(1/x) Factor [dB]	PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	5180	Ant1	1.85	0.3	2.15	<11.00	PASS
11A	5200	Ant1	1.31	0.3	1.61	<11.00	PASS
11A	5240	Ant1	0.93	0.3	1.23	<11.00	PASS
11A	5260	Ant1	1.26	0.3	1.56	<11.00	PASS
11A	5300	Ant1	1.09	0.3	1.39	<11.00	PASS
11A	5320	Ant1	1.29	0.3	1.59	<11.00	PASS
11A	5500	Ant1	2.7	0.3	3	<11.00	PASS
11A	5580	Ant1	1.76	0.3	2.06	<11.00	PASS
11A	5600	Ant1	1.15	0.3	1.45	<11.00	PASS
11A	5700	Ant1	2.22	0.3	2.52	<11.00	PASS
11N20	5180	Ant1	0.52	0.04	0.56	<11.00	PASS
11N20	5200	Ant1	0.38	0.04	0.42	<11.00	PASS
11N20	5240	Ant1	0.16	0.05	0.21	<11.00	PASS
11N20	5260	Ant1	-0.01	0.05	0.04	<11.00	PASS
11N20	5300	Ant1	0.13	0.04	0.17	<11.00	PASS
11N20	5320	Ant1	0.31	0.04	0.35	<11.00	PASS
11N20	5500	Ant1	1.25	0.05	1.3	<11.00	PASS
11N20	5580	Ant1	-0.23	0.04	-0.19	<11.00	PASS
11N20	5600	Ant1	-0.32	0.05	-0.27	<11.00	PASS
11N20	5700	Ant1	0.72	0	0.72	<11.00	PASS
11N40	5190	Ant1	-2.63	0.54	-2.09	<11.00	PASS
11N40	5230	Ant1	-2.89	0.54	-2.35	<11.00	PASS
11N40	5270	Ant1	-2.68	0.26	-2.42	<11.00	PASS
11N40	5310	Ant1	-2.79	0.53	-2.26	<11.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170300200804

Page: 421 of 795

11N40	5510	Ant1	-2.31	0.54	-1.77	<11.00	PASS
11N40	5550	Ant1	-2.37	0.54	-1.83	<11.00	PASS
11N40	5590	Ant1	-3.28	0.54	-2.74	<11.00	PASS
11N40	5670	Ant1	-2.86	0.17	-2.69	<11.00	PASS
11AC20	5180	Ant1	1.08	0.32	1.4	<11.00	PASS
11AC20	5200	Ant1	0.35	0.32	0.67	<11.00	PASS
11AC20	5240	Ant1	0.17	0.32	0.49	<11.00	PASS
11AC20	5260	Ant1	0.41	0.32	0.73	<11.00	PASS
11AC20	5300	Ant1	0.34	0.32	0.66	<11.00	PASS
11AC20	5320	Ant1	0.09	0.32	0.41	<11.00	PASS
11AC20	5500	Ant1	0.95	0.32	1.27	<11.00	PASS
11AC20	5580	Ant1	0.09	0.32	0.41	<11.00	PASS
11AC20	5600	Ant1	-0.12	0.32	0.2	<11.00	PASS
11AC20	5700	Ant1	0.56	0.32	0.88	<11.00	PASS
11AC40	5190	Ant1	-2.3	0.77	-1.53	<11.00	PASS
11AC40	5230	Ant1	-2.72	0.65	-2.07	<11.00	PASS
11AC40	5270	Ant1	-2.77	0.77	-2	<11.00	PASS
11AC40	5310	Ant1	-3.03	0.77	-2.26	<11.00	PASS
11AC40	5510	Ant1	-2.08	0.53	-1.55	<11.00	PASS
11AC40	5550	Ant1	-2.96	0.54	-2.42	<11.00	PASS
11AC40	5590	Ant1	-2.93	0.54	-2.39	<11.00	PASS
11AC40	5670	Ant1	-2.96	0.53	-2.43	<11.00	PASS
11AC80	5210	Ant1	-7.86	1.09	-6.77	<11.00	PASS
11AC80	5290	Ant1	-8.16	0.34	-7.82	<11.00	PASS
11AC80	5530	Ant1	-7.57	1.09	-6.48	<11.00	PASS
11AC80	5610	Ant1	-8.31	0.34	-7.97	<11.00	PASS

Test Mode	Test Channel	Ant	Level [dBm/500kHz]	10log(1/x) Factor[dB]	10log(500kHz/RBW) Factor [dB]	PSD [dBm/500kHz]	Limit [dBm/500kHz]	Verdict
-----------	--------------	-----	---------------------------	--------------------------	----------------------------------	---------------------	-----------------------	---------

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170300200804


Page: 422 of 795

11A	5745	Ant1	0.81	0.3	0	1.11	<17.00	PASS
11A	5785	Ant1	1.01	0.3	0	1.31	<17.00	PASS
11A	5825	Ant1	1.77	0.3	0	2.07	<17.00	PASS
11N20	5745	Ant1	-1.05	0.05	0	-1	<17.00	PASS
11N20	5785	Ant1	-0.14	0.04	0	-0.1	<17.00	PASS
11N20	5825	Ant1	0.15	0.05	0	0.2	<17.00	PASS
11N40	5755	Ant1	-3.22	0.53	0	-2.69	<17.00	PASS
11N40	5795	Ant1	-3.03	0.53	0	-2.5	<17.00	PASS
11AC20	5745	Ant1	-0.76	0.32	0	-0.44	<17.00	PASS
11AC20	5785	Ant1	-0.48	0.32	0	-0.16	<17.00	PASS
11AC20	5825	Ant1	0.25	0.32	0	0.57	<17.00	PASS
11AC40	5755	Ant1	-3.86	0.53	0	-3.33	<17.00	PASS
11AC40	5795	Ant1	-3	0.53	0	-2.47	<17.00	PASS
11AC80	5775	Ant1	-8.14	1.09	0	-7.05	<17.00	PASS




TEST PLOT

Maximum Conduct Output Power_TNVN_11A_5180_Ant1




Maximum Conduct Output Power_TNVN_11A_5200_Ant1






Maximum Conduct Output Power_TNVN_11A_5240_Ant1




Maximum Conduct Output Power_TNVN_11A_5260_Ant1






Maximum Conduct Output Power_TNVN_11A_5300_Ant1




Maximum Conduct Output Power_TNVN_11A_5320_Ant1






Maximum Conduct Output Power_TNVN_11A_5500_Ant1




Maximum Conduct Output Power_TNVN_11A_5580_Ant1






Maximum Conduct Output Power_TNVN_11A_5600_Ant1




Maximum Conduct Output Power_TNVN_11A_5700_Ant1






Maximum Conduct Output Power_TNVN_11A_5745_Ant1




Maximum Conduct Output Power_TNVN_11A_5785_Ant1






Maximum Conduct Output Power_TNVN_11A_5825_Ant1




Maximum Conduct Output Power_TNVN_11N20_5180_Ant1






Maximum Conduct Output Power_TNVN_11N20_5200_Ant1




Maximum Conduct Output Power_TNVN_11N20_5240_Ant1






Maximum Conduct Output Power_TNVN_11N20_5260_Ant1




Maximum Conduct Output Power_TNVN_11N20_5300_Ant1






Maximum Conduct Output Power_TNVN_11N20_5320_Ant1




Maximum Conduct Output Power_TNVN_11N20_5500_Ant1






Maximum Conduct Output Power_TNVN_11N20_5580_Ant1




Maximum Conduct Output Power_TNVN_11N20_5600_Ant1






Maximum Conduct Output Power_TNVN_11N20_5700_Ant1




Maximum Conduct Output Power_TNVN_11N20_5745_Ant1






Maximum Conduct Output Power_TNVN_11N20_5785_Ant1




Maximum Conduct Output Power_TNVN_11N20_5825_Ant1






Maximum Conduct Output Power_TNVN_11N40_5190_Ant1




Maximum Conduct Output Power_TNVN_11N40_5230_Ant1






Maximum Conduct Output Power_TNVN_11N40_5270_Ant1




Maximum Conduct Output Power_TNVN_11N40_5310_Ant1






Maximum Conduct Output Power_TNVN_11N40_5510_Ant1




Maximum Conduct Output Power_TNVN_11N40_5550_Ant1






Maximum Conduct Output Power_TNVN_11N40_5590_Ant1




Maximum Conduct Output Power_TNVN_11N40_5670_Ant1






Maximum Conduct Output Power_TNVN_11N40_5755_Ant1




Maximum Conduct Output Power_TNVN_11N40_5795_Ant1






Maximum Conduct Output Power_TNVN_11AC20_5180_Ant1




Maximum Conduct Output Power_TNVN_11AC20_5200_Ant1






Maximum Conduct Output Power_TNVN_11AC20_5240_Ant1




Maximum Conduct Output Power_TNVN_11AC20_5260_Ant1






Maximum Conduct Output Power_TNVN_11AC20_5300_Ant1




Maximum Conduct Output Power_TNVN_11AC20_5320_Ant1






Maximum Conduct Output Power_TNVN_11AC20_5500_Ant1




Maximum Conduct Output Power_TNVN_11AC20_5580_Ant1






Maximum Conduct Output Power_TNVN_11AC20_5600_Ant1




Maximum Conduct Output Power_TNVN_11AC20_5700_Ant1






Maximum Conduct Output Power_TNVN_11AC20_5745_Ant1




Maximum Conduct Output Power_TNVN_11AC20_5785_Ant1






Maximum Conduct Output Power_TNVN_11AC20_5825_Ant1




Maximum Conduct Output Power_TNVN_11AC40_5190_Ant1






Maximum Conduct Output Power_TNVN_11AC40_5230_Ant1




Maximum Conduct Output Power_TNVN_11AC40_5270_Ant1






Maximum Conduct Output Power_TNVN_11AC40_5310_Ant1




Maximum Conduct Output Power_TNVN_11AC40_5510_Ant1






Maximum Conduct Output Power_TNVN_11AC40_5550_Ant1




Maximum Conduct Output Power_TNVN_11AC40_5590_Ant1






Maximum Conduct Output Power_TNVN_11AC40_5670_Ant1




Maximum Conduct Output Power_TNVN_11AC40_5755_Ant1





Maximum Conduct Output Power_TNVN_11AC40_5795_Ant1



Maximum Conduct Output Power_TNVN_11AC80_5210_Ant1

