














40-00NYX6-CNC2G



40-00NYX6-CNC2G



40-00NYX6-CNC2G
XZG-P1
E246887
94V-0



OSS-BT





40-00NYX6-KYD2G
T=1.2mm
4040


LED3
LED1
PLAY/PAUSE
VOL+
SW2
SW1
POWER
VOL-



BT Antenna
OSS-BT









型号(Model)：IAA007NA
充电限制电压(Limited charge voltage)：4.2V
执行标准(Executive standard)：GB 31241-2014
可充式锂离子电池组(Rechargeable Li-ion Battery)：
标称电压(Nominal Voltage):3.6V
额定容量(Rated capacity)：3250mAh 11.70Wh
警告：1、禁止拆解、撞击、挤压或投入火中。2、若出现严重鼓胀，请勿继续使用。3、请勿置于高温环境中。4、电池浸水后禁止使用。5、电池出现过热、变形、请更换。
WARNING：1.Prohibited to disassemble, strike, squeeze the battery,



后禁止使用。5、电池出现过热、变形、请更换。
WARNING：1.Prohibited to disassemble, strike, squeeze the battery,
or throw it into fire. 2.If the battery is seriously bulging,do not continue
to use it. 3.Please do not use in high temperature environment.
4.Battery is prohibited to use after being soaked in water.
5.If the battery is overheated or deformed, please replace it.
Red wire (+) Black wire (-)
1INR19/66
IS 16046(Part 2)/IEC 62133-2
R-41140830
www.bis.gov.in
YU10572-19012
Pb
5
cec
Date of manufacture/















40-00NYX6-MAD2G


40-00NYX6-MAD2G


40-00NYX6-MAD2G


40-00NYX6-MAD2G





END OF REPORT