


QUICK START GUIDE

ENDURANCE
PACE

JBL



WHAT'S IN THE BOX



APP




 **JBL HEADPHONES**




Get even more control and personalization of your listening experience with this free app.




HOW TO WEAR




POWER ON & CONNECT



MULTI-POINT CONNECTION




CONTROLS





● Press x 1 ●● Press x 2 — Hold (2s)

* Enable advance controls by connecting your JBL ENDURANCE PACE to JBL Headphones app 



FACTORY RESET




DO MORE WITH THE APP



CHARGING




WATERPROOF & DUST-PROOF IP68



LED BEHAVIORS



-   BT connecting
-   BT connected
-   BT not connected



-   Low battery
-   Changing
-   Fully charged

TECH SPEC



IP68

Model:	ENDURANCE PACE	Sensitivity:	104 dB SPL@1 kHz
Driver size:	18 x 11 mm Dynamic Driver	Maximum SPL:	94 dB
Power supply:	5 V --- 1 A	Microphone sensitivity:	-38 dBV/Pa@1 kHz
Weight:	32.00 g / 0.0705 lbs	Bluetooth version:	5.4
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)	Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Charging time:	2 hrs from empty	Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Music playtime with BT on:	Up to 10 hrs	Bluetooth transmitter power:	< xx dBm (EIRP)
Talk time:	Up to 8 hrs	Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Frequency response:	20 Hz - 20 kHz	Maximum operation temperature:	45 °C
Impedance:	32 ohm		

FR**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP**CHARGING****WATERPROOF & DUST-PROOF****IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

ENDURANCE PACE

18 x 11 mm Dynamic Driver

5 V --- 1 A

32.00 g / 0.0705 lbs

Lithium-ion battery (85 mAh / 3.8 V)

2 hrs from empty

Up to 10 hrs

Up to 8 hrs

20 Hz - 20 kHz

32 ohm

104 dB SPL@1 kHz

94 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4DQPSK, 8DPSK

45 °C

DA**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP**CHARGING****WATERPROOF & DUST-PROOF****IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

DE

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s) | Other | Choose "JBL Endurance Pace" to connect to your phone. * Compatible with Android phones running 6+.

MULTI-POINT CONNECTION

Hold (2s) | Maximum 2 devices

CONTROLS

Bixby/Siri®/Others | Press x 1 | Press x 2 | Hold (2s) | * Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting | BT connected | BT not connected | Low battery | Charging | Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

EL**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

ENDURANCE PACE

18 x 11 mm Dynamic Driver

5 V --- 1 A

32.00 g / 0.0705 lbs

Lithium-ion battery (85 mAh / 3.8 V)

2 hrs from empty

Up to 10 hrs

Up to 8 hrs

20 Hz - 20 kHz

32 ohm

104 dB SPL@1 kHz

94 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, n/4DQPSK, 8DPSK

45 °C

ES**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

F1

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)
Others
Choose "JBL Endurance Pace"
to connect
* Compatible with Android phones
running 6+

MULTI-POINT CONNECTION

Hold (2s)
Maximum 2 devices

CONTROLS

Bixby/Siri®/Others
Press x 1 | Press x 2 | Hold (2s)
* Enable advance controls
by connecting your

JBL ENDURANCE PACE to
JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

HU**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Dynamic range:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

ENDURANCE PACE

18 x 11 mm Dynamic Driver

5 V --- 1 A

32.00 g / 0.0705 lbs

Lithium-ion battery (85 mAh / 3.8 V)

2 hrs from empty

Up to 10 hrs

Up to 8 hrs

20 Hz - 20 kHz

32 ohm

104 dB SPL@1 kHz

94 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4DQPSK, 8DPSK

45 °C

IT**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged



TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

NL

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s) | Other | Choose "JBL Endurance Pace" to connect to your phone. * Compatible with Android phones running 6+.

MULTI-POINT CONNECTION

Hold (2s) | Maximum 2 devices

CONTROLS

Bixby/Siri®/Others | Press x 1 | Press x 2 | Hold (2s) | * Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting | BT connected | BT not connected | Low battery | Charging | Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

NO**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

ENDURANCE PACE

18 x 11 mm Dynamic Driver

5 V --- 1 A

32.00 g / 0.0705 lbs

Lithium-ion battery (85 mAh / 3.8 V)

2 hrs from empty

Up to 10 hrs

Up to 8 hrs

20 Hz - 20 kHz

32 ohm

104 dB SPL@1 kHz

94 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, n/4DQPSK, 8DPSK

45 °C

PL**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

PT-BR

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s) | Other | Choose "JBL Endurance Pace" to connect | * Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s) | Maximum 2 devices

CONTROLS

Bixby/Siri®/Others | Press x 1 | Press x 2 | Hold (2s) | * Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF

IP68

LED BEHAVIORS

BT connecting | BT connected | BT not connected | Low battery | Charging | Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

SV**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

ENDURANCE PACE

18 x 11 mm Dynamic Driver

5 V --- 1 A

32.00 g / 0.0705 lbs

Lithium-ion battery (85 mAh / 3.8 V)

2 hrs from empty

Up to 10 hrs

Up to 8 hrs

20 Hz - 20 kHz

32 ohm

104 dB SPL@1 kHz

94 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, n/4DQPSK, 8DPSK

45 °C

TR**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

**DO MORE WITH THE APP
CHARGING****WATERPROOF & DUST-PROOF
IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

RU

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)
Other
Choose "JBL Endurance Pace"
to connect
* Compatible with Android phones
running 6+

MULTI-POINT CONNECTION

Hold (2s)
Maximum 2 devices

CONTROLS

Bixby/Siri®/Others
Press x 1 | Press x 2 | Hold (2s)
* Enable advance controls
by connecting your

JBL ENDURANCE PACE to
JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

ZH-CN

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Microphone:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

ENDURANCE PACE

18 x 11 mm Dynamic Driver

5 V --- 1 A

32.00 g / 0.0705 lbs

Lithium-ion battery (85 mAh / 3.8 V)

2 hrs from empty

Up to 10 hrs

Up to 8 hrs

20 Hz - 20 kHz

32 ohm

104 dB SPL@1 kHz

94 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4DQPSK, 8DPSK

45 °C

ZH-TW

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

ID

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)
Other
Choose "JBL Endurance Pace"
to connect
* Compatible with Android phones
running 6+

MULTI-POINT CONNECTION

Hold (2s)
Maximum 2 devices

CONTROLS

Bixby/Siri®/Others
Press x 1 | Press x 2 | Hold (2s)
* Enable advance controls
by connecting your

JBL ENDURANCE PACE to
JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

JP**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP**CHARGING****WATERPROOF & DUST-PROOF****IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

ENDURANCE PACE

18 x 11 mm Dynamic Driver

5 V --- 1 A

32.00 g / 0.0705 lbs

Lithium-ion battery (85 mAh / 3.8 V)

2 hrs from empty

Up to 10 hrs

Up to 8 hrs

20 Hz - 20 kHz

32 ohm

104 dB SPL@1 kHz

94 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4DQPSK, 8DPSK

45 °C

KO**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**POWER ON & CONNECT**

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

JBL ENDURANCE PACE to JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP**CHARGING****WATERPROOF & DUST-PROOF****IP68****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C



WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)
Other
Choose "JBL Endurance Pace"
to connect
* Compatible with Android phones
running 6+

MULTI-POINT CONNECTION

Hold (2s)
Maximum 2 devices

CONTROLS

Bixby/Siri®/Others
Press x 1 | Press x 2 | Hold (2s)
* Enable advance controls
by connecting your

JBL ENDURANCE PACE to
JBL Headphones app

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF IP68

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:	ENDURANCE PACE
Driver size:	18 x 11 mm Dynamic Driver
Power supply:	5 V === 1 A
Weight:	32.00 g / 0.0705 lbs
Battery type:	Lithium-ion battery (85 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 10 hrs
Talk time:	Up to 8 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	104 dB SPL@1 kHz
Maximum SPL:	94 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

JBL ENDURANCE PACE to
JBL Headphones app .

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF

IP68

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

AR

WHAT'S IN THE BOX

APP

Get even more control and
personalization of your listening
experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)

Others

Choose "JBL Endurance Pace" to
connect.

* Compatible with Android phones
running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by
connecting your

TECH SPEC	
Model:	Model:
Driver size:	Driver size:
Power supply:	Power supply:
Weight:	Weight:
Battery type:	Battery type:
Charging time:	Charging time:
Music playtime with BT on:	Music playtime with BT on:
Talk time:	Talk time:
Frequency response:	Frequency response:
Impedance:	Impedance:
Sensitivity:	Sensitivity:
Maximum SPL:	Maximum SPL:
Microphone sensitivity:	Microphone sensitivity:
Bluetooth version:	Bluetooth version:
Bluetooth profile version:	Bluetooth profile version:
Bluetooth transmitter frequency range:	Bluetooth transmitter frequency range:
Bluetooth transmitter power:	Bluetooth transmitter power:
Bluetooth transmitter modulation:	Bluetooth transmitter modulation:
Maximum operation temperature:	Maximum operation temperature:

JBL ENDURANCE PACE to
JBL Headphones app

FACTORY RESET

Hold (5s)

DO MORE WITH THE APP

CHARGING

WATERPROOF & DUST-PROOF

IP68

CONNECTING TO OTHER DEVICES

Connect to other devices

BT connected

not connected

Low battery

Charging

Fully charged

HE

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

POWER ON & CONNECT

Hold (2s)

Others

Choose "JBL Endurance Pace" to connect.

* Compatible with Android phones running 6+

MULTI-POINT CONNECTION

Hold (2s)

Maximum 2 devices

CONTROLS

Bixby/Siri®/Others

Press x 1 | Press x 2 | Hold (2s)

* Enable advance controls by connecting your

TECH SPEC	
Model:	Model:
Driver size:	Driver size:
Power supply:	Power supply:
Weight:	Weight:
Battery type:	Battery type:
Charging time:	Charging time:
Music playtime with BT on:	Music playtime with BT on:
Talk time:	Talk time:
Frequency response:	Frequency response:
Impedance:	Impedance:
Sensitivity:	Sensitivity:
Maximum SPL:	Maximum SPL:
Microphone sensitivity:	Microphone sensitivity:
Bluetooth version:	Bluetooth version:
Bluetooth profile version:	Bluetooth profile version:
Bluetooth transmitter frequency range:	Bluetooth transmitter frequency range:
Bluetooth transmitter power:	Bluetooth transmitter power:
Bluetooth transmitter modulation:	Bluetooth transmitter modulation:
Maximum operation temperature:	Maximum operation temperature:



To protect battery lifespan, fully charge at least once every 3 months. Battery life will vary due to usage patterns and environmental conditions.

- FR pour protéger la vie de la batterie, chargez-la complètement au moins une fois tous les 3 mois. La durée de vie de la batterie varie en fonction des modes d'utilisation et des conditions environnementales.
- DA For at optimere batteriets levetid skal du oplade fuldt ud mindst en gang i kvartalet. Batteriets levetid afhænger af brugsmonstre og omgivelser.
- DE Lade zum Schutz des Akkus diesen mindestens einmal alle 3 Monate vollständig auf. Die Akkulebensdauer kann aufgrund von Nutzungsverhalten und Umgebungsbedingungen variieren.
- EL Για να προστατέψετε τη διάρκεια ζωής της μπαταρίας, φορτίστε την πλήρως τουλάχιστον μία φορά κάθε 3 μήνες. Η ζωή της μπαταρίας ποικίλλει ανάλογα με τη χρήση και τις περιβαλλοντικές συνθήκες.
- ES Para proteger la duración de la batería, cárgala completamente al menos una vez cada 3 meses. La duración de la batería depende de los patrones de uso y las condiciones ambientales.
- FI Akun käyttöiän turvaamiseksi, lataa täyteen ainakin kerran 3 kuukauden välein. Akun käyttöikä vaihtelee käyttötapojen ja ympäristöolosuhteiden mukaan.

- HU Az akkumulátor élettartamának védelme érdekében teljesen töltsd fel 3 havonta legalább egyszer. Az akkumulátor élettartama a használatától, és a környezeti feltételektől függ.
- IT Per preservare la durata della batteria, effettuare una carica completa almeno una volta ogni 3 mesi. La durata della batteria varia a seconda del tipo di utilizzo e delle condizioni ambientali.
- NL Voor een optimale levensduur de batterij minstens om de 3 maanden volledig opladen. De levensduur van de batterij is afhankelijk van gebruikspatronen en omgevingscondities.
- NO For å beskytte batteriets levetid må det lades helt opp minst én gang hver 3. måned. Batteriets levetid vil variere etter bruksmønster og omgivelsesforhold.
- PL Aby zachować czas eksploatacji akumulatora, należy go ładować co najmniej raz na trzy miesiące. Żywotność akumulatora zależy od sposobu jego użycia i warunków otoczenia.
- PT-BR Para garantir a durabilidade da bateria, carregue-a totalmente pelo menos uma vez a cada três meses. A vida útil da bateria depende dos padrões de uso e das condições do ambiente.
- SV För att förbättra batteriets livslängd ska det laddas det fullt minst en gång var tredje månad. Batteriets livslängd varierar beroende på användning och miljöförhållanden.
- TR Pil ömrünü uzatmak için en az 3 ayda bir tam olarak şarj edin. Pil ömrü kullanım şekline ve çevresel şartlara bağlı olarak değişiklik gösterebilir.
- RU Чтобы продлить срок службы аккумулятора, полностью заряжайте его по меньшей мере раз в 3 месяца. Срок службы аккумулятора зависит от способов использования и условий окружающей среды.

ZH-CN 为了保护电池寿命,请每至少 3 个月进行一次充满。电池寿命因使用方式和环境条件而异。

ZH-TW 為保護電池的使用壽命,請至少每 3 個月對電池充滿一次電。電池續航時間因使用模式和環境條件而異。

ID Agar baterai awet, isi dayanya hingga penuh paling sedikit sekali setiap 3 bulan. Masa pakai baterai bervariasi, tergantung pola penggunaan dan kondisi lingkungan.

JP バッテリー寿命を延ばすために、最低3か月に1回はフル充電してください。バッテリーの寿命は使用パターンや環境条件によって異なります。

KO 배터리 수명을 보호하려면 3개월에 한 번 이상 배터리를 완전히 충전하십시오. 배터리 수명은 사용 패턴 및 환경 조건에 따라 다를 수 있습니다.

MM တာဝန်ရှိသက်တမ်းတိုးတောင်းခြင်းမှ ကာကွယ်ရန် အနည်းဆုံး 3 လတစ်ကြိမ် တာဝန်ရှိသူ အားအပြည့်သွင်းပါ။ တာဝန်ရှိသက်တမ်းသည် သုံးစွဲမှုပုံစံများနှင့် ပတ်ဝန်းကျင်အခြေအနေများအပေါ်မူတည်ပြီး အပြောင်းအလဲရှိနိုင်သည်။

AR لحماية عمر البطارية، اشحنها بالكامل مرة واحدة على الأقل كل 3 أشهر. ويختلف عمر البطارية بسبب أنماط الاستخدام والظروف البيئية.

HE כדי להגן על אורך חיי הסוללה, יש לטעון את הסוללה במלואה לפחות פעם בשלושה חודשים. חיי הסוללה ישתנו בהתאם לאופן השימוש ולתנאי הסביבה.



The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5 Watts in order to achieve the maximum charging speed.

- FR La puissance délivrée par le chargeur doit être comprise entre 2,5 watts minimum requis par l'équipement radio et 5 watts maximum afin d'atteindre la vitesse de charge maximale.
- DA Den effekt, som opladeren leverer, skal være mellem mindst 2,5 watt, som kræves af radioudstyret, og højst 5 watt for at nå den maksimale opladningshastighed.
- DE Die vom Ladegerät gelieferte Leistung muss zwischen mindestens 2,5 Watt, die das Funkgerät benötigt, und maximal 5 Watt liegen, um die maximale Ladegeschwindigkeit zu erreichen.

EL Η ισχύς που παρέχει ο φορτιστής πρέπει να κυμαίνεται μεταξύ 2,5 Watts τουλάχιστον που απαιτούνται από τον ραδιοφωνικό εξοπλισμό και 5 Watts το πολύ, προκειμένου να επιτευχθεί η μέγιστη ταχύτητα φόρτισης.

ES La potencia que aporta el cargador debe estar entre un mínimo de 2,5 W requerido por el equipo de radio y un máximo de 5 W para lograr la máxima velocidad de carga.

FI Laturin antaman tehon on oltava vähintään 2,5 watin ja enintään 5 watin välillä, jotta saavutetaan suurin mahdollinen latausnopeus.

HU A töltő által leadott teljesítménynek a rádióberendezés által igényelt min. 2,5 Watt és max. 5 Watt között kell lennie a maximális töltési sebesség eléréséhez.

IT La potenza erogata dal caricatore deve essere compresa tra min 2,5 Watt richiesti dall'apparecchiatura radio, e max 5 Watt per raggiungere la velocità di ricarica massima.

NL Het door de oplader geleverde vermogen moet tussen minimaal 2,5 Watt liggen dat is vereist door de radioapparatuur, en maximaal 5 Watt om de maximale laadsnelheid te bereiken.

NO For å oppnå maksimal ladehastighet må strømmen fra laderen være mellom min. 2,5 watt som kreves av radioutstyret og 5 watt.

PL Moc dostarczana do ładowarki musi mieć się w zakresie od minimum 2,5 W wymaganym przez sprzęt radiowy i maksymalnie 5 W, aby osiągnąć maksymalną prędkość ładowania.

SV Effekten som laddaren levererar måste ligga mellan min 2,5 watt som krävs för radioutrustningen och max 5 watt för att uppnå maximal laddningshastighet.

TR Maksimum şarj hızına ulaşmak için şarj cihazının sağladığı güç, radyo ekipmanının gerektirdiği minimum 2,5 Watt ile maksimum 5 Watt arasında olmalıdır.



Este produto está homologado pela Anatel, de acordo com os procedimentos regulamentados para avaliação da conformidade de produtos para telecomunicações e atende aos requisitos técnicos aplicados.

Para maiores informações, consulte o site da Anatel – www.anatel.gov.br

Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

Atenção: conforme lei brasileira nº 11.291, a exposição prolongada a ruídos superiores a 85dB pode causar danos ao sistema auditivo.



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

Google, Android and Google Play are trademarks of Google LLC.

WARNING

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE |
DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS

해당무선설비는전파혼신가능성이있으므로인명안전과관련된서비스는할수없음.



FR

Cet appareil,
ses accessoires
et cordons
se recyclent

À DÉPOSER
EN MAGASIN



OU

À DÉPOSER
EN DÉCHÈTERIE



Points de collecte sur www.quefairedemesdechets.fr

Product specifications and app screens are subject to change without notice.

HP_JBL_ENDURANCE PACE_Global_QSG_PV_V5