











































1 PK

VIEW

\*RBW 500 kHz

\*VBW 2 MHz

SWT 20 ms

Marker 1 [T1 ]

-28.50 dBm

5.580000000 GHz

Ref 20 dBm

\*Att 20 dB

Offset 0.9 dB

OBW 36.240000000 MHz

Temp 1 [T1 OBW]

-3.62 dBm

5.531880000 GHz

Temp 2 [T1 OBW]

-4.07 dBm

5.568120000 GHz

20

10

0

-10

-20

-30

-40

-50

-60

-70

-80

Center 5.55 GHz


6 MHz/


Span 60 MHz


A


LVL

3DB



















1 PK

VIEW

\*RBW 300 kHz

\*VBW 1 MHz

SWT 20 ms

Marker 1 [T1 ]

-25.64 dBm

5.215000000 GHz

Ref 20 dBm

\*Att 20 dB

Offset 0.9 dB

OBW 17.790000000 MHz

Temp 1 [T1 OBW]

-4.15 dBm

5.191090000 GHz

Temp 2 [T1 OBW]

-4.51 dBm

5.208880000 GHz

20

10

0

-10

-20

-30

-40

-50

-60

-70

-80

Center 5.2 GHz



3 MHz/


Span 30 MHz


A



LVL


3DB




















































































### 3.Maximum Conduct Output Power

| Test Mode | Test Channel | Ant  | Level [dBm] | 10log(1/x) Factor [dB] | Power [dBm] | Limit [dBm] | Verdict |
|-----------|--------------|------|-------------|------------------------|-------------|-------------|---------|
| 11A       | 5180         | Ant1 | 12.44       | 0                      | 12.44       | <23.98      | PASS    |
| 11A       | 5180         | Ant2 | 11.29       | 0                      | 11.29       | <23.98      | PASS    |
| 11A       | 5200         | Ant1 | 12.28       | 0                      | 12.28       | <23.98      | PASS    |
| 11A       | 5200         | Ant2 | 11.74       | 0                      | 11.74       | <23.98      | PASS    |
| 11A       | 5240         | Ant1 | 12.13       | 0                      | 12.13       | <23.98      | PASS    |
| 11A       | 5240         | Ant2 | 11.42       | 0                      | 11.42       | <23.98      | PASS    |
| 11A       | 5260         | Ant1 | 12.08       | 0                      | 12.08       | <23.98      | PASS    |
| 11A       | 5260         | Ant2 | 11.99       | 0                      | 11.99       | <23.98      | PASS    |
| 11A       | 5300         | Ant1 | 11.61       | 0                      | 11.61       | <23.98      | PASS    |
| 11A       | 5300         | Ant2 | 11.05       | 0                      | 11.05       | <23.98      | PASS    |
| 11A       | 5320         | Ant1 | 12.11       | 0                      | 12.11       | <23.98      | PASS    |
| 11A       | 5320         | Ant2 | 10.7        | 0                      | 10.70       | <23.98      | PASS    |
| 11A       | 5500         | Ant1 | 11.68       | 0                      | 11.68       | <23.98      | PASS    |
| 11A       | 5500         | Ant2 | 10.55       | 0                      | 10.55       | <23.98      | PASS    |
| 11A       | 5580         | Ant1 | 10.62       | 0                      | 10.62       | <23.98      | PASS    |
| 11A       | 5580         | Ant2 | 9.8         | 0                      | 9.80        | <23.98      | PASS    |
| 11A       | 5600         | Ant1 | 10.18       | 0                      | 10.18       | <23.98      | PASS    |
| 11A       | 5600         | Ant2 | 9.52        | 0                      | 9.52        | <23.98      | PASS    |
| 11A       | 5700         | Ant1 | 9.18        | 0                      | 9.18        | <23.98      | PASS    |
| 11A       | 5700         | Ant2 | 8.79        | 0                      | 8.79        | <23.98      | PASS    |
| 11A       | 5745         | Ant1 | 8.3         | 0                      | 8.30        | <30.00      | PASS    |
| 11A       | 5745         | Ant2 | 7.95        | 0                      | 7.95        | <30.00      | PASS    |
| 11A       | 5785         | Ant1 | 8.91        | 0                      | 8.91        | <30.00      | PASS    |
| 11A       | 5785         | Ant2 | 8.84        | 0                      | 8.84        | <30.00      | PASS    |
| 11A       | 5825         | Ant1 | 9.81        | 0                      | 9.81        | <30.00      | PASS    |
| 11A       | 5825         | Ant2 | 9.64        | 0                      | 9.64        | <30.00      | PASS    |
| 11N20     | 5180         | Ant1 | 11.97       | 0                      | 11.97       | <23.98      | PASS    |
| 11N20     | 5180         | Ant2 | 10.97       | 0                      | 10.97       | <23.98      | PASS    |
| 11N20     | 5200         | Ant1 | 12.02       | 0                      | 12.02       | <23.98      | PASS    |
| 11N20     | 5200         | Ant2 | 11          | 0                      | 11.00       | <23.98      | PASS    |
| 11N20     | 5240         | Ant1 | 12.06       | 0                      | 12.06       | <23.98      | PASS    |



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170600661704

Page: 496 of 639

|       |      |      |       |   |       |        |      |
|-------|------|------|-------|---|-------|--------|------|
| 11N20 | 5240 | Ant2 | 11.9  | 0 | 11.9  | <23.98 | PASS |
| 11N20 | 5260 | Ant1 | 11.7  | 0 | 11.70 | <23.98 | PASS |
| 11N20 | 5260 | Ant2 | 10.49 | 0 | 10.49 | <23.98 | PASS |
| 11N20 | 5300 | Ant1 | 11.72 | 0 | 11.72 | <23.98 | PASS |
| 11N20 | 5300 | Ant2 | 9.92  | 0 | 9.92  | <23.98 | PASS |
| 11N20 | 5320 | Ant1 | 13.08 | 0 | 13.08 | <23.98 | PASS |
| 11N20 | 5320 | Ant2 | 9.44  | 0 | 9.44  | <23.98 | PASS |
| 11N20 | 5500 | Ant1 | 12.07 | 0 | 12.07 | <23.98 | PASS |
| 11N20 | 5500 | Ant2 | 9.98  | 0 | 9.98  | <23.98 | PASS |
| 11N20 | 5580 | Ant1 | 12.41 | 0 | 12.41 | <23.98 | PASS |
| 11N20 | 5580 | Ant2 | 10.61 | 0 | 10.61 | <23.98 | PASS |
| 11N20 | 5600 | Ant1 | 12.46 | 0 | 12.46 | <23.98 | PASS |
| 11N20 | 5600 | Ant2 | 10.46 | 0 | 10.46 | <23.98 | PASS |
| 11N20 | 5700 | Ant1 | 12.58 | 0 | 12.58 | <23.98 | PASS |
| 11N20 | 5700 | Ant2 | 11.35 | 0 | 11.35 | <23.98 | PASS |
| 11N20 | 5745 | Ant1 | 11.47 | 0 | 11.47 | <30.00 | PASS |
| 11N20 | 5745 | Ant2 | 11.67 | 0 | 11.67 | <30.00 | PASS |
| 11N20 | 5785 | Ant1 | 11.86 | 0 | 11.86 | <30.00 | PASS |
| 11N20 | 5785 | Ant2 | 12    | 0 | 12.00 | <30.00 | PASS |
| 11N20 | 5825 | Ant1 | 12.18 | 0 | 12.18 | <30.00 | PASS |
| 11N20 | 5825 | Ant2 | 11.33 | 0 | 11.33 | <30.00 | PASS |
| 11N40 | 5190 | Ant1 | 11.48 | 0 | 11.48 | <23.98 | PASS |
| 11N40 | 5190 | Ant2 | 10.77 | 0 | 10.77 | <23.98 | PASS |
| 11N40 | 5230 | Ant1 | 12.01 | 0 | 12.01 | <23.98 | PASS |
| 11N40 | 5230 | Ant2 | 12.15 | 0 | 12.15 | <23.98 | PASS |
| 11N40 | 5270 | Ant1 | 12.35 | 0 | 12.35 | <23.98 | PASS |
| 11N40 | 5270 | Ant2 | 12.43 | 0 | 12.43 | <23.98 | PASS |
| 11N40 | 5310 | Ant1 | 12.24 | 0 | 12.24 | <23.98 | PASS |
| 11N40 | 5310 | Ant2 | 11.4  | 0 | 11.40 | <23.98 | PASS |
| 11N40 | 5510 | Ant1 | 11.27 | 0 | 11.27 | <23.98 | PASS |
| 11N40 | 5510 | Ant2 | 11.28 | 0 | 11.28 | <23.98 | PASS |
| 11N40 | 5550 | Ant1 | 11.85 | 0 | 11.85 | <23.98 | PASS |
| 11N40 | 5550 | Ant2 | 11.41 | 0 | 11.41 | <23.98 | PASS |
| 11N40 | 5590 | Ant1 | 11.99 | 0 | 11.99 | <23.98 | PASS |



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170600661704

Page: 497 of 639

|        |      |      |       |   |       |        |      |
|--------|------|------|-------|---|-------|--------|------|
| 11N40  | 5590 | Ant2 | 11.62 | 0 | 11.62 | <23.98 | PASS |
| 11N40  | 5670 | Ant1 | 11.88 | 0 | 11.88 | <23.98 | PASS |
| 11N40  | 5670 | Ant2 | 11.58 | 0 | 11.58 | <23.98 | PASS |
| 11N40  | 5755 | Ant1 | 11.14 | 0 | 11.14 | <30.00 | PASS |
| 11N40  | 5755 | Ant2 | 10.77 | 0 | 10.77 | <30.00 | PASS |
| 11N40  | 5795 | Ant1 | 11.46 | 0 | 11.46 | <30.00 | PASS |
| 11N40  | 5795 | Ant2 | 10.96 | 0 | 10.96 | <30.00 | PASS |
| 11AC20 | 5180 | Ant1 | 12.12 | 0 | 12.12 | <23.98 | PASS |
| 11AC20 | 5180 | Ant2 | 11.48 | 0 | 11.48 | <23.98 | PASS |
| 11AC20 | 5200 | Ant1 | 11.37 | 0 | 11.37 | <23.98 | PASS |
| 11AC20 | 5200 | Ant2 | 11.24 | 0 | 11.24 | <23.98 | PASS |
| 11AC20 | 5240 | Ant1 | 11.35 | 0 | 11.35 | <23.98 | PASS |
| 11AC20 | 5240 | Ant2 | 11.15 | 0 | 11.15 | <23.98 | PASS |
| 11AC20 | 5260 | Ant1 | 11.37 | 0 | 11.37 | <23.98 | PASS |
| 11AC20 | 5260 | Ant2 | 11.16 | 0 | 11.16 | <23.98 | PASS |
| 11AC20 | 5300 | Ant1 | 11.79 | 0 | 11.79 | <23.98 | PASS |
| 11AC20 | 5300 | Ant2 | 10.78 | 0 | 10.78 | <23.98 | PASS |
| 11AC20 | 5320 | Ant1 | 11.55 | 0 | 11.55 | <23.98 | PASS |
| 11AC20 | 5320 | Ant2 | 10.63 | 0 | 10.63 | <23.98 | PASS |
| 11AC20 | 5500 | Ant1 | 11.34 | 0 | 11.34 | <23.98 | PASS |
| 11AC20 | 5500 | Ant2 | 10.53 | 0 | 10.53 | <23.98 | PASS |
| 11AC20 | 5580 | Ant1 | 10.72 | 0 | 10.72 | <23.98 | PASS |
| 11AC20 | 5580 | Ant2 | 9.91  | 0 | 9.91  | <23.98 | PASS |
| 11AC20 | 5600 | Ant1 | 10.1  | 0 | 10.10 | <23.98 | PASS |
| 11AC20 | 5600 | Ant2 | 9.6   | 0 | 9.60  | <23.98 | PASS |
| 11AC20 | 5700 | Ant1 | 9.13  | 0 | 9.13  | <23.98 | PASS |
| 11AC20 | 5700 | Ant2 | 8.83  | 0 | 8.83  | <23.98 | PASS |
| 11AC20 | 5745 | Ant1 | 8.29  | 0 | 8.29  | <30.00 | PASS |
| 11AC20 | 5745 | Ant2 | 8.12  | 0 | 8.12  | <30.00 | PASS |
| 11AC20 | 5785 | Ant1 | 9.25  | 0 | 9.25  | <30.00 | PASS |
| 11AC20 | 5785 | Ant2 | 8.96  | 0 | 8.96  | <30.00 | PASS |
| 11AC20 | 5825 | Ant1 | 9.63  | 0 | 9.63  | <30.00 | PASS |
| 11AC20 | 5825 | Ant2 | 9.73  | 0 | 9.73  | <30.00 | PASS |
| 11AC40 | 5190 | Ant1 | 11.48 | 0 | 11.48 | <23.98 | PASS |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**


Report No.: SZEM170600661704

Page: 498 of 639


|        |      |      |       |   |       |        |      |
|--------|------|------|-------|---|-------|--------|------|
| 11AC40 | 5190 | Ant2 | 11.15 | 0 | 11.15 | <23.98 | PASS |
| 11AC40 | 5230 | Ant1 | 11.37 | 0 | 11.37 | <23.98 | PASS |
| 11AC40 | 5230 | Ant2 | 10.82 | 0 | 10.82 | <23.98 | PASS |
| 11AC40 | 5310 | Ant1 | 11.2  | 0 | 11.20 | <23.98 | PASS |
| 11AC40 | 5310 | Ant2 | 9.59  | 0 | 9.59  | <23.98 | PASS |
| 11AC40 | 5510 | Ant1 | 10.42 | 0 | 10.42 | <23.98 | PASS |
| 11AC40 | 5510 | Ant2 | 9.71  | 0 | 9.71  | <23.98 | PASS |
| 11AC40 | 5550 | Ant1 | 9.29  | 0 | 9.29  | <23.98 | PASS |
| 11AC40 | 5550 | Ant2 | 9.42  | 0 | 9.42  | <23.98 | PASS |
| 11AC40 | 5590 | Ant1 | 11.15 | 0 | 11.15 | <23.98 | PASS |
| 11AC40 | 5590 | Ant2 | 8.59  | 0 | 8.59  | <23.98 | PASS |
| 11AC40 | 5670 | Ant1 | 9.81  | 0 | 9.81  | <23.98 | PASS |
| 11AC40 | 5670 | Ant2 | 6.18  | 0 | 6.18  | <23.98 | PASS |
| 11AC40 | 5755 | Ant1 | 8.44  | 0 | 8.44  | <30.00 | PASS |
| 11AC40 | 5755 | Ant2 | 8.66  | 0 | 8.66  | <30.00 | PASS |
| 11AC40 | 5795 | Ant1 | 9.11  | 0 | 9.11  | <30.00 | PASS |
| 11AC40 | 5795 | Ant2 | 5.35  | 0 | 5.35  | <30.00 | PASS |
| 11AC80 | 5210 | Ant1 | 6.07  | 0 | 6.07  | <23.98 | PASS |
| 11AC80 | 5210 | Ant2 | 5.83  | 0 | 5.83  | <23.98 | PASS |
| 11AC80 | 5290 | Ant1 | 6.49  | 0 | 6.49  | <23.98 | PASS |
| 11AC80 | 5290 | Ant2 | 6.59  | 0 | 6.59  | <23.98 | PASS |
| 11AC80 | 5530 | Ant1 | 7.11  | 0 | 7.11  | <23.98 | PASS |
| 11AC80 | 5530 | Ant2 | 7.04  | 0 | 7.04  | <23.98 | PASS |
| 11AC80 | 5610 | Ant1 | 7.68  | 0 | 7.68  | <23.98 | PASS |
| 11AC80 | 5610 | Ant2 | 8.01  | 0 | 8.01  | <23.98 | PASS |
| 11AC80 | 5775 | Ant1 | 7.17  | 0 | 7.17  | <30.00 | PASS |
| 11AC80 | 5775 | Ant2 | 6.89  | 0 | 6.89  | <30.00 | PASS |




**Maximum Conduct Output Power\_11A\_5180\_Ant1**




**Maximum Conduct Output Power\_11A\_5180\_Ant2**




## Maximum Conduct Output Power\_11A\_5200\_Ant1




## Maximum Conduct Output Power\_11A\_5200\_Ant2




**Maximum Conduct Output Power\_11A\_5240\_Ant1**




**Maximum Conduct Output Power\_11A\_5240\_Ant2**




**Maximum Conduct Output Power\_11A\_5260\_Ant1**




**Maximum Conduct Output Power\_11A\_5260\_Ant2**




**Maximum Conduct Output Power\_11A\_5300\_Ant1**




**Maximum Conduct Output Power\_11A\_5300\_Ant2**




**Maximum Conduct Output Power\_11A\_5320\_Ant1**




**Maximum Conduct Output Power\_11A\_5320\_Ant2**




**Maximum Conduct Output Power\_11A\_5500\_Ant1**




**Maximum Conduct Output Power\_11A\_5500\_Ant2**



**Maximum Conduct Output Power\_11A\_5580\_Ant1**




**Maximum Conduct Output Power\_11A\_5580\_Ant2**







**Maximum Conduct Output Power\_11A\_5600\_Ant1**




**Maximum Conduct Output Power\_11A\_5600\_Ant2**




**Maximum Conduct Output Power\_11A\_5700\_Ant1**




**Maximum Conduct Output Power\_11A\_5700\_Ant2**




**Maximum Conduct Output Power\_11A\_5745\_Ant1**




**Maximum Conduct Output Power\_11A\_5745\_Ant2**




**Maximum Conduct Output Power\_11A\_5785\_Ant1**




**Maximum Conduct Output Power\_11A\_5785\_Ant2**




**Maximum Conduct Output Power\_11A\_5825\_Ant1**




**Maximum Conduct Output Power\_11A\_5825\_Ant2**




**Maximum Conduct Output Power\_11N20\_5180\_Ant1**




**Maximum Conduct Output Power\_11N20\_5180\_Ant2**




**Maximum Conduct Output Power\_11N20\_5200\_Ant1**




**Maximum Conduct Output Power\_11N20\_5200\_Ant2**



**Maximum Conduct Output Power\_11N20\_5240\_Ant1**




**Maximum Conduct Output Power\_11N20\_5240\_Ant2**







**Maximum Conduct Output Power\_11N20\_5260\_Ant1**




**Maximum Conduct Output Power\_11N20\_5260\_Ant2**




**Maximum Conduct Output Power\_11N20\_5300\_Ant1**




**Maximum Conduct Output Power\_11N20\_5300\_Ant2**




**Maximum Conduct Output Power\_11N20\_5320\_Ant1**




**Maximum Conduct Output Power\_11N20\_5320\_Ant2**




**Maximum Conduct Output Power\_11N20\_5500\_Ant1**




**Maximum Conduct Output Power\_11N20\_5500\_Ant2**




**Maximum Conduct Output Power\_11N20\_5580\_Ant1**




**Maximum Conduct Output Power\_11N20\_5580\_Ant2**




**Maximum Conduct Output Power\_11N20\_5600\_Ant1**




**Maximum Conduct Output Power\_11N20\_5600\_Ant2**




**Maximum Conduct Output Power\_11N20\_5700\_Ant1**




**Maximum Conduct Output Power\_11N20\_5700\_Ant2**



**Maximum Conduct Output Power\_11N20\_5745\_Ant1**




**Maximum Conduct Output Power\_11N20\_5745\_Ant2**









Maximum Conduct Output Power\_11N20\_5785\_Ant1




Maximum Conduct Output Power\_11N20\_5785\_Ant2



**Maximum Conduct Output Power\_11N20\_5825\_Ant1**




**Maximum Conduct Output Power\_11N20\_5825\_Ant2**







Maximum Conduct Output Power\_11N40\_5190\_Ant1




Maximum Conduct Output Power\_11N40\_5190\_Ant2




**Maximum Conduct Output Power\_11N40\_5230\_Ant1**




**Maximum Conduct Output Power\_11N40\_5230\_Ant2**



**Maximum Conduct Output Power\_11N40\_5270\_Ant1**




**Maximum Conduct Output Power\_11N40\_5270\_Ant2**







Maximum Conduct Output Power\_11N40\_5310\_Ant1




Maximum Conduct Output Power\_11N40\_5310\_Ant2




**Maximum Conduct Output Power\_11N40\_5510\_Ant1**




**Maximum Conduct Output Power\_11N40\_5510\_Ant2**



**Maximum Conduct Output Power\_11N40\_5550\_Ant1**




**Maximum Conduct Output Power\_11N40\_5550\_Ant2**







**Maximum Conduct Output Power\_11N40\_5590\_Ant1**




**Maximum Conduct Output Power\_11N40\_5590\_Ant2**



**Maximum Conduct Output Power\_11N40\_5670\_Ant1**




**Maximum Conduct Output Power\_11N40\_5670\_Ant2**






Maximum Conduct Output Power\_11N40\_5755\_Ant1




Maximum Conduct Output Power\_11N40\_5755\_Ant2







Maximum Conduct Output Power\_11N40\_5795\_Ant1




Maximum Conduct Output Power\_11N40\_5795\_Ant2



**Maximum Conduct Output Power\_11AC20\_5180\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5180\_Ant2**







Maximum Conduct Output Power\_11AC20\_5200\_Ant1




Maximum Conduct Output Power\_11AC20\_5200\_Ant2




## Maximum Conduct Output Power\_11AC20\_5240\_Ant1




## Maximum Conduct Output Power\_11AC20\_5240\_Ant2



**Maximum Conduct Output Power\_11AC20\_5260\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5260\_Ant2**







**Maximum Conduct Output Power\_11AC20\_5300\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5300\_Ant2**




**Maximum Conduct Output Power\_11AC20\_5320\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5320\_Ant2**




Maximum Conduct Output Power\_11AC20\_5500\_Ant1




Maximum Conduct Output Power\_11AC20\_5500\_Ant2




**Maximum Conduct Output Power\_11AC20\_5580\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5580\_Ant2**




Maximum Conduct Output Power\_11AC20\_5600\_Ant1




Maximum Conduct Output Power\_11AC20\_5600\_Ant2



**Maximum Conduct Output Power\_11AC20\_5700\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5700\_Ant2**







Maximum Conduct Output Power\_11AC20\_5745\_Ant1




Maximum Conduct Output Power\_11AC20\_5745\_Ant2



**Maximum Conduct Output Power\_11AC20\_5785\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5785\_Ant2**







**Maximum Conduct Output Power\_11AC20\_5825\_Ant1**




**Maximum Conduct Output Power\_11AC20\_5825\_Ant2**




**Maximum Conduct Output Power\_11AC40\_5190\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5190\_Ant2**




**Maximum Conduct Output Power\_11AC40\_5230\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5230\_Ant2**




**Maximum Conduct Output Power\_11AC40\_5310\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5310\_Ant2**




**Maximum Conduct Output Power\_11AC40\_5510\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5510\_Ant2**




**Maximum Conduct Output Power\_11AC40\_5550\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5550\_Ant2**




**Maximum Conduct Output Power\_11AC40\_5590\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5590\_Ant2**



**Maximum Conduct Output Power\_11AC40\_5670\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5670\_Ant2**







**Maximum Conduct Output Power\_11AC40\_5755\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5755\_Ant2**



**Maximum Conduct Output Power\_11AC40\_5795\_Ant1**




**Maximum Conduct Output Power\_11AC40\_5795\_Ant2**







Maximum Conduct Output Power\_11AC80\_5210\_Ant1




Maximum Conduct Output Power\_11AC80\_5210\_Ant2




**Maximum Conduct Output Power\_11AC80\_5290\_Ant1**




**Maximum Conduct Output Power\_11AC80\_5290\_Ant2**




**Maximum Conduct Output Power\_11AC80\_5530\_Ant1**




**Maximum Conduct Output Power\_11AC80\_5530\_Ant2**




**Maximum Conduct Output Power\_11AC80\_5610\_Ant1**




**Maximum Conduct Output Power\_11AC80\_5610\_Ant2**



**Maximum Conduct Output Power\_11AC80\_5775\_Ant1**



**Maximum Conduct Output Power\_11AC80\_5775\_Ant2**





#### 4. Maximum Power Spectral Density

| Test Mode | Test Channel | Ant  | Level [dBm/MHz] | 10log(1/x) Factor [dB] | PSD [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|-----------|--------------|------|-----------------|------------------------|---------------|-----------------|---------|
| 11A       | 5180         | Ant1 | 2.36            | 0                      | 2.36          | <11.00          | PASS    |
| 11A       | 5180         | Ant2 | 1.04            | 0                      | 1.04          | <11.00          | PASS    |
| 11A       | 5200         | Ant1 | 2.26            | 0                      | 2.26          | <11.00          | PASS    |
| 11A       | 5200         | Ant2 | 1.58            | 0                      | 1.58          | <11.00          | PASS    |
| 11A       | 5240         | Ant1 | 1.93            | 0                      | 1.93          | <11.00          | PASS    |
| 11A       | 5240         | Ant2 | 1.26            | 0                      | 1.26          | <11.00          | PASS    |
| 11A       | 5260         | Ant1 | 1.9             | 0                      | 1.9           | <11.00          | PASS    |
| 11A       | 5260         | Ant2 | -7.47           | 0                      | -7.47         | <11.00          | PASS    |
| 11A       | 5300         | Ant1 | 1.4             | 0                      | 1.4           | <11.00          | PASS    |
| 11A       | 5300         | Ant2 | 0.85            | 0                      | 0.85          | <11.00          | PASS    |
| 11A       | 5320         | Ant1 | 2.11            | 0                      | 2.11          | <11.00          | PASS    |
| 11A       | 5320         | Ant2 | 0.45            | 0                      | 0.45          | <11.00          | PASS    |
| 11A       | 5500         | Ant1 | 1.52            | 0                      | 1.52          | <11.00          | PASS    |
| 11A       | 5500         | Ant2 | 0.44            | 0                      | 0.44          | <11.00          | PASS    |
| 11A       | 5580         | Ant1 | 0.6             | 0                      | 0.6           | <11.00          | PASS    |
| 11A       | 5580         | Ant2 | -0.46           | 0                      | -0.46         | <11.00          | PASS    |
| 11A       | 5600         | Ant1 | 0.05            | 0                      | 0.05          | <11.00          | PASS    |
| 11A       | 5600         | Ant2 | -0.64           | 0                      | -0.64         | <11.00          | PASS    |
| 11A       | 5700         | Ant1 | -0.92           | 0                      | -0.92         | <11.00          | PASS    |
| 11A       | 5700         | Ant2 | -1.42           | 0                      | -1.42         | <11.00          | PASS    |
| 11N20     | 5180         | Ant1 | 1.65            | 0                      | 1.65          | <11.00          | PASS    |
| 11N20     | 5180         | Ant2 | 0.78            | 0                      | 0.78          | <11.00          | PASS    |
| 11N20     | 5200         | Ant1 | 1.58            | 0                      | 1.58          | <11.00          | PASS    |
| 11N20     | 5200         | Ant2 | 0.58            | 0                      | 0.58          | <11.00          | PASS    |
| 11N20     | 5240         | Ant1 | 1.59            | 0                      | 1.59          | <11.00          | PASS    |
| 11N20     | 5240         | Ant2 | -6.38           | 0                      | -6.38         | <11.00          | PASS    |
| 11N20     | 5260         | Ant1 | 1.34            | 0                      | 1.34          | <11.00          | PASS    |
| 11N20     | 5260         | Ant2 | 0.11            | 0                      | 0.11          | <11.00          | PASS    |
| 11N20     | 5300         | Ant1 | 1.53            | 0                      | 1.53          | <11.00          | PASS    |
| 11N20     | 5300         | Ant2 | -0.6            | 0                      | -0.6          | <11.00          | PASS    |
| 11N20     | 5320         | Ant1 | 2.63            | 0                      | 2.63          | <11.00          | PASS    |





**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170600661704

Page: 563 of 639

|        |      |      |       |   |       |        |      |
|--------|------|------|-------|---|-------|--------|------|
| 11N20  | 5320 | Ant2 | -0.95 | 0 | -0.95 | <11.00 | PASS |
| 11N20  | 5500 | Ant1 | 1.43  | 0 | 1.43  | <11.00 | PASS |
| 11N20  | 5500 | Ant2 | -0.5  | 0 | -0.5  | <11.00 | PASS |
| 11N20  | 5580 | Ant1 | 2.23  | 0 | 2.23  | <11.00 | PASS |
| 11N20  | 5580 | Ant2 | 0.18  | 0 | 0.18  | <11.00 | PASS |
| 11N20  | 5600 | Ant1 | 2.07  | 0 | 2.07  | <11.00 | PASS |
| 11N20  | 5600 | Ant2 | 0.16  | 0 | 0.16  | <11.00 | PASS |
| 11N20  | 5700 | Ant1 | 2.18  | 0 | 2.18  | <11.00 | PASS |
| 11N20  | 5700 | Ant2 | 1.12  | 0 | 1.12  | <11.00 | PASS |
| 11N40  | 5190 | Ant1 | -2.02 | 0 | -2.02 | <11.00 | PASS |
| 11N40  | 5190 | Ant2 | -2.71 | 0 | -2.71 | <11.00 | PASS |
| 11N40  | 5230 | Ant1 | -1.48 | 0 | -1.48 | <11.00 | PASS |
| 11N40  | 5230 | Ant2 | -1.35 | 0 | -1.35 | <11.00 | PASS |
| 11N40  | 5270 | Ant1 | -1.2  | 0 | -1.2  | <11.00 | PASS |
| 11N40  | 5270 | Ant2 | -0.89 | 0 | -0.89 | <11.00 | PASS |
| 11N40  | 5310 | Ant1 | -1.39 | 0 | -1.39 | <11.00 | PASS |
| 11N40  | 5310 | Ant2 | -2.03 | 0 | -2.03 | <11.00 | PASS |
| 11N40  | 5510 | Ant1 | -2.29 | 0 | -2.29 | <11.00 | PASS |
| 11N40  | 5510 | Ant2 | -2.09 | 0 | -2.09 | <11.00 | PASS |
| 11N40  | 5550 | Ant1 | -1.87 | 0 | -1.87 | <11.00 | PASS |
| 11N40  | 5550 | Ant2 | -2.02 | 0 | -2.02 | <11.00 | PASS |
| 11N40  | 5590 | Ant1 | -1.38 | 0 | -1.38 | <11.00 | PASS |
| 11N40  | 5590 | Ant2 | -1.74 | 0 | -1.74 | <11.00 | PASS |
| 11N40  | 5670 | Ant1 | -1.75 | 0 | -1.75 | <11.00 | PASS |
| 11N40  | 5670 | Ant2 | -1.93 | 0 | -1.93 | <11.00 | PASS |
| 11AC20 | 5180 | Ant1 | 1.76  | 0 | 1.76  | <11.00 | PASS |
| 11AC20 | 5180 | Ant2 | 1.01  | 0 | 1.01  | <11.00 | PASS |
| 11AC20 | 5200 | Ant1 | 1.04  | 0 | 1.04  | <11.00 | PASS |
| 11AC20 | 5200 | Ant2 | 0.86  | 0 | 0.86  | <11.00 | PASS |
| 11AC20 | 5240 | Ant1 | 1.09  | 0 | 1.09  | <11.00 | PASS |
| 11AC20 | 5240 | Ant2 | 0.79  | 0 | 0.79  | <11.00 | PASS |
| 11AC20 | 5260 | Ant1 | 1.09  | 0 | 1.09  | <11.00 | PASS |
| 11AC20 | 5260 | Ant2 | 0.85  | 0 | 0.85  | <11.00 | PASS |
| 11AC20 | 5300 | Ant1 | 1.51  | 0 | 1.51  | <11.00 | PASS |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170600661704

Page: 564 of 639

|        |      |      |        |   |        |        |      |
|--------|------|------|--------|---|--------|--------|------|
| 11AC20 | 5300 | Ant2 | 0.37   | 0 | 0.37   | <11.00 | PASS |
| 11AC20 | 5320 | Ant1 | 1.43   | 0 | 1.43   | <11.00 | PASS |
| 11AC20 | 5320 | Ant2 | 0.4    | 0 | 0.4    | <11.00 | PASS |
| 11AC20 | 5500 | Ant1 | 1.03   | 0 | 1.03   | <11.00 | PASS |
| 11AC20 | 5500 | Ant2 | 0.09   | 0 | 0.09   | <11.00 | PASS |
| 11AC20 | 5580 | Ant1 | 0.32   | 0 | 0.32   | <11.00 | PASS |
| 11AC20 | 5580 | Ant2 | -0.36  | 0 | -0.36  | <11.00 | PASS |
| 11AC20 | 5600 | Ant1 | -0.16  | 0 | -0.16  | <11.00 | PASS |
| 11AC20 | 5600 | Ant2 | -0.6   | 0 | -0.6   | <11.00 | PASS |
| 11AC20 | 5700 | Ant1 | -1.23  | 0 | -1.23  | <11.00 | PASS |
| 11AC20 | 5700 | Ant2 | -1.4   | 0 | -1.4   | <11.00 | PASS |
| 11AC40 | 5190 | Ant1 | -1.97  | 0 | -1.97  | <11.00 | PASS |
| 11AC40 | 5190 | Ant2 | -2.24  | 0 | -2.24  | <11.00 | PASS |
| 11AC40 | 5230 | Ant1 | -2.16  | 0 | -2.16  | <11.00 | PASS |
| 11AC40 | 5230 | Ant2 | -2.59  | 0 | -2.59  | <11.00 | PASS |
| 11AC40 | 5270 | Ant1 | -2.15  | 0 | -2.15  | <11.00 | PASS |
| 11AC40 | 5270 | Ant2 | -2.88  | 0 | -2.88  | <11.00 | PASS |
| 11AC40 | 5310 | Ant1 | -2.36  | 0 | -2.36  | <11.00 | PASS |
| 11AC40 | 5310 | Ant2 | -3.85  | 0 | -3.85  | <11.00 | PASS |
| 11AC40 | 5510 | Ant1 | -3.13  | 0 | -3.13  | <11.00 | PASS |
| 11AC40 | 5510 | Ant2 | -3.73  | 0 | -3.73  | <11.00 | PASS |
| 11AC40 | 5550 | Ant1 | -4.14  | 0 | -4.14  | <11.00 | PASS |
| 11AC40 | 5550 | Ant2 | -4.05  | 0 | -4.05  | <11.00 | PASS |
| 11AC40 | 5590 | Ant1 | -2.37  | 0 | -2.37  | <11.00 | PASS |
| 11AC40 | 5590 | Ant2 | -4.76  | 0 | -4.76  | <11.00 | PASS |
| 11AC40 | 5670 | Ant1 | -3.55  | 0 | -3.55  | <11.00 | PASS |
| 11AC40 | 5670 | Ant2 | -7.11  | 0 | -7.11  | <11.00 | PASS |
| 11AC80 | 5210 | Ant1 | -10.85 | 0 | -10.85 | <11.00 | PASS |
| 11AC80 | 5210 | Ant2 | -11.09 | 0 | -11.09 | <11.00 | PASS |
| 11AC80 | 5290 | Ant1 | -10.78 | 0 | -10.78 | <11.00 | PASS |
| 11AC80 | 5290 | Ant2 | -10.55 | 0 | -10.55 | <11.00 | PASS |
| 11AC80 | 5530 | Ant1 | -10.08 | 0 | -10.08 | <11.00 | PASS |
| 11AC80 | 5530 | Ant2 | -9.72  | 0 | -9.72  | <11.00 | PASS |
| 11AC80 | 5610 | Ant1 | -9.56  | 0 | -9.56  | <11.00 | PASS |


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**


Report No.: SZEM170600661704  
Page: 565 of 639


| 11AC80    | 5610         | Ant2 | -9.28              | 0                     | -9.28                         | <11.00           | PASS               |         |
|-----------|--------------|------|--------------------|-----------------------|-------------------------------|------------------|--------------------|---------|
| Test Mode | Test Channel | Ant  | Level [dBm/500kHz] | 10log(1/x) Factor[dB] | 10log(500kHz/RBW) Factor [dB] | PSD [dBm/500kHz] | Limit [dBm/500kHz] | Verdict |
| 11A       | 5745         | Ant1 | -4.24              | 0                     | 0                             | -4.24            | <17.00             | PASS    |
| 11A       | 5745         | Ant2 | -4.72              | 0                     | 0                             | -4.72            | <17.00             | PASS    |
| 11A       | 5785         | Ant1 | -3.71              | 0                     | 0                             | -3.71            | <17.00             | PASS    |
| 11A       | 5785         | Ant2 | -3.53              | 0                     | 0                             | -3.53            | <17.00             | PASS    |
| 11A       | 5825         | Ant1 | -2.63              | 0                     | 0                             | -2.63            | <17.00             | PASS    |
| 11A       | 5825         | Ant2 | -2.95              | 0                     | 0                             | -2.95            | <17.00             | PASS    |
| 11N20     | 5745         | Ant1 | -1.59              | 0                     | 0                             | -1.59            | <17.00             | PASS    |
| 11N20     | 5745         | Ant2 | -1.03              | 0                     | 0                             | -1.03            | <17.00             | PASS    |
| 11N20     | 5785         | Ant1 | -0.79              | 0                     | 0                             | -0.79            | <17.00             | PASS    |
| 11N20     | 5785         | Ant2 | -0.6               | 0                     | 0                             | -0.6             | <17.00             | PASS    |
| 11N20     | 5825         | Ant1 | -0.86              | 0                     | 0                             | -0.86            | <17.00             | PASS    |
| 11N20     | 5825         | Ant2 | -1.33              | 0                     | 0                             | -1.33            | <17.00             | PASS    |
| 11N40     | 5755         | Ant1 | -4.53              | 0                     | 0                             | -4.53            | <17.00             | PASS    |
| 11N40     | 5755         | Ant2 | -4.89              | 0                     | 0                             | -4.89            | <17.00             | PASS    |
| 11N40     | 5795         | Ant1 | -4.26              | 0                     | 0                             | -4.26            | <17.00             | PASS    |
| 11N40     | 5795         | Ant2 | -4.55              | 0                     | 0                             | -4.55            | <17.00             | PASS    |
| 11AC20    | 5745         | Ant1 | -4.15              | 0                     | 0                             | -4.15            | <17.00             | PASS    |
| 11AC20    | 5745         | Ant2 | -4.32              | 0                     | 0                             | -4.32            | <17.00             | PASS    |
| 11AC20    | 5785         | Ant1 | -3.06              | 0                     | 0                             | -3.06            | <17.00             | PASS    |
| 11AC20    | 5785         | Ant2 | -3.55              | 0                     | 0                             | -3.55            | <17.00             | PASS    |
| 11AC20    | 5825         | Ant1 | -2.8               | 0                     | 0                             | -2.8             | <17.00             | PASS    |
| 11AC20    | 5825         | Ant2 | -2.72              | 0                     | 0                             | -2.72            | <17.00             | PASS    |
| 11AC40    | 5755         | Ant1 | -7.25              | 0                     | 0                             | -7.25            | <17.00             | PASS    |
| 11AC40    | 5755         | Ant2 | -11.29             | 0                     | 0                             | -11.29           | <17.00             | PASS    |
| 11AC40    | 5795         | Ant1 | -6.24              | 0                     | 0                             | -6.24            | <17.00             | PASS    |
| 11AC40    | 5795         | Ant2 | -10.28             | 0                     | 0                             | -10.28           | <17.00             | PASS    |
| 11AC80    | 5775         | Ant1 | -12.4              | 0                     | 0                             | -12.4            | <17.00             | PASS    |
| 11AC80    | 5775         | Ant2 | -12.65             | 0                     | 0                             | -12.65           | <17.00             | PASS    |



























































































































































































Maximum Power Spectral Density\_TNVN\_11AC40\_5755\_Ant1




Maximum Power Spectral Density\_TNVN\_11AC40\_5755\_Ant2






















5.Duty Cycle (x)

| Test Mode | Test Channel | Ant  | Duty Cycle[%] | 10log(1/x) Factor[dB] |
|-----------|--------------|------|---------------|-----------------------|
| 11A       | 5180         | Ant1 | 100           | 0                     |
| 11A       | 5180         | Ant2 | 100           | 0                     |
| 11A       | 5200         | Ant1 | 100           | 0                     |
| 11A       | 5200         | Ant2 | 100           | 0                     |
| 11A       | 5240         | Ant1 | 100           | 0                     |
| 11A       | 5240         | Ant2 | 100           | 0                     |
| 11A       | 5260         | Ant1 | 100           | 0                     |
| 11A       | 5260         | Ant2 | 100           | 0                     |
| 11A       | 5300         | Ant1 | 100           | 0                     |
| 11A       | 5300         | Ant2 | 100           | 0                     |
| 11A       | 5320         | Ant1 | 100           | 0                     |
| 11A       | 5320         | Ant2 | 100           | 0                     |
| 11A       | 5500         | Ant1 | 100           | 0                     |
| 11A       | 5500         | Ant2 | 100           | 0                     |
| 11A       | 5580         | Ant1 | 100           | 0                     |
| 11A       | 5580         | Ant2 | 100           | 0                     |
| 11A       | 5600         | Ant1 | 100           | 0                     |
| 11A       | 5600         | Ant2 | 100           | 0                     |
| 11A       | 5700         | Ant1 | 100           | 0                     |
| 11A       | 5700         | Ant2 | 100           | 0                     |
| 11A       | 5745         | Ant1 | 100           | 0                     |
| 11A       | 5745         | Ant2 | 100           | 0                     |
| 11A       | 5785         | Ant1 | 100           | 0                     |
| 11A       | 5785         | Ant2 | 100           | 0                     |
| 11A       | 5825         | Ant1 | 100           | 0                     |
| 11A       | 5825         | Ant2 | 100           | 0                     |
| 11N20     | 5180         | Ant1 | 100           | 0                     |
| 11N20     | 5180         | Ant2 | 100           | 0                     |
| 11N20     | 5200         | Ant1 | 100           | 0                     |
| 11N20     | 5200         | Ant2 | 100           | 0                     |
| 11N20     | 5240         | Ant1 | 100           | 0                     |



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170600661704

Page: 631 of 639

|       |      |      |     |   |
|-------|------|------|-----|---|
| 11N20 | 5240 | Ant2 | 100 | 0 |
| 11N20 | 5260 | Ant1 | 100 | 0 |
| 11N20 | 5260 | Ant2 | 100 | 0 |
| 11N20 | 5300 | Ant1 | 100 | 0 |
| 11N20 | 5300 | Ant2 | 100 | 0 |
| 11N20 | 5320 | Ant1 | 100 | 0 |
| 11N20 | 5320 | Ant2 | 100 | 0 |
| 11N20 | 5500 | Ant1 | 100 | 0 |
| 11N20 | 5500 | Ant2 | 100 | 0 |
| 11N20 | 5580 | Ant1 | 100 | 0 |
| 11N20 | 5580 | Ant2 | 100 | 0 |
| 11N20 | 5600 | Ant1 | 100 | 0 |
| 11N20 | 5600 | Ant2 | 100 | 0 |
| 11N20 | 5700 | Ant1 | 100 | 0 |
| 11N20 | 5700 | Ant2 | 100 | 0 |
| 11N20 | 5745 | Ant1 | 100 | 0 |
| 11N20 | 5745 | Ant2 | 100 | 0 |
| 11N20 | 5785 | Ant1 | 100 | 0 |
| 11N20 | 5785 | Ant2 | 100 | 0 |
| 11N20 | 5825 | Ant1 | 100 | 0 |
| 11N20 | 5825 | Ant2 | 100 | 0 |
| 11N40 | 5190 | Ant1 | 100 | 0 |
| 11N40 | 5190 | Ant2 | 100 | 0 |
| 11N40 | 5230 | Ant1 | 100 | 0 |
| 11N40 | 5230 | Ant2 | 100 | 0 |
| 11N40 | 5270 | Ant1 | 100 | 0 |
| 11N40 | 5270 | Ant2 | 100 | 0 |
| 11N40 | 5310 | Ant1 | 100 | 0 |
| 11N40 | 5310 | Ant2 | 100 | 0 |
| 11N40 | 5510 | Ant1 | 100 | 0 |
| 11N40 | 5510 | Ant2 | 100 | 0 |
| 11N40 | 5550 | Ant1 | 100 | 0 |
| 11N40 | 5550 | Ant2 | 100 | 0 |
| 11N40 | 5590 | Ant1 | 100 | 0 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170600661704

Page: 632 of 639

|        |      |      |     |   |
|--------|------|------|-----|---|
| 11N40  | 5590 | Ant2 | 100 | 0 |
| 11N40  | 5670 | Ant1 | 100 | 0 |
| 11N40  | 5670 | Ant2 | 100 | 0 |
| 11N40  | 5755 | Ant1 | 100 | 0 |
| 11N40  | 5755 | Ant2 | 100 | 0 |
| 11N40  | 5795 | Ant1 | 100 | 0 |
| 11N40  | 5795 | Ant2 | 100 | 0 |
| 11AC20 | 5180 | Ant1 | 100 | 0 |
| 11AC20 | 5180 | Ant2 | 100 | 0 |
| 11AC20 | 5200 | Ant1 | 100 | 0 |
| 11AC20 | 5200 | Ant2 | 100 | 0 |
| 11AC20 | 5240 | Ant1 | 100 | 0 |
| 11AC20 | 5240 | Ant2 | 100 | 0 |
| 11AC20 | 5260 | Ant1 | 100 | 0 |
| 11AC20 | 5260 | Ant2 | 100 | 0 |
| 11AC20 | 5300 | Ant1 | 100 | 0 |
| 11AC20 | 5300 | Ant2 | 100 | 0 |
| 11AC20 | 5320 | Ant1 | 100 | 0 |
| 11AC20 | 5320 | Ant2 | 100 | 0 |
| 11AC20 | 5500 | Ant1 | 100 | 0 |
| 11AC20 | 5500 | Ant2 | 100 | 0 |
| 11AC20 | 5580 | Ant1 | 100 | 0 |
| 11AC20 | 5580 | Ant2 | 100 | 0 |
| 11AC20 | 5600 | Ant1 | 100 | 0 |
| 11AC20 | 5600 | Ant2 | 100 | 0 |
| 11AC20 | 5700 | Ant1 | 100 | 0 |
| 11AC20 | 5700 | Ant2 | 100 | 0 |
| 11AC20 | 5745 | Ant1 | 100 | 0 |
| 11AC20 | 5745 | Ant2 | 100 | 0 |
| 11AC20 | 5785 | Ant1 | 100 | 0 |
| 11AC20 | 5785 | Ant2 | 100 | 0 |
| 11AC20 | 5825 | Ant1 | 100 | 0 |
| 11AC20 | 5825 | Ant2 | 100 | 0 |
| 11AC40 | 5190 | Ant1 | 100 | 0 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170600661704


Page: 633 of 639

|        |      |      |     |   |
|--------|------|------|-----|---|
| 11AC40 | 5190 | Ant2 | 100 | 0 |
| 11AC40 | 5230 | Ant1 | 100 | 0 |
| 11AC40 | 5230 | Ant2 | 100 | 0 |
| 11AC40 | 5270 | Ant1 | 100 | 0 |
| 11AC40 | 5270 | Ant2 | 100 | 0 |
| 11AC40 | 5310 | Ant1 | 100 | 0 |
| 11AC40 | 5310 | Ant2 | 100 | 0 |
| 11AC40 | 5510 | Ant1 | 100 | 0 |
| 11AC40 | 5510 | Ant2 | 100 | 0 |
| 11AC40 | 5550 | Ant1 | 100 | 0 |
| 11AC40 | 5550 | Ant2 | 100 | 0 |
| 11AC40 | 5590 | Ant1 | 100 | 0 |
| 11AC40 | 5590 | Ant2 | 100 | 0 |
| 11AC40 | 5670 | Ant1 | 100 | 0 |
| 11AC40 | 5670 | Ant2 | 100 | 0 |
| 11AC40 | 5755 | Ant1 | 100 | 0 |
| 11AC40 | 5755 | Ant2 | 100 | 0 |
| 11AC40 | 5795 | Ant1 | 100 | 0 |
| 11AC40 | 5795 | Ant2 | 100 | 0 |
| 11AC80 | 5210 | Ant1 | 100 | 0 |
| 11AC80 | 5210 | Ant2 | 100 | 0 |
| 11AC80 | 5290 | Ant1 | 100 | 0 |
| 11AC80 | 5290 | Ant2 | 100 | 0 |
| 11AC80 | 5530 | Ant1 | 100 | 0 |
| 11AC80 | 5530 | Ant2 | 100 | 0 |
| 11AC80 | 5610 | Ant1 | 100 | 0 |
| 11AC80 | 5610 | Ant2 | 100 | 0 |
| 11AC80 | 5775 | Ant1 | 100 | 0 |
| 11AC80 | 5775 | Ant2 | 100 | 0 |



Below are the golden test data for reference.

TNVN\_11N40\_5230\_Ant1








6. (DFS: Non-occupancy period; DFS: Channel Move Time; DFS: Channel Closing Transmission Time)  
Test plots as follows:

Remark: Only the data of Ant.2 is recorded.

Radar Waveform Calibration Result

Radar Type 0 (80MHz / 5530MHz)






Test Data: Antenna 2

| BW/Channel    | Test Item                         | Test Result | Limit | Results |
|---------------|-----------------------------------|-------------|-------|---------|
| 80MHz/5290MHz | Channel Move Time                 | 0.496s      | <10 s | Pass    |
|               | Channel Closing Transmission Time | 2.0ms       | <60ms | Pass    |
| 80MHz/5530MHz | Channel Move Time                 | 0.417s      | <10 s | Pass    |
|               | Channel Closing Transmission Time | 2.0ms       | <60ms | Pass    |

Test plots as follows:



80MHz/5290MHz





# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM170600661704  
Page: 637 of 639







# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM170600661704  
Page: 638 of 639

80MHz/5530MHz





# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM170600661704

Page: 639 of 639

