




Maximum Conduct Output Power_11AC40_5670_Ant1




Maximum Conduct Output Power_11AC40_5670_Ant2




Maximum Conduct Output Power_11AC40_5755_Ant1




Maximum Conduct Output Power_11AC40_5755_Ant2




Maximum Conduct Output Power_11AC40_5795_Ant1




Maximum Conduct Output Power_11AC40_5795_Ant2




Maximum Conduct Output Power_11AC80_5210_Ant1




Maximum Conduct Output Power_11AC80_5210_Ant2




Maximum Conduct Output Power_11AC80_5290_Ant1




Maximum Conduct Output Power_11AC80_5290_Ant2




Maximum Conduct Output Power_11AC80_5530_Ant1




Maximum Conduct Output Power_11AC80_5530_Ant2



Maximum Conduct Output Power_11AC80_5610_Ant1




Maximum Conduct Output Power_11AC80_5610_Ant2






Maximum Conduct Output Power_11AC80_5775_Ant1



Maximum Conduct Output Power_11AC80_5775_Ant2





4. Maximum Power Spectral Density

Test Mode	Test Channel	Ant	Level [dBm/MHz]	10log(1/x) Factor [dB]	PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	5180	Ant1	0.39	0	0.39	<11.00	PASS
11A	5180	Ant2	-0.04	0	-0.04	<11.00	PASS
11A	5200	Ant1	0.44	0	0.44	<11.00	PASS
11A	5200	Ant2	-0.09	0	-0.09	<11.00	PASS
11A	5240	Ant1	0.64	0	0.64	<11.00	PASS
11A	5240	Ant2	-0.17	0	-0.17	<11.00	PASS
11A	5260	Ant1	0.67	0	0.67	<11.00	PASS
11A	5260	Ant2	-0.15	0	-0.15	<11.00	PASS
11A	5300	Ant1	0.31	0	0.31	<11.00	PASS
11A	5300	Ant2	-1.2	0	-1.2	<11.00	PASS
11A	5320	Ant1	-0.05	0	-0.05	<11.00	PASS
11A	5320	Ant2	-1.66	0	-1.66	<11.00	PASS
11A	5500	Ant1	0.76	0	0.76	<11.00	PASS
11A	5500	Ant2	1.37	0	1.37	<11.00	PASS
11A	5580	Ant1	1.55	0	1.55	<11.00	PASS
11A	5580	Ant2	2.04	0	2.04	<11.00	PASS
11A	5600	Ant1	1.58	0	1.58	<11.00	PASS
11A	5600	Ant2	2.11	0	2.11	<11.00	PASS
11A	5700	Ant1	1.17	0	1.17	<11.00	PASS
11A	5700	Ant2	1.35	0	1.35	<11.00	PASS
11N20	5180	Ant1	-0.72	0	-0.72	<11.00	PASS
11N20	5180	Ant2	-1.22	0	-1.22	<11.00	PASS
11N20	5200	Ant1	-0.75	0	-0.75	<11.00	PASS
11N20	5200	Ant2	-0.98	0	-0.98	<11.00	PASS
11N20	5240	Ant1	-0.6	0	-0.6	<11.00	PASS
11N20	5240	Ant2	-1	0	-1	<11.00	PASS
11N20	5260	Ant1	-0.25	0	-0.25	<11.00	PASS
11N20	5260	Ant2	-1.14	0	-1.14	<11.00	PASS
11N20	5300	Ant1	-0.74	0	-0.74	<11.00	PASS
11N20	5300	Ant2	-1.54	0	-1.54	<11.00	PASS
11N20	5320	Ant1	-1.37	0	-1.37	<11.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 539 of 636

11N20	5320	Ant2	-2	0	-2	<11.00	PASS
11N20	5500	Ant1	-0.36	0	-0.36	<11.00	PASS
11N20	5500	Ant2	-0.11	0	-0.11	<11.00	PASS
11N20	5580	Ant1	0.49	0	0.49	<11.00	PASS
11N20	5580	Ant2	0.84	0	0.84	<11.00	PASS
11N20	5600	Ant1	0.29	0	0.29	<11.00	PASS
11N20	5600	Ant2	0.62	0	0.62	<11.00	PASS
11N20	5700	Ant1	-0.03	0	-0.03	<11.00	PASS
11N20	5700	Ant2	-0.16	0	-0.16	<11.00	PASS
11N40	5190	Ant1	-5.8	0	-5.8	<11.00	PASS
11N40	5190	Ant2	-6.16	0	-6.16	<11.00	PASS
11N40	5230	Ant1	-5.59	0	-5.59	<11.00	PASS
11N40	5230	Ant2	-5.99	0	-5.99	<11.00	PASS
11N40	5270	Ant1	-5.38	0	-5.38	<11.00	PASS
11N40	5270	Ant2	-6.06	0	-6.06	<11.00	PASS
11N40	5310	Ant1	-5.98	0	-5.98	<11.00	PASS
11N40	5310	Ant2	-6.53	0	-6.53	<11.00	PASS
11N40	5510	Ant1	-5.11	0	-5.11	<11.00	PASS
11N40	5510	Ant2	-4.58	0	-4.58	<11.00	PASS
11N40	5550	Ant1	-4.73	0	-4.73	<11.00	PASS
11N40	5550	Ant2	-4.04	0	-4.04	<11.00	PASS
11N40	5590	Ant1	-4.36	0	-4.36	<11.00	PASS
11N40	5590	Ant2	-3.73	0	-3.73	<11.00	PASS
11N40	5670	Ant1	-4.79	0	-4.79	<11.00	PASS
11N40	5670	Ant2	-4.44	0	-4.44	<11.00	PASS
11AC20	5180	Ant1	-0.71	0	-0.71	<11.00	PASS
11AC20	5180	Ant2	-1.18	0	-1.18	<11.00	PASS
11AC20	5200	Ant1	-0.57	0	-0.57	<11.00	PASS
11AC20	5200	Ant2	-0.96	0	-0.96	<11.00	PASS
11AC20	5240	Ant1	-0.5	0	-0.5	<11.00	PASS
11AC20	5240	Ant2	-1.01	0	-1.01	<11.00	PASS
11AC20	5260	Ant1	-0.53	0	-0.53	<11.00	PASS
11AC20	5260	Ant2	-0.94	0	-0.94	<11.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 540 of 636

11AC20	5300	Ant1	-0.97	0	-0.97	<11.00	PASS
11AC20	5300	Ant2	-1.29	0	-1.29	<11.00	PASS
11AC20	5320	Ant1	-1.3	0	-1.3	<11.00	PASS
11AC20	5320	Ant2	-1.49	0	-1.49	<11.00	PASS
11AC20	5500	Ant1	-0.31	0	-0.31	<11.00	PASS
11AC20	5500	Ant2	0.4	0	0.4	<11.00	PASS
11AC20	5580	Ant1	0.71	0	0.71	<11.00	PASS
11AC20	5580	Ant2	1.23	0	1.23	<11.00	PASS
11AC20	5600	Ant1	0.55	0	0.55	<11.00	PASS
11AC20	5600	Ant2	1.03	0	1.03	<11.00	PASS
11AC20	5700	Ant1	0	0	0	<11.00	PASS
11AC20	5700	Ant2	0.22	0	0.22	<11.00	PASS
11AC40	5190	Ant1	-5.31	0	-5.31	<11.00	PASS
11AC40	5190	Ant2	-5.69	0	-5.69	<11.00	PASS
11AC40	5230	Ant1	-5.23	0	-5.23	<11.00	PASS
11AC40	5230	Ant2	-6.39	0	-6.39	<11.00	PASS
11AC40	5270	Ant1	-4.95	0	-4.95	<11.00	PASS
11AC40	5270	Ant2	-5.62	0	-5.62	<11.00	PASS
11AC40	5310	Ant1	-5.63	0	-5.63	<11.00	PASS
11AC40	5310	Ant2	-5.94	0	-5.94	<11.00	PASS
11AC40	5510	Ant1	-6.02	0	-6.02	<11.00	PASS
11AC40	5510	Ant2	-4.58	0	-4.58	<11.00	PASS
11AC40	5550	Ant1	-4.58	0	-4.58	<11.00	PASS
11AC40	5550	Ant2	-4.23	0	-4.23	<11.00	PASS
11AC40	5590	Ant1	-4.14	0	-4.14	<11.00	PASS
11AC40	5590	Ant2	-3.89	0	-3.89	<11.00	PASS
11AC40	5670	Ant1	-4.52	0	-4.52	<11.00	PASS
11AC40	5670	Ant2	-4.14	0	-4.14	<11.00	PASS
11AC80	5210	Ant1	-8.17	0	-8.17	<11.00	PASS
11AC80	5210	Ant2	-9.07	0	-9.07	<11.00	PASS
11AC80	5290	Ant1	-8.92	0	-8.92	<11.00	PASS
11AC80	5290	Ant2	-8.65	0	-8.65	<11.00	PASS
11AC80	5530	Ant1	-7.8	0	-7.8	<11.00	PASS




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM170700767704


Page: 541 of 636


11AC80	5530	Ant2	-7.16	0	-7.16	<11.00	PASS
11AC80	5610	Ant1	-8.08	0	-8.08	<11.00	PASS
11AC80	5610	Ant2	-8.29	0	-8.29	<11.00	PASS


Test Mode	Test Channel	Ant	Level [dBm/500kHz]	10log(1/x) Factor[dB]	10log(500kHz/RBW) Factor [dB]	PSD [dBm/500kHz]	Limit [dBm/500kHz]	Verdict
11A	5745	Ant1	-1.43	0	0	-1.43	<17.00	PASS
11A	5745	Ant2	-1.29	0	0	-1.29	<17.00	PASS
11A	5785	Ant1	-1.32	0	0	-1.32	<17.00	PASS
11A	5785	Ant2	-2.07	0	0	-2.07	<17.00	PASS
11A	5825	Ant1	-0.81	0	0	-0.81	<17.00	PASS
11A	5825	Ant2	-1.01	0	0	-1.01	<17.00	PASS
11N20	5745	Ant1	-1.63	0	0	-1.63	<17.00	PASS
11N20	5745	Ant2	-1.62	0	0	-1.62	<17.00	PASS
11N20	5785	Ant1	-1.16	0	0	-1.16	<17.00	PASS
11N20	5785	Ant2	-1.03	0	0	-1.03	<17.00	PASS
11N20	5825	Ant1	-0.85	0	0	-0.85	<17.00	PASS
11N20	5825	Ant2	-0.85	0	0	-0.85	<17.00	PASS
11N40	5755	Ant1	-5.65	0	0	-5.65	<17.00	PASS
11N40	5755	Ant2	-5.28	0	0	-5.28	<17.00	PASS
11N40	5795	Ant1	-5.11	0	0	-5.11	<17.00	PASS
11N40	5795	Ant2	-5.13	0	0	-5.13	<17.00	PASS
11AC20	5745	Ant1	-1.56	0	0	-1.56	<17.00	PASS
11AC20	5745	Ant2	-1.54	0	0	-1.54	<17.00	PASS
11AC20	5785	Ant1	-1.21	0	0	-1.21	<17.00	PASS
11AC20	5785	Ant2	-1.39	0	0	-1.39	<17.00	PASS
11AC20	5825	Ant1	-1.19	0	0	-1.19	<17.00	PASS
11AC20	5825	Ant2	-0.86	0	0	-0.86	<17.00	PASS
11AC40	5755	Ant1	-5.17	0	0	-5.17	<17.00	PASS
11AC40	5755	Ant2	-5.14	0	0	-5.14	<17.00	PASS
11AC40	5795	Ant1	-5.19	0	0	-5.19	<17.00	PASS
11AC40	5795	Ant2	-5.06	0	0	-5.06	<17.00	PASS
11AC80	5775	Ant1	-10.56	0	0	-10.56	<17.00	PASS
11AC80	5775	Ant2	-11.47	0	0	-11.47	<17.00	PASS






























































Maximum Power Spectral Density_TNVN_11N20_5580_Ant1





Maximum Power Spectral Density_TNVN_11N20_5580_Ant2

















Maximum Power Spectral Density_TNVN_11N20_5825_Ant1





Maximum Power Spectral Density_TNVN_11N20_5825_Ant2
































Maximum Power Spectral Density_TNVN_11AC20_5180_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5180_Ant2










Maximum Power Spectral Density_TNVN_11AC20_5240_Ant1



Maximum Power Spectral Density_TNVN_11AC20_5240_Ant2











Maximum Power Spectral Density_TNVN_11AC20_5320_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5320_Ant2






Maximum Power Spectral Density_TNVN_11AC20_5500_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5500_Ant2






Maximum Power Spectral Density_TNVN_11AC20_5580_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5580_Ant2






Maximum Power Spectral Density_TNVN_11AC20_5600_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5600_Ant2







Maximum Power Spectral Density_TNVN_11AC20_5700_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5700_Ant2



Maximum Power Spectral Density_TNVN_11AC20_5745_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5745_Ant2







Maximum Power Spectral Density_TNVN_11AC20_5785_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5785_Ant2




Maximum Power Spectral Density_TNVN_11AC20_5825_Ant1




Maximum Power Spectral Density_TNVN_11AC20_5825_Ant2




Maximum Power Spectral Density_TNVN_11AC40_5190_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5190_Ant2






Maximum Power Spectral Density_TNVN_11AC40_5270_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5270_Ant2







Maximum Power Spectral Density_TNVN_11AC40_5310_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5310_Ant2




Maximum Power Spectral Density_TNVN_11AC40_5510_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5510_Ant2




Maximum Power Spectral Density_TNVN_11AC40_5550_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5550_Ant2




Maximum Power Spectral Density_TNVN_11AC40_5590_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5590_Ant2




Maximum Power Spectral Density_TNVN_11AC40_5670_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5670_Ant2



Maximum Power Spectral Density_TNVN_11AC40_5755_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5755_Ant2







Maximum Power Spectral Density_TNVN_11AC40_5795_Ant1




Maximum Power Spectral Density_TNVN_11AC40_5795_Ant2



Maximum Power Spectral Density_TNVN_11AC80_5210_Ant1




Maximum Power Spectral Density_TNVN_11AC80_5210_Ant2






Maximum Power Spectral Density_TNVN_11AC80_5290_Ant1




Maximum Power Spectral Density_TNVN_11AC80_5290_Ant2






Maximum Power Spectral Density_TNVN_11AC80_5530_Ant1




Maximum Power Spectral Density_TNVN_11AC80_5530_Ant2







Maximum Power Spectral Density_TNVN_11AC80_5610_Ant1




Maximum Power Spectral Density_TNVN_11AC80_5610_Ant2



Maximum Power Spectral Density_TNVN_11AC80_5775_Ant1



Maximum Power Spectral Density_TNVN_11AC80_5775_Ant2





6.Frequency Stability

Remark: Only the data of Ant.2 is recorded.

Test mode:	802.11a	Frequency(MHz):	5180
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5178.4143	Pass
30		5178.4139	Pass
20		5178.4137	Pass
10		5178.4135	Pass
0		5178.4142	Pass
25	138	5178.4145	Pass
	120	5178.4151	Pass
	102	5178.4145	Pass

Test mode:	802.11a	Frequency(MHz):	5200
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5201.2278	Pass
30		5201.2287	Pass
20		5201.2268	Pass
10		5201.2287	Pass
0		5201.2289	Pass
25	138	5201.2292	Pass
	120	5201.2345	Pass
	102	5201.2279	Pass

Test mode:	802.11a	Frequency(MHz):	5240
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5240.8441	Pass
30		5240.8434	Pass
20		5240.8454	Pass
10		5240.8447	Pass
0		5240.8447	Pass
25	138	5240.8445	Pass
	120	5240.8448	Pass
	102	5240.8450	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 607 of 636

Test mode:	802.11a	Frequency(MHz):	5260
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5261.3583	Pass
30		5261.3587	Pass
20		5261.3585	Pass
10		5261.3572	Pass
0		5261.3584	Pass
25	138	5261.3589	Pass
	120	5261.3587	Pass
	102	5261.3585	Pass

Test mode:	802.11a	Frequency(MHz):	5300
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5299.5354	Pass
30		5299.5349	Pass
20		5299.5363	Pass
10		5299.5354	Pass
0		5299.5343	Pass
25	138	5299.5347	Pass
	120	5299.5349	Pass
	102	5299.5351	Pass

Test mode:	802.11a	Frequency(MHz):	5320
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5321.7921	Pass
30		5321.7913	Pass
20		5321.7929	Pass
10		5321.7925	Pass
0		5321.7923	Pass
25	138	5321.7915	Pass
	120	5321.7917	Pass
	102	5321.7919	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 608 of 636

Test mode:	802.11a	Frequency(MHz):	5500
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5499.1013	Pass
30		5499.1012	Pass
20		5499.1019	Pass
10		5499.0999	Pass
0		5499.0997	Pass
25	138	5499.1011	Pass
	120	5499.1014	Pass
	102	5499.1011	Pass

Test mode:	802.11a	Frequency(MHz):	5600
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5598.3831	Pass
30		5598.3834	Pass
20		5598.3824	Pass
10		5598.3826	Pass
0		5598.3828	Pass
25	138	5598.3826	Pass
	120	5598.3829	Pass
	102	5598.3827	Pass

Test mode:	802.11a	Frequency(MHz):	5700
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5699.6369	Pass
30		5699.6373	Pass
20		5699.6375	Pass
10		5699.6345	Pass
0		5699.6371	Pass
25	138	5699.6372	Pass
	120	5699.6373	Pass
	102	5699.6381	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 609 of 636

Test mode:	802.11a	Frequency(MHz):	5745
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5744.6478	Pass
30		5744.6473	Pass
20		5744.6475	Pass
10		5744.6473	Pass
0		5744.6477	Pass
25	138	5744.6481	Pass
	120	5744.6472	Pass
	102	5744.6473	Pass

Test mode:	802.11a	Frequency(MHz):	5785
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5784.7012	Pass
30		5784.7034	Pass
20		5784.7014	Pass
10		5784.7011	Pass
0		5784.7021	Pass
25	138	5784.7011	Pass
	120	5784.7012	Pass
	102	5784.7016	Pass

Test mode:	802.11a	Frequency(MHz):	5825
------------	---------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5823.9272	Pass
30		5823.9284	Pass
20		5823.9296	Pass
10		5823.9284	Pass
0		5823.9285	Pass
25	138	5823.9285	Pass
	120	5823.9287	Pass
	102	5823.9282	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 610 of 636

Test mode:	802.11n(HT20)	Frequency(MHz):	5180
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5178.5981	Pass
30		5178.5985	Pass
20		5178.5983	Pass
10		5178.5983	Pass
0		5178.5975	Pass
25	138	5178.5974	Pass
	120	5178.5978	Pass
	102	5178.5980	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5200
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5198.5427	Pass
30		5198.5430	Pass
20		5198.5434	Pass
10		5198.5426	Pass
0		5198.5423	Pass
25	138	5198.5430	Pass
	120	5198.5437	Pass
	102	5198.5427	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5240
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5238.9034	Pass
30		5238.9032	Pass
20		5238.9053	Pass
10		5238.9045	Pass
0		5238.9034	Pass
25	138	5238.9038	Pass
	120	5238.9043	Pass
	102	5238.9046	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 611 of 636

Test mode:	802.11n(HT20)	Frequency(MHz):	5240
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5239.5790	Pass
30		5239.5799	Pass
20		5239.5803	Pass
10		5239.5785	Pass
0		5239.5775	Pass
25	138	5239.5791	Pass
	120	5239.5799	Pass
	102	5239.5805	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5260
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5260.4011	Pass
30		5260.4016	Pass
20		5260.4022	Pass
10		5260.4015	Pass
0		5260.4008	Pass
25	138	5260.4013	Pass
	120	5260.4016	Pass
	102	5260.4022	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5300
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5299.7475	Pass
30		5299.7480	Pass
20		5299.7473	Pass
10		5299.7457	Pass
0		5299.7467	Pass
25	138	5299.7471	Pass
	120	5299.7465	Pass
	102	5299.7476	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 612 of 636

Test mode:	802.11n(HT20)	Frequency(MHz):	5320
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5320.4691	Pass
30		5320.4693	Pass
20		5320.4701	Pass
10		5320.4696	Pass
0		5320.4689	Pass
25	138	5320.4686	Pass
	120	5320.4693	Pass
	102	5320.4694	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5500
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5501.3889	Pass
30		5501.3893	Pass
20		5501.3901	Pass
10		5501.3894	Pass
0		5501.3886	Pass
25	138	5501.3891	Pass
	120	5501.3893	Pass
	102	5501.3902	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5600
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5598.4929	Pass
30		5598.4939	Pass
20		5598.4945	Pass
10		5598.4942	Pass
0		5598.4932	Pass
25	138	5598.4937	Pass
	120	5598.4939	Pass
	102	5598.4946	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 613 of 636

Test mode:	802.11n(HT20)	Frequency(MHz):	5700
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5701.4602	Pass
30		5701.4611	Pass
20		5701.4612	Pass
10		5701.4608	Pass
0		5701.4605	Pass
25	138	5701.4601	Pass
	120	5701.4611	Pass
	102	5701.4615	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5745
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5744.5318	Pass
30		5744.5328	Pass
20		5744.5336	Pass
10		5744.5329	Pass
0		5744.5321	Pass
25	138	5744.5328	Pass
	120	5744.5334	Pass
	102	5744.5318	Pass

Test mode:	802.11n(HT20)	Frequency(MHz):	5785
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5786.0588	Pass
30		5786.0594	Pass
20		5786.0599	Pass
10		5786.0589	Pass
0		5786.0580	Pass
25	138	5786.0594	Pass
	120	5786.0599	Pass
	102	5786.0588	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 614 of 636

Test mode:	802.11n(HT20)	Frequency(MHz):	5825
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5823.6492	Pass
30		5823.6496	Pass
20		5823.6499	Pass
10		5823.6490	Pass
0		5823.6488	Pass
25	138	5823.6496	Pass
	120	5823.6506	Pass
	102	5823.6492	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5190
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5188.4191	Pass
30		5188.4201	Pass
20		5188.4207	Pass
10		5188.4198	Pass
0		5188.4191	Pass
25	138	5188.4201	Pass
	120	5188.4209	Pass
	102	5188.4191	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5230
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5228.8355	Pass
30		5228.8361	Pass
20		5228.8362	Pass
10		5228.8361	Pass
0		5228.8359	Pass
25	138	5228.8362	Pass
	120	5228.8363	Pass
	102	5228.8355	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 615 of 636

Test mode:	802.11n(HT40)	Frequency(MHz):	5270
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5268.5654	Pass
30		5268.5656	Pass
20		5268.5662	Pass
10		5268.5650	Pass
0		5268.5651	Pass
25	138	5268.5647	Pass
	120	5268.5656	Pass
	102	5268.5663	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5310
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5310.3642	Pass
30		5310.3648	Pass
20		5310.3650	Pass
10		5310.3648	Pass
0		5310.3647	Pass
25	138	5310.3641	Pass
	120	5310.3648	Pass
	102	5310.3656	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5510
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5508.5615	Pass
30		5508.5615	Pass
20		5508.5613	Pass
10		5508.5617	Pass
0		5508.5616	Pass
25	138	5508.5625	Pass
	120	5508.5615	Pass
	102	5508.5621	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 616 of 636

Test mode:	802.11n(HT40)	Frequency(MHz):	5590
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5589.6461	Pass
30		5589.6472	Pass
20		5589.6472	Pass
10		5589.6477	Pass
0		5589.6465	Pass
25	138	5589.6472	Pass
	120	5589.6475	Pass
	102	5589.6479	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5670
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5669.9546	Pass
30		5669.9559	Pass
20		5669.9557	Pass
10		5669.9555	Pass
0		5669.9549	Pass
25	138	5669.9544	Pass
	120	5669.9549	Pass
	102	5669.9551	Pass

Test mode:	802.11n(HT40)	Frequency(MHz):	5755
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5755.6776	Pass
30		5755.6766	Pass
20		5755.6776	Pass
10		5755.6759	Pass
0		5755.6767	Pass
25	138	5755.6765	Pass
	120	5755.6761	Pass
	102	5755.6764	Pass



Test mode:	802.11n(HT40)	Frequency(MHz):	5795
------------	---------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5795.9242	Pass
30		5795.9245	Pass
20		5795.9246	Pass
10		5795.9254	Pass
0		5795.9240	Pass
25	138	5795.9242	Pass
	120	5795.9248	Pass
	102	5795.9243	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5180
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5180.8813	Pass
30		5180.8816	Pass
20		5180.8815	Pass
10		5180.8823	Pass
0		5180.8811	Pass
25	138	5180.8815	Pass
	120	5180.8817	Pass
	102	5180.8810	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5200
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5200.9257	Pass
30		5200.9262	Pass
20		5200.9269	Pass
10		5200.9259	Pass
0		5200.9246	Pass
25	138	5200.9262	Pass
	120	5200.9267	Pass
	102	5200.9267	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 618 of 636

Test mode:	802.11ac(HT20)	Frequency(MHz):	5240
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5238.2128	Pass
30		5238.2131	Pass
20		5238.2135	Pass
10		5238.2134	Pass
0		5238.2128	Pass
25	138	5238.2125	Pass
	120	5238.2131	Pass
	102	5238.2139	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5260
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5260.8352	Pass
30		5260.8361	Pass
20		5260.8369	Pass
10		5260.8360	Pass
0		5260.8359	Pass
25	138	5260.8352	Pass
	120	5260.8361	Pass
	102	5260.8370	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5300
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5300.9828	Pass
30		5300.9836	Pass
20		5300.9840	Pass
10		5300.9834	Pass
0		5300.9827	Pass
25	138	5300.9827	Pass
	120	5300.9836	Pass
	102	5300.9839	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 619 of 636

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5318.8706	Pass
30		5318.8709	Pass
20		5318.8718	Pass
10		5318.8719	Pass
0		5318.8721	Pass
25	138	5318.8715	Pass
	120	5318.8719	Pass
	102	5318.8715	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5500
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5499.4769	Pass
30		5499.4775	Pass
20		5499.4777	Pass
10		5499.4767	Pass
0		5499.4760	Pass
25	138	5499.4767	Pass
	120	5499.4776	Pass
	102	5499.4782	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5600
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5601.3145	Pass
30		5601.3153	Pass
20		5601.3167	Pass
10		5601.3166	Pass
0		5601.3146	Pass
25	138	5601.3153	Pass
	120	5601.3156	Pass
	102	5601.3161	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 620 of 636

Test mode:	802.11ac(HT20)	Frequency(MHz):	5700
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5700.0014	Pass
30		5700.0020	Pass
20		5700.0023	Pass
10		5700.0014	Pass
0		5700.0007	Pass
25	138	5700.0018	Pass
	120	5700.0020	Pass
	102	5700.0030	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5745
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5743.7654	Pass
30		5743.7664	Pass
20		5743.7666	Pass
10		5743.7658	Pass
0		5743.7657	Pass
25	138	5743.7664	Pass
	120	5743.7665	Pass
	102	5743.7654	Pass

Test mode:	802.11ac(HT20)	Frequency(MHz):	5785
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5782.9746	Pass
30		5782.9754	Pass
20		5782.9758	Pass
10		5782.9748	Pass
0		5782.9740	Pass
25	138	5782.9754	Pass
	120	5782.9755	Pass
	102	5782.9746	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 621 of 636

Test mode:	802.11ac(HT20)	Frequency(MHz):	5825
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5823.4316	Pass
30		5823.4324	Pass
20		5823.4325	Pass
10		5823.4318	Pass
0		5823.4315	Pass
25	138	5823.4324	Pass
	120	5823.4329	Pass
	102	5823.4316	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5190.0606	Pass
30		5190.0615	Pass
20		5190.0619	Pass
10		5190.0612	Pass
0		5190.0603	Pass
25	138	5190.0615	Pass
	120	5190.0619	Pass
	102	5190.0606	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5230
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5230.4049	Pass
30		5230.4057	Pass
20		5230.4064	Pass
10		5230.4054	Pass
0		5230.4049	Pass
25	138	5230.4057	Pass
	120	5230.4066	Pass
	102	5230.4049	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 622 of 636

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5268.6084	Pass
30		5268.6086	Pass
20		5268.6093	Pass
10		5268.6091	Pass
0		5268.6084	Pass
25	138	5268.6084	Pass
	120	5268.6086	Pass
	102	5268.6091	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5310.2056	Pass
30		5310.2043	Pass
20		5310.2057	Pass
10		5310.2043	Pass
0		5310.2041	Pass
25	138	5310.2041	Pass
	120	5310.2049	Pass
	102	5310.2053	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5508.3599	Pass
30		5508.3617	Pass
20		5508.3616	Pass
10		5508.3638	Pass
0		5508.3640	Pass
25	138	5508.3602	Pass
	120	5508.3607	Pass
	102	5508.3613	Pass



Test mode:	802.11ac(HT40)	Frequency(MHz):	5590
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5591.9318	Pass
30		5591.9324	Pass
20		5591.9331	Pass
10		5591.9312	Pass
0		5591.9323	Pass
25	138	5591.9314	Pass
	120	5591.9324	Pass
	102	5591.9331	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5670
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5668.9750	Pass
30		5668.9754	Pass
20		5668.9758	Pass
10		5668.9750	Pass
0		5668.9743	Pass
25	138	5668.9745	Pass
	120	5668.9754	Pass

Test mode:	802.11ac(HT40)	Frequency(MHz):	5755
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5754.5017	Pass
30		5754.5020	Pass
20		5754.5022	Pass
10		5754.5019	Pass
0		5754.5015	Pass
25	138	5754.5020	Pass
	120	5754.5023	Pass
	102	5754.5017	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 624 of 636

Test mode:	802.11ac(HT40)	Frequency(MHz):	5795
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5796.8951	Pass
30		5796.8955	Pass
20		5796.8958	Pass
10		5796.8954	Pass
0		5796.8952	Pass
25	138	5796.8955	Pass
	120	5796.8962	Pass
	102	5796.8951	Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5210
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5211.5264	Pass
30		5211.5266	Pass
20		5211.5274	Pass
10		5211.5270	Pass
0		5211.5263	Pass
25	138	5211.5266	Pass
	120	5211.5275	Pass
	102	5211.5264	Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5291.9076	Pass
30		5291.9078	Pass
20		5291.9082	Pass
10		5291.9076	Pass
0		5291.9066	Pass
25	138	5291.9069	Pass
	120	5291.9078	Pass
	102	5291.9085	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 625 of 636

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5528.1941	Pass
30		5528.1947	Pass
20		5528.1952	Pass
10		5528.1943	Pass
0		5528.1934	Pass
25	138	5528.1942	Pass
	120	5528.1947	Pass
	102	5528.1952	Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5610
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5611.4973	Pass
30		5611.4980	Pass
20		5611.4981	Pass
10		5611.4976	Pass
0		5611.4968	Pass
25	138	5611.4970	Pass
	120	5611.4980	Pass
	102	5611.4987	Pass

Test mode:	802.11ac(HT80)	Frequency(MHz):	5775
------------	----------------	-----------------	------

Temperature (°C)	Voltage(VAC)	Measurement Frequency(MHz)	Result
40	120	5773.6658	Pass
30		5773.6660	Pass
20		5773.6665	Pass
10		5773.6658	Pass
0		5773.6655	Pass
25	138	5773.6656	Pass
	120	5773.6660	Pass
	102	5773.6663	Pass



7.Duty Cycle (x)

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant1	100	0
11A	5180	Ant2	100	0
11A	5200	Ant1	100	0
11A	5200	Ant2	100	0
11A	5240	Ant1	100	0
11A	5240	Ant2	100	0
11A	5260	Ant1	100	0
11A	5260	Ant2	100	0
11A	5300	Ant1	100	0
11A	5300	Ant2	100	0
11A	5320	Ant1	100	0
11A	5320	Ant2	100	0
11A	5500	Ant1	100	0
11A	5500	Ant2	100	0
11A	5580	Ant1	100	0
11A	5580	Ant2	100	0
11A	5600	Ant1	100	0
11A	5600	Ant2	100	0
11A	5700	Ant1	100	0
11A	5700	Ant2	100	0
11A	5745	Ant1	100	0
11A	5745	Ant2	100	0
11A	5785	Ant1	100	0
11A	5785	Ant2	100	0
11A	5825	Ant1	100	0
11A	5825	Ant2	100	0
11N20	5180	Ant1	100	0
11N20	5180	Ant2	100	0
11N20	5200	Ant1	100	0
11N20	5200	Ant2	100	0



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 627 of 636

11N20	5240	Ant1	100	0
11N20	5240	Ant2	100	0
11N20	5260	Ant1	100	0
11N20	5260	Ant2	100	0
11N20	5300	Ant1	100	0
11N20	5300	Ant2	100	0
11N20	5320	Ant1	100	0
11N20	5320	Ant2	100	0
11N20	5500	Ant1	100	0
11N20	5500	Ant2	100	0
11N20	5580	Ant1	100	0
11N20	5580	Ant2	100	0
11N20	5600	Ant1	100	0
11N20	5600	Ant2	100	0
11N20	5700	Ant1	100	0
11N20	5700	Ant2	100	0
11N20	5745	Ant1	100	0
11N20	5745	Ant2	100	0
11N20	5785	Ant1	100	0
11N20	5785	Ant2	100	0
11N20	5825	Ant1	100	0
11N20	5825	Ant2	100	0
11N40	5190	Ant1	100	0
11N40	5190	Ant2	100	0
11N40	5230	Ant1	100	0
11N40	5230	Ant2	100	0
11N40	5270	Ant1	100	0
11N40	5270	Ant2	100	0
11N40	5310	Ant1	100	0
11N40	5310	Ant2	100	0
11N40	5510	Ant1	100	0
11N40	5510	Ant2	100	0
11N40	5550	Ant1	100	0



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 628 of 636

11N40	5550	Ant2	100	0
11N40	5590	Ant1	100	0
11N40	5590	Ant2	100	0
11N40	5670	Ant1	100	0
11N40	5670	Ant2	100	0
11N40	5755	Ant1	100	0
11N40	5755	Ant2	100	0
11N40	5795	Ant1	100	0
11N40	5795	Ant2	100	0
11AC20	5180	Ant1	100	0
11AC20	5180	Ant2	100	0
11AC20	5200	Ant1	100	0
11AC20	5200	Ant2	100	0
11AC20	5240	Ant1	100	0
11AC20	5240	Ant2	100	0
11AC20	5260	Ant1	100	0
11AC20	5260	Ant2	100	0
11AC20	5300	Ant1	100	0
11AC20	5300	Ant2	100	0
11AC20	5320	Ant1	100	0
11AC20	5320	Ant2	100	0
11AC20	5500	Ant1	100	0
11AC20	5500	Ant2	100	0
11AC20	5580	Ant1	100	0
11AC20	5580	Ant2	100	0
11AC20	5600	Ant1	100	0
11AC20	5600	Ant2	100	0
11AC20	5700	Ant1	100	0
11AC20	5700	Ant2	100	0
11AC20	5745	Ant1	100	0
11AC20	5745	Ant2	100	0
11AC20	5785	Ant1	100	0
11AC20	5785	Ant2	100	0



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704


Page: 629 of 636

11AC20	5825	Ant1	100	0
11AC20	5825	Ant2	100	0
11AC40	5190	Ant1	100	0
11AC40	5190	Ant2	100	0
11AC40	5230	Ant1	100	0
11AC40	5230	Ant2	100	0
11AC40	5270	Ant1	100	0
11AC40	5270	Ant2	100	0
11AC40	5310	Ant1	100	0
11AC40	5310	Ant2	100	0
11AC40	5510	Ant1	100	0
11AC40	5510	Ant2	100	0
11AC40	5550	Ant1	100	0
11AC40	5550	Ant2	100	0
11AC40	5590	Ant1	100	0
11AC40	5590	Ant2	100	0
11AC40	5670	Ant1	100	0
11AC40	5670	Ant2	100	0
11AC40	5755	Ant1	100	0
11AC40	5755	Ant2	100	0
11AC40	5795	Ant1	100	0
11AC40	5795	Ant2	100	0
11AC80	5210	Ant1	100	0
11AC80	5210	Ant2	100	0
11AC80	5290	Ant1	100	0
11AC80	5290	Ant2	100	0
11AC80	5530	Ant1	100	0
11AC80	5530	Ant2	100	0
11AC80	5610	Ant1	100	0
11AC80	5610	Ant2	100	0
11AC80	5775	Ant1	100	0
11AC80	5775	Ant2	100	0



Below are the golden test data for reference.

TNVN_11N40_5230_Ant1






8. (DFS: Channel Move Time; DFS: Channel Closing Transmission Time)

Test plots as follows:

Remark: Only the data of Ant.2 is recorded.

Radar Waveform Calibration Result

Radar Type 0 (20MHz / 5500MHz)






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 632 of 636





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704


Page: 633 of 636

Test Data: Antenna 1

BW/Channel	Test Item	Test Result	Limit	Results
80MHz/5290MHz	Channel Move Time	0.494	<10 s	Pass
	Channel Closing Transmission Time	2.5	<60ms	Pass
80MHz/5530MHz	Channel Move Time	0.471	<10 s	Pass
	Channel Closing Transmission Time	2.5	<60ms	Pass

Test plots as follows:

80MHz/5290MHz







SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM170700767704

Page: 634 of 636



80MHz/5530MHz





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170700767704

Page: 636 of 636

