QUICK START GUIDE

SOUNDGEAR CLIPS

HP_JBL_SOUNDGEAR CLIPS_Global_QSG_PV_V8.indd 1 6/16/2025 5:35:20 PM

WHAT'S IN THE BOX

SCAN ME

APP

JBL HEADPHONES

GET IT ON Google Play

Download on the App Store

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

①

②



FIRST TIME USE



POWER ON & CONNECT



DUAL CONNECT + SYNC

Stereo mode



Mono mode

MULTI-POINT CONNECTION



CONTROLS





● Tap × 1 ●● Tap × 2 ●●● Tap × 3 ▬ Hold (2s)

* Enable advance controls by connecting your JBL SOUNDGEAR CLIPS to JBL Headphones app.

POWER OFF



FACTORY RESET



DO MORE WITH THE APP





JBL HEADPHONES

CHARGING





LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

IP54

Model:	SOUNDGEAR CLIPS
Driver size:	11 mm / 0.43" Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	6.5 g per pc (13 g combined) / 0.014 lbs per pc (0.028 lbs combined)
Charging case:	39.7 g / 0.088 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (530 mAh / 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 4 hrs
Frequency response :	20 Hz - 20 kHz

Impedance:	32 ohm
Sensitivity:	85 dB SPL@1 kHz
Maximum SPL:	88 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< 14 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FR

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPO

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

DA

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

DE

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

[illegible]

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running [illegible]+.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app.

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

EL

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

ES

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPO

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

FI

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running [illegible]+.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app.

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

HU

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

IT

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

NL

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Ensure
Choose "JBL Sense Lite" to connect.
* Compatible with Android phones running
DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

NO

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPO

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

PL

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

PT-BR

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

[illegible]

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running [illegible]+.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app.

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

SV

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

TR

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPO

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

RU

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Ensure
Choose "JBL Sense Lite" to connect.
* Compatible with Android phones running
DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

ZH-CN

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPO

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

ZH-TW

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

ID

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

[illegible]

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running [illegible]+.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

JP

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

KO

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPO

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

MM

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

[illegible]

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running [illegible]+.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FPO

AR

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app.

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

Hold (2s)

* Enable advance controls by connecting your JBL SENSE LITE to JBL Headphones app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

O MO

WITH THE APP

CHARGING

D BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPO

HE

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Sense Lite" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

TECH SPEC

Model:	SENSE LITE
Driver size:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V ⎓ 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

To protect battery lifespan, fully charge at least once every 3 months. Battery life will vary due to usage patterns and environmental conditions.

FR pour protéger la vie de la batterie, chargez-la complètement au moins une fois tous les 3 mois. La durée de vie de la batterie varie en fonction des modes d'utilisation et des conditions environnementales.

DA For at optimere batteriets levetid skal du oplade fuldt ud mindst en gang i kvartalet. Batteriets levetid afhænger af brugsmønstre og omgivelser.

DE Lade zum Schutz des Akkus diesen mindestens einmal alle 3 Monate vollständig auf. Die Akkulebensdauer kann aufgrund von Nutzungsverhalten und Umgebungsbedingungen variieren.

EL Για να προστατεύσετε τη διάρκεια ζωής της μπαταρίας, φορτίστε την πλήρως τουλάχιστον μία φορά κάθε 3 μήνες. Η ζωής της μπαταρίας ποικίλλει ανάλογα με τη χρήση και τις περιβαλλοντικές συνθήκες.

ES Para proteger la duración de la batería, cárgala completamente al menos una vez cada 3 meses. La duración de la batería depende de los patrones de uso y las condiciones ambientales.

FI Akun käyttöiän turvaamiseksi, lataa täyteen ainakin kerran 3 kuukauden välein. Akun käyttöikä vaihtelee käyttötapojen ja ympäristöolosuhteiden mukaan.

HU Az akkumulátor élettartamának védelme érdekében teljesen töltse fel 3 havonta legalább egyszer. Az akkumulátor élettartama a használattól, és a környezeti feltételektől függ.

IT Per preservare la durata della batteria, effettuare una carica completa almeno una volta ogni 3 mesi. La durata della batteria varia a seconda del tipo di utilizzo e delle condizioni ambientali.

NL Voor een optimale levensduur de batterij minstens om de 3 maanden volledig opladen. De levensduur van de batterij is afhankelijk van gebruikspatronen en omgevingscondities.

NO For å beskytte batteriets levetid må det lades helt opp minst én gang hver 3. måned. Batteriets levetid vil variere etter bruksmønster og omgivelsesforhold.

PL Aby zachować czas eksploatacji akumulatora, należy go ładować co najmniej raz na trzy miesiące. Żywotność akumulatora zależy od sposobu jego użycia i warunków otoczenia.

PT-BR Para garantir a durabilidade da bateria, carregue-a totalmente pelo menos uma vez a cada três meses. A vida útil da bateria depende dos padrões de uso e das condições do ambiente.

SV För att förbättra batteriets livslängd ska det laddas det fullt minst en gång var tredje månad. Batteriets livslängd varierar beroende på användning och miljöförhållanden.

TR Pil ömrünü uzatmak için en az 3 ayda bir tam olarak şarj edin. Pil ömrü kullanım şekline ve çevresel şartlara bağlı olarak değişiklik gösterebilir.

RU Чтобы продлить срок службы аккумулятора, полностью заряжайте его по меньшей мере раз в 3 месяца. Срок службы аккумулятора зависит от способов использования и условий окружающей среды.

ZH-CN 为了保护电池寿命，请每至少 3 个月进行一次满充。电池寿命因使用方式和环境条件而异。

ZH-TW 為保護電池的使用壽命，請至少每 3 個月對電池充滿一次電。電池續航時間因使用模式和環境條件而異。

ID Agar baterai awet, isi dayanya hingga penuh paling sedikit sekali setiap 3 bulan. Masa pakai baterai bervariasi, tergantung pola penggunaan dan kondisi lingkungan.

JP バッテリー寿命を延ばすために、最低3か月に1回はフル充電してください。バッテリーの寿命は使用パターンや環境条件によって異なります。

KO 배터리 수명을 보호하려면 3개월에 한 번 이상 배터리를 완전히 충전하십시오. 배터리 수명은 사용 패턴 및 환경 조건에 따라 다를 수 있습니다.

MM ဘတ္ထရီသက်တမ်းကိုကောင်းစွင့်းမှ ကာကွယ်ရန် အနည်းဆုံး 3 လတစ်ကြိမ် ဘတ္ထရီကို အားအပြည့်သွင်းပါ။ ဘတ္ထရီသက်တမ်းသည် သုံးစွဲမှုပုံစံများနှင့် ပတ်ဝန်းကျင်အခြေအနေများအပေါ်မူတည်ပြီး အပြောင်းအလဲရှိနိုင်သည်။

AR لحماية عمر البطارية، اشحنها بالكامل مرةً واحدةً على الأقل كل 3 أشهر. ويختلف عمر البطارية بسبب أنماط الاستخدام والظروف البيئية.

HE כדי להגן על אורך חיי הסוללה, יש לטעון את הסוללה במלואה לפחות פעם בשלושה חודשים. חיי הסוללה ישתנו בהתאם לאופן השימוש ולתנאי הסביבה.



The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5 Watts in order to achieve the maximum charging speed.

FR La puissance délivrée par le chargeur doit être comprise entre 2,5 watts minimum requis par l'équipement radio et 5 watts maximum afin d'atteindre la vitesse de charge maximale.

DA Den effekt, som opladeren leverer, skal være mellem mindst 2,5 watt, som kræves af radioudstyret, og højst 5 watt for at nå den maksimale opladningshastighed.

DE Die vom Ladegerät gelieferte Leistung muss zwischen mindestens 2,5 Watt, die das Funkgerät benötigt, und maximal 5 Watt liegen, um die maximale Ladegeschwindigkeit zu erreichen.

EL Η ισχύς που παρέχει ο φορτιστής πρέπει να κυμαίνεται μεταξύ 2,5 Watts τουλάχιστον που απαιτούνται από τον ραδιοφωνικό εξοπλισμό και 5 Watts το πολύ, προκειμένου να επιτευχθεί η μέγιστη ταχύτητα φόρτισης.

ES La potencia que aporta el cargador debe estar entre un mínimo de 2,5 W requerido por el equipo de radio y un máximo de 5 W para lograr la máxima velocidad de carga.

FI Laturin antaman tehon on oltava vähintään 2,5 watin ja enintään 5 watin välillä, jotta saavutetaan suurin mahdollinen latausnopeus.

HU A töltő által leadott teljesítménynek a rádióberendezés által igényelt min. 2,5 Watt és max. 5 Watt között kell lennie a maximális töltési sebesség eléréséhez.

IT La potenza erogata dal caricatore deve essere compresa tra min 2,5 Watt richiesti dall'apparecchiatura radio, e max 5 Watt per raggiungere la velocità di ricarica massima.

NL Het door de oplader geleverde vermogen moet tussen minimaal 2,5 Watt liggen dat is vereist door de radioapparatuur, en maximaal 5 Watt om de maximale laadsnelheid te bereiken.

NO For å oppnå maksimal ladehastighet må strømmen fra laderen være mellom min. 2,5 watt som kreves av radioutstyret og 5 watt.

PL Moc dostarczana do ładowarki musi mieścić się w zakresie od minimum 2,5 W wymaganym przez sprzęt radiowy i maksymalnie 5 W, aby osiągnąć maksymalną prędkość ładowania.

SV Effekten som laddaren levererar måste ligga mellan min 2,5 watt som krävs för radioutrustningen och max 5 watt för att uppnå maximal laddningshastighet.

TR Maksimum şarj hızına ulaşmak için şarj cihazının sağladığı güç, radyo ekipmanının gerektirdiği minimum 2,5 Watt ile maksimum 5 Watt arasında olmalıdır.

ANATEL
Agência Nacional de Telecomunicações

Este produto está homologado pela Anatel, de acordo com os procedimentos regulamentados para avaliação da conformidade de produtos para telecomunicações e atende aos requisitos técnicos aplicados.
Para maiores informações, consulte o site da Anatel – www.anatel.gov.br
Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

Atenção: conforme lei brasileira n° 11.291, a exposição prolongada a ruídos superiores a 85dB pode causar danos ao sistema auditivo.

CMIIT ID: XXXXXXXXXX
制造商：Harman International Industries, Incorporated

Bluetooth®

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

The Head and Limbs SAR limit of CE and UKCA are 10g 2.0 W/kg(Head) and 10g 4.0 W/kg (Limbs) , the highest SAR value reported during product certification is 10g XXXW/Kg for typical head and limbs operations.

La limite DAS pour la tête et les membres de CE et UKCA est de 10 g 2,0 W/kg (tête) et de 10 g 4,0 W/kg (membres), la valeur DAS la plus élevée signalée lors de la certification du produit est de 10 g XXXW/kg pour les opérations typiques de la tête et des membres.

Android and Google Play are trademarks of Google LLC

⚠WARNING

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE | DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS

IS 13252(PART 1):2010
IEC 60950-1 : 2005

CE

UK CA

R 218-250632

R-41219940
www.bis.gov.in

FPO

Li-ion 00

FR

Cet appareil, ses accessoires et cordons se recyclent

Points de collecte sur www.quefairedemesdechets.fr

Product specifications and app screens are subject to change without notice.

HP_JBL_SOUNDGEAR CLIPS_Global_QSG_PV_V8.indd 36 6/16/2025 5:35:39 PM