



QUICK START GUIDE



SENSE PRO



WHAT'S IN THE BOX



APP



JBL HEADPHONES



GET IT ON
Google Play



Download on the
App Store


Get even more control and personalization of your listening experience with this free app.




HOW TO WEAR




①



②




③




**Three-level
adjustment for
optimal fit and
comfort**


FIRST TIME USE



POWER ON & CONNECT




DUAL CONNECT + SYNC



L

R


Stereo mode



L/R



Mono mode

MULTI-POINT CONNECTION



● Tap × 1  Hold (5s)


CONTROLS




● Tap × 1 ●● Tap × 2 ●●● Tap × 3 — Hold (2s)

* Enable advance controls by connecting your JBL SENSE PRO to JBL Headphones app 

POWER OFF





FACTORY RESET





●● Tap × 2 — Hold (5s)


DO MORE WITH THE APP



CHARGING




Charging through a Qi-certified wireless charging pad (Not included)




10MIN ⚡ = 4H 🎵

LED BEHAVIORS



		BT connecting
		BT connected
		BT not connected



		Low battery
		Charging
		Fully charged

TECH SPEC



IP54

Model:	SENSE PRO	Impedance:	32 ohm
Driver size:	18 mm x 11 mm Dynamic Driver	Sensitivity:	86 dB SPL@1 kHz
Power supply:	5 V --- 1 A	Maximum SPL:	90 dB
Earbud:	9.52 g per pc (1 g max. net weight) 0.021 lbs per pc (0.042 lbs combined)	Microphone sensitivity:	-38 dBV/Pa@1 kHz
Charging case:	65.69 g / 0.144 lbs	Bluetooth version:	5.4
Earbud battery type:	Lithium-ion battery (3.7 V)	Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Charging case battery type:	Lithium-ion battery (560 mAh / 3.7 V)	Bluetooth transmit frequency range:	2.4 GHz - 2.4835 GHz
Charging time:	2 hrs from empty	Bluetooth transmit power:	< 10 dBm (EIRP)
Music playtime with BT on:	Up to 8 hrs	Bluetooth transmit modulation:	GFSK, π /4-DQPSK, 8DPSK
Talk time:	Up to 5 hrs	Maximum operation temperature:	45 °C
Frequency response :	20 Hz - 20 kHz		

FR**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

POWER OFF App

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Maximum play time with BT on:

Tap time

Frequency response

Impedance

Sensitivity

Maximum SPL

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range: 2.4 GHz - 2.4835 GHz

Bluetooth transmitter power: < 10 dBm (EIRP)

Bluetooth transmitter

modulation:

Maximum operation

temperature:

SENSE PRO

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /

0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

DA**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

Headphones app . POWER

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

FPRO

TECH SPEC

Model: SENSE PRO

Driver size:

18 mm x 11 mm Dynamic Driver

Power supply:

5 V --- 1 A

Earbud:

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)
65.69 g / 0.1448 lbs

Charging case:

Earbud battery type:

Lithium-ion battery (55 mAh / 3.85 V)

Charging case battery type:

Lithium-ion battery (560 mAh / 3.85 V)

Charging time:

2 hrs from empty

Music playtime with BT on:

Up to 8 hrs

Talk time:

Up to 5 hrs

Frequency response :

20 Hz - 20 kHz

Impedance:

32 ohm

Sensitivity:

86 dB SPL@1 kHz

Maximum SPL:

90 dB

Microphone sensitivity:

-38 dBV/Pa@1 kHz

Bluetooth version:

5.4

Bluetooth profile version:

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

Bluetooth transmitter

frequency range:

2.4 GHz - 2.4835 GHz

Bluetooth transmitter power:

< 10 dBm (EIRP)

Bluetooth transmitter

modulation:

GFSK, π /4-DQPSK, 8DPSK

Maximum operation

temperature:

45 °C

DE

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL SENSE PRO" to connect with Android phones running Android 5.0 or later.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri™/Others

Tap × 1 | Tap × 2 | Tap × 3 |
Hold (2s)

* Enable advance controls by connecting your JBL SENSE PRO to JBL Headphones app.

SENSE PRO to JBL Headphones app.

Headphones app . POWER

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

SENSE PRO

Driver size:

18 mm x 11 mm Dynamic Driver

Power supply:

5 V --- 1 A

Earbud:

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)
65.69 g / 0.1448 lbs

Charging case:

Earbud battery type:

Lithium-ion battery (55 mAh / 3.85 V)

Charging case battery type:

Lithium-ion battery (560 mAh / 3.85 V)

Charging time:

2 hrs from empty

Music playtime with BT on:

Up to 8 hrs

Talk time:

Up to 5 hrs

Frequency response :

20 Hz - 20 kHz

Impedance:

32 ohm

Sensitivity:

86 dB SPL@1 kHz

Maximum SPL:

90 dB

Microphone sensitivity:

-38 dBV/Pa@1 kHz

Bluetooth version:

5.4

Bluetooth profile version:

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

Bluetooth transmitter

frequency range:

2.4 GHz - 2.4835 GHz

Bluetooth transmitter power:

< 10 dBm (EIRP)

Bluetooth transmitter

modulation:

GFSK, π /4-DQPSK, 8DPSK

Maximum operation

temperature:

45 °C

EL**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

POWER OFF App

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Maximum play time with BT on:

Tap time

Frequency response

Impedance

Sensitivity

Maximum SPL

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

SENSE PRO

18 mm x 11 mm Dynamic Driver

5 V === 1 A

9.52 g per pc (19.04 g combined) /

0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π/4-QPSK, 8DPSK

45 °C

ES**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

Headphones app . POWER

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model: SENSE PRO

Driver size:

18 mm x 11 mm Dynamic Driver

Power supply:

5 V --- 1 A

Earbud:

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

Charging case:

65.69 g / 0.1448 lbs

Earbud battery type:

Lithium-ion battery (55 mAh / 3.85 V)

Charging case battery type:

Lithium-ion battery (560 mAh / 3.85 V)

Charging time:

2 hrs from empty

Music playtime with BT on:

Up to 8 hrs

Talk time:

Up to 5 hrs

Frequency response :

20 Hz - 20 kHz

Impedance:

32 ohm

Sensitivity:

86 dB SPL@1 kHz

Maximum SPL:

90 dB

Microphone sensitivity:

-38 dBV/Pa@1 kHz

Bluetooth version:

5.4

Bluetooth profile version:

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

Bluetooth transmitter

frequency range:

2.4 GHz - 2.4835 GHz

Bluetooth transmitter power:

< 10 dBm (EIRP)

Bluetooth transmitter

modulation:

GFSK, π /4-DQPSK, 8DPSK

Maximum operation

temperature:

45 °C

FI

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL SENSE PRO" to connect with your Android phone running Android 5.0 or later.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri™/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by connecting your JBL SENSE PRO to JBL Headphones app.

SENSE PRO to JBL

Headphones app . POWER

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

SENSE PRO

Driver size:

18 mm x 11 mm Dynamic Driver

Power supply:

5 V --- 1 A

Earbud:

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

Charging case:

65.69 g / 0.1448 lbs

Earbud battery type:

Lithium-ion battery (55 mAh / 3.85 V)

Charging case battery type:

Lithium-ion battery (560 mAh / 3.85 V)

Charging time:

2 hrs from empty

Music playtime with BT on:

Up to 8 hrs

Talk time:

Up to 5 hrs

Frequency response :

20 Hz - 20 kHz

Impedance:

32 ohm

Sensitivity:

86 dB SPL@1 kHz

Maximum SPL:

90 dB

Microphone sensitivity:

-38 dBV/Pa@1 kHz

Bluetooth version:

5.4

Bluetooth profile version:

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

Bluetooth transmitter

frequency range:

2.4 GHz - 2.4835 GHz

Bluetooth transmitter power:

< 10 dBm (EIRP)

Bluetooth transmitter

modulation:

GFSK, π /4-DQPSK, 8DPSK

Maximum operation

temperature:

45 °C

HU

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

POWER OFF App

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Maximum play time with BT on:

Tap time

Frequency response

Impedance

Sensitivity

Maximum SPL

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

SENSE PRO

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /

0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

IT

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

Headphones app . POWER

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

~~SENSE~~ SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

NL

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL SENSE PRO"
to connect with Android phones
running 5.0 +

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri™/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by
connecting your JBL
to JBL Headphones app

SENSE PRO

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

~~SENSE~~ SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

NO**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 | Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

POWER OFF app

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model: SENSE PRO

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Maximum play time with BT on:

Tap time

Frequency response

Impedance

Sensitivity

Maximum SPL

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /

0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

PL**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

SENSE PRO to JBL

Headphones app . POWER

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

PT-BR

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL SENSE PRO"
to connect with Android phones
running 5.0 +

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri™/Others

Tap × 1 | Tap × 2 | Tap × 3 |
Hold (2s)

* Enable advance controls by
connecting your JBL
SENSE PRO app.

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

SV**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

to JBL Sense Pro app.

POWER OFF**FACTORY RESET**

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Maximum play time with BT on:

Tap time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /

0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

TR**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by

connecting your JBL

to JBL Sense Pro app.

POWER OFF**FACTORY RESET**

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

Bluetooth transmitter

frequency range:

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

RU

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL SENSE PRO"
to connect with Android phones
running Android 5.0 or higher.

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri™/Others

Tap × 1 | Tap × 2 | Tap × 3 |
Hold (2s)

* Enable advance controls by
connecting your JBL
Sense Pro app.

JBL SENSE PRO

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

Bluetooth transmitter

frequency range:

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

ZH-CN

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by connecting your JBL

SENSE PRO to JBL

POWER OFF app

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Maximum play time with BT on:

Tap time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

SENSE PRO

18 mm x 11 mm Dynamic Driver

5 V === 1 A

9.52 g per pc (19.04 g combined) /

0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π/4-QPSK, 8DPSK

45 °C

ZH-TW

WHAT'S IN THE BOX

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by connecting your JBL

SENSE PRO to JBL

Headphones app . POWER

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

ID

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL SENSE PRO"
to connect with Android phones
running 5.0 +

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri™/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by
connecting your JBL
to the JBL SENSE PRO app.

to the JBL SENSE PRO app.

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

JP**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by connecting your JBL

SENSE PRO to JBL

POWER OFF app

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model: SENSE PRO

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Maximum play time with BT on:

Tap time

Frequency response

Impedance

Sensitivity

Maximum SPL

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V === 1 A

9.52 g per pc (19.04 g combined) /

0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

KO**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR**FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SENSE PRO" to connect compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by connecting your JBL

SENSE PRO to JBL

Headphones app

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C



WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Choose "JBL SENSE PRO"
to connect with Android phones
running 5.0 +

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri™/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Hold (2s)

* Enable advance controls by
connecting your JBL
to the JBL SENSE PRO app.

to the JBL SENSE PRO app.

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

JBL SENSE PRO

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on:

Talk time:

Frequency response :

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

18 mm x 11 mm Dynamic Driver

5 V --- 1 A

9.52 g per pc (19.04 g combined) /
0.021 lbs per pc (0.042 lbs combined)

65.69 g / 0.1448 lbs

Lithium-ion battery (55 mAh / 3.85 V)

Lithium-ion battery (560 mAh / 3.85 V)

2 hrs from empty

Up to 8 hrs

Up to 5 hrs

20 Hz - 20 kHz

32 ohm

86 dB SPL@1 kHz

90 dB

-38 dBV/Pa@1 kHz

5.4

A2DP V1.4, AVRCP V1.6.3, HFP V1.8

2.4 GHz - 2.4835 GHz

< 10 dBm (EIRP)

GFSK, π /4-DQPSK, 8DPSK

45 °C

FPO

Hold (2s)
* Enable advance controls by
connecting your JBL

SENSE PRO app .

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

AR

WHAT'S IN THE BOX

APP

Get even more control and
personalization of your listening
experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL SENSE PRO"

* Compatible with Android phones

running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap × 1 | Tap × 2 | Tap × 3 |

Model:	JBL SENSE PRO
Driver:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V --- 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

TECH SPEC

Hold (2s)
* Enable advance controls by
connecting your JBL
SENSE PRO to JBL Headphones app.

POWER OFF

FACTORY RESET

Tap $\times 2$ | Hold (5s)

HOW TO USE WITH THE APP

CHARGING

BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

WHAT'S IN THE BOX APP

Get even more control and
personalization of your listening
experience with this free app.

HOW TO WEAR

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL SENSE PRO"

* Compatible with Android phones
running 6+

DUAL CONNECT + SYNC

Stereo mode

Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap $\times 1$ | Hold (5s)

CONTROLS

Bixby/Siri®/Others

Tap $\times 1$ | Tap $\times 2$ | Tap $\times 3$ |

Model:	JBL SENSE PRO
Driver:	18 mm x 11 mm Dynamic Driver
Power supply:	5 V --- 1 A
Earbud:	9.52 g per pc (19.04 g combined) / 0.021 lbs per pc (0.042 lbs combined)
Charging case:	65.69 g / 0.1448 lbs
Earbud battery type:	Lithium-ion battery (55 mAh / 3.85 V)
Charging case battery type:	Lithium-ion battery (560 mAh / 3.85 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 8 hrs
Talk time:	Up to 5 hrs
Frequency response :	20 Hz - 20 kHz
Impedance:	32 ohm
Sensitivity:	86 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.4
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.3, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

TECH SPEC



To protect battery lifespan, fully charge at least once every 3 months. Battery life will vary due to usage patterns and environmental conditions.

FR pour protéger la vie de la batterie, chargez-la complètement au moins une fois tous les 3 mois. La durée de vie de la batterie varie en fonction des modes d'utilisation et des conditions environnementales.

DA For at optimere batteriets levetid skal du oplade fuldt ud mindst gang i kvartalet. Batteriets levetid afhænger af brugsmønstre og omgivelser.

DE Lade zum Schutz des Akkus diesen mindestens einmal alle Monate vollständig auf. Die Akkulebensdauer kann aufgrund von Nutzungsverhalten und Umgebungsbedingungen variieren.

EL Για να προστατέψετε τη διάρκεια ζωής της μπαταρίας, φορτίστε πλήρως τουλάχιστον μία φορά κάθε 3 μήνες. Η ζωή της μπαταρίας ποικίλλει ανάλογα με τη χρήση και τις περιβαλλοντικές συνθήκες.

ES Para proteger la duración de la batería, cárgala completamente al menos una vez cada 3 meses. La duración de la batería depende de los patrones de uso y las condiciones ambientales.

FI Akun käyttöäin turvaamiseksi, lataa täyteen ainakin kerran 3 kuukauden välein. Akun käyttöikä vaihtelee käyttötapojen ja ympäristöolosuhteiden mukaan.

HU Az akkumulátor élettartamának védelme érdekében teljesen töltsd fel 3 havonta legalább egyszer. Az akkumulátor élettartama a használatától, és a környezeti feltételektől függ.

IT Per preservare la durata della batteria, effettuare una carica completa almeno una volta ogni 3 mesi. La durata della batteria varia a seconda del tipo di utilizzo e delle condizioni ambientali.

NL Voor een optimale levensduur de batterij minstens om de 3 maanden volledig opladen. De levensduur van de batterij is afhankelijk van gebruikspatronen en omgevingscondities.

NO For å beskytte batteriets levetid må det lades helt opp minst én gang hver 3. måned. Batteriets levetid varierer etter bruksmønster og omgivelser.

PL Aby zachować czas eksploatacji akumulatora, należy go ładować co najmniej raz na trzy miesiące. Czas trwania pracy zależy od sposobu użytkowania i warunków otoczenia.

PT-BR Para proteger a durabilidade da bateria, carregue-a totalmente pelo menos uma vez a cada três meses. A vida útil da bateria depende dos padrões de uso e das condições do ambiente.

SV För att föröka batteriets livslängd ska det laddas helt fullt minst en gång i tredje månaden. Batteriets livslängd varierar beroende på användning och miljöförhållanden.

TR Pil ömrünü uzatmak için en az 3 ayda bir tam olarak şarj edin. Pil ömrü kullanım şekline ve çevresel şartlara bağlı olarak değişiklik gösterebilir.

RU Чтобы продлить срок службы аккумулятора, полностью заряжайте его по меньшей мере раз в 3 месяца. Срок службы аккумулятора зависит от способов использования и условий окружающей среды.

ZH-CN 为了保护电池寿命,请每至少 3 个月进行一次充满。电池寿命因使用方式和环境条件而异。

ZH-TW 為保護電池的使用壽命,請至少每 3 個月對電池充滿一次電。電池續航時間因使用模式和環境條件而異。

ID Agar baterai awet, isi dayanya hingga penuh paling sedikit sekali setiap 3 bulan. Masa pakai baterai bervariasi, tergantung pola penggunaan dan kondisi lingkungan.


JP バッテリー寿命を延ばすために、最低3か月に1回はフル充電してください。バッテリーの寿命は使用パターンや環境条件によって異なります。

KO 배터리 수명을 보호하려면 3개월에 한 번 이상 배터리를 완전히 충전하십시오. 배터리 수명은 사용 패턴 및 환경 조건에 따라 다를 수 있습니다.

MM တာဝန်သက်တမ်းတိုးတောင်းခြင်းမှ ကာကွယ်ရန် အနည်းဆုံး 3 လတစ်ကြိမ် တာဝန်သက်တမ်းတိုးအားပြည့်သွင်းပါ။ တာဝန်သက်တမ်းသည် သုံးစွဲမှုပုံစံများနှင့် ပတ်ဝန်းကျင်အခြေအနေများအပေါ်မူတည်ပြီး အပြောင်းအလဲရှိနိုင်သည်။

AR لحماية عمر البطارية، اشحنها بالكامل مرة واحدة على الأقل كل 3 أشهر. ويختلف عمر البطارية بسبب أنماط الاستخدام والظروف البيئية.

HE כדי להגן על אורך חיי הסוללה, יש לטעון את הסוללה במלואה לפחות פעם בשלושה חודשים. חיי הסוללה ישתנו בהתאם לאופן השימוש ולתנאי הסביבה.



The power delivered by the charger must be between minimum 2.5 Watts required by the radio equipment, and max 5 Watts in order to achieve the maximum charging speed.

FR La puissance délivrée par le chargeur doit être comprise entre 2,5 watts minimum requis par l'équipement radio et 5 watts maximum afin d'atteindre la vitesse de charge maximale.

DA Den effekt, som opladeren leverer, skal være mellem minimum 2,5 watt, som kræves af radioustyret, og højst 5 watt for at opnå den maksimale opladningshastighed.

DE Die vom Ladegerät gelieferte Leistung muss zwischen mindestens 2,5 Watt, die das Funkgerät benötigt, und maximal 5 Watt liegen, um die maximale Ladegeschwindigkeit zu erreichen.

EL Η ισχύς που παρέχει ο φορτιστής πρέπει να κυμαίνεται μεταξύ 2,5 Watts τουλάχιστον που απαιτούνται από τον ραδιοφωνικό εξοπλισμό και 5 Watts το πολύ, προκειμένου να επιτευχθεί η μέγιστη ταχύτητα φόρτισης.

ES La potencia que aporta el cargador debe estar entre un mínimo de 2,5 W requerido por el equipo de radio y un máximo de 5 W para lograr la máxima velocidad de carga.

Latvian La ietilpība, ko nodrošina lādētājs, jābūt starp 2,5 vatiem un 5 vatiem, lai sasniegtu maksimālo lādēšanas ātrumu.

HU A töltő átlag legalább 2,5 wattot, legfeljebb 5 wattot kell szolgáltatnia a maximális töltési sebesség eléréséhez.

IT La potenza erogata dal caricatore deve essere compresa tra min 2,5 watt richiesti dall'apparecchiatura radio, e max 5 Watt per raggiungere la velocità di ricarica massima.

NL Het opladergeleverde vermogen moet tussen minimaal 2,5 Watt (hetgeen dat is vereist door de radio) en maximaal 5 Watt om de maximale laadsnelheid te bereiken.

NO For å oppnå maksimal ladehastighet må strømmen fra laderen være mellom min. 2,5 watt som kreves av radioustyret og 5 watt.

PL Moc dostarczana do ładowarki musi mieścić się w zakresie od minimum 2,5 W wymaganym przez sprzęt radiowy i maksymalnie 5 W, aby osiągnąć maksymalną prędkość ładowania.

SV Effekten som laddaren levererar måste ligga mellan min 2,5 watt som krävs för radioutrustningen och max 5 watt för att uppnå maximal laddningshastighet.

TR Maksimum şarj hızına ulaşmak için şarj cihazının sağladığı güç, radyo ekipmanının gerektirdiği minimum 2,5 Watt ile maksimum 5 Watt arasında olmalıdır.

WARNING

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE | DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS



018 500

IS 13252(PART 1):2010
IEC 60950-1 : 2005



R-41219940
www.bis.gov.in

FCC ID: APIJBLSPRO
IC: 6132A-JBLSPRO



Points de collecte sur www.quefairedemesdechets.fr



The Bluetooth® word mark and logos are registered trademarks of Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

Google, Android and Google Play are trademarks of Google LLC.



Este produto é homologado pela Anatel, de acordo com os procedimentos regulamentados para a certificação de conformidade de produtos para telecomunicações e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da Anatel – www.anatel.gov.br. Este equipamento tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

Atenção: conforme Lei brasileira nº 11.291, a exposição prolongada a ruídos superiores a 85dB pode causar danos ao sistema auditivo.

CMIIT ID: 25J99830T333

制造商: Harman International Industries, Incorporated

Product specifications and app screens are subject to change without notice.

HP_JBL_SENSE PRO_Global_QSG_DV1_V2