



TUNER FM




TUNER FM

Quick Start Guide

Guide de démarrage rapide


1 What's in the box



x 1




x 1



x 1

2 Buttons



TUNER FM


Quick Start Guide

Guide de démarrage rapide


- *you can set language when first time to turn on or after factory reset (press Bluetooth & volume + >5s) /
- *you can set language when first time to turn on or after factory reset (press Bluetooth & volume + >5s) /
- *you can set language when first time to turn on or after factory reset (press Bluetooth & volume + >5s) /
- *you can set language when first time to turn on or after factory reset (press Bluetooth & volume + >5s) /
- *you can set language when first time to turn on or after factory reset (press Bluetooth & volume + >5s) /
- *you can set language when first time to turn on or after factory reset (press Bluetooth & volume + >5s) /
- *you can set language when first time to turn on or after factory reset (press Bluetooth & volume + >5s) /

5 Listen To Radio

a) Turn on the Radio



b) Press “FM” Button




TUNER FM

Quick Start Guide

Guide de démarrage rapide


c) Tune and select a radio station



5.1 Preset Favorite station


5.1a Select one favorite FM station

5.1b Long press (>2 seconds) preset button 1 (2,3,4,5) until screen show station saved



5.2 Listen Favorite station

5.2a Just press the preset button 1 (2,3,4,5) directly, the favorite station will play if it was presetted




TUNER FM

Quick Start Guide

Guide de démarrage rapide

5.3 Auto Scan Radio



5.3a Press “scan” button to start scanning automatically



6 Bluetooth®

6.1a Press bluetooth button to enter pairing mode

6.1b Search and select “JBL Tuner” in your bluetooth device



Choose "JBL TUNER" to connect

TUNER FM

Quick Start Guide

Guide de démarrage rapide

Warning

Severely stretch or snap antenna will damage antenna to impact signal reception. Please avoid the risky operation. If the speaker will not be used for a long period of time, please recharge the battery at least once every 3 months. Battery life will vary due to usage patterns and environmental conditions.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Si l'enceinte n'est pas utilisée sur une longue période, rechargez la batterie au moins tous les 3 mois. La durée de vie de la batterie dépend du comportement d'utilisation et des conditions environnementales.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Si no vas a utilizar el altavoz durante mucho tiempo, recarga la batería por lo menos una vez a cada três meses. La duración de la batería dependerá del patrón de uso y las condiciones ambientales.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Se passar muito tempo sem usar a caixa de som, recarregue a bateria pelo menos uma vez a cada três meses. A vida útil da bateria é afetada pelos padrões de uso e pelo ambiente no qual a caixa de som é mantida.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Falls der Lautsprecher längere Zeit nicht benutzt wird, lade ihn bitte mindestens alle 3 Monate auf. Die Akkulebensdauer ist abhängig von der Art der Nutzung und von den Umgebungsbedingungen.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Se il diffusore non viene utilizzato per un lungo periodo di tempo, ricaricare comunque la batteria almeno una volta ogni 3 mesi. La durata della batteria varia a seconda dello stile di utilizzo e delle condizioni ambientali.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Als de luidspreker voor langere tijd niet wordt gebruikt, moet de batterij minimaal eens per 3 maanden opgeladen worden. De levensduur van de batterij is afhankelijk van gebruikspatronen en omgevingsfactoren.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Lad batteriet minst hver 3. måned hvis høytaleren ikke blir brukt over en lengre periode. På grunn av ulike bruksmåter og påvirkninger fra miljøet, vil levetiden til batteriet variere.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Jos kaiutinta ei käytetä pitkään aikaan, lataa akku ainakin 3 kuukauden välein. Akun käyttöikä vaihtelee käyttötavoista sekä ympäristöllisistä olosuhteista riippuen.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Если вы не используете колонку длительное время, по меньшей мере раз в 3 месяца перезаряжайте аккумулятор. Срок службы аккумулятора зависит от манеры эксплуатации и от внешних условий.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Om högtalaren inte kommer att användas under en längre tid, bör du ladda batteriet åtminstone var tredje månad. Batteriets livslängd varierar beroende på användning och omgivande förhållanden.

Severely stretch or snap antenna will damage antenna to impact signal reception. please avoid the risky operation. Hvis højtaleren ikke skal bruges i længere tid, skal du oplade batteriet mindst én gang hver tredje måned. Batteritiden varierer afhængig af brugsmonster og omgivelser.

TUNER FM

Quick Start Guide

Guide de démarrage rapide

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. スピーカーを長期間使用しない場合は、少なくとも3か月に1回はバッテリーを再充電してください。バッテリー駆動時間は使用条件や環境条件によって異なります。

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. Jeśli głośnik nie będzie używany przez dłuższy czas, należy naładować akumulator co najmniej raz na trzy miesiące. Żywotność akumulatora zależy od sposobu użytkowania i warunków otoczenia.

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. 스피커를 오랜 기간 사용하지 않으려는 경우, 최소 3개월마다 배터리를 다시 충전해주시고, 배터리 수명이 사용 패턴과 환경 조건에 따라 달라집니다.

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. 如果扬声器长期使用，请至少每三个月充电一次。电池寿命因使用模式和环境条件而有所不同。

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. 如果喇叭長時間不使用，請至少每3個月對電池充電一次。電池壽命因使用模式和環境條件而有所不同。

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. Jika speaker tidak akan digunakan untuk jangka waktu yang lama, isi ulang daya baterai setidaknya 3 bulan sekali. Masa pakai baterai akan berbeda bergantung pada pola penggunaan dan kondisi lingkungan.

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. אם הרמקול לא יהיה בשימוש במשך זמן רב, יש לטעון את הסוללה לפחות אחת לשלושה חודשים. חיי הסוללה עשויים להשתנות עקב דפוסי שימוש ותנאים סביבתיים.

Severely stretch or snap antenna will damage antenna to impact signal reception, please avoid the risky operation. إذا كانت السماعة لن يتم استخدامها لفترة طويلة، فيُرجى إعادة شحن البطارية مرة واحدة على الأقل كل 3 أشهر. سوف يختلف عمر البطارية تبعاً لأنماط الاستخدام والظروف البيئية.

TUNER FM

Quick Start Guide

Guide de démarrage rapide

EN

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

FR

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

ES

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

PT

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

TUNER FM

Quick Start Guide

Guide de démarrage rapide

DE

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

NL

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

IT

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

NO

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

TUNER FM

Quick Start Guide

Guide de démarrage rapide

FI

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

SV

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

RU

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

DA

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

TUNER FM

Quick Start Guide

Guide de démarrage rapide

JP

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

KO

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

PL

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

CHS

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

TUNER FM

Quick Start Guide Guide de démarrage rapide

CHT

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

ID

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

HE

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (MHz step 0.05)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

AR

- Transducer: 1 x 44.5mm
- Frequency response: 30Hz – 20kHz $\pm$ 1dB
- FM Tuning range: 87.5 MHz – 108 MHz (0.05 MHz step)
- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.5
- Rated power: 5WRMS
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/1500mAh)
- Battery charge time: 3.5 hours
- Music playtime: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter power: 0-9dBm
- Bluetooth transmitter frequency range: 2.402-2.480GHz
- Bluetooth transmitter modulation: GFSK / DQPSK / 8DPSK
- Dimension: 165 mm x 66mm x 66mm
- Weight: xxx

TUNER FM

Quick Start Guide

Guide de démarrage rapide



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

Торговая марка	: JBL
Назначение товара	: Активная акустическая система
Изготовитель	: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901 Коннектикут, г.Стэмфорд, Атлантик Стрит 400, офис 1500
Страна происхождения	: Китай
Импортер в Россию	: ООО "ХАРМАН РУС СиАйЭс", Россия, 127018, г.Москва, ул. Двинцев, д.12, к 1
Гарантийный период	: 1 год
Информация о сервисных центрах	: www.harman.com/ru тел. +7-800-700-0467
Срок службы	: 3 года
Товар сертифицирован	



Дата производства	: Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-MY0000000, где «М» - месяц производства (А - январь, В - февраль, С - март и т.д.) и «Y» - год производства (А - 2010, В - 2011, С - 2012 и т.д.).
-------------------	---

Este equipamento opera em caráter secundário, isto é, não tem direito a proteção contra interferência prejudicial, mesmo de estações do mesmo po, e não pode causar interferência a sistemas operando em caráter primário"

Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados.

Para maiores informações, consulte o site da ANATEL – www.anatel.gov.br

