




UNDER ARMOUR




 TRUE WIRELESS **STREAK**

QUICK START GUIDE



CONTENTS

Inndhold
 Inhalt
 Περιεχόμενα
 Contenido
 Sisältö
 Contenu
 A csomag tartalma
 Conenuto
 Inhoud van de verpakking
 Innhold
 Zawartość
 Conteúdo
 Innehåll
 İçerik
 Содержание
 产品清单
 内容
 Isi
 同梱品
 구성품
 ပါဝင်သည့်ပစ္စည်းများ
 المحتويات
 תכולה




PERFECT FIT



1 Mix and match for a perfect fit and audio performance



2



Perfekt fit
 Perfekte Passform
 Τέλεια εφαρμογή
 Ajuste perfecto
 Täydellinen istuvuus
 Maintien parfait
 Tökéletesen illeszkedik
 Vestibilità perfetta
 Perfecte pasvorm
 Perfekt passform
 Doskonałe dopasowanie
 Encaixe perfeito
 Perfekt passform
 Mükemmel uyum
 Идеальная посадка
 完美貼合
 完美貼合
 Pas sempurna
 最適な装着感
 완벽한 핏
 ပြည့်စုံသည့် အပြင်အဆင်
 الوضعية المثلى
 התאמה מושלמת



PERFECT FIT

DA	Mix og match - for perfekt pasform og lyd	NO	Miks og match for å finne den perfekte passformen og lyden
DE	Mix und match für eine perfekte passform und audioleistung	PL	Zmieniaj i dostosowuj, by uzyskać idealne dopasowanie i wrażenia odsłuchu
EL	Συνδυαστε και ταιριαξτε τα για τελεια εφαρμογη και μεγαλη αποδοση ηχου	PT-BR	Escolha as ponteiras que se encaixa melhor e produz o melhor som
ES	Combinalos para lograr el ajuste y el rendimiento de audio perfectos	SV	Blanda och välj optimal passform för att få ett perfekt ljud
FI	kokeile ja yhdistele, jotta saat parhaan istuvuuden ja äänenlaadun	TR	En iyi ses uyumu ve performansi için eşleştirme
FR	Mélangez et associez pour un confort et des performances audio parfaits	RU	Комбинируйте для идеальной посадки и звучания
HU	Keverje össze és válassza ki a tökéletes egyezés és audió teljesítmény eléréséhez	ZH-CN	混合和匹配不同耳塞套实现良好的贴合和音频性能
IT	Mischia e abbina per comfort e prestazioni audio perfetti	ZH-TW	混合搭配以獲得完美的貼合度及音效
NL	Mix en match voor een perfecte pasvorm en audioprestaties	ID	Padu padankan demi kenyamanan dan kualitas audio

PERFECT FIT




JP	快適な装着感とオーディオパフォーマンスを追求
KO	완벽한 착용감과 오디오 성능을 위한 믹스 앤 매치
MM	ပြီးပြည့်စုံသောအသံစွမ်းဆောင်ရည်နှင့် ကိုက်ညီသောဝတ်ဆင်မှုအတွက် ရောနှော တတ်ဆင်ပြီးအသုံးပြုပါ။
AR	الدمج والضبط للحصول على الصوت الأنقى والأداء الأفضل
HE	ערבבו והתאימו להתאמה וביצועי שמע מושלמים




CHARGING

Oplader
Wird geladen
Φόρτιση
Carga
Latautuu
Charge
Töltés
In carica
Opladen
Lader
Ładowanie
Carregando a bateria
Laddar
Şarj etme
Зарядка
充电
充電中
Mengisi daya
充電中
충전
အားသွင်းခြင်း
جار الشحن
בטעינה



POWER ON/OFF




TÆND/SLUK for strøm
EIN/AUS
Αναμμα/Σβήσιμο
Encendido/Apagado
Virta PÄÄLLE/POIS
Marche/Arrêt
Be-/kikapcsolás
ACCESO/SPENTO
Voeding AAN/UIT
Strøm AV/PÅ
Wł./wył. zasilania
Liga/desliga
Ström PÅ/AV
Gücü AÇMA/KAPATMA
Включение/ выключение
开启/关闭
通電/斷電
Daya HIDUP/MATI
電源オン/オフ
전원 켜기/끄기
اڤاڤ ائڤڤي/اڤمات
تشغيل/إيقاف تشغيل الطاقة
הפעלה / כיבוי




PAIRING

Parring
 Kopplung
 Ζεύξη
 Emparejamiento
 Parinmuodostus
 Jumelage
 Párosítás
 In abbinamento
 Koppelen
 Paring
 Parowanie
 Emparelhando
 Parkoppling
 Eşleşirme
 Спряжение
 配对
 配對中
 Penyambungan
 ペアリング
 페어링
 ချိတ်ဆက်ခြင်း
 اقتران
 מבצע צימוד



Others



Choose "UA I JBL True Wireless Streak" to connect



Android 6.0+



Fast Pair

PAIRING



3 Stereo Mode



Mono Mode





PAIRING

DA	Andet: Vælg "UA I JBL True Wireless Streak" for at forbinde Stereo-tilstand/Mono-tilstand	IT	Altro: Scegliere "UA I JBL True Wireless Streak" per effettuare il collegamento. Modalità stereo / modalità mono
DE	Andere: Wähle „UA I JBL True Wireless Streak“ zum Verbinden. Stereo-Modus / Mono-Modus	NL	Overige: Kies "UA I JBL True Wireless Streak" om te verbinden Stereo-modus/Mono-modus
EL	Άλλο: Επιλέξτε "UA I JBL True Wireless Streak" για να συνδεθείτε Στερεοφωνική λειτουργία / Μονοφωνική λειτουργία	NO	Annet: Velg «UA I JBL True Wireless Streak» for å koble til Stereomodus/monomodus
ES	Otro: Selecciona "UA I JBL True Wireless Streak" para realizar la conexión Modo estéreo/mono	PL	Inne: Aby nawiązać połączenie, wybierz „UA I JBL True Wireless Streak” Tryb dźwięku stereo / mono
FI	Muut: Valitse "UA I JBL True Wireless Streak" yhdistääksesi Stereo-tila / Mono-tila	PT-BR	Outra: Selecione "UA I JBL True Wireless Streak" para conectar Modo estéreo ou modo mono
FR	Divers : Choisissez « UA I JBL True Wireless Streak » pour la connexion. Mode stéréo / Mode mono	SV	Annat: Välj "UA I JBL True Wireless Streak" för att ansluta Stereo-läge/Mono-läge
HU	Egyéb: Csatlakozáshoz válassza az „UA I JBL True Wireless Streak” lehetőséget Sztereo üzemmód / Monó üzemmód	TR	Diğerleri: Bağlanmak için "UA I JBL True Wireless Streak" seçin. Stereo Mod / Mono Mod

PAIRING



RU	Другое: Выберите "UA I JBL True Wireless Streak" для соединения Сtereo режим / Mono режим	AR	أخرى: اختر "UA I JBL True Wireless Streak" للاتصال وضع ستريو / وضع أحادي Stereo Mode / Mono
ZH-CN	其它: 选择 "UA I JBL True Wireless Streak" 即可连接 立体声模式 / 单声道模式	HE	אחר: בחר ב-"UA I JBL True Wireless Streak" כדי להתחבר מצב סטריאו / מצב מונו
ZH-TW	其他: 選擇「UA I JBL True Wireless Streak」進行連接 立體聲模式 / 單聲道模式		
ID	Lainnya: Pilih "UA I JBL True Wireless Streak" untuk menghubungkan Mode Stereo/Mode Mono		
JP	その他: 「UA I JBL True Wireless Streak」を選択して接続 ステレオモード/モノラルモード		
KO	기타: "UA I JBL True Wireless Streak"를 선택하여 연결합니다. 스테레오 모드 / 모노 모드		
MM	"UA I JBL True Wireless Streak" ကို ချိတ်ဆက်ရန်ရွေးချယ်ပါ စတီရီယိုမုဒ် / မိုနိုမုဒ်		



BUTTON COMMAND

Button command

Styring med knap

Tastenbefehl

ΕΝτολή πλήκτρου

Comandos de los botones

Painike-komento

Commandes du bouton

Gombos vezérlés

Pulsante comandi

Knopopdracht

Knappekommendo

Działanie przycisków

Botão de comando

Knappkommando

Düğme Komutu

Кнопка управления

按钮命令

按钮命令

Tombol perintah

ボタンコマンド


버튼 명령

ခလုတ်စီမံခန့်ခွဲမှု

أوامر الزر


פעולת הלחצן

Stereo Mode



Seamless
automatic switch

Mono Mode



TalkThru: Talk to people nearby without taking off headphones.

Ambient Aware: Be aware of surroundings while enjoying music.

* This button allows you to trigger the native voice assistant on your phone, which may differ based on your phone's manufacturer and OS.



BUTTON COMMAND

- DA** Stereo-tilstand
Stemmeassistent
Nemt automatisk skifte
Mono-tilstand
TalkThru: Tal med folk omkring dig uden at tage hovedtelefonerne af.
Ambient Aware: Vær opmærksom på omgivelserne mens du nyder musikken.
* Knappen lader dig aktivere din telefons sprogassistent, hvilket dog kan variere afhængigt af telefonens fabrikant og styresystem.
- DE** Stereo-Modus
Sprachassistent
Nahtloser automatischer Wechsel
Mono-Modus
TalkThru: Sprich mit Personen in der Nähe, ohne den Kopfhörer abzunehmen.
Ambient Aware: Nimm die Umgebung wahr, während du gleichzeitig Musik genießt.
* Mit dieser Schaltfläche kannst du den in deinem Telefon integrierten Sprachassistenten starten, der je nach Hersteller und Betriebssystem des Telefons unterschiedlich sein kann.

- EL** Στερεοφωνική λειτουργία
Φωνητικός βοηθός
Απρόσκοπτη αυτόματη εναλλαγή
Μονοφωνική λειτουργία
TalkThru: Μιλήστε με άτομα κοντά χωρίς να βγάλετε τα ακουστικά.
Ambient Aware: Έχετε επαφή με το περιβάλλον σας ενώ ακούτε μουσική.
* Αυτό το κουμπί σας επιτρέπει να ενεργοποιήσετε τον εγγενή βοηθό φωνής στο τηλέφωνό σας, το οποίο μπορεί να διαφέρει ανάλογα με τον κατασκευαστή και το λειτουργικό σύστημα του τηλεφώνου σας.
- ES** Modo estéreo
Asistente de voz
Encendido y apagado automático totalmente integrado
Modo mono
TalkThru: Habla con la gente de tu alrededor sin quitarte los auriculares
Ambient Aware: Mantente pendiente de tu alrededor mientras disfrutas de la música.
* Este botón te permite activar el asistente de voz nativo del teléfono, que puede ser distinto del asistente del fabricante y el sistema operativo del teléfono.

- FI** Stereotila
Puheavustaja
Saumaton automaattikytentä
Monotila
TalkThru: Puhu lähellä olevien henkilöiden kanssa ilman tarvetta poistaa kuulokkeita.
Ambient Aware: Ole tietoinen ympäristöstäsi musiikista nauttiessasi.
* Tallä painikkeella voit aktivoida natiivin puheavustajan puhelimessasi. Se voi vaihdella puhelimesi valmistajan ja sen käyttäjärjestelmän perusteella.
- FR** Mode stéréo
Assistant vocal
Commutation automatique transparente
Mode mono
TalkThru : parlez aux personnes proches sans enlever vos écouteurs.
Ambient Aware : soyez conscient de votre environnement tout en profitant de la musique.
* Ce bouton vous permet de déclencher l'assistant vocal natif de votre téléphone, qui peut varier selon le fabricant de votre téléphone et le SE.

- HU** Sztereó üzemmód
Hangalapú segéd
Zökkenőmentes automatikus kapcsoló
Monó üzemmód
TalkThru: Beszélgessen anélkül, hogy le kellene vennie a fülhallgatót!
Környezeti zaj beengedése: Kövesse a környezetébe történő eseményeket zenehallgatás közben!
* A gomb segítségével aktiválhatja a telefonján található natív segédet, amely a telefon gyártójától és operációs rendszerétől függően eltér.
- IT** Modalità Stereo
Assistente vocale
Passaggio automatico senza interruzioni
Modalità mono
TalkThru: Parla con le persone nelle vicinanze senza togliere le cuffie.
Ambient Aware: Rimani consapevole dell'ambiente circostante mentre ascolti la tua musica.
* Questo pulsante ti consente di attivare l'assistente vocale nativo sul telefono, che può variare in base al produttore e al sistema operativo del telefono.

BUTTON COMMAND





BUTTON COMMAND

NL Stereo-modus
Spraakassistent
Naadloos automatisch overschakelen
Mono-modus
TalkThru: Praat met mensen vlakbij zonder je koptelefoon af te zetten.
Ambient Aware: Wees je bewust van de omgeving terwijl je van muziek geniet.
* Met deze knop kun je de beschikbare spraakassistent op je telefoon activeren, die kan verschillen afhankelijk van de fabrikant en het besturingssysteem van je telefoon.

NO Stereomodus
Stemmeassistent
Sømløs automatisk bryter
Monomodus
TalkThru: Snakk med folk i nærheten uten å ta av hodetelefonene.
Ambient Aware: Ha oppmerksomhet på omgivelsene samtidig som du lytter til musikk.
* Denne knappen lar deg utløse den opprinnelige stemmeassistenten på telefonen din, som kan variere avhengig av telefonens produsent og operativsystem.

PL Tryb dźwięku stereo
Funkcja Voice Assistant
Płynnie działający przełącznik automatyczny
Tryb dźwięku mono
TalkThru: Rozmawiaj z innymi bez zdejmowania słuchawek.
Ambient Aware: Zachowuj świadomość otoczenia, ciesząc się muzyką.
* Za pomocą tego przycisku można aktywować lokalnego asystenta głosowego na smartfonie, który zależy od producenta i systemu operacyjnego urządzenia.

PT-BR Modo estéreo
Assistente de voz
Alternância automática
Modo mono
TalkThru: Fale com as pessoas ao redor sem tirar os fones.
Ambient Aware: Ouça o que está acontecendo ao seu redor mesmo com a música ligada.
* Permite usar o assistente de voz do smartphone, que depende do fabricante e do sistema operacional do telefone.

SV Stereo-läge
Röstassistent
Sömlös automatisk omkoppling
Mono-läge
TalkThru: Prata med människor i närheten utan att ta av hörlurarna.
Ambient Aware: Håll kontakten med omgivningen medan du njuter av musik.
* Den här knappen låter dig aktivera den inbyggda röstassistenten på din telefon, som kan vara olika beroende på telefonens tillverkare och operativsystem.

TR Stereo Mod
Sesli Asistan
Kusursuz Otomatik Düğme
Mono Mod
TalkThru: Kulaklıklarınızı çıkartmadan yakınınızdaki kişiler ile konuşun.
Ortam Farkındalığı: Müziğin keyfini çıkarırken çevrenizdekilerin farkında olun.
* Bu düğme telefonunuzdaki, telefonunuzun üreticisine ve işletim sistemine bağlı olarak değişiklik gösterebilen yerel sesli asistanı başlatmanıza yardımcı olur.

BUTTON COMMAND



RU Стереo режим
Голосовой помощник
Автоматический переключатель
Моно режим
TalkThru: Общайтесь с людьми, не снимая наушников.
Ambient Aware: Будьте в курсе окружающую обстановку, наслаждаясь музыкой.
* Данная кнопка позволяет включить на вашем телефоне встроенный голосовой помощник, который может отличаться в зависимости от производителя вашего телефона и его операционной системы.

ZH-CN 立体声模式
语音助手
无缝自动切换
单声道模式
TalkThru: 无需摘下耳机也可与周围的人交谈。
环境感知: 欣赏音乐时能够感知周围的环境。
* 按下此按钮可触发手机上的原生语音助手, 具体情况可能因不同手机制造商和操作系统而异。



BUTTON COMMAND

ZH-TW 立體聲模式
語音助理
無縫自動切換
單聲道模式
TalkThru: 與附近的人交談時無需取下耳機。
環境感知: 在享受音樂的同時注意周圍環境。
* 按下此按鈕可觸發手機本身的語音助理，這可能因手機的製造商和作業系統而有所不同。

ID **Mode Stereo**
Asisten Suara
Peralihan otomatis yang mulus
Mode Mono
TalkThru: Bicara dengan orang sekitar tanpa perlu melepas headphone.
Ambient Aware: Menikmati musik tanpa kehilangan perhatian dengan sekitar.
* Tombol ini memungkinkan Anda mengaktifkan asisten suara bawaan di ponsel Anda, yang mungkin berbeda berdasarkan produsen ponsel dan sistem operasi Anda.

JP ステレオモード
ボイスアシスタント
シームレスなスイッチ
モノラルモード
トークスルー: 取り外すことなく近くの人と会話することが可能です。
アンビエントアウェア: 音楽を楽しみながら、周囲の音を取り込んで聞くことができます。
* お使いのスマートホンに搭載されたボイスアシスタントを起動することができますが、スマートホンのメーカーや仕様によっては対応していない場合があります。

KO 스테레오 모드
음성 비서
원활한 자동 전환
모노 모드
TalkThru: 헤드폰을 낀 채로 주위에 있는 사람들과 대화하세요.
Ambient Aware: 음악을 즐기면서 주변 환경을 인식하세요.
* 이 버튼을 누르면 휴대폰의 네이티브 음성 비서가 활성화되며, 해당 기능은 휴대폰 제조업체 및 OS에 따라 다를 수 있습니다.

MM စတီရီယိုမုခ်
Voice Assistant
အထစ်အငါးမရှိသည့် အလိုအလျောက် ခလုတ် မှိမ့်မှိမ့်
TalkThru- နားကြပ်များကို မပိတ်ဘဲ အနီး ဝန်းကျင်ရှိလူများကို စကားပြောဆို လိုက်ပါ။
Ambient Aware- သိချင်းနားဆင်နေစဉ် ပတ်ဝန်းကျင်ကို သတိပြုမိစေနိုင်ပါသည်။
* ဤခလုတ်သည် သင့်ဖုန်းရှိ မူလပါရှိသည့် **Voice Assistant**ကို အလွယ်တကူ ဖွင့်သွားစေ ပါသည်။ ၎င်းသည် သင့်ဖုန်းအား ထုတ်လုပ် သည့် ကုမ္ပဏီနှင့် စက်လည်ပတ်လုပ်ဆောင် ရေးစနစ် (OS) အပေါ် မူတည်ပြီး ကွဲပြား နိုင်သည်။

BUTTON COMMAND




AR وضع ستريو
المساعد الصوتي
مفتاح التبديل السلس للتلقائي
وضع أحادي
TalkThru (تهدئة الموسيقى): تحدث إلى الأشخاص القريبين دون خلع سماعات الرأس
البيئة المحيطة: كن على دراية بما يحيط بك أثناء الاستمتاع بالموسيقى
* يتيح لك هذا الزر تشغيل المساعد الصوتي الأصلي على هاتفك، والذي قد يختلف بناءً على الشركة المصنعة لهاتفك ونظام التشغيل (Android)

HE מצב סטריאו
עוזר קולי
מעבר חלק ואוטומטי
מצב מונו
TalkThru: שוחח עם אנשים בקרבתך ללא צורך בהסרת האוזניות.
Ambient Aware: הישאר ערני לסביבתך גם תוך האזנה למוזיקה.
* לחצן זה מאפשר לך להפעיל את המסייע הקולי בטלפון שלך, העשוי להשתנות לפי יצרן הטלפון ומערכת ההפעלה.



MANUAL

Manual
Manuel
Manuell
Χειροκίνητα
Manual
Manuaalinen
Manuel
Manuális
Manuale
Handleiding
Manual
Tryb ręczny
Manual
Manuell
Manuel
Ручной режим
手动操作
手動
Manual
マニュアル
수동
ကိုယ်တိုင်ထိန်းချုပ်
လုပ်ဆောင်မှု
يدوي
ידני
- 20 -



SPECIFICATIONS

EN

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <10 dbm
- Bluetooth transmitter modulation: GFSK, π/4 DQPSK, 8DPSK
- Maximum operation temperature: 45°C

DA: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <10 dbm
- Bluetooth transmitter modulation: GFSK, π/4 DQPSK, 8DPSK
- Maximum operation temperature: 45°C



SPECIFICATIONS

DE: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

EL: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

FPO

ES: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

FPO

SPECIFICATIONS



FI: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C



SPECIFICATIONS

FR: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

HU: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

IT: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

NL: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C



SPECIFICATIONS



SPECIFICATIONS

NO: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

PL: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

PT-BR: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

SV: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C



SPECIFICATIONS



SPECIFICATIONS

TR: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

RU: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

ZH-CN: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

ZH-TW: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C



SPECIFICATIONS



SPECIFICATIONS

ID: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

FPO

JP: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

KO: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C

FPO

MM: Specifications

- Model: **UA STREAK**
- Driver Size: 5.8 mm/ 0.23" Dynamic Driver
- Power supply: DC 5 V, 1 A
- Earpiece: 6.55 g / pc (13.1 g combined)
- Charging case: 62.2 g
- Headset battery type: Coin cell battery (55 mA/3.7 V)
- Charging case battery type: Li-ion battery (410 mA/3.85 V)
- Charging time: 2 hrs from empty
- Music playtime with BT on: up to 6 hrs
- Frequency Response: 20 Hz – 20 kHz
- Impedance: 16 ohm
- Sensitivity: 97 dB SPL@1 kHz/ 1 mW
- Maximum SPL: 95 dB
- Microphone sensitivity: -20 dBV@1 kHz/Pa
- Bluetooth version: 5.0
- Bluetooth profile version: A2DP V1.3, AVRCP V1.5/1.6, HFP V1.7
- Bluetooth transmitter frequency range: 2.4 GHz – 2.4835 GHz
- Bluetooth transmitter power: <13dBm
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Maximum operation temperature: 45°C



SPECIFICATIONS



SPECIFICATIONS

AR: Specifications

³H)-: 16 9f r) > k
 Dr\N) r 9), : t B BBa 444- D0C-B\ Dr\N) r
 9H) r Z pp-0: D..t V. | ẽ
 (>rp)!: 9t g ẽp! (l c ẽ g! H B))Q -
 ...>rg)Qg! >Z: 9t 9g
 (H > Z) f | >ff) r 0 f 0 p): .H C) -- | >ff) r 0 (t B ẽ ẽ V
 ...>rg)Qg! >Z) | >ff) r 0 f 0 p): 9-)H C) >ff) r 0 (s) ẽ
 (B ẽ ẽ B t V
 ...>rg)Qg f) B): U-r Z fr H B) B p f 0
³i Z t p->0 f) B) ẽ f- " T H: i p f H ẽ -r Z
 Fr) V) C 0 R Z p H C2: ẽ H - ẽ k
 9p) -> C): | 9 H
 9) C2 f) N f 0: 9 k - " 9 9 9 @) k H ẽ) B W
³>) B i B 9 9 9: 9 t - "
³) r H B - H Q) C2 f) N f 0: - ẽ - " V @) k H ẽ 9 >
 " - i) f H f - p r H f) - v) r Z H C: ẽ V R 9 V ẽ ẽ ẽ
 H f 0 V ẽ ẽ
 " - i) f H f - f r C Z B) f) r f r) V) C 0 r C g): U ẽ 7 H -
 ẽ ẽ 8 c t 7 H
 " - i) f H f - f r C Z B) f) r p H ẽ) r: < ẽ - | B
 " - i) f H f - f r C Z B) f) r B H i -> f) H C: 7 9 K 9 ẽ ẽ D 2 9 K
 8 D 9 K
³>) B i B H p) r H f) C) B p) r f r): 9 t ...

HE: Specifications

Model: **UA STREAK**
 Driver Size: 5.8 mm/ 0.23" Dynamic Driver
 Power supply: DC 5V, 1 A
 (Earpiece: 6.55 g / pc (13.1 g combined
 Charging case: 62.2 g
 (Headset battery type: Coin cell battery (55 mA/3.7 V
 Charging case battery type: Li-ion battery
 ((410 mA/3.85 V
 Charging time: 2 hrs from empty
 Music playtime with BT on: up to 6 hrs
 Frequency Response: 20 Hz – 20 kHz
 Impedance: 16 ohm
 Sensitivity: 97 dB SPL@1 kHz/ 1 mW
 Maximum SPL: 95 dB
 Microphone sensitivity: -20 dBV@1 kHz/Pa
 Bluetooth version: 5.0
 Bluetooth profile version: A2DP V1.3,
 AVRCP V1.5/1.6, HFP V1.7
 Bluetooth transmitter frequency range:
 2.4 GHz – 2.4835 GHz
 Bluetooth transmitter power: <13 dBm
 Bluetooth transmitter modulation: GFSK, π/4 DQPSK,
 8DPSK
 Maximum operation temperature: 45°C

IC RF Exposure Information and Statement

The SAR limit of Canada (IC) is 1.6 W/kg averaged over one gram of tissue. Device types: (IC: 6132A-UASTREAK) has also been tested against this SAR limit. According to this standard, the highest SAR value reported during product certification for head use is 0.38W / kg.

Head operation

The device was subjected to a typical head manipulation test. In order to comply with RF exposure requirements, a minimum separation distance of 0 cm must be maintained between the user's ear and the product (including the antenna). Head exposure that do not meet these requirements may not meet RF exposure requirements and should be avoided. Use only the supplied or approved antenna.

IC: 6132A-UASTREAK

Informations et énoncés sur l'exposition RF de l'IC.

La limite DAS du Canada (IC) est de 1,6 W/kg, arrondie sur un gramme de tissu. Types d'appareils: (IC: 6132A-UASTREAK) a également été testé en relation avec cette limite DAS selon ce standard. La valeur DAS la plus élevée mesurée pendant la certification du produit pour une utilisation au niveau de la tête est de 0.38W / kg.

Utilisation au niveau de la tête

L'appareil est testé dans un cas d'utilisation typique autour de la tête. Pour respecter les standards d'exposition RF, une distance de séparation minimum de 0 cm doit être maintenue entre l'oreille et le produit (antenne comprise). L'exposition de la tête ne respectant pas ces exigences peut ne pas respecter les standards d'exposition RF et doit être évitée. Utilisez uniquement l'antenne incluse ou une antenne certifiée.

IC: 6132A-UASTREAK



WARNING

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE | DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS

Торговая марка : JBL
 Назначение товара : Пользовательские наушники
 Изготовитель : Харман Интернешнл Индастриз Инкорпорейтед, США, 06901 Коннектикут, г.Стэмфорд, Атлантик Стрит 400, офис 1500
 Страна происхождения : Китай
 Импортёр в Россию : ООО "ХАРМАН РУС СиАйЭс", Россия, 127018, г.Москва, ул. Двинцев, д.12, к 1
 Гарантийный период : 1 год
 Информация о сервисных центрах : www.harman.com/ru тел. +7-800-700-0467
 Срок службы : 2 года



Товар сертифицирован :
 Дата производства : Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-MY0000000, где «M» - месяц производства (А - январь, В - февраль, С - март и т.д.) и «Y» - год производства (А - 2010, В - 2011, С - 2012 и т.д.).

Используйте устройство только по прямому назначению в соответствии с предоставленной инструкцией. Не пытайтесь самостоятельно вскрывать корпус товара и осуществлять ремонт. В случае обнаружения недостатков или дефектов, обращайтесь за гарантийным обслуживанием в соответствии с информацией из гарантийного талона. Особые условия хранения, реализации и (или) транспортировки не предусмотрены. Избегайте воздействия экстремальных температур, длительного воздействия влаги, сильных магнитных полей. Устройство предназначено для работы в жилых зонах. Срок годности не ограничен при соблюдении условий хранения. Пожалуйста, не утилизируйте устройства с литий-ионными аккумуляторами вместе с бытовыми отходами.

FFC ID:APIJBLUASTREAK

HVIN:UASTREAKL (Left earbuds), UASTREAKR (Right earbuds)



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

La marque et les logos Bluetooth® sont des marques déposées et sont détenues par Bluetooth SIG, Inc., et tout usage de ces marques par HARMAN International Industries, Incorporated se fait sous accord de licence. Les autres marques et noms commerciaux appartiennent à leurs détenteurs respectifs.



Este equipamento está homologado pela ANATEL.

Para maiores informações, consulte o site da ANATEL: www.anatel.gov.br.

Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.





HP_JBL_UA Streak_QSG_DV2_V7

