# Everest Elite

Everest
Elite 700

Everest
Elite 300

# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

**Overview – Buttons & LEDs**



# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

## 1 Cable connections




## 2 To turn on Bluetooth and the Active Noise Cancellation



# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

## 3 To pair Bluetooth with the device




## 4 To download JBL Headphones App

Available on the App Store

ANDROID APP ON Google play

Download the JBL Connect app for the following features: stereo setup, firmware upgrade, and device renaming. / Téléchargez l'application JBL Connect pour les fonctions suivantes : configuration stéréo, mise à jour de micrologiciel et changement de nom d'appareil. / Descargue la aplicación JBL Connect para disfrutar de las funciones siguientes: configuración estéreo, actualización del firmware y renombrado de dispositivos. / Baixe o aplicativo JBL Connect para usar os seguintes recursos: configuração estéreo, atualização de firmware e mudança dos nomes dos dispositivos. / Lade die JBL Connect-App herunter, um über folgende Funktionen zu verfügen: Stereo-Einstellung, Firmware-Aufrüstung und Geräteumbenennung. / Scarica l'applicazione JBL Connect per le seguenti funzionalità: configurazione stereo, aggiornamento del firmware, e ridenominazione del dispositivo. / Download de JBL Connect app voor de onderstaande functies: stereo setup, firmware upgrade, en appraten hernoemen. / Last ned JBL Connect-appen for følgende funksjoner: stereooppsett, oppgradering av fastvare og omdøping av enhet. / Lataa JBL Connect -sovellus saadaksesi käyttöön seuraavat ominaisuudet: stereoasetukset, laiteohjelmistopäivitykset ja laitteiden uudelleen nimeäminen. / Загрузите приложение JBL Connect для доступа к следующим функциям: настройка стереозвучания, обновление микропрограммы и переименование устройства. / Ladda ner appen JBL Connect som har följande funktioner: stereoinställning, uppgradering av fast programvara och nya namn på enheter. / Download appen JBL Connect for at få adgang til følgende funktioner: stereokonfiguration, firmwareopgradering og omdøbning af enheder. / 以下の機能を使用するために、JBLコネクト・アプリをダウンロードしてください：ステレオ・セットアップ、ファームウェアのアップグレード、機器の名称変更. / Pobierz aplikację JBL Connect, aby korzystać z następujących funkcji: konfiguracja stereo, aktualizacja oprogramowania układowego oraz zmiana nazwy urządzenia. / JBL 음악 앱을 다운로드하여 다음을 따릅니다. 스테레오 설정, 펌웨어 업그레이드 및 장치 이름 바꾸기. / 下载 JBL Connect 应用，即可使用以下功能：立体声设置、固件升级和设备重命名。 / 下載 JBL Connect 應用程式以使用下列功能：立體聲設定、韌體升級以及裝置重新命名。 / Unduh aplikasi JBL Connect untuk fitur-fitur berikut ini: pengaturan stereo, memperbarui firmware, dan penamaan ulang perangkat.

# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

5 **To turn off Bluetooth when battery is low or when Bluetooth usage is prohibited. Listen to music using audio cable**



Connectors in Everest right earcups

6 **To turn off Bluetooth and the noise cancellation when battery is low. Listen to music using audio cable.**



# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

## 7 To turn on the TruNote auto calibration




**EN**

**Step 1:** User must wear headphone on the head to correctly calibrate.

**Step 2:** Press and hold the Smart button until the sweeping tone is heard.

**Step 3:** Wait for a few seconds until the complete tone is heard.
TruNote auto calibration completes.

**FR**

**Step 1:** User must wear headphone on the head to correctly calibrate.

**Step 2:** Press and hold the Smart button until the sweeping tone is heard.

**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**ES**

**Step 1:** User must wear headphone on the head to correctly calibrate.

**Step 2:** Press and hold the Smart button until the sweeping tone is heard.

**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**PT**

**Step 1:** User must wear headphone on the head to correctly calibrate.

**Step 2:** Press and hold the Smart button until the sweeping tone is heard.

**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**DE**

**Step 1:** User must wear headphone on the head to correctly calibrate.

**Step 2:** Press and hold the Smart button until the sweeping tone is heard.

**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

**IT**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the power button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

**NL**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the power button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

**NO**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the power button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

**FI**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the power button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

**RU**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the power button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

**SV**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the power button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

**DA**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the power button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

**JP**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the Smart button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**PL**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the Smart button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**KO**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the Smart button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**CHS**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the Smart button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**CHT**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the Smart button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**ID**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the Smart button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FPO

**HE**

**Step 1:** User must wear headphone on the head to correctly calibrate.
**Step 2:** Press and hold the Smart button until the sweeping tone is heard.
**Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

## 8 To turn on the Ambient Aware




| LED Status | LED behaviors |
|---|---|
| Ambient Aware on | |
| Ambient Aware off | |

## 9 To charge battery




| LED Status | LED behaviors |
|---|---|
| Charging battery | |
| Battery is charged full | |

# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

## 10 Adjust Volume




## 11 Multi-function Button (MFB) to control music




## 12 Multi-function Button (MFB) to skip track



# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

## 13 Multi-function Button (MFB) to control calls




## 14 Multi-function Button (MFB) to manage second incoming call




## 15 Multi-function Button (MFB) to manage 2 calls at the same time



# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

**EN**

**MODEL：V700NXT**

- Driver size: 40mm
- Dynamic frequency response range: 10-22kHz
- Driver sensitivity: 99dB@1kHz, 1mW / 102dB/1kHz1mW
- Maximum SPL: 114dB / 117dB
- Rated power input: 30mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.2, AVRCP V1.4, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 850mAh for V700NXT) / Polymer Li-ion Battery (3.7V, 610mAh for V300NXT)
- Music play time with ANC on and Bluetooth on: 15 hours / 10 hours
- Music play time with ANC on and Bluetooth off: 25 hours / 20 hours

**MODEL：V300NXT**

- Driver size: 40mm
- Dynamic frequency response range: 10-22kHz
- Driver sensitivity: 102dB/1kHz1mW
- Maximum SPL: 117dB
- Rated power input: 30mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.4, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 610mAh)
- Music play time with ANC on and Bluetooth on: 10 hours
- Music play time with ANC on and Bluetooth off: 20 hours

# Everest Elite 300/700

Quick Start Guide
Guide de démarrage rapide

Торговая марка: JBL
Назначение товара: Пользовательские наушники
Изготовитель: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901 Коннектикут, г.Стэмфорд, Атлантик Стрит 400, офис 1500
Страна происхождения: Китай
Импортер в Россию: ООО "Харман РУС СиАйЭс", Россия, 123317, Москва, Пресненская наб., д.10
Гарантийный период: 1 год
Информация о сервисных центрах: www.harman.com/ru тел. +7-800-700-0467
Срок службы: 2 года
Срок хранения: не ограничен
Условия хранения: Стандартные при нормальных значениях климатических факторов внешней среды
Номер документа соответствия: Товар не подлежит обязательной сертификации
Дата производства: Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-MY0000000, где «M» - месяц производства (A - январь, B - февраль, C - март и т.д.) и «Y» - год производства (A - 2010, B - 2011, C - 2012 и т.д.).

CE 0890

*RESTRICTED*

# DESIGN ADAPTATION / IMAGE / FINAL ART

**TR & Job No:** TR01153
**Job Description:** TR01153_JBL_EVEREST 700 and 300 QSG_A
**Version :** 5
**Date:** 2015-9-7
**Other:** N/A

STIRRED. creatives
Developed by
DESIGN DEVELOPMENT PVT. LTD.

**EQUITY COLORS:**
**REPRESENTATION:**




**IMPORTANT NOTE : THE PRINT/PDF IS FOR LAYOUT AND TEXT ILLUSTRATION ONLY. THE COLOURS INDICATED HERE MAY NOT APPEAR SAME IN THE FINAL PROOF. ALTHOUGH EVERY EFFORT HAS BEEN MADE TO CHECK THE CORRECTION OF LAYOUT AND TEXT. IT IS CLIENT RESPONSIBILITY TO VERIFY BEFORE GIVING THE FINAL APPROVAL.**