



QUICK START GUIDE



JUNIOR 470NC



WHAT'S IN THE BOX



APP



JBL HEADPHONES



GET IT ON
Google Play




Download on the
App Store

Get even more control and personalization of your listening experience with this free app.



POWER ON & CONNECT



Hold (2s)




Fast Pair

Others



Choose "JBL Junior 470NC" to connect.

Android™



Compatible with Android phones running 6+



Windows 10 v1803+




Microsoft Swift Pair

* To enter pairing mode again, power off and then hold  for 5 seconds.

MULTI-POINT CONNECTION




CONTROLS






● Press x 1  Hold (2s)

* Enable advance controls by connecting your JBL JUNIOR 470NC to JBL Headphones app 


WIRED LISTENING MODE




DO MORE WITH THE APP



RESET PIN CODE




CHARGING




5 MIN ⚡ = 3H 🎵

⚡ 🔋 → 🔋 2H

FACTORY RESET



LED BEHAVIORS



		BT connecting
		BT connected
		BT not connected
		Factory reset
		Low battery
		Charging
		Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\equiv$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz

Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, $\pi/4$ DQPSK
Maximum operation temperature:	45°C

FR**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE**DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:

JUNIOR 470NC

Driver size:

32 mm/1.26" Dynamic Driver

Power supply:

5.0 V --- 1.0 A

Weight:

196 g/ 0.432 lbs

Battery type:

Lithium-ion battery
(500 mAh / 3.7 V)

Charging time:

< 2 hrs from empty

Music playtime with BT on and ANC off:

Up to 48 hrs

Music playtime with BT on and ANC on:

Up to 28 hrs

Talk time with ANC off:

Up to 29 hrs

Talk time with ANC on:

Up to 20 hrs

Frequency response (Passive):

20 Hz - 20 kHz

Frequency response (Active):

20 Hz - 20 kHz

Impedance:

35 ohm

Sensitivity:

83 dB SPL@1 kHz

Maximum SPL:

82 dB

Microphone sensitivity:

-37 dBFS/Pa@1 kHz

Bluetooth version:

5.3

Bluetooth profile version:

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

Bluetooth transmitter frequency range:

2.4 GHz - 2.4835 GHz

Bluetooth transmitter power:

< xx dBm (EIRP)

Bluetooth transmitter modulation:

GFSK, π/4 DQPSK

Maximum operation temperature:

45°C

DA**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE**DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\pm$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

DE

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold Φ for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION
(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

TO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\pm$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

EL**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response (Passive):

Frequency response (Active):

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

JUNIOR 470NC

32 mm/1.26" Dynamic Driver

5.0 V --- 1.0 A

196 g/ 0.432 lbs

Lithium-ion battery
(500 mAh / 3.7 V)

< 2 hrs from empty

Up to 48 hrs

Up to 28 hrs

Up to 29 hrs

Up to 20 hrs

20 Hz - 20 kHz

20 Hz - 20 kHz

35 ohm

83 dB SPL@1 kHz

82 dB

-37 dBFS/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4 DQPSK

45°C

ES**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

FI

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold Φ for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION
(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

TO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

HU**WHAT'S IN THE BOX APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE DO MORE WITH THE APP**RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response (Passive):

Frequency response (Active):

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

JUNIOR 470NC

32 mm/1.26" Dynamic Driver

5.0 V --- 1.0 A

196 g/ 0.432 lbs

Lithium-ion battery
(500 mAh / 3.7 V)

< 2 hrs from empty

Up to 48 hrs

Up to 28 hrs

Up to 29 hrs

Up to 20 hrs

20 Hz - 20 kHz

20 Hz - 20 kHz

35 ohm

83 dB SPL@1 kHz

82 dB

-37 dBFS/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4 DQPSK

45°C

IT**WHAT'S IN THE BOX APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE DO MORE WITH THE APP

RESET PIN CODE**CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully

charged



TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

NL

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold Φ for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION
(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

TO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

NO**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response (Passive):

Frequency response (Active):

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

JUNIOR 470NC

32 mm/1.26" Dynamic Driver

5.0 V --- 1.0 A

196 g/ 0.432 lbs

Lithium-ion battery
(500 mAh / 3.7 V)

< 2 hrs from empty

Up to 48 hrs

Up to 28 hrs

Up to 29 hrs

Up to 20 hrs

20 Hz - 20 kHz

20 Hz - 20 kHz

35 ohm

83 dB SPL@1 kHz

82 dB

-37 dBFS/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4 DQPSK

45°C

PL**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

PT-BR

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold ϕ for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION
(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

DO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

SV**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response (Passive):

Frequency response (Active):

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

JUNIOR 470NC

32 mm/1.26" Dynamic Driver

5.0 V --- 1.0 A

196 g/ 0.432 lbs

Lithium-ion battery
(500 mAh / 3.7 V)

< 2 hrs from empty

Up to 48 hrs

Up to 28 hrs

Up to 29 hrs

Up to 20 hrs

20 Hz - 20 kHz

20 Hz - 20 kHz

35 ohm

83 dB SPL@1 kHz

82 dB

-37 dBFS/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, π/4 DQPSK

45°C

TR**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

RU

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold Φ for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION
(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

TO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\approx$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

ZH-CN

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

DO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response (Passive):

Frequency response (Active):

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

JUNIOR 470NC

32 mm/1.26" Dynamic Driver

5.0 V --- 1.0 A

196 g/ 0.432 lbs

Lithium-ion battery
(500 mAh / 3.7 V)

< 2 hrs from empty

Up to 48 hrs

Up to 28 hrs

Up to 29 hrs

Up to 20 hrs

20 Hz - 20 kHz

20 Hz - 20 kHz

35 ohm

83 dB SPL@1 kHz

82 dB

-37 dBFS/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, $\pi/4$ DQPSK

45°C

ZH-TW

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

DO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\pm$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

ID

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold Φ for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION
(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

WIRED LISTENING MODE

TO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\pm$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

JP**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response (Passive):

Frequency response (Active):

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

JUNIOR 470NC

32 mm/1.26" Dynamic Driver

5.0 V --- 1.0 A

196 g/ 0.432 lbs

Lithium-ion battery
(500 mAh / 3.7 V)

< 2 hrs from empty

Up to 48 hrs

Up to 28 hrs

Up to 29 hrs

Up to 20 hrs

20 Hz - 20 kHz

20 Hz - 20 kHz

35 ohm

83 dB SPL@1 kHz

82 dB

-37 dBFS/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, $\pi/4$ DQPSK

45°C

KO**WHAT'S IN THE BOX
APP**

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION

(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app .

**WIRED LISTENING MODE
DO MORE WITH THE APP****RESET PIN CODE****CHARGING****FACTORY RESET**

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\pm$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C



WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

POWER ON & CONNECT

To enter pairing mode again, power off and then hold Φ for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC" to connect.

Compatible with Android phones running 6+

MULTI-POINT CONNECTION
(Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

Press x 1

Hold (2s)

* Enable advance controls by connecting your JBL Junior 470NC to JBL Headphones app

WIRED LISTENING MODE

TO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

TECH SPEC

Model:	JUNIOR 470NC
Driver size:	32 mm/1.26" Dynamic Driver
Power supply:	5.0 V $\pm$ 1.0 A
Weight:	196 g/ 0.432 lbs
Battery type:	Lithium-ion battery (500 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on and ANC off:	Up to 48 hrs
Music playtime with BT on and ANC on:	Up to 28 hrs
Talk time with ANC off:	Up to 29 hrs
Talk time with ANC on:	Up to 20 hrs
Frequency response (Passive):	20 Hz - 20 kHz
Frequency response (Active):	20 Hz - 20 kHz
Impedance:	35 ohm
Sensitivity:	83 dB SPL@1 kHz
Maximum SPL:	82 dB
Microphone sensitivity:	-37 dBFS/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz – 2.4835 GHz
Bluetooth transmitter power:	< xx dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π /4 DQPSK
Maximum operation temperature:	45°C

Press x 1
Hold (2s)
* Enable advance controls
by connecting your
JBL Junior 470NC to
JBL Headphones app 

WIRED LISTENING MODE DO MORE WITH THE APP

RESET PIN CODE

CHARGING

FACTORY RESET

Hold (5s)

LED BEHAVIORS

ANC ON

BT connecting

BT connected

BT not connected

Factory reset

Low battery

Charging

Fully charged

WHAT'S IN THE BOX APP

Get even more control and
personalization of your
listening experience with
this free app.

POWER ON & CONNECT

To enter pairing mode
again, power off and then
hold  for 5 seconds.

Hold (2s)

Others

Choose "JBL Junior 470NC"
to connect.

Compatible with Android
phones running 6+

MULTI-POINT CONNECTION (Maximum 2 devices)

Press x 2

CONTROLS

ANC ON/ OFF

AR

JUNIOR 470NC
32 mm/1.26" Dynamic Driver
5.0 V $\leftrightarrow$ 1.0 A
196 g/ 0.432 lbs
Lithium-ion battery
(500 mAh / 3.7 V)
< 2 hrs from empty

Up to 48 hrs

Up to 28 hrs

Up to 29 hrs

Up to 20 hrs

20 Hz - 20 kHz

20 Hz - 20 kHz

35 ohm

83 dB SPL@1 kHz

82 dB

-37 dBFS/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2,
HFP V1.8

2.4 GHz - 2.4835 GHz

< xx dBm (EIRP)

GFSK, $\pi/4$ DQPSK

45°C

TECH SPEC

Model:

Driver size:

Power supply:

Weight:

Battery type:

Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response (Passive):

Frequency response (Active):

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:

Press x 1
 Hold (2s)
 * Enable advance controls
 by connecting your
 JBL Junior 470NC to
 JBL Headphones app 
WIRED LISTENING MODE
DO MORE WITH THE APP
RESET PIN CODE
CHARGING
FACTORY RESET
 Hold (5s)
LED BEHAVIORS
 ANC ON
 BT connecting
 BT connected
 BT not connected
 Factory reset
 Low battery
 Charging
 Fully charged

HE
WHAT'S IN THE BOX
APP
 Get even more control and
 personalization of your
 listening experience with
 this free app.
POWER ON & CONNECT
 To enter pairing mode
 again, power off and then
 hold  for 5 seconds.
 Hold (2s)
 Others
 Choose "JBL Junior 470NC"
 to connect.
 Compatible with Android
 phones running 6+
MULTI-POINT CONNECTION
 (Maximum 2 devices)
 Press x 2
CONTROLS
 ANC ON/ OFF

JUNIOR 470NC
 32 mm/1.26" Dynamic Driver
 5.0 V --- 1.0 A
 196 g/ 0.432 lbs
 Lithium-ion battery
 (500 mAh / 3.7 V)
 < 2 hrs from empty
 Up to 48 hrs
 Up to 28 hrs
 Up to 29 hrs
 Up to 20 hrs
 20 Hz - 20 kHz
 20 Hz - 20 kHz
 35 ohm
 83 dB SPL@1 kHz
 82 dB
 -37 dBFS/Pa@1 kHz
 5.3
 A2DP V1.4, AVRCP V1.6.2,
 HFP V1.8
 2.4 GHz - 2.4835 GHz
 < xx dBm (EIRP)
 GFSK, m/4 DQPSK
 45°C

TECH SPEC
 Model:
 Driver size:
 Power supply:
 Weight:
 Battery type:
 Charging time:
 Music playtime with BT on and ANC off:
 Music playtime with BT on and ANC on:
 Talk time with ANC off:
 Talk time with ANC on:
 Frequency response (Passive):
 Frequency response (Active):
 Impedance:
 Sensitivity:
 Maximum SPL:
 Microphone sensitivity:
 Bluetooth version:
 Bluetooth profile version:
 Bluetooth transmitter frequency range:
 Bluetooth transmitter power:
 Bluetooth transmitter modulation:
 Maximum operation temperature:



To protect battery lifespan, fully charge at least once every 3 months. Battery life will vary due to usage patterns and environmental conditions.

- FR pour protéger la vie de la batterie, chargez-la complètement au moins une fois tous les 3 mois. La durée de vie de la batterie varie en fonction des modes d'utilisation et des conditions environnementales.
- DA For at optimere batteriets levetid skal du oplade fuldt ud mindst en gang i kvartalet. Batteriets levetid afhænger af brugsmonstre og omgivelser.
- DE Lade zum Schutz des Akkus diesen mindestens einmal alle 3 Monate vollständig auf. Die Akkulebensdauer kann aufgrund von Nutzungsverhalten und Umgebungsbedingungen variieren.
- EL Για να προστατεύσετε τη διάρκεια ζωής της μπαταρίας, φορτίστε την πλήρως τουλάχιστον μία φορά κάθε 3 μήνες. Η ζωή της μπαταρίας ποικίλλει ανάλογα με τη χρήση και τις περιβαλλοντικές συνθήκες.
- ES Para proteger la duración de la batería, cárgala completamente al menos una vez cada 3 meses. La duración de la batería depende de los patrones de uso y las condiciones ambientales.
- FI Akun käyttöiän turvaamiseksi, lataa täyteen ainakin kerran 3 kuukauden välein. Akun käyttöikä vaihtelee käyttötapojen ja ympäristöolosuhteiden mukaan.

- HU Az akkumulátor élettartamának védelme érdekében teljesen töltsse fel 3 havonta legalább egyszer. Az akkumulátor élettartama a használatától, és a környezeti feltételektől függ.
- IT Per preservare la durata della batteria, effettuare una carica completa almeno una volta ogni 3 mesi. La durata della batteria varia a seconda del tipo di utilizzo e delle condizioni ambientali.
- NL Voor een optimale levensduur de batterij minstens om de 3 maanden volledig opladen. De levensduur van de batterij is afhankelijk van gebruikspatronen en omgevingscondities.
- NO For å beskytte batteriets levetid må det lades helt opp minst én gang hver 3. måned. Batteriets levetid vil variere etter bruksmønster og omgivelsesforhold.
- PL Aby zachować czas eksploatacji akumulatora, należy go ładować co najmniej raz na trzy miesiące. Żywotność akumulatora zależy od sposobu jego użycia i warunków otoczenia.
- PT-BR Para garantir a durabilidade da bateria, carregue-a totalmente pelo menos uma vez a cada três meses. A vida útil da bateria depende dos padrões de uso e das condições do ambiente.
- SV För att förbättra batteriets livslängd ska det laddas det fullt minst en gång var tredje månad. Batteriets livslängd varierar beroende på användning och miljöförhållanden.
- TR Pil ömrünü uzatmak için en az 3 ayda bir tam olarak şarj edin. Pil ömrü kullanım şekline ve çevresel şartlara bağlı olarak değişliklik gösterebilir.
- RU Чтобы продлить срок службы аккумулятора, полностью заряжайте его по меньшей мере раз в 3 месяца. Срок службы аккумулятора зависит от способов использования и условий окружающей среды.

ZH-CN 为了保护电池寿命, 请每至少 3 个月进行一次充满。电池寿命因使用方式和环境条件而异。

ZH-TW 為保護電池的使用壽命, 請至少每 3 個月對電池充滿一次電。電池續航時間因使用模式和環境條件而異。

ID Agar baterai awet, isi dayanya hingga penuh paling sedikit sekali setiap 3 bulan. Masa pakai baterai bervariasi, tergantung pola penggunaan dan kondisi lingkungan.

JP バッテリー寿命を延ばすために、最低3か月に1回はフル充電してください。バッテリーの寿命は使用パターンや環境条件によって異なります。

KO 배터리 수명을 보호하려면 3개월에 한 번 이상 배터리를 완전히 충전하십시오. 배터리 수명은 사용 패턴 및 환경 조건에 따라 다를 수 있습니다.

MM တာဝန်ရှိသက်တမ်းတိုးတောင်းခြင်းမှ ကာကွယ်ရန် အနည်းဆုံး 3 လတစ်ကြိမ် တာဝန်ရှိသူကို အားအပြည့်သွင်းပါ။ တာဝန်ရှိသက်တမ်းသည် သုံးစွဲမှုပုံစံများနှင့် ပတ်ဝန်းကျင်အခြေအနေများအပေါ်မူတည်ပြီး အပြောင်းအလဲရှိနိုင်သည်။

AR لحماية عمر البطارية، اشحنها بالكامل مرة واحدة على الأقل كل 3 أشهر. ويختلف عمر البطارية بسبب أنماط الاستخدام والظروف البيئية.

HE כדי להגן על אורך חיי הסוללה, יש לטעון את הסוללה במלואה לפחות פעם בשלושה חודשים. חיי הסוללה ישתנו בהתאם לאופן השימוש ולתנאי הסביבה.



The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.

- FR The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- DA The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- DE The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- EL The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- ES The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- FI The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.

- HU The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- IT The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- NL The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- PL The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- PT The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- SV The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- TR The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.

FCC/ISED RF Exposure Information and Statement

This equipment complies with FCC/ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA)/ ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the head.

Renseignements et énoncé sur l'exposition aux RF d'FCC/ISDE

L'appareil est conforme aux limites d'exposition aux rayonnements FCC / ISDE spécifiées pour les environnements non contrôlés. Les utilisateurs finaux doivent suivre des instructions d'utilisation spécifiques pour répondre aux exigences de conformité en matière d'exposition aux radiofréquences. Cet émetteur ne doit pas coexister ou fonctionner conjointement avec toute autre antenne ou émetteur.

Les appareils portables sont conçus pour répondre aux exigences d'exposition aux ondes radio établies par la Federal Communications Commission / ISDE des États - Unis. Ces exigences établissent une limite SAR de 1,6 W / kg en moyenne pour un gramme de tissu. La valeur SAR la plus élevée rapportée conformément à cette norme lorsqu'elle est correctement portée sur la tête lors de la certification du produit.



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.



WARNING

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE | DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS



FR

Cet appareil,
ses accessoires
et cordons
se recyclent

À DÉPOSER
EN MAGASIN



ou

À DÉPOSER
EN DÉCHÈTERIE



Points de collecte sur www.quefairedemesdechets.fr

Product specifications and app screens are subject to change without notice.



HP_JBL_JR 470NC_Global_QSG_PV_V5
720202-019830