


30MHz~3GHz Band4 1 4MHz QPSK 1 0 LowCH19957-1710.7



3GHz~10GHz Band4 1 4MHz QPSK 1 0 MidCH20175-1732.5




3GHz~10GHz Band4 1 4MHz QPSK 1 0 LowCH19957-1710.7




30MHz~3GHz Band4 1 4MHz QPSK 1 0 HighCH20393-1754.3



30MHz~3GHz Band4 1 4MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz Band4 1 4MHz QPSK 1 0 HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz Band4 3MHz QPSK 1 0 LowCH19965-1711.5




3GHz~10GHz Band4 3MHz QPSK 1 0 MidCH20175-1732.5




3GHz~10GHz Band4 3MHz QPSK 1 0 LowCH19965-1711.5




30MHz~3GHz Band4 3MHz QPSK 1 0 HighCH20385-1753.5



30MHz~3GHz Band4 3MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz Band4 3MHz QPSK 1 0 HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band4 5MHz QPSK 1 0 LowCH19975-1712.5



3GHz~10GHz Band4 5MHz QPSK 1 0 MidCH20175-1732.5




3GHz~10GHz Band4 5MHz QPSK 1 0 LowCH19975-1712.5




30MHz~3GHz Band4 5MHz QPSK 1 0 HighCH20375-1752.5



30MHz~3GHz Band4 5MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz Band4 5MHz QPSK 1 0 HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band4 10MHz QPSK 1 0 LowCH20000-1715



3GHz~10GHz Band4 10MHz QPSK 1 0 MidCH20175-1732.5




3GHz~10GHz Band4 10MHz QPSK 1 0 LowCH20000-1715




30MHz~3GHz Band4 10MHz QPSK 1 0 HighCH20350-1750



30MHz~3GHz Band4 10MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz Band4 10MHz QPSK 1 0 HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band4 15MHz QPSK 1 0 LowCH20025-1717.5




3GHz~10GHz Band4 15MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz Band4 15MHz QPSK 1 0 LowCH20025-1717.5




30MHz~3GHz Band4 15MHz QPSK 1 0 HighCH20325-1747.5



30MHz~3GHz Band4 15MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz Band4 15MHz QPSK 1 0 HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band4 20MHz QPSK 1 0 LowCH20050-1720



3GHz~10GHz Band4 20MHz QPSK 1 0 MidCH20175-1732.5




3GHz~10GHz Band4 20MHz QPSK 1 0 LowCH20050-1720




30MHz~3GHz Band4 20MHz QPSK 1 0 HighCH20300-1745



30MHz~3GHz Band4 20MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz Band4 20MHz QPSK 1 0 HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band5 1 4MHz QPSK 1 0 LowCH20407-824.7



3GHz~10GHz Band5 1 4MHz QPSK 1 0 MidCH20525-836.5




3GHz~10GHz Band5 1 4MHz QPSK 1 0 LowCH20407-824.7




30MHz~3GHz Band5 1 4MHz QPSK 1 0 HighCH20643-848.3



30MHz~3GHz Band5 1 4MHz QPSK 1 0 MidCH20525-836.5



3GHz~10GHz Band5 1 4MHz QPSK 1 0 HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band5 3MHz QPSK 1 0 LowCH20415-825.5



3GHz~10GHz Band5 3MHz QPSK 1 0 MidCH20525-836.5




3GHz~10GHz Band5 3MHz QPSK 1 0 LowCH20415-825.5




30MHz~3GHz Band5 3MHz QPSK 1 0 HighCH20635-847.5



30MHz~3GHz Band5 3MHz QPSK 1 0 MidCH20525-836.5



3GHz~10GHz Band5 3MHz QPSK 1 0 HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band5 5MHz QPSK 1 0 LowCH20425-826.5



3GHz~10GHz Band5 5MHz QPSK 1 0 MidCH20525-836.5




3GHz~10GHz Band5 5MHz QPSK 1 0 LowCH20425-826.5




30MHz~3GHz Band5 5MHz QPSK 1 0 HighCH20625-846.5



30MHz~3GHz Band5 5MHz QPSK 1 0 MidCH20525-836.5



3GHz~10GHz Band5 5MHz QPSK 1 0 HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band5 10MHz QPSK 1 0 LowCH20450-829



3GHz~10GHz Band5 10MHz QPSK 1 0 MidCH20525-836.5




3GHz~10GHz Band5 10MHz QPSK 1 0 LowCH20450-829




30MHz~3GHz Band5 10MHz QPSK 1 0 HighCH20600-844



30MHz~3GHz Band5 10MHz QPSK 1 0 MidCH20525-836.5



3GHz~10GHz Band5 10MHz QPSK 1 0 HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band12 1 4MHz QPSK 1 0 LowCH23017-699.7



3GHz~10GHz Band12 1 4MHz QPSK 1 0 MidCH23095-707.5




3GHz~10GHz Band12 1 4MHz QPSK 1 0 LowCH23017-699.7




30MHz~3GHz Band12 1 4MHz QPSK 1 0 HighCH23173-715.3



30MHz~3GHz Band12 1 4MHz QPSK 1 0 MidCH23095-707.5



3GHz~10GHz Band12 1 4MHz QPSK 1 0 HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band12 3MHz QPSK 1 0 LowCH23025-700.5



3GHz~10GHz Band12 3MHz QPSK 1 0 MidCH23095-707.5




3GHz~10GHz Band12 3MHz QPSK 1 0 LowCH23025-700.5




30MHz~3GHz Band12 3MHz QPSK 1 0 HighCH23165-714.5



30MHz~3GHz Band12 3MHz QPSK 1 0 MidCH23095-707.5



3GHz~10GHz Band12 3MHz QPSK 1 0 HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz Band12 5MHz QPSK 1 0 LowCH23035-701.5



3GHz~10GHz Band12 5MHz QPSK 1 0 MidCH23095-707.5




3GHz~10GHz Band12 5MHz QPSK 1 0 LowCH23035-701.5




30MHz~3GHz Band12 5MHz QPSK 1 0 HighCH23155-713.5



30MHz~3GHz Band12 5MHz QPSK 1 0 MidCH23095-707.5



3GHz~10GHz Band12 5MHz QPSK 1 0 HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30MHz~3GHz Band12 10MHz QPSK 1 0 LowCH23060-704



3GHz~10GHz Band12 10MHz QPSK 1 0 MidCH23095-707.5




3GHz~10GHz Band12 10MHz QPSK 1 0 LowCH23060-704




30MHz~3GHz Band12 10MHz QPSK 1 0 HighCH23130-711



30MHz~3GHz Band12 10MHz QPSK 1 0 MidCH23095-707.5



3GHz~10GHz Band12 10MHz QPSK 1 0 HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz Band13 5MHz QPSK 1 0 LowCH23205-779.5




3GHz~10GHz Band13 5MHz QPSK 1 0 MidCH23230-782




3GHz~10GHz Band13 5MHz QPSK 1 0 LowCH23205-779.5




30MHz~3GHz Band13 5MHz QPSK 1 0 HighCH23255-784.5



30MHz~3GHz Band13 5MHz QPSK 1 0 MidCH23230-782



3GHz~10GHz Band13 5MHz QPSK 1 0 HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz Band13 10MHz QPSK 1 0 MidCH23230-782




Inband-2 Band13 5MHz QPSK 1 0 LowCH23205-779.5




3GHz~10GHz Band13 10MHz QPSK 1 0 MidCH23230-782




Inband-1 Band13 5MHz QPSK 1 0 MidCH23230-782



Inband-1 Band13 5MHz QPSK 1 0 LowCH23205-779.5



Inband-2 Band13 5MHz QPSK 1 0 MidCH23230-782



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Inband-1 Band13 5MHz QPSK 1 0 HighCH23255-784.5



Inband-2 Band13 10MHz QPSK 1 0 MidCH23230-782




Inband-2 Band13 5MHz QPSK 1 0 HighCH23255-784.5



30MHz~3GHz Band17 5MHz QPSK 1 0 LowCH23755-706.5



Inband-1 Band13 10MHz QPSK 1 0 MidCH23230-782



3GHz~10GHz Band17 5MHz QPSK 1 0 LowCH23755-706.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz Band17 5MHz QPSK 1 0 MidCH23790-710




3GHz~10GHz Band17 5MHz QPSK 1 0 HighCH23825-713.5




3GHz~10GHz Band17 5MHz QPSK 1 0 MidCH23790-710




30MHz~3GHz Band17 10MHz QPSK 1 0 LowCH23780-709



30MHz~3GHz Band17 5MHz QPSK 1 0 HighCH23825-713.5



3GHz~10GHz Band17 10MHz QPSK 1 0 LowCH23780-709



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


30MHz~3GHz Band17 10MHz QPSK 1 0 MidCH23790-710




3GHz~10GHz Band17 10MHz QPSK 1 0 HighCH23800-711



3GHz~10GHz Band17 10MHz QPSK 1 0 MidCH23790-710



30MHz~3GHz Band17 10MHz QPSK 1 0 HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53 (h)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

FCC §27.53(c) for LTE B13

For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB (-13dBm)

(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

FCC §27.53 (f) for LTE B13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g) for LTE B12, 13

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)(3) for LTE B4

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber Equipment

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$\text{ERP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBd)} + \text{Cable Loss(dB)}$$

$$\text{EIRP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBi)} + \text{Cable Loss(dB)}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.4. Measurement Equipment Used:

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWAZBECK	VULB9168	378	01/04/2019	01/03/2020
Horn Antenna	Schwarzbeck	BBHA9120D	603	04/24/2019	04/23/2020
Horn Antenna	Schwarzbeck	BBHA9170	184	12/27/2018	12/26/2019
Horn Antenna	Schwarzbeck	BBHA9170	185	08/07/2019	08/06/2020
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/24/2018	12/23/2019
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	01/10/2019	01/09/2020
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/22/2019	04/21/2020
Pre-Amplifier	EMC Instruments	EMC184045B	980135	01/02/2019	01/01/2020
Pre-Amplifier	EMC Instruments	EMC051825	980152	01/02/2019	01/01/2020
Pre-Amplifier	HP	8447D	2944A09469	01/02/2019	01/01/2020
Filter 635-920	Micro-Tronics	WI	4	01/02/2019	01/01/2020
Filter 800-1000	Micro-Tronics	EWT	M1	01/02/2019	01/01/2020
Filter 1700-2000	Micro-Tronics	EWT	M3	01/02/2019	01/01/2020
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2019	01/01/2020
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2019	01/02/2020
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	01/02/2019	01/01/2020
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	01/02/2019	01/01/2020
Coaxial Cable	Huber Suhner	EMC 104-SM-SM-2000	160123	01/02/2019	01/01/2020
Radio Communication Analyzer	Anritsu	MT8815B	6200711454	04/01/2019	03/31/2020
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	04/01/2019	03/31/2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.5. Measurement Result:

Radiated Spurious Emission Measurement Result: GSM 850 Mode

Report Number :ER-2019-A0070
Operation Mode :GSM 850
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :824.2 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-65.30	-45.52	-19.15	-0.63	-13.00	-52.30
115.36	-77.85	-69.69	-7.14	-1.02	-13.00	-64.85
153.19	-79.20	-70.48	-7.46	-1.26	-13.00	-66.20
253.10	-79.24	-76.06	-1.64	-1.54	-13.00	-66.24
430.61	-77.82	-74.31	-1.67	-1.84	-13.00	-64.82
590.66	-74.32	-70.64	-1.72	-1.96	-13.00	-61.32
1648.40	-58.65	-63.94	9.30	-4.01	-13.00	-45.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 850
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :824.2 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-75.77	-58.81	-16.25	-0.71	-13.00	-62.77
70.74	-78.63	-66.02	-11.80	-0.81	-13.00	-65.63
93.05	-77.39	-70.79	-5.67	-0.93	-13.00	-64.39
104.69	-74.86	-67.18	-6.68	-1.00	-13.00	-61.86
124.09	-77.84	-69.72	-7.07	-1.05	-13.00	-64.84
388.90	-78.92	-75.32	-1.62	-1.98	-13.00	-65.92
1648.40	-57.79	-63.08	9.30	-4.01	-13.00	-44.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 850
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :836.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-66.46	-46.68	-19.15	-0.63	-13.00	-53.46
131.85	-79.93	-71.40	-7.42	-1.11	-13.00	-66.93
150.28	-79.12	-70.21	-7.70	-1.21	-13.00	-66.12
255.04	-79.68	-76.51	-1.61	-1.56	-13.00	-66.68
398.60	-78.80	-75.27	-1.60	-1.93	-13.00	-65.80
594.54	-73.14	-69.29	-1.75	-2.10	-13.00	-60.14
1673.20	-58.45	-63.91	9.49	-4.03	-13.00	-45.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 850
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :836.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
56.19	-75.77	-58.81	-16.25	-0.71	-13.00	-62.77
70.74	-78.53	-65.92	-11.80	-0.81	-13.00	-65.53
91.11	-77.70	-71.03	-5.75	-0.92	-13.00	-64.70
104.69	-74.32	-66.64	-6.68	-1.00	-13.00	-61.32
124.09	-77.67	-69.55	-7.07	-1.05	-13.00	-64.67
556.71	-77.20	-73.49	-1.43	-2.28	-13.00	-64.20
1673.20	-58.59	-64.05	9.49	-4.03	-13.00	-45.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 850
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :848.8 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
37.76	-64.36	-44.58	-19.15	-0.63	-13.00	-51.36
154.16	-78.81	-70.07	-7.46	-1.28	-13.00	-65.81
260.86	-79.67	-76.39	-1.66	-1.62	-13.00	-66.67
422.85	-78.06	-74.51	-1.62	-1.93	-13.00	-65.06
600.36	-74.65	-70.46	-1.89	-2.30	-13.00	-61.65
871.96	-72.44	-68.26	-1.67	-2.51	-13.00	-59.44
1697.60	-57.93	-63.56	9.68	-4.05	-13.00	-44.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 850
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :848.8 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-75.17	-58.21	-16.25	-0.71	-13.00	-62.17
70.74	-79.68	-67.07	-11.80	-0.81	-13.00	-66.68
91.11	-77.68	-71.01	-5.75	-0.92	-13.00	-64.68
104.69	-74.21	-66.53	-6.68	-1.00	-13.00	-61.21
122.15	-77.62	-69.48	-7.10	-1.04	-13.00	-64.62
747.80	-74.77	-70.50	-1.82	-2.45	-13.00	-61.77
1697.60	-57.49	-63.12	9.68	-4.05	-13.00	-44.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: GSM 1900 Mode

Report Number :ER-2019-A0070
Operation Mode :GSM 1900
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1850.2 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-68.38	-51.27	-16.40	-0.71	-13.00	-55.38
131.85	-79.00	-70.47	-7.42	-1.11	-13.00	-66.00
153.19	-78.25	-69.53	-7.46	-1.26	-13.00	-65.25
435.46	-78.32	-74.81	-1.68	-1.83	-13.00	-65.32
536.34	-75.47	-71.87	-1.38	-2.22	-13.00	-62.47
903.00	-70.19	-65.58	-1.79	-2.82	-13.00	-57.19
3700.40	-52.12	-58.59	12.40	-5.93	-13.00	-39.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 1900
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1850.2 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-75.15	-58.19	-16.25	-0.71	-13.00	-62.15
70.74	-78.96	-66.35	-11.80	-0.81	-13.00	-65.96
104.69	-74.70	-67.02	-6.68	-1.00	-13.00	-61.70
127.00	-78.59	-70.35	-7.16	-1.08	-13.00	-65.59
149.31	-80.97	-72.00	-7.76	-1.21	-13.00	-67.97
401.51	-77.96	-74.44	-1.60	-1.92	-13.00	-64.96
3700.40	-51.41	-57.88	12.40	-5.93	-13.00	-38.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 1900
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1880.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-67.50	-50.39	-16.40	-0.71	-13.00	-54.50
153.19	-78.90	-70.18	-7.46	-1.26	-13.00	-65.90
265.71	-79.85	-76.44	-1.78	-1.63	-13.00	-66.85
481.05	-77.78	-74.10	-1.44	-2.24	-13.00	-64.78
599.39	-74.17	-70.04	-1.86	-2.27	-13.00	-61.17
966.05	-70.90	-65.77	-1.86	-3.27	-13.00	-57.90
3760.00	-51.88	-58.16	12.30	-6.02	-13.00	-38.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 1900
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1880.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-77.05	-59.94	-16.40	-0.71	-13.00	-64.05
57.16	-79.28	-62.50	-16.06	-0.72	-13.00	-66.28
93.05	-77.98	-71.38	-5.67	-0.93	-13.00	-64.98
104.69	-75.33	-67.65	-6.68	-1.00	-13.00	-62.33
120.21	-78.27	-70.19	-7.06	-1.02	-13.00	-65.27
151.25	-79.94	-71.07	-7.64	-1.23	-13.00	-66.94
3760.00	-52.02	-58.30	12.30	-6.02	-13.00	-39.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 1900
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1909.8 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-68.15	-51.19	-16.25	-0.71	-13.00	-55.15
85.29	-75.99	-68.05	-7.06	-0.88	-13.00	-62.99
146.40	-78.67	-69.56	-7.93	-1.18	-13.00	-65.67
255.04	-79.74	-76.57	-1.61	-1.56	-13.00	-66.74
607.15	-74.45	-70.00	-1.97	-2.48	-13.00	-61.45
750.71	-74.03	-69.69	-1.83	-2.51	-13.00	-61.03
3819.60	-52.74	-58.89	12.26	-6.11	-13.00	-39.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :GSM 1900
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1909.8 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-77.21	-60.25	-16.25	-0.71	-13.00	-64.21
70.74	-79.89	-67.28	-11.80	-0.81	-13.00	-66.89
93.05	-77.76	-71.16	-5.67	-0.93	-13.00	-64.76
104.69	-74.70	-67.02	-6.68	-1.00	-13.00	-61.70
125.06	-78.15	-69.99	-7.10	-1.06	-13.00	-65.15
185.20	-84.33	-79.56	-3.47	-1.30	-13.00	-71.33
3819.60	-53.51	-59.66	12.26	-6.11	-13.00	-40.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: WCDMA Band 2 Mode

Report Number :ER-2019-A0070
Operation Mode :WCDMA B2
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1852.4 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
56.19	-69.06	-52.10	-16.25	-0.71	-13.00	-56.06
149.31	-78.77	-69.80	-7.76	-1.21	-13.00	-65.77
253.10	-79.58	-76.40	-1.64	-1.54	-13.00	-66.58
415.09	-78.57	-75.04	-1.58	-1.95	-13.00	-65.57
595.51	-74.38	-70.49	-1.76	-2.13	-13.00	-61.38
985.45	-71.20	-66.24	-1.67	-3.29	-13.00	-58.20
3704.80	-51.69	-58.14	12.39	-5.94	-13.00	-38.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B2
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1852.4 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-77.68	-60.72	-16.25	-0.71	-13.00	-64.68
70.74	-79.99	-67.38	-11.80	-0.81	-13.00	-66.99
93.05	-76.72	-70.12	-5.67	-0.93	-13.00	-63.72
104.69	-75.77	-68.09	-6.68	-1.00	-13.00	-62.77
125.06	-78.95	-70.79	-7.10	-1.06	-13.00	-65.95
294.81	-82.71	-79.28	-1.74	-1.69	-13.00	-69.71
3704.80	-51.89	-58.34	12.39	-5.94	-13.00	-38.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B2
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1880.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-68.80	-51.84	-16.25	-0.71	-13.00	-55.80
151.25	-79.53	-70.66	-7.64	-1.23	-13.00	-66.53
236.61	-78.88	-75.76	-1.66	-1.46	-13.00	-65.88
415.09	-78.30	-74.77	-1.58	-1.95	-13.00	-65.30
482.99	-77.86	-74.14	-1.49	-2.23	-13.00	-64.86
599.39	-73.92	-69.79	-1.86	-2.27	-13.00	-60.92
3760.00	-52.62	-58.90	12.30	-6.02	-13.00	-39.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B2
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1880.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.22	-51.44	-19.15	-0.63	-13.00	-58.22
56.19	-75.53	-58.57	-16.25	-0.71	-13.00	-62.53
70.74	-81.18	-68.57	-11.80	-0.81	-13.00	-68.18
92.08	-78.45	-71.86	-5.66	-0.93	-13.00	-65.45
104.69	-74.84	-67.16	-6.68	-1.00	-13.00	-61.84
122.15	-78.11	-69.97	-7.10	-1.04	-13.00	-65.11
3760.00	-52.76	-59.04	12.30	-6.02	-13.00	-39.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B2
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1907.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.00	-50.04	-16.25	-0.71	-13.00	-54.00
153.19	-78.85	-70.13	-7.46	-1.26	-13.00	-65.85
253.10	-79.83	-76.65	-1.64	-1.54	-13.00	-66.83
376.29	-78.44	-74.88	-1.65	-1.91	-13.00	-65.44
597.45	-74.23	-70.22	-1.81	-2.20	-13.00	-61.23
713.85	-73.59	-69.69	-1.34	-2.56	-13.00	-60.59
3815.20	-52.26	-58.43	12.27	-6.10	-13.00	-39.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B2
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1907.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-70.24	-50.37	-19.25	-0.62	-13.00	-57.24
54.25	-76.38	-58.98	-16.70	-0.70	-13.00	-63.38
91.11	-78.00	-71.33	-5.75	-0.92	-13.00	-65.00
104.69	-75.81	-68.13	-6.68	-1.00	-13.00	-62.81
117.30	-79.32	-71.21	-7.09	-1.02	-13.00	-66.32
154.16	-80.64	-71.90	-7.46	-1.28	-13.00	-67.64
3815.20	-53.18	-59.35	12.27	-6.10	-13.00	-40.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: WCDMA Band 4 Mode

Report Number :ER-2019-A0070
Operation Mode :WCDMA B4
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1712.4 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.93	-50.97	-16.25	-0.71	-13.00	-54.93
154.16	-78.99	-70.25	-7.46	-1.28	-13.00	-65.99
235.64	-79.85	-76.75	-1.64	-1.46	-13.00	-66.85
255.04	-79.98	-76.81	-1.61	-1.56	-13.00	-66.98
362.71	-79.20	-75.73	-1.55	-1.92	-13.00	-66.20
589.69	-74.66	-71.01	-1.71	-1.94	-13.00	-61.66
3424.80	-53.76	-60.36	12.40	-5.80	-13.00	-40.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B4
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1712.4 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.00	-51.22	-19.15	-0.63	-13.00	-58.00
56.19	-75.57	-58.61	-16.25	-0.71	-13.00	-62.57
70.74	-77.98	-65.37	-11.80	-0.81	-13.00	-64.98
104.69	-75.08	-67.40	-6.68	-1.00	-13.00	-62.08
124.09	-77.44	-69.32	-7.07	-1.05	-13.00	-64.44
153.19	-80.12	-71.40	-7.46	-1.26	-13.00	-67.12
3424.80	-53.88	-60.48	12.40	-5.80	-13.00	-40.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B4
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1732.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.10	-50.14	-16.25	-0.71	-13.00	-54.10
149.31	-78.61	-69.64	-7.76	-1.21	-13.00	-65.61
236.61	-78.89	-75.77	-1.66	-1.46	-13.00	-65.89
260.86	-80.00	-76.72	-1.66	-1.62	-13.00	-67.00
482.99	-77.52	-73.80	-1.49	-2.23	-13.00	-64.52
589.69	-74.20	-70.55	-1.71	-1.94	-13.00	-61.20
3464.80	-53.33	-59.95	12.37	-5.75	-13.00	-40.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B4
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1732.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.55	-67.90	-48.92	-18.31	-0.67	-13.00	-54.90
54.25	-76.29	-58.89	-16.70	-0.70	-13.00	-63.29
70.74	-79.14	-66.53	-11.80	-0.81	-13.00	-66.14
94.99	-72.22	-65.59	-5.69	-0.94	-13.00	-59.22
104.69	-76.12	-68.44	-6.68	-1.00	-13.00	-63.12
124.09	-78.85	-70.73	-7.07	-1.05	-13.00	-65.85
3464.80	-53.77	-60.39	12.37	-5.75	-13.00	-40.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B4
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1752.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-66.78	-49.38	-16.70	-0.70	-13.00	-53.78
154.16	-78.69	-69.95	-7.46	-1.28	-13.00	-65.69
256.01	-80.23	-77.04	-1.62	-1.57	-13.00	-67.23
396.66	-78.90	-75.35	-1.61	-1.94	-13.00	-65.90
500.45	-77.11	-73.30	-1.46	-2.35	-13.00	-64.11
689.60	-73.19	-69.43	-1.27	-2.49	-13.00	-60.19
3505.20	-53.32	-59.88	12.28	-5.72	-13.00	-40.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B4
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1752.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
37.76	-71.24	-51.46	-19.15	-0.63	-13.00	-58.24
55.22	-75.82	-58.71	-16.40	-0.71	-13.00	-62.82
70.74	-80.69	-68.08	-11.80	-0.81	-13.00	-67.69
91.11	-77.82	-71.15	-5.75	-0.92	-13.00	-64.82
104.69	-75.05	-67.37	-6.68	-1.00	-13.00	-62.05
122.15	-77.63	-69.49	-7.10	-1.04	-13.00	-64.63
3505.20	-53.34	-59.90	12.28	-5.72	-13.00	-40.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode

Report Number :ER-2019-A0070
Operation Mode :WCDMA B5
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :826.4 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-68.21	-51.25	-16.25	-0.71	-13.00	-55.21
153.19	-78.76	-70.04	-7.46	-1.26	-13.00	-65.76
255.04	-79.32	-76.15	-1.61	-1.56	-13.00	-66.32
424.79	-79.28	-75.80	-1.57	-1.91	-13.00	-66.28
516.94	-76.34	-72.31	-1.45	-2.58	-13.00	-63.34
594.54	-74.58	-70.73	-1.75	-2.10	-13.00	-61.58
1652.80	-58.71	-64.02	9.32	-4.01	-13.00	-45.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B5
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :826.4 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.05	-51.27	-19.15	-0.63	-13.00	-58.05
56.19	-76.72	-59.76	-16.25	-0.71	-13.00	-63.72
70.74	-80.37	-67.76	-11.80	-0.81	-13.00	-67.37
93.05	-76.97	-70.37	-5.67	-0.93	-13.00	-63.97
104.69	-74.93	-67.25	-6.68	-1.00	-13.00	-61.93
128.94	-78.30	-69.98	-7.23	-1.09	-13.00	-65.30
1652.80	-58.29	-63.60	9.32	-4.01	-13.00	-45.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B5
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :836.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-68.05	-51.09	-16.25	-0.71	-13.00	-55.05
153.19	-79.04	-70.32	-7.46	-1.26	-13.00	-66.04
260.86	-79.93	-76.65	-1.66	-1.62	-13.00	-66.93
547.01	-76.07	-72.45	-1.42	-2.20	-13.00	-63.07
595.51	-73.38	-69.49	-1.76	-2.13	-13.00	-60.38
644.01	-73.73	-69.53	-1.54	-2.66	-13.00	-60.73
1673.20	-57.93	-63.39	9.49	-4.03	-13.00	-44.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B5
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :836.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-76.58	-59.47	-16.40	-0.71	-13.00	-63.58
70.74	-80.70	-68.09	-11.80	-0.81	-13.00	-67.70
91.11	-78.40	-71.73	-5.75	-0.92	-13.00	-65.40
104.69	-75.54	-67.86	-6.68	-1.00	-13.00	-62.54
123.12	-78.99	-70.91	-7.04	-1.04	-13.00	-65.99
259.89	-83.73	-80.47	-1.64	-1.62	-13.00	-70.73
1673.20	-57.07	-62.53	9.49	-4.03	-13.00	-44.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B5
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :846.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-66.99	-50.03	-16.25	-0.71	-13.00	-53.99
148.34	-79.18	-70.17	-7.81	-1.20	-13.00	-66.18
251.16	-80.00	-76.82	-1.66	-1.52	-13.00	-67.00
415.09	-78.18	-74.65	-1.58	-1.95	-13.00	-65.18
599.39	-74.72	-70.59	-1.86	-2.27	-13.00	-61.72
639.16	-74.15	-70.12	-1.53	-2.50	-13.00	-61.15
1693.20	-57.81	-63.41	9.65	-4.05	-13.00	-44.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :WCDMA B5
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :846.6 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.76	-69.22	-49.44	-19.15	-0.63	-13.00	-56.22
56.19	-74.92	-57.96	-16.25	-0.71	-13.00	-61.92
70.74	-80.53	-67.92	-11.80	-0.81	-13.00	-67.53
93.05	-79.03	-72.43	-5.67	-0.93	-13.00	-66.03
104.69	-76.46	-68.78	-6.68	-1.00	-13.00	-63.46
122.15	-77.55	-69.41	-7.10	-1.04	-13.00	-64.55
1693.20	-57.11	-62.71	9.65	-4.05	-13.00	-44.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

Report Number :ER-2019-A0070
Operation Mode :LTE B2
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1860.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-65.68	-48.72	-16.25	-0.71	-13.00	-52.68
151.25	-77.67	-68.80	-7.64	-1.23	-13.00	-64.67
256.01	-78.74	-75.55	-1.62	-1.57	-13.00	-65.74
464.56	-77.67	-73.96	-1.50	-2.21	-13.00	-64.67
592.60	-73.57	-69.80	-1.74	-2.03	-13.00	-60.57
794.36	-73.02	-68.32	-1.64	-3.06	-13.00	-60.02
3720.00	-51.21	-57.61	12.36	-5.96	-13.00	-38.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B2
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1860.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-75.28	-57.88	-16.70	-0.70	-13.00	-62.28
93.05	-78.54	-71.94	-5.67	-0.93	-13.00	-65.54
104.69	-77.03	-69.35	-6.68	-1.00	-13.00	-64.03
120.21	-78.54	-70.46	-7.06	-1.02	-13.00	-65.54
519.85	-77.45	-73.35	-1.52	-2.58	-13.00	-64.45
662.44	-76.86	-72.34	-1.37	-3.15	-13.00	-63.86
3720.00	-51.63	-58.03	12.36	-5.96	-13.00	-38.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B2
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1880.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.66	-50.70	-16.25	-0.71	-13.00	-54.66
151.25	-79.40	-70.53	-7.64	-1.23	-13.00	-66.40
238.55	-80.12	-76.97	-1.71	-1.44	-13.00	-67.12
418.00	-78.54	-74.93	-1.64	-1.97	-13.00	-65.54
600.36	-74.19	-70.00	-1.89	-2.30	-13.00	-61.19
754.59	-73.32	-68.98	-1.78	-2.56	-13.00	-60.32
3760.00	-51.39	-57.67	12.30	-6.02	-13.00	-38.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B2
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1880.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-76.53	-59.57	-16.25	-0.71	-13.00	-63.53
70.74	-81.11	-68.50	-11.80	-0.81	-13.00	-68.11
104.69	-76.51	-68.83	-6.68	-1.00	-13.00	-63.51
128.94	-78.42	-70.10	-7.23	-1.09	-13.00	-65.42
255.04	-84.05	-80.88	-1.61	-1.56	-13.00	-71.05
541.19	-77.19	-73.64	-1.39	-2.16	-13.00	-64.19
3760.00	-51.77	-58.05	12.30	-6.02	-13.00	-38.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B2
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1900.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-68.15	-51.19	-16.25	-0.71	-13.00	-55.15
154.16	-79.20	-70.46	-7.46	-1.28	-13.00	-66.20
248.25	-79.27	-76.11	-1.67	-1.49	-13.00	-66.27
434.49	-78.53	-75.03	-1.67	-1.83	-13.00	-65.53
597.45	-74.61	-70.60	-1.81	-2.20	-13.00	-61.61
662.44	-74.17	-69.65	-1.37	-3.15	-13.00	-61.17
3800.00	-52.24	-58.47	12.30	-6.07	-13.00	-39.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B2
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1900.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-77.07	-59.96	-16.40	-0.71	-13.00	-64.07
70.74	-79.68	-67.07	-11.80	-0.81	-13.00	-66.68
94.99	-77.93	-71.30	-5.69	-0.94	-13.00	-64.93
104.69	-76.02	-68.34	-6.68	-1.00	-13.00	-63.02
125.06	-78.52	-70.36	-7.10	-1.06	-13.00	-65.52
492.69	-77.65	-73.86	-1.55	-2.24	-13.00	-64.65
3800.00	-51.20	-57.43	12.30	-6.07	-13.00	-38.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

Report Number :ER-2019-A0070
Operation Mode :LTE B4
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1720.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-68.04	-50.64	-16.70	-0.70	-13.00	-55.04
149.31	-78.98	-70.01	-7.76	-1.21	-13.00	-65.98
248.25	-80.11	-76.95	-1.67	-1.49	-13.00	-67.11
391.81	-78.66	-75.07	-1.62	-1.97	-13.00	-65.66
478.14	-77.25	-73.55	-1.45	-2.25	-13.00	-64.25
597.45	-74.75	-70.74	-1.81	-2.20	-13.00	-61.75
3440.00	-52.79	-59.41	12.40	-5.78	-13.00	-39.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B4
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1720.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-68.85	-49.07	-19.15	-0.63	-13.00	-55.85
56.19	-75.84	-58.88	-16.25	-0.71	-13.00	-62.84
91.11	-77.64	-70.97	-5.75	-0.92	-13.00	-64.64
105.66	-75.53	-67.74	-6.79	-1.00	-13.00	-62.53
119.24	-78.29	-70.16	-7.11	-1.02	-13.00	-65.29
144.46	-79.99	-70.88	-7.94	-1.17	-13.00	-66.99
3440.00	-51.94	-58.56	12.40	-5.78	-13.00	-38.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B4
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1732.5 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.82	-50.86	-16.25	-0.71	-13.00	-54.82
153.19	-79.14	-70.42	-7.46	-1.26	-13.00	-66.14
206.54	-80.89	-77.67	-1.81	-1.41	-13.00	-67.89
248.25	-79.91	-76.75	-1.67	-1.49	-13.00	-66.91
429.64	-78.18	-74.68	-1.66	-1.84	-13.00	-65.18
612.00	-73.70	-69.25	-1.90	-2.55	-13.00	-60.70
3465.00	-51.59	-58.21	12.37	-5.75	-13.00	-38.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B4
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1732.5 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-69.56	-49.78	-19.15	-0.63	-13.00	-56.56
56.19	-75.87	-58.91	-16.25	-0.71	-13.00	-62.87
94.99	-77.86	-71.23	-5.69	-0.94	-13.00	-64.86
104.69	-74.86	-67.18	-6.68	-1.00	-13.00	-61.86
125.06	-77.79	-69.63	-7.10	-1.06	-13.00	-64.79
162.89	-78.68	-70.62	-6.71	-1.35	-13.00	-65.68
3465.00	-53.11	-59.73	12.37	-5.75	-13.00	-40.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B4
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1745.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.60	-50.64	-16.25	-0.71	-13.00	-54.60
151.25	-78.33	-69.46	-7.64	-1.23	-13.00	-65.33
238.55	-80.27	-77.12	-1.71	-1.44	-13.00	-67.27
413.15	-78.39	-74.86	-1.58	-1.95	-13.00	-65.39
597.45	-72.83	-68.82	-1.81	-2.20	-13.00	-59.83
667.29	-74.11	-69.77	-1.30	-3.04	-13.00	-61.11
3490.00	-52.75	-59.36	12.32	-5.71	-13.00	-39.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B4
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1745.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.79	-52.01	-19.15	-0.63	-13.00	-58.79
56.19	-76.31	-59.35	-16.25	-0.71	-13.00	-63.31
91.11	-78.27	-71.60	-5.75	-0.92	-13.00	-65.27
104.69	-75.73	-68.05	-6.68	-1.00	-13.00	-62.73
122.15	-78.31	-70.17	-7.10	-1.04	-13.00	-65.31
515.00	-77.32	-73.34	-1.40	-2.58	-13.00	-64.32
3490.00	-52.78	-59.39	12.32	-5.71	-13.00	-39.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)

Report Number :ER-2019-A0070
Operation Mode :LTE B5
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :829.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.27	-50.31	-16.25	-0.71	-13.00	-54.27
144.46	-79.39	-70.28	-7.94	-1.17	-13.00	-66.39
251.16	-79.38	-76.20	-1.66	-1.52	-13.00	-66.38
309.36	-79.07	-75.76	-1.70	-1.61	-13.00	-66.07
356.89	-78.57	-75.12	-1.53	-1.92	-13.00	-65.57
710.94	-73.06	-69.12	-1.32	-2.62	-13.00	-60.06
1658.00	-57.65	-62.99	9.36	-4.02	-13.00	-44.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B5
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :829.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-77.04	-60.08	-16.25	-0.71	-13.00	-64.04
70.74	-78.80	-66.19	-11.80	-0.81	-13.00	-65.80
97.90	-78.90	-72.03	-5.91	-0.96	-13.00	-65.90
104.69	-76.05	-68.37	-6.68	-1.00	-13.00	-63.05
138.64	-79.04	-70.14	-7.77	-1.13	-13.00	-66.04
435.46	-78.22	-74.71	-1.68	-1.83	-13.00	-65.22
1658.00	-57.17	-62.51	9.36	-4.02	-13.00	-44.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B5
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :836.5 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-68.25	-51.29	-16.25	-0.71	-13.00	-55.25
146.40	-78.57	-69.46	-7.93	-1.18	-13.00	-65.57
214.30	-79.59	-76.64	-1.51	-1.44	-13.00	-66.59
248.25	-78.94	-75.78	-1.67	-1.49	-13.00	-65.94
600.36	-73.86	-69.67	-1.89	-2.30	-13.00	-60.86
691.54	-73.98	-70.20	-1.27	-2.51	-13.00	-60.98
1673.00	-58.25	-63.71	9.49	-4.03	-13.00	-45.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B5
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :836.5 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.09	-51.31	-19.15	-0.63	-13.00	-58.09
56.19	-76.59	-59.63	-16.25	-0.71	-13.00	-63.59
91.11	-78.37	-71.70	-5.75	-0.92	-13.00	-65.37
104.69	-75.82	-68.14	-6.68	-1.00	-13.00	-62.82
124.09	-78.77	-70.65	-7.07	-1.05	-13.00	-65.77
143.49	-81.85	-72.74	-7.95	-1.16	-13.00	-68.85
1673.00	-57.86	-63.32	9.49	-4.03	-13.00	-44.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B5
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :844.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-67.81	-50.85	-16.25	-0.71	-13.00	-54.81
128.94	-72.04	-63.72	-7.23	-1.09	-13.00	-59.04
150.28	-79.46	-70.55	-7.70	-1.21	-13.00	-66.46
236.61	-78.99	-75.87	-1.66	-1.46	-13.00	-65.99
353.01	-78.57	-75.15	-1.51	-1.91	-13.00	-65.57
691.54	-74.10	-70.32	-1.27	-2.51	-13.00	-61.10
1688.00	-56.84	-62.40	9.61	-4.05	-13.00	-43.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B5
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :844.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.74	-51.96	-19.15	-0.63	-13.00	-58.74
56.19	-75.18	-58.22	-16.25	-0.71	-13.00	-62.18
91.11	-77.27	-70.60	-5.75	-0.92	-13.00	-64.27
104.69	-76.05	-68.37	-6.68	-1.00	-13.00	-63.05
117.30	-79.13	-71.02	-7.09	-1.02	-13.00	-66.13
251.16	-84.66	-81.48	-1.66	-1.52	-13.00	-71.66
1688.00	-58.13	-63.69	9.61	-4.05	-13.00	-45.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Report Number	:ER-2019-A0070	Test Date	:2019-10-28
Operation Mode	:LTE B12	Temp./Humi.	:24.0/71
Test Mode	:Tx CH Low	Antenna Pol.	:VERTICAL
EUT Pol	:H Plane	Engineer.	: Nick
Test Channel	:704.0 MHz		



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
56.19	-66.61	-49.65	-16.25	-0.71	-13.00	-53.61
153.19	-79.62	-70.90	-7.46	-1.26	-13.00	-66.62
206.54	-80.79	-77.57	-1.81	-1.41	-13.00	-67.79
253.10	-79.92	-76.74	-1.64	-1.54	-13.00	-66.92
372.41	-79.09	-75.56	-1.62	-1.91	-13.00	-66.09
590.66	-75.18	-71.50	-1.72	-1.96	-13.00	-62.18
1408.00	-58.45	-62.67	7.92	-3.70	-13.00	-45.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B12
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :704.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-70.24	-50.46	-19.15	-0.63	-13.00	-57.24
56.19	-76.17	-59.21	-16.25	-0.71	-13.00	-63.17
94.99	-77.94	-71.31	-5.69	-0.94	-13.00	-64.94
104.69	-76.57	-68.89	-6.68	-1.00	-13.00	-63.57
128.94	-78.21	-69.89	-7.23	-1.09	-13.00	-65.21
382.11	-78.72	-75.15	-1.64	-1.93	-13.00	-65.72
1408.00	-58.78	-63.00	7.92	-3.70	-13.00	-45.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B12
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :707.5 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-66.93	-49.97	-16.25	-0.71	-13.00	-53.93
148.34	-78.71	-69.70	-7.81	-1.20	-13.00	-65.71
255.04	-79.07	-75.90	-1.61	-1.56	-13.00	-66.07
306.45	-79.80	-76.50	-1.67	-1.63	-13.00	-66.80
413.15	-77.88	-74.35	-1.58	-1.95	-13.00	-64.88
634.31	-74.13	-70.07	-1.59	-2.47	-13.00	-61.13
1415.00	-57.55	-61.78	7.93	-3.70	-13.00	-44.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B12
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :707.5 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.84	-52.06	-19.15	-0.63	-13.00	-58.84
56.19	-75.53	-58.57	-16.25	-0.71	-13.00	-62.53
94.99	-79.17	-72.54	-5.69	-0.94	-13.00	-66.17
104.69	-75.91	-68.23	-6.68	-1.00	-13.00	-62.91
124.09	-78.53	-70.41	-7.07	-1.05	-13.00	-65.53
485.90	-77.67	-73.92	-1.53	-2.22	-13.00	-64.67
1415.00	-57.96	-62.19	7.93	-3.70	-13.00	-44.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B12
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :711.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-66.43	-49.47	-16.25	-0.71	-13.00	-53.43
153.19	-79.07	-70.35	-7.46	-1.26	-13.00	-66.07
238.55	-79.31	-76.16	-1.71	-1.44	-13.00	-66.31
386.96	-78.84	-75.24	-1.63	-1.97	-13.00	-65.84
427.70	-78.43	-74.94	-1.62	-1.87	-13.00	-65.43
604.24	-74.22	-69.84	-1.98	-2.40	-13.00	-61.22
1422.00	-58.15	-62.38	7.94	-3.71	-13.00	-45.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B12
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :711.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-71.54	-51.67	-19.25	-0.62	-13.00	-58.54
55.22	-75.94	-58.83	-16.40	-0.71	-13.00	-62.94
91.11	-78.45	-71.78	-5.75	-0.92	-13.00	-65.45
104.69	-75.29	-67.61	-6.68	-1.00	-13.00	-62.29
127.00	-78.86	-70.62	-7.16	-1.08	-13.00	-65.86
386.96	-78.36	-74.76	-1.63	-1.97	-13.00	-65.36
1422.00	-58.16	-62.39	7.94	-3.71	-13.00	-45.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)

Report Number	:ER-2019-A0070	Test Date	:2019-10-28
Operation Mode	:LTE B13	Temp./Humi.	:24.0/71
Test Mode	:Tx CH Mid	Antenna Pol.	:VERTICAL
EUT Pol	:H Plane	Engineer.	: Nick
Test Channel	:782.0 MHz		




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.19	-65.69	-48.73	-16.25	-0.71	-13.00	-52.69
148.34	-78.51	-69.50	-7.81	-1.20	-13.00	-65.51
180.35	-81.14	-75.74	-4.15	-1.25	-13.00	-68.14
250.19	-79.38	-76.19	-1.68	-1.51	-13.00	-66.38
347.19	-79.42	-76.00	-1.53	-1.89	-13.00	-66.42
595.51	-74.25	-70.36	-1.76	-2.13	-13.00	-61.25
1564.00	-57.97	-63.20	9.13	-3.90	-40.00	-17.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B13
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :782.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-69.43	-49.56	-19.25	-0.62	-13.00	-56.43
56.19	-75.70	-58.74	-16.25	-0.71	-13.00	-62.70
91.11	-77.67	-71.00	-5.75	-0.92	-13.00	-64.67
104.69	-76.45	-68.77	-6.68	-1.00	-13.00	-63.45
122.15	-78.31	-70.17	-7.10	-1.04	-13.00	-65.31
153.19	-80.79	-72.07	-7.46	-1.26	-13.00	-67.79
1564.00	-58.75	-63.98	9.13	-3.90	-40.00	-18.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (763~775MHz)

Report Number :ER-2019-A0070
Operation Mode :LTE B13
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :782.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
766.92	-85.31	-80.96	-1.75	-2.60	-35.00	-50.31
768.68	-80.01	-75.69	-1.73	-2.59	-35.00	-45.01
769.14	-84.55	-80.25	-1.72	-2.58	-35.00	-49.55
771.26	-79.42	-75.11	-1.72	-2.59	-35.00	-44.42
771.74	-81.31	-76.99	-1.72	-2.60	-35.00	-46.31
774.92	-84.20	-79.82	-1.75	-2.63	-35.00	-49.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B13
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :782.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
765.38	-87.28	-82.91	-1.77	-2.60	-35.00	-52.28
766.90	-87.08	-82.73	-1.75	-2.60	-35.00	-52.08
768.56	-86.93	-82.61	-1.73	-2.59	-35.00	-51.93
769.42	-87.34	-83.04	-1.72	-2.58	-35.00	-52.34
771.18	-86.30	-81.99	-1.72	-2.59	-35.00	-51.30
772.02	-86.81	-82.48	-1.73	-2.60	-35.00	-51.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (793~805MHz)

Report Number :ER-2019-A0070
Operation Mode :LTE B13
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :782.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
794.82	-86.54	-81.84	-1.63	-3.07	-35.00	-51.54
797.44	-85.54	-80.82	-1.61	-3.11	-35.00	-50.54
799.12	-86.50	-81.77	-1.59	-3.14	-35.00	-51.50
800.36	-86.28	-81.54	-1.58	-3.16	-35.00	-51.28
801.60	-86.70	-81.95	-1.59	-3.16	-35.00	-51.70
803.76	-86.44	-81.67	-1.61	-3.16	-35.00	-51.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B13
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :782.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.66	-86.90	-82.20	-1.65	-3.05	-35.00	-51.90
797.80	-87.30	-82.58	-1.60	-3.12	-35.00	-52.30
799.14	-88.04	-83.31	-1.59	-3.14	-35.00	-53.04
800.70	-87.40	-82.65	-1.59	-3.16	-35.00	-52.40
801.40	-87.10	-82.35	-1.59	-3.16	-35.00	-52.10
804.14	-87.14	-82.36	-1.61	-3.17	-35.00	-52.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

Report Number :ER-2019-A0070
Operation Mode :LTE B17
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :709.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-66.19	-48.79	-16.70	-0.70	-13.00	-53.19
151.25	-78.93	-70.06	-7.64	-1.23	-13.00	-65.93
238.55	-80.04	-76.89	-1.71	-1.44	-13.00	-67.04
429.64	-78.74	-75.24	-1.66	-1.84	-13.00	-65.74
532.46	-76.70	-73.01	-1.41	-2.28	-13.00	-63.70
638.19	-73.68	-69.65	-1.54	-2.49	-13.00	-60.68
1418.00	-57.46	-61.69	7.94	-3.71	-13.00	-44.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B17
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :709.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
37.76	-71.71	-51.93	-19.15	-0.63	-13.00	-58.71
56.19	-73.16	-56.20	-16.25	-0.71	-13.00	-60.16
70.74	-79.70	-67.09	-11.80	-0.81	-13.00	-66.70
93.05	-79.32	-72.72	-5.67	-0.93	-13.00	-66.32
104.69	-76.72	-69.04	-6.68	-1.00	-13.00	-63.72
255.04	-82.91	-79.74	-1.61	-1.56	-13.00	-69.91
1418.00	-57.24	-61.47	7.94	-3.71	-13.00	-44.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B17
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :710.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
56.19	-67.32	-50.36	-16.25	-0.71	-13.00	-54.32
153.19	-79.31	-70.59	-7.46	-1.26	-13.00	-66.31
243.40	-79.76	-76.61	-1.69	-1.46	-13.00	-66.76
319.06	-78.90	-75.45	-1.71	-1.74	-13.00	-65.90
411.21	-78.75	-75.23	-1.58	-1.94	-13.00	-65.75
604.24	-74.27	-69.89	-1.98	-2.40	-13.00	-61.27
1420.00	-57.68	-61.91	7.94	-3.71	-13.00	-44.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B17
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :710.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-71.78	-52.00	-19.15	-0.63	-13.00	-58.78
55.22	-74.89	-57.78	-16.40	-0.71	-13.00	-61.89
91.11	-77.39	-70.72	-5.75	-0.92	-13.00	-64.39
105.66	-76.54	-68.75	-6.79	-1.00	-13.00	-63.54
127.00	-79.35	-71.11	-7.16	-1.08	-13.00	-66.35
481.05	-77.72	-74.04	-1.44	-2.24	-13.00	-64.72
1420.00	-58.47	-62.70	7.94	-3.71	-13.00	-45.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B17
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :711.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :VERTICAL
Engineer. : Nick




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level	Gain	Loss	dBm	dB
		dBm	dBi/dBd	dB		
56.19	-67.75	-50.79	-16.25	-0.71	-13.00	-54.75
154.16	-80.14	-71.40	-7.46	-1.28	-13.00	-67.14
233.70	-79.83	-76.73	-1.62	-1.48	-13.00	-66.83
401.51	-77.30	-73.78	-1.60	-1.92	-13.00	-64.30
524.70	-76.27	-72.37	-1.44	-2.46	-13.00	-63.27
626.55	-72.28	-68.18	-1.63	-2.47	-13.00	-59.28
1422.00	-58.22	-62.45	7.94	-3.71	-13.00	-45.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-A0070
Operation Mode :LTE B17
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :711.0 MHz

Test Date :2019-10-28
Temp./Humi. :24.0/71
Antenna Pol. :HORIZONTAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-71.40	-51.53	-19.25	-0.62	-13.00	-58.40
52.31	-75.58	-57.75	-17.14	-0.69	-13.00	-62.58
95.96	-78.43	-71.79	-5.69	-0.95	-13.00	-65.43
104.69	-77.77	-70.09	-6.68	-1.00	-13.00	-64.77
124.09	-78.72	-70.60	-7.07	-1.05	-13.00	-65.72
257.95	-84.16	-80.93	-1.63	-1.60	-13.00	-71.16
1422.00	-57.93	-62.16	7.94	-3.71	-13.00	-44.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10. FREQUENCY STABILITY MEASUREMENT

10.1. Standard Applicable

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

10.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	05/02/2019	05/01/2020
Radio Communication Analyzer	Anritsu	MT8815B	6200711454	04/01/2019	03/31/2020
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	04/01/2019	03/31/2020
DC Power Supply	Agilent	E3640A	MY52410006	12/04/2018	12/03/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2019	01/01/2020
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2019	01/01/2020
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-018	01/02/2019	01/01/2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.5. Measurement Result

GPRS 850 Mid Channel			836.6	MHz
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
4	20	836.600011	11	2091
3.85	20	836.600008	8	2091
3.7	20	836.600009	9	2091
3.1 (End point)	20	836.599998	-2	2091
FREQUENCY ERROR vs. Temp.				
3.85	50	836.599996	-4	2091
3.85	40	836.600006	6	2091
3.85	30	836.600001	1	2091
3.85	20	836.599999	-1	2091
3.85	10	836.600004	4	2091
3.85	0	836.599997	-3	2091
3.85	-10	836.599993	-7	2091
3.85	-20	836.599992	-8	2091
3.85	-30	836.600001	1	2091

GPRS 1900 Mid Channel		1880	MHz	
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
4	20	1880.00001	10	4700
3.85	20	1880.000007	7	4700
3.7	20	1879.999996	-4	4700
3.1 (End point)	20	1879.999995	-5	4700
FREQUENCY ERROR vs. Temp.				
3.85	50	1880.000001	1	4700
3.85	40	1880.000005	5	4700
3.85	30	1880.000009	9	4700
3.85	20	1880.000004	4	4700
3.85	10	1880.000006	6	4700
3.85	0	1879.999998	-2	4700
3.85	-10	1879.999993	-7	4700
3.85	-20	1879.999995	-5	4700
3.85	-30	1879.999998	-2	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA II Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
4	20	1880.000001	1	4700
3.85	20	1879.999996	-4	4700
3.7	20	1880.000008	8	4700
3.1 (End point)	20	1879.999997	-3	4700
FREQUENCY ERROR vs. Temp.				
3.85	50	1880.000005	5	4700
3.85	40	1880.000009	9	4700
3.85	30	1879.999998	-2	4700
3.85	20	1879.999993	-7	4700
3.85	10	1879.999995	-5	4700
3.85	0	1880.000006	6	4700
3.85	-10	1880.000008	8	4700
3.85	-20	1880.000004	4	4700
3.85	-30	1879.999998	-2	4700

WCDMA IV Mid Channel 1732.6 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
4	20	1732.599993	-7	4331
3.85	20	1732.599995	-5	4331
3.7	20	1732.600001	1	4331
3.1 (End point)	20	1732.599998	-2	4331
FREQUENCY ERROR vs. Temp.				
3.85	50	1732.600008	8	4331
3.85	40	1732.600004	4	4331
3.85	30	1732.600003	3	4331
3.85	20	1732.599993	-7	4331
3.85	10	1732.599999	-1	4331
3.85	0	1732.599996	-4	4331
3.85	-10	1732.600008	8	4331
3.85	-20	1732.600002	2	4331
3.85	-30	1732.6	0	4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA V Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
4	20	836.600004	4	2091
3.85	20	836.600005	5	2091
3.7	20	836.599993	-7	2091
3.1 (End point)	20	836.599991	-9	2091
FREQUENCY ERROR vs. Temp.				
3.85	50	836.600002	2	2091
3.85	40	836.600003	3	2091
3.85	30	836.600004	4	2091
3.85	20	836.599998	-2	2091
3.85	10	836.599999	-1	2091
3.85	0	836.599993	-7	2091
3.85	-10	836.600002	2	2091
3.85	-20	836.600004	4	2091
3.85	-30	836.599997	-3	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B2 Mid Channel		1880	MHz 20M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4	25	1879.999998	-2	4700	
3.85	25	1880.000008	8	4700	
3.7	25	1880.000007	7	4700	
3.1 (End Point)	25	1880.000003	3	4700	
Freq. ERROR vs. Temp.					
3.85	-30	1880.000007	7	4700	
3.85	-20	1880.000009	9	4700	
3.85	-10	1879.999993	-7	4700	
3.85	0	1879.999998	-2	4700	
3.85	10	1879.999999	-1	4700	
3.85	20	1880.000002	2	4700	
3.85	30	1880.000004	4	4700	
3.85	40	1879.999991	-9	4700	
3.85	50	1880.000001	1	4700	

Reference Freq.:		LTE B4 Mid Channel		1732.5	MHz 20M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4	25	1732.499996	-4	4331	
3.85	25	1732.500006	6	4331	
3.7	25	1732.499991	-9	4331	
3.1 (End Point)	25	1732.499997	-3	4331	
Freq. ERROR vs. Temp.					
3.85	-30	1732.500003	3	4331	
3.85	-20	1732.500007	7	4331	
3.85	-10	1732.499991	-9	4331	
3.85	0	1732.500002	2	4331	
3.85	10	1732.500002	2	4331	
3.85	20	1732.500007	7	4331	
3.85	30	1732.500010	10	4331	
3.85	40	1732.500007	7	4331	
3.85	50	1732.500008	8	4331	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B5 Mid Channel		836.5	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4	25	836.499994	-6	2091	
3.85	25	836.500008	8	2091	
3.7	25	836.500008	8	2091	
3.1 (End Point)	25	836.500000	0	2091	
Freq. ERROR vs. Temp.					
3.85	-30	836.499991	-9	2091	
3.85	-20	836.500002	2	2091	
3.85	-10	836.500002	2	2091	
3.85	0	836.500005	5	2091	
3.85	10	836.499997	-3	2091	
3.85	20	836.499996	-4	2091	
3.85	30	836.500006	6	2091	
3.85	40	836.499996	-4	2091	
3.85	50	836.500003	3	2091	

Reference Freq.:		LTE B12 Mid Channel		707.5 MHz	10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4	25	707.499994	-6	1769	
3.85	25	707.499997	-3	1769	
3.7	25	707.499998	-2	1769	
3.1 (End Point)	25	707.500000	0	1769	
Freq. ERROR vs. Temp.					
3.85	-30	707.500003	3	1769	
3.85	-20	707.500009	9	1769	
3.85	-10	707.499994	-6	1769	
3.85	0	707.500000	0	1769	
3.85	10	707.500007	7	1769	
3.85	20	707.500004	4	1769	
3.85	30	707.499998	-2	1769	
3.85	40	707.500003	3	1769	
3.85	50	707.500003	3	1769	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B13 Mid Channel		782 MHz	10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4	25	782.000009	9	1955	
3.85	25	782.000000	0	1955	
3.7	25	781.999993	-7	1955	
3.1 (End Point)	25	781.999996	-4	1955	
Freq. ERROR vs. Temp.					
3.85	-30	782.000004	4	1955	
3.85	-20	782.000008	8	1955	
3.85	-10	782.000009	9	1955	
3.85	0	782.000003	3	1955	
3.85	10	781.999993	-7	1955	
3.85	20	781.999991	-9	1955	
3.85	30	781.999991	-9	1955	
3.85	40	782.000003	3	1955	
3.85	50	782.000003	3	1955	

Reference Freq.:		LTE B17 Mid Channel		710 MHz	10M QPSK CH 23790
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
4	25	710.000008	8	1775	
3.85	25	709.999994	-6	1775	
3.7	25	710.000001	1	1775	
3.1 (End Point)	25	710.000009	9	1775	
Freq. ERROR vs. Temp.					
3.85	-30	709.999996	-4	1775	
3.85	-20	709.999990	-10	1775	
3.85	-10	709.999998	-2	1775	
3.85	0	710.000005	5	1775	
3.85	10	709.999998	-2	1775	
3.85	20	709.999995	-5	1775	
3.85	30	710.000001	1	1775	
3.85	40	710.000002	2	1775	
3.85	50	709.999992	-8	1775	

Note: The battery is rated 3.85Vdc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11. PEAK TO AVERAGE RATIO

11.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2. Test SET-UP



11.3. Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth; & internal = 1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	05/02/2019	05/01/2020
Radio Communication Analyzer	Anritsu	MT8815B	6200711454	04/01/2019	03/31/2020
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	04/01/2019	03/31/2020
DC Power Supply	Agilent	E3640A	MY52410006	12/04/2018	12/03/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2019	01/01/2020
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2019	01/01/2020
Splitter	RF-LAMBDA	RFLT2W1G18G	11-JSPF412-018	01/02/2019	01/01/2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.5. Measurement Result

Tabular Results:

Freq. (MHz)	CH	Peak-to-Average	
		GSM 1900	GPRS 1900
1850.2	512	8.2	11.34
1880	661	8.43	8.37
1909.8	810	9.47	8.28

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA II	HSDPA II	HSUPA II
1852.4	9262	3.06	3.85	3.97
1880	9400	3.05	3.89	3.68
1907.6	9538	3.10	3.68	3.82

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	3.10	3.91	3.69
1732.6	1413	3.09	3.52	3.77
1752.6	1513	3.07	3.57	3.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1850.7	18607	6.75	13	1851.5	18615	6.46	13
1880.0	18900	6.66	13	1880.0	18900	6.59	13
1909.3	19193	6.68	13	1908.5	19185	6.74	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1852.5	18625	6.43	13	1855.0	18650	6.50	13
1880.0	18900	6.51	13	1880.0	18900	6.49	13
1907.5	19175	6.53	13	1905.0	19150	6.61	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1857.5	18675	6.39	13	1860.0	18700	6.41	13
1880.0	18900	6.57	13	1880.0	18900	6.47	13
1902.5	19125	6.44	13	1900.0	19100	6.55	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1710.7	19957	6.69	13	1711.5	19965	6.48	13
1732.5	20175	6.57	13	1732.5	20175	6.53	13
1754.3	20393	6.76	13	1753.5	20385	6.57	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1712.5	19957	6.52	13	1715.0	20000	6.54	13
1732.5	20175	6.46	13	1732.5	20175	6.35	13
1752.5	20375	6.64	13	1750.0	20350	6.55	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1717.5	20025	6.52	13	1720.0	20050	6.47	13
1732.5	20175	6.36	13	1732.5	20175	6.48	13
1747.5	20325	6.46	13	1745.0	20300	6.55	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
699.7	23017	6.11	13	700.5	23025	6.43	13
707.5	23095	6.72	13	707.5	23095	6.52	13
715.3	23173	6.67	13	714.5	23165	6.71	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
701.5	23035	6.48	13	704.0	23060	6.53	13
707.5	23095	6.72	13	707.5	23095	6.52	13
713.5	23155	6.58	13	711.0	23130	6.53	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
779.5	23205	6.67	13	782.0	23230	6.81	13
782.0	23230	6.91	13				
784.5	23255	6.81	13				

LTE BAND 17							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
706.5	23755	6.57	13	709.0	23780	6.43	13
710.0	23790	6.52	13	710.0	23790	6.44	13
713.5	23825	6.51	13	711.0	23800	6.42	13


Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GSM 1900MHz LowCH512-1850.2



GPRS 1900MHz LowCH512-1850.2




GSM 1900MHz MidCH661-1880




GPRS 1900MHz MidCH661-1880



GSM 1900MHz HighCH810-1909.8



GPRS 1900MHz HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA B2 LowCH9262-1852.4




HSDPA B2 LowCH9262-1852.4



WCDMA B2 MidCH9400-1880



HSDPA B2 MidCH9400-1880



WCDMA B2 HighCH9538-1907.6



HSDPA B2 HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA B2 LowCH9262-1852.4



WCDMA B4 LowCH1312-1712.4




HSUPA B2 MidCH9400-1880



WCDMA B4 MidCH1413-1732.6



HSUPA B2 HighCH9538-1907.6



WCDMA B4 HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSDPA B4 LowCH1312-1712.4




HSUPA B4 LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6




HSUPA B4 MidCH1413-1732.6



HSDPA B4 HighCH1513-1752.6



HSUPA B4 HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE Band2 1 4MHz 64QAM 6 0 LowCH18607-1850.7



LTE Band2 3MHz 64QAM 15 0 LowCH18615-1851.5




LTE Band2 1 4MHz 64QAM 6 0 MidCH18900-1880



LTE Band2 3MHz 64QAM 15 0 MidCH18900-1880



LTE Band2 1 4MHz 64QAM 6 0 HighCH19193-1909.3



LTE Band2 3MHz 64QAM 15 0 HighCH19185-1908.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE Band2 5MHz 64QAM 25 0 LowCH18625-1852.5



LTE Band2 10MHz 64QAM 50 0 LowCH18650-1855



LTE Band2 5MHz 64QAM 25 0 MidCH18900-1880




LTE Band2 10MHz 64QAM 50 0 MidCH18900-1880



LTE Band2 5MHz 64QAM 25 0 HighCH19175-1907.5



LTE Band2 10MHz 64QAM 50 0 HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band2 15MHz 64QAM 75 0 LowCH18675-1857.5



LTE Band2 20MHz 64QAM 100 0 LowCH18700-1860




LTE Band2 15MHz 64QAM 75 0 MidCH18900-1880




LTE Band2 20MHz 64QAM 100 0 MidCH18900-1880



LTE Band2 15MHz 64QAM 75 0 HighCH19125-1902.5



LTE Band2 20MHz 64QAM 100 0 HighCH19100-1900




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE Band4 1 4MHz 64QAM 6 0 LowCH19957-1710.7



LTE Band4 3MHz 64QAM 15 0 LowCH19965-1711.5




LTE Band4 1 4MHz 64QAM 6 0 MidCH20175-1732.5




LTE Band4 3MHz 64QAM 15 0 MidCH20175-1732.5



LTE Band4 1 4MHz 64QAM 6 0 HighCH20393-1754.3



LTE Band4 3MHz 64QAM 15 0 HighCH20385-1753.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE Band4 5MHz 64QAM 25 0 LowCH19975-1712.5




LTE Band4 10MHz 64QAM 50 0 LowCH20000-1715




LTE Band4 5MHz 64QAM 25 0 MidCH20175-1732.5



LTE Band4 10MHz 64QAM 50 0 MidCH20175-1732.5



LTE Band4 5MHz 64QAM 25 0 HighCH20375-1752.5



LTE Band4 10MHz 64QAM 50 0 HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE Band4 15MHz 64QAM 75 0 LowCH20025-1717.5




LTE Band4 20MHz 64QAM 100 0 LowCH20050-1720




LTE Band4 15MHz 64QAM 75 0 MidCH20175-1732.5




LTE Band4 20MHz 64QAM 100 0 MidCH20175-1732.5



LTE Band4 15MHz 64QAM 75 0 HighCH20325-1747.5



LTE Band4 20MHz 64QAM 100 0 HighCH20300-1745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE Band12 1 4MHz 64QAM 6 0 LowCH23017-699.7



LTE Band12 3MHz 64QAM 15 0 LowCH23025-700.5



LTE Band12 1 4MHz 64QAM 6 0 MidCH23095-707.5



LTE Band12 3MHz 64QAM 15 0 MidCH23095-707.5



LTE Band12 1 4MHz 64QAM 6 0 HighCH23173-715.3



LTE Band12 3MHz 64QAM 15 0 HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band12 5MHz 64QAM 25 0 LowCH23035-701.5




LTE Band12 10MHz 64QAM 50 0 LowCH23060-704




LTE Band12 5MHz 64QAM 25 0 MidCH23095-707.5




LTE Band12 10MHz 64QAM 50 0 MidCH23095-707.5



LTE Band12 5MHz 64QAM 25 0 HighCH23155-713.5



LTE Band12 10MHz 64QAM 50 0 HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band13 5MHz 64QAM 25 0 LowCH23205-779.5



LTE Band13 10MHz 64QAM 50 0 MidCH23230-782




LTE Band13 5MHz 64QAM 25 0 MidCH23230-782




LTE Band17 5MHz 64QAM 25 0 LowCH23755-706.5



LTE Band13 5MHz 64QAM 25 0 HighCH23255-784.5



LTE Band17 5MHz 64QAM 25 0 MidCH23790-710




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band17 5MHz 64QAM 25 0 HighCH23825-713.5



LTE Band17 10MHz 64QAM 50 0 HighCH23800-711




LTE Band17 10MHz 64QAM 50 0 LowCH23780-709



~ End of Report ~

LTE Band17 10MHz 64QAM 50 0 MidCH23790-710



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.