

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 7

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2502.5	20775	5	1	0	22.39	
				1	12	22.15	
				1	24	22.22	
				12	0	21.34	
				12	7	21.34	
				12	13	21.34	
	25	0		20.32			
	2535	21100		1	0	22.37	
				1	12	22.12	
				1	24	22.20	
				12	0	21.33	
				12	7	21.33	
				12	13	21.32	
	25	0		20.30			
	2567.5	21425		1	0	22.39	
				1	12	22.23	
				1	24	22.29	
				12	0	21.34	
				12	7	21.32	
				12	13	21.32	
	25	0		20.35			
	16QAM	2502.5		20775	1	0	21.62
					1	12	21.58
					1	24	21.48
12					0	20.45	
12					7	20.37	
12					13	20.37	
25		0		19.26			
2535		21100		1	0	21.31	
				1	12	21.54	
			1	24	21.41		
			12	0	20.40		
			12	7	20.52		
			12	13	20.52		
25		0	19.45				
2567.5		21425	1	0	21.72		
			1	12	21.49		
			1	24	21.59		
			12	0	20.44		
			12	7	20.37		
			12	13	20.38		
25		0	19.27				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2502.5	20775	5	1	0	20.29
				1	12	20.32
				1	24	20.36
				12	0	19.40
				12	7	19.39
				12	13	19.35
				25	0	18.31
	2535	21100		1	0	20.46
				1	12	20.48
				1	24	20.50
				12	0	19.49
				12	7	19.38
				12	13	19.40
				25	0	18.44
	2567.5	21425		1	0	20.33
				1	12	20.34
				1	24	20.37
				12	0	19.33
				12	7	19.36
				12	13	19.36
				25	0	18.35

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2505	20800	10	1	0	22.39	
				1	25	22.30	
				1	49	22.17	
				25	0	21.38	
				25	12	21.35	
				25	25	21.42	
				50	0	20.45	
	2535	21100		1	0	22.27	
				1	25	22.34	
				1	49	22.46	
				25	0	21.45	
				25	12	21.49	
				25	25	21.49	
				50	0	20.41	
	2565	21400		1	0	22.37	
				1	25	22.32	
				1	49	22.15	
				25	0	21.39	
				25	12	21.33	
				25	25	21.41	
				50	0	20.40	
	16QAM	2505		20800	1	0	21.43
					1	25	21.47
					1	49	21.34
25					0	20.27	
25					12	20.25	
25					25	20.26	
50					0	19.21	
2535		21100		1	0	21.41	
				1	25	21.42	
				1	49	21.41	
				25	0	20.32	
				25	12	20.31	
				25	25	20.19	
				50	0	19.19	
2565		21400		1	0	21.49	
				1	25	21.48	
				1	49	21.45	
				25	0	20.21	
				25	12	20.24	
				25	25	20.22	
				50	0	19.27	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2505	20800	10	1	0	20.43
				1	25	20.42
				1	49	20.42
				25	0	19.43
				25	12	19.42
				25	25	19.42
	50	0		18.38		
	2535	21100		1	0	20.41
				1	25	20.45
				1	49	20.49
				25	0	19.46
				25	12	19.44
				25	25	19.53
	50	0		18.47		
	2565	21400		1	0	20.37
				1	25	20.31
				1	49	20.37
				25	0	19.33
				25	12	19.29
				25	25	19.35
				50	0	18.40

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2507.5	20825	15	1	0	22.30	
				1	37	22.24	
				1	74	22.33	
				36	0	21.35	
				36	29	21.35	
				36	30	21.39	
				75	0	20.36	
	2535	21100		1	0	22.53	
				1	37	22.44	
				1	74	22.41	
				36	0	21.43	
				36	29	21.45	
				36	30	21.55	
				75	0	20.40	
	2562.5	21375		1	0	22.44	
				1	37	22.28	
				1	74	22.25	
				36	0	21.39	
				36	29	21.42	
				36	30	21.30	
				75	0	20.42	
	16QAM	2507.5		20825	1	0	22.02
					1	37	21.89
					1	74	22.12
36					0	20.39	
36					29	20.39	
36					30	20.36	
75					0	19.46	
2535		21100		1	0	21.85	
				1	37	21.71	
			1	74	21.71		
			36	0	20.48		
			36	29	20.55		
			36	30	20.53		
			75	0	19.43		
2562.5		21375	1	0	22.03		
			1	37	21.84		
			1	74	21.74		
			36	0	20.39		
			36	29	20.44		
			36	30	20.42		
			75	0	19.45		







Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2507.5	20825	15	1	0	20.46
				1	37	20.46
				1	74	20.40
				36	0	19.37
				36	29	19.39
				36	30	19.40
				75	0	18.46
	2535	21100		1	0	20.43
				1	37	20.43
				1	74	20.41
				36	0	19.44
				36	29	19.44
				36	30	19.38
				75	0	18.47
	2562.5	21375		1	0	20.43
				1	37	20.42
				1	74	20.41
				36	0	19.44
				36	29	19.37
				36	30	19.43
				75	0	18.47







Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2510	20850	20	1	0	22.34	
				1	49	22.34	
				1	99	22.35	
				50	0	21.35	
				50	24	21.40	
				50	50	21.40	
				100	0	20.44	
	2535	21100		1	0	22.53	
				1	49	22.58	
				1	99	22.42	
				50	0	21.46	
				50	24	21.49	
				50	50	21.47	
				100	0	20.42	
	2560	21350		1	0	22.47	
				1	49	22.42	
				1	99	22.41	
				50	0	21.48	
				50	24	21.45	
				50	50	21.44	
				100	0	20.46	
	16QAM	2510		20850	1	0	21.67
					1	49	21.53
					1	99	21.67
50					0	20.31	
50					24	20.40	
50					50	20.41	
100					0	19.48	
2535		21100		1	0	21.76	
				1	49	21.77	
				1	99	21.76	
				50	0	20.46	
				50	24	20.48	
				50	50	20.53	
				100	0	19.43	
2560		21350		1	0	21.77	
				1	49	21.68	
				1	99	21.64	
				50	0	20.45	
				50	24	20.48	
				50	50	20.42	
				100	0	19.48	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2510	20850	20	1	0	20.48
				1	49	20.48
				1	99	20.35
				50	0	19.42
				50	24	19.45
				50	50	19.48
				100	0	18.45
	2535	21100		1	0	20.43
				1	49	20.44
				1	99	20.44
				50	0	19.41
				50	24	19.44
				50	50	19.46
				100	0	18.39
	2560	21350		1	0	20.41
				1	49	20.42
				1	99	20.50
				50	0	19.42
				50	24	19.41
				50	50	19.45
				100	0	18.43

2 Occupied Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
7	2502.5	20775	5	25	0	4.472	Fig.1	4.472	Fig.2	4.472	Fig.3
	2535	21100		25	0	4.472	Fig.4	4.472	Fig.5	4.472	Fig.6
	2567.5	21425		25	0	4.493	Fig.7	4.472	Fig.8	4.472	Fig.9
	2505	20800	10	50	0	8.944	Fig.10	8.944	Fig.11	8.944	Fig.12
	2535	21100		50	0	8.944	Fig.13	8.944	Fig.14	8.944	Fig.15
	2565	21400		50	0	8.944	Fig.16	8.944	Fig.17	8.944	Fig.18
	2507.5	20825	15	75	0	13.480	Fig.19	13.480	Fig.20	13.415	Fig.21
	2535	21100		75	0	13.415	Fig.22	13.415	Fig.23	13.415	Fig.24
	2562.5	21375		75	0	13.415	Fig.25	13.415	Fig.26	13.415	Fig.27
	2510	20850	20	100	0	17.887	Fig.28	17.887	Fig.29	17.887	Fig.30
	2535	21100		100	0	17.887	Fig.31	17.887	Fig.32	17.887	Fig.33
	2560	21350		100	0	17.887	Fig.34	17.887	Fig.35	17.887	Fig.36








Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

3 Emission Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
7	2502.5	20775	5	25	0	4.863	Fig.1	4.841	Fig.2	4.884	Fig.3
	2535	21100		25	0	4.863	Fig.4	4.819	Fig.5	4.819	Fig.6
	2567.5	21425		25	0	4.841	Fig.7	4.863	Fig.8	4.841	Fig.9
	2505	20800	10	50	0	9.682	Fig.10	9.551	Fig.11	9.638	Fig.12
	2535	21100		50	0	9.551	Fig.13	9.595	Fig.14	9.595	Fig.15
	2565	21400		50	0	9.595	Fig.16	9.638	Fig.17	9.551	Fig.18
	2507.5	20825	15	75	0	14.522	Fig.19	14.067	Fig.20	14.522	Fig.21
	2535	21100		75	0	14.457	Fig.22	14.457	Fig.23	14.457	Fig.24
	2562.5	21375		75	0	14.588	Fig.25	14.457	Fig.26	14.392	Fig.27
	2510	20850	20	100	0	19.103	Fig.28	19.103	Fig.29	19.103	Fig.30
	2535	21100		100	0	19.190	Fig.31	19.103	Fig.32	19.103	Fig.33
	2560	21350		100	0	19.016	Fig.34	19.190	Fig.35	19.190	Fig.36




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35



Fig.36

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
7	2502.5	20775	5	1	24	Fig.1	Fig.2	Fig.3
	2502.5	20775		25	0	Fig.4	Fig.5	Fig.6
	2535	21100		1	24	Fig.7	Fig.8	Fig.9
	2535	21100		25	0	Fig.10	Fig.11	Fig.12
	2567.5	21425		1	24	Fig.13	Fig.14	Fig.15
	2567.5	21425		25	0	Fig.16	Fig.17	Fig.18
	2505	20800	10	1	49	Fig.19	Fig.20	Fig.21
	2505	20800		50	0	Fig.22	Fig.23	Fig.24
	2535	21100		1	49	Fig.25	Fig.26	Fig.27
	2535	21100		50	0	Fig.28	Fig.29	Fig.30
	2565	21400		1	49	Fig.31	Fig.32	Fig.33
	2565	21400		50	0	Fig.34	Fig.35	Fig.36
	2507.5	20825	15	1	74	Fig.37	Fig.38	Fig.39
	2507.5	20825		75	0	Fig.40	Fig.41	Fig.42
	2535	21100		1	74	Fig.43	Fig.44	Fig.45
	2535	21100		75	0	Fig.46	Fig.47	Fig.48
	2562.5	21375		1	74	Fig.49	Fig.50	Fig.51
	2562.5	21375		75	0	Fig.52	Fig.53	Fig.54
	2510	20850	20	1	99	Fig.55	Fig.56	Fig.57
	2510	20850		100	0	Fig.58	Fig.59	Fig.60
	2535	21100		1	99	Fig.61	Fig.62	Fig.63
	2535	21100		100	0	Fig.64	Fig.65	Fig.66
	2560	21350		1	99	Fig.67	Fig.68	Fig.69
	2560	21350		100	0	Fig.70	Fig.71	Fig.72




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
7	2510	20850	20	1	0	Fig.1
	2535	21100		1	0	Fig.2
	2560	21350		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band Edges Compliance							
Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot	
						QPSK	
7	2502.5	20775	5	1	0	Fig.1	
				25	0	Fig.2	
		2567.5		21425	1	24	Fig.3
					25	0	Fig.4
	2505	20800	10	1	0	Fig.5	
				50	0	Fig.6	
	2565	21400		1	49	Fig.7	
				50	0	Fig.8	
	2507.5	20825	15	1	0	Fig.9	
				75	0	Fig.10	
	2562.5	21375		1	74	Fig.11	
				75	0	Fig.12	
	2510	20850	20	1	0	Fig.13	
				100	0	Fig.14	
	2560	21350		1	99	Fig.15	
				100	0	Fig.16	




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band7 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	---	---	0.002	0.003	0.003	-0.003
-20	NV	---	---	0.002	-0.003	-0.002	-0.006
-10	NV	---	---	-0.001	0.001	-0.001	0.000
0	NV	---	---	0.005	-0.002	0.003	-0.002
+10	NV	---	---	0.002	0.003	0.003	-0.003
+20	NV	---	---	0.000	0.000	0.000	0.000
+30	NV	---	---	0.000	0.003	0.002	-0.002
+40	NV	---	---	0.002	0.002	0.004	-0.001
+50	NV	---	---	-0.001	-0.002	0.005	0.000
+20	LV	---	---	0.001	0.001	0.002	-0.006
+20	HV	---	---	0.001	0.000	0.003	-0.004

Temperature(°C)	Voltage	Test Result (ppm) Band7 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	---	---	0.000	0.002	0.002	0.000
-20	NV	---	---	-0.004	-0.001	0.000	0.004
-10	NV	---	---	-0.004	-0.001	0.003	0.000
0	NV	---	---	-0.004	-0.001	0.000	0.004
+10	NV	---	---	-0.004	0.002	0.001	0.000
+20	NV	---	---	0.000	0.000	0.000	0.000
+30	NV	---	---	0.000	0.000	0.001	0.000
+40	NV	---	---	-0.002	0.001	-0.001	0.004
+50	NV	---	---	-0.003	-0.002	0.000	-0.002
+20	LV	---	---	-0.004	0.003	0.004	-0.001
+20	HV	---	---	-0.001	0.000	-0.002	0.003

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2502.5	20775	5	1	0	22.39	20.99	0.126
				1	12	22.15	20.75	0.119
				1	24	22.22	20.82	0.121
				12	0	21.34	19.94	0.099
				12	7	21.34	19.94	0.099
				12	13	21.34	19.94	0.099
				25	0	20.32	18.92	0.078
	2535	21100		1	0	22.37	20.97	0.125
				1	12	22.12	20.72	0.118
				1	24	22.20	20.80	0.120
				12	0	21.33	19.93	0.098
				12	7	21.33	19.93	0.098
				12	13	21.32	19.92	0.098
				25	0	20.30	18.90	0.078
	2567.5	21425		1	0	22.39	20.99	0.126
				1	12	22.23	20.83	0.121
				1	24	22.29	20.89	0.123
				12	0	21.34	19.94	0.099
				12	7	21.32	19.92	0.098
				12	13	21.32	19.92	0.098
				25	0	20.35	18.95	0.079
16QAM	2502.5	20775		1	0	21.62	20.22	0.105
				1	12	21.58	20.18	0.104
				1	24	21.48	20.08	0.102
				12	0	20.45	19.05	0.080
				12	7	20.37	18.97	0.079
				12	13	20.37	18.97	0.079
				25	0	19.26	17.86	0.061
	2535	21100	1	0	21.31	19.91	0.098	
			1	12	21.54	20.14	0.103	
			1	24	21.41	20.01	0.100	
			12	0	20.40	19.00	0.079	
			12	7	20.52	19.12	0.082	
			12	13	20.52	19.12	0.082	
			25	0	19.45	18.05	0.064	
	2567.5	21425	1	0	21.72	20.32	0.108	
			1	12	21.49	20.09	0.102	
			1	24	21.59	20.19	0.104	
			12	0	20.44	19.04	0.080	
			12	7	20.37	18.97	0.079	
			12	13	20.38	18.98	0.079	
			25	0	19.27	17.87	0.061	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2502.5	20775	5	1	0	20.29	18.89	0.077
				1	12	20.32	18.92	0.078
				1	24	20.36	18.96	0.079
				12	0	19.40	18.00	0.063
				12	7	19.39	17.99	0.063
				12	13	19.35	17.95	0.062
				25	0	18.31	16.91	0.049
	2535	21100		1	0	20.46	19.06	0.081
				1	12	20.48	19.08	0.081
				1	24	20.50	19.10	0.081
				12	0	19.49	18.09	0.064
				12	7	19.38	17.98	0.063
				12	13	19.40	18.00	0.063
				25	0	18.44	17.04	0.051
	2567.5	21425		1	0	20.33	18.93	0.078
				1	12	20.34	18.94	0.078
				1	24	20.37	18.97	0.079
				12	0	19.33	17.93	0.062
				12	7	19.36	17.96	0.063
				12	13	19.36	17.96	0.063
				25	0	18.35	16.95	0.050

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2505	20800	10	1	0	22.39	20.99	0.126
				1	25	22.30	20.90	0.123
				1	49	22.17	20.77	0.119
				25	0	21.38	19.98	0.100
				25	12	21.35	19.95	0.099
				25	25	21.42	20.02	0.100
				50	0	20.45	19.05	0.080
	2535	21100		1	0	22.27	20.87	0.122
				1	25	22.34	20.94	0.124
				1	49	22.46	21.06	0.128
				25	0	21.45	20.05	0.101
				25	12	21.49	20.09	0.102
				25	25	21.49	20.09	0.102
				50	0	20.41	19.01	0.080
	2565	21400		1	0	22.37	20.97	0.125
				1	25	22.32	20.92	0.124
				1	49	22.15	20.75	0.119
				25	0	21.39	19.99	0.100
				25	12	21.33	19.93	0.098
				25	25	21.41	20.01	0.100
				50	0	20.40	19.00	0.079
16QAM	2505	20800	1	0	21.43	20.03	0.101	
			1	25	21.47	20.07	0.102	
			1	49	21.34	19.94	0.099	
			25	0	20.27	18.87	0.077	
			25	12	20.25	18.85	0.077	
			25	25	20.26	18.86	0.077	
			50	0	19.21	17.81	0.060	
	2535	21100	1	0	21.41	20.01	0.100	
			1	25	21.42	20.02	0.100	
			1	49	21.41	20.01	0.100	
			25	0	20.32	18.92	0.078	
			25	12	20.31	18.91	0.078	
			25	25	20.19	18.79	0.076	
			50	0	19.19	17.79	0.060	
	2565	21400	1	0	21.49	20.09	0.102	
			1	25	21.48	20.08	0.102	
			1	49	21.45	20.05	0.101	
			25	0	20.21	18.81	0.076	
			25	12	20.24	18.84	0.077	
			25	25	20.22	18.82	0.076	
			50	0	19.27	17.87	0.061	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2505	20800	10	1	0	20.43	19.03	0.080
				1	25	20.42	19.02	0.080
				1	49	20.42	19.02	0.080
				25	0	19.43	18.03	0.064
				25	12	19.42	18.02	0.063
				25	25	19.42	18.02	0.063
				50	0	18.38	16.98	0.050
	2535	21100		1	0	20.41	19.01	0.080
				1	25	20.45	19.05	0.080
				1	49	20.49	19.09	0.081
				25	0	19.46	18.06	0.064
				25	12	19.44	18.04	0.064
				25	25	19.53	18.13	0.065
				50	0	18.47	17.07	0.051
	2565	21400		1	0	20.37	18.97	0.079
				1	25	20.31	18.91	0.078
				1	49	20.37	18.97	0.079
				25	0	19.33	17.93	0.062
				25	12	19.29	17.89	0.062
				25	25	19.35	17.95	0.062
				50	0	18.40	17.00	0.050

Modulation	Carrier frequen- cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct- ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2507.5	20825	15	1	0	22.30	20.90	0.123
				1	37	22.24	20.84	0.121
				1	74	22.33	20.93	0.124
				36	0	21.35	19.95	0.099
				36	29	21.35	19.95	0.099
				36	30	21.39	19.99	0.100
				75	0	20.36	18.96	0.079
	2535	21100		1	0	22.53	21.13	0.130
				1	37	22.44	21.04	0.127
				1	74	22.41	21.01	0.126
				36	0	21.43	20.03	0.101
				36	29	21.45	20.05	0.101
				36	30	21.55	20.15	0.104
				75	0	20.40	19.00	0.079
	2562.5	21375		1	0	22.44	21.04	0.127
				1	37	22.28	20.88	0.122
				1	74	22.25	20.85	0.122
				36	0	21.39	19.99	0.100
				36	29	21.42	20.02	0.100
				36	30	21.30	19.90	0.098
				75	0	20.42	19.02	0.080
16QAM	2507.5	20825	1	0	22.02	20.62	0.115	
			1	37	21.89	20.49	0.112	
			1	74	22.12	20.72	0.118	
			36	0	20.39	18.99	0.079	
			36	29	20.39	18.99	0.079	
			36	30	20.36	18.96	0.079	
			75	0	19.46	18.06	0.064	
	2535	21100	1	0	21.85	20.45	0.111	
			1	37	21.71	20.31	0.107	
			1	74	21.71	20.31	0.107	
			36	0	20.48	19.08	0.081	
			36	29	20.55	19.15	0.082	
			36	30	20.53	19.13	0.082	
			75	0	19.43	18.03	0.064	
	2562.5	21375	1	0	22.03	20.63	0.116	
			1	37	21.84	20.44	0.111	
			1	74	21.74	20.34	0.108	
			36	0	20.39	18.99	0.079	
			36	29	20.44	19.04	0.080	
			36	30	20.42	19.02	0.080	
			75	0	19.45	18.05	0.064	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2507.5	20825	15	1	0	20.46	19.06	0.081
				1	37	20.46	19.06	0.081
				1	74	20.40	19.00	0.079
				36	0	19.37	17.97	0.063
				36	29	19.39	17.99	0.063
				36	30	19.40	18.00	0.063
				75	0	18.46	17.06	0.051
	2535	21100		1	0	20.43	19.03	0.080
				1	37	20.43	19.03	0.080
				1	74	20.41	19.01	0.080
				36	0	19.44	18.04	0.064
				36	29	19.44	18.04	0.064
				36	30	19.38	17.98	0.063
				75	0	18.47	17.07	0.051
	2562.5	21375		1	0	20.43	19.03	0.080
				1	37	20.42	19.02	0.080
				1	74	20.41	19.01	0.080
				36	0	19.44	18.04	0.064
				36	29	19.37	17.97	0.063
				36	30	19.43	18.03	0.064
				75	0	18.47	17.07	0.051

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2510	20850	20	1	0	22.34	20.94	0.124
				1	49	22.34	20.94	0.124
				1	99	22.35	20.95	0.124
				50	0	21.35	19.95	0.099
				50	24	21.40	20.00	0.100
				50	50	21.40	20.00	0.100
				100	0	20.44	19.04	0.080
	2535	21100		1	0	22.53	21.13	0.130
				1	49	22.58	21.18	0.131
				1	99	22.42	21.02	0.126
				50	0	21.46	20.06	0.101
				50	24	21.49	20.09	0.102
				50	50	21.47	20.07	0.102
				100	0	20.42	19.02	0.080
	2560	21350		1	0	22.47	21.07	0.128
				1	49	22.42	21.02	0.126
				1	99	22.41	21.01	0.126
				50	0	21.48	20.08	0.102
				50	24	21.45	20.05	0.101
				50	50	21.44	20.04	0.101
				100	0	20.46	19.06	0.081
16QAM	2510	20850		1	0	21.67	20.27	0.106
				1	49	21.53	20.13	0.103
				1	99	21.67	20.27	0.106
				50	0	20.31	18.91	0.078
				50	24	20.40	19.00	0.079
				50	50	20.41	19.01	0.080
				100	0	19.48	18.08	0.064
	2535	21100	1	0	21.76	20.36	0.109	
			1	49	21.77	20.37	0.109	
			1	99	21.76	20.36	0.109	
			50	0	20.46	19.06	0.081	
			50	24	20.48	19.08	0.081	
			50	50	20.53	19.13	0.082	
			100	0	19.43	18.03	0.064	
	2560	21350	1	0	21.77	20.37	0.109	
			1	49	21.68	20.28	0.107	
			1	99	21.64	20.24	0.106	
			50	0	20.45	19.05	0.080	
			50	24	20.48	19.08	0.081	
			50	50	20.42	19.02	0.080	
			100	0	19.48	18.08	0.064	

Modulation	Carrier frequen- cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct- ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2510	20850	20	1	0	20.48	19.08	0.081
				1	49	20.48	19.08	0.081
				1	99	20.35	18.95	0.079
				50	0	19.42	18.02	0.063
				50	24	19.45	18.05	0.064
				50	50	19.48	18.08	0.064
				100	0	18.45	17.05	0.051
	2535	21100		1	0	20.43	19.03	0.080
				1	49	20.44	19.04	0.080
				1	99	20.44	19.04	0.080
				50	0	19.41	18.01	0.063
				50	24	19.44	18.04	0.064
				50	50	19.46	18.06	0.064
				100	0	18.39	16.99	0.050
	2560	21350		1	0	20.41	19.01	0.080
				1	49	20.42	19.02	0.080
				1	99	20.50	19.10	0.081
				50	0	19.42	18.02	0.063
				50	24	19.41	18.01	0.063
				50	50	19.45	18.05	0.064
				100	0	18.43	17.03	0.050