

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Emission Band Edge

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (84.92 dBuV/m) = (37.12 dBuV) + (12.4 dB) + (34.5 dB), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	84.92	37.12	N/A	N/A	12.40	35.40
2	5150	38.41	-9.39	-29.79	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	82.48	34.68	N/A	N/A	12.40	35.40
2	5150	38.34	-9.46	-29.86	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	77.23	29.43	N/A	N/A	12.40	35.40
2	5150	32.20	-15.60	-21.80	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	75.73	27.93	N/A	N/A	12.40	35.40
2	5150	31.35	-16.45	-22.65	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	85.56	37.56	N/A	N/A	12.60	35.40
2	5340	39.47	-8.53	-28.73	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	84.37	36.37	N/A	N/A	12.60	35.40
2	5340	40.19	-7.81	-28.01	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	77.60	29.60	N/A	N/A	12.60	35.40
2	5340	32.41	-15.59	-21.59	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	75.17	27.17	N/A	N/A	12.60	35.40
2	5340	31.68	-16.32	-22.32	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	86.25	38.45	N/A	N/A	12.40	35.40
2	5150	39.33	-8.47	-28.87	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	84.78	36.98	N/A	N/A	12.40	35.40
2	5150	38.55	-9.25	-29.65	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	76.38	28.58	N/A	N/A	12.40	35.40
2	5150	32.71	-15.09	-21.29	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	74.59	26.79	N/A	N/A	12.40	35.40
2	5150	32.78	-15.02	-21.22	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	85.34	37.34	N/A	N/A	12.60	35.40
2	5340	38.27	-9.73	-29.93	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	83.80	35.80	N/A	N/A	12.60	35.40
2	5340	37.62	-10.38	-30.58	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	77.27	29.27	N/A	N/A	12.60	35.40
2	5340	33.92	-14.08	-20.08	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	74.71	26.71	N/A	N/A	12.60	35.40
2	5340	33.67	-14.33	-20.33	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	86.47	38.67	N/A	N/A	12.40	35.40
2	5150	38.83	-8.97	-29.37	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	84.80	37.00	N/A	N/A	12.40	35.40
2	5150	38.39	-9.41	-29.81	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	77.18	29.38	N/A	N/A	12.40	35.40
2	5150	32.45	-15.35	-21.55	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	74.24	26.44	N/A	N/A	12.40	35.40
2	5150	32.87	-14.93	-21.13	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	85.75	37.75	N/A	N/A	12.60	35.40
2	5340	39.24	-8.76	-28.96	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	83.44	35.44	N/A	N/A	12.60	35.40
2	5340	38.67	-9.33	-29.53	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	77.50	29.50	N/A	N/A	12.60	35.40
2	5340	33.63	-14.37	-20.37	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	74.96	26.96	N/A	N/A	12.60	35.40
2	5340	33.01	-14.99	-20.99	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	83.32	35.52	N/A	N/A	12.40	35.40
2	5150	39.76	-8.04	-28.44	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	81.76	33.96	N/A	N/A	12.40	35.40
2	5150	39.48	-8.32	-28.72	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	76.41	28.61	N/A	N/A	12.40	35.40
2	5150	32.61	-15.19	-21.39	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	74.36	26.56	N/A	N/A	12.40	35.40
2	5150	31.62	-16.18	-22.38	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	83.81	35.81	N/A	N/A	12.60	35.40
2	5350	38.38	-9.62	-29.82	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	82.33	34.33	N/A	N/A	12.60	35.40
2	5350	38.91	-9.09	-29.29	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	75.49	27.49	N/A	N/A	12.60	35.40
2	5350	32.56	-15.44	-21.44	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	73.39	25.39	N/A	N/A	12.60	35.40
2	5350	31.64	-16.36	-22.36	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11ac (VHT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	83.45	35.65	N/A	N/A	12.40	35.40
2	5150	39.99	-7.81	-28.21	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11ac (VHT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	81.88	34.08	N/A	N/A	12.40	35.40
2	5150	39.17	-8.63	-29.03	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11ac (VHT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	75.39	27.59	N/A	N/A	12.40	35.40
2	5150	32.96	-14.84	-21.04	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11ac (VHT40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	72.55	24.75	N/A	N/A	12.40	35.40
2	5150	33.38	-14.42	-20.62	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11ac (VHT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	82.03	34.03	N/A	N/A	12.60	35.40
2	5350	39.73	-8.27	-28.47	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11ac (VHT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	79.11	31.11	N/A	N/A	12.60	35.40
2	5350	38.90	-9.10	-29.30	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11ac (VHT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	75.61	27.61	N/A	N/A	12.60	35.40
2	5350	32.09	-15.91	-21.91	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11ac (VHT40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	73.22	25.22	N/A	N/A	12.60	35.40
2	5350	32.03	-15.97	-21.97	54.00	12.60	35.40

Carrier frequency (MHz): 5210 MHz

Channel No.:42

Test Mode: 802.11ac (VHT80)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	80.47	32.67	N/A	N/A	12.40	35.40
2	5150	38.72	-9.08	-29.48	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz

Channel No.:42

Test Mode: 802.11ac (VHT80)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	78.48	30.68	N/A	N/A	12.40	35.40
2	5150	39.09	-8.71	-29.11	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz

Channel No.:42

Test Mode: 802.11ac (VHT80)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	74.45	26.65	N/A	N/A	12.40	35.40
2	5150	33.36	-14.44	-20.64	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz

Channel No.:42

Test Mode: 802.11ac (VHT80)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	72.09	24.29	N/A	N/A	12.40	35.40
2	5150	33.51	-14.29	-20.49	54.00	12.40	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ac (VHT80)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	80.70	32.70	N/A	N/A	12.60	35.40
2	5210	39.90	-8.10	-28.30	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ac (VHT80)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	78.43	30.43	N/A	N/A	12.60	35.40
2	5210	40.37	-7.63	-27.83	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ac (VHT80)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	75.13	27.13	N/A	N/A	12.60	35.40
2	5210	33.83	-14.17	-20.17	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ac (VHT80)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	73.35	25.35	N/A	N/A	12.60	35.40
2	5210	34.55	-13.45	-19.45	54.00	12.60	35.40

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	85.36	38.06	N/A	N/A	12.70	34.60
2	5480	39.60	-7.70	-28.60	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	83.85	36.55	N/A	N/A	12.70	34.60
2	5480	39.75	-7.55	-28.45	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	77.29	29.99	N/A	N/A	12.70	34.60
2	5480	33.03	-14.27	-20.97	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.03	28.73	N/A	N/A	12.70	34.60
2	5480	32.81	-14.49	-21.19	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.93	31.33	N/A	N/A	12.90	34.70
2	5845	39.43	-8.17	-28.77	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	77.16	29.56	N/A	N/A	12.90	34.70
2	5845	38.77	-8.83	-29.43	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	72.46	24.86	N/A	N/A	12.90	34.70
2	5845	33.88	-13.72	-20.12	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	69.92	22.32	N/A	N/A	12.90	34.70
2	5845	33.26	-14.34	-20.74	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	84.66	37.36	N/A	N/A	12.70	34.60
2	5480	38.30	-9.00	-29.90	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	82.10	34.80	N/A	N/A	12.70	34.60
2	5480	37.71	-9.59	-30.49	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	77.26	29.96	N/A	N/A	12.70	34.60
2	5480	32.91	-14.39	-21.09	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.11	28.81	N/A	N/A	12.70	34.60
2	5480	32.32	-14.98	-21.68	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	79.48	31.88	N/A	N/A	12.90	34.70
2	5845	39.76	-7.84	-28.44	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	77.25	29.65	N/A	N/A	12.90	34.70
2	5845	39.80	-7.80	-28.40	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	73.54	25.94	N/A	N/A	12.90	34.70
2	5845	33.48	-14.12	-20.52	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	70.77	23.17	N/A	N/A	12.90	34.70
2	5845	34.12	-13.48	-19.88	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	85.36	38.06	N/A	N/A	12.70	34.60
2	5480	39.64	-7.66	-28.56	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	83.39	36.09	N/A	N/A	12.70	34.60
2	5480	38.72	-8.58	-29.48	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.87	29.57	N/A	N/A	12.70	34.60
2	5480	32.35	-14.95	-21.65	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	75.25	27.95	N/A	N/A	12.70	34.60
2	5480	32.15	-15.15	-21.85	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.87	31.27	N/A	N/A	12.90	34.70
2	5845	39.10	-8.50	-29.10	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	76.52	28.92	N/A	N/A	12.90	34.70
2	5845	39.16	-8.44	-29.04	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	72.36	24.76	N/A	N/A	12.90	34.70
2	5845	33.07	-14.53	-20.93	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	70.51	22.91	N/A	N/A	12.90	34.70
2	5845	33.25	-14.35	-20.75	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	81.18	33.88	N/A	N/A	12.70	34.60
2	5470	38.21	-9.09	-29.99	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	78.59	31.29	N/A	N/A	12.70	34.60
2	5470	37.23	-10.07	-30.97	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	73.96	26.66	N/A	N/A	12.70	34.60
2	5470	33.97	-13.33	-20.03	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	72.51	25.21	N/A	N/A	12.70	34.60
2	5470	33.34	-13.96	-20.66	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz

Channel No.:159

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	78.78	31.18	N/A	N/A	12.90	34.70
2	5835	38.65	-8.95	-29.55	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz

Channel No.:159

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	76.77	29.17	N/A	N/A	12.90	34.70
2	5835	37.85	-9.75	-30.35	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz

Channel No.:159

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	71.35	23.75	N/A	N/A	12.90	34.70
2	5835	32.41	-15.19	-21.59	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	68.56	20.96	N/A	N/A	12.90	34.70
2	5835	32.95	-14.65	-21.05	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	81.53	34.23	N/A	N/A	12.70	34.60
2	5470	39.11	-8.19	-29.09	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	80.42	33.12	N/A	N/A	12.70	34.60
2	5470	38.49	-8.81	-29.71	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	73.89	26.59	N/A	N/A	12.70	34.60
2	5470	32.48	-14.82	-21.52	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11ac (VHT40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	72.42	25.12	N/A	N/A	12.70	34.60
2	5470	31.86	-15.44	-22.14	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz

Channel No.:159

Test Mode: 802.11ac (VHT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	78.40	30.80	N/A	N/A	12.90	34.70
2	5835	39.09	-8.51	-29.11	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz

Channel No.:159

Test Mode: 802.11ac (VHT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	76.15	28.55	N/A	N/A	12.90	34.70
2	5835	39.57	-8.03	-28.63	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz

Channel No.:159

Test Mode: 802.11ac (VHT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	71.76	24.16	N/A	N/A	12.90	34.70
2	5835	33.32	-14.28	-20.68	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	69.07	21.47	N/A	N/A	12.90	34.70
2	5835	32.49	-15.11	-21.51	54.00	12.90	34.70

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	78.12	30.82	N/A	N/A	12.70	34.60
2	5450	38.88	-8.42	-29.32	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	76.27	28.97	N/A	N/A	12.70	34.60
2	5450	38.97	-8.33	-29.23	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	71.61	24.31	N/A	N/A	12.70	34.60
2	5450	32.16	-15.14	-21.84	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	70.07	22.77	N/A	N/A	12.70	34.60
2	5450	31.90	-15.40	-22.10	54.00	12.70	34.60

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	74.34	26.74	N/A	N/A	12.90	34.70
2	5695	39.68	-7.92	-28.52	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	71.50	23.90	N/A	N/A	12.90	34.70
2	5695	40.54	-7.06	-27.66	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	69.42	21.82	N/A	N/A	12.90	34.70
2	5695	33.06	-14.54	-20.94	54.00	12.90	34.70

Carrier frequency (MHz): 5775 MHz

Channel No.:155


Test Mode: 802.11ac (VHT80)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	66.80	19.20	N/A	N/A	12.90	34.70
2	5695	33.35	-14.25	-20.65	54.00	12.90	34.70

Copy of 002C_FCC



Radiated Emission Band Edge for 5260MHz

Sample Calculations

Determining Spurious Emissions Levels

A “reference path loss” is established and the AR_{pl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

Result= $P_{mea} + AR_{pl}$

Sample calculation: $(21.8 \text{ dB}\mu\text{V/m}) = (40.3 \text{ dB}\mu\text{V}) + (-18.5 \text{ dB/m})$, the corresponding frequency is 40.185MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	AR_{pl} (dB)	P_{mea} (dBuV/m)	Polarity	Limit (dBuV/m)
40.185	21.8	-18.5	40.3	Vertical	40
85.969	25.02	-22.6	47.62	Vertical	40
133.3535	24.7	-22.5	47.2	Vertical	43.5
173.463	20.61	-21.4	42.01	Vertical	43.5
311.494	20.06	-15.7	35.76	Vertical	46
942.0425	19.19	-2.8	21.99	Vertical	46

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	AR_{pl} (dB)	P_{mea} (dBuV/m)	Polarity	Limit (dBuV/m)
39.991	21.45	-18.5	39.95	Vertical	40
83.641	24.73	-23.3	48.03	Vertical	40
133.305	24.63	-22.5	47.13	Vertical	43.5
192.1355	19.78	-19.5	39.28	Vertical	43.5
334.4345	18.67	-14.9	33.57	Vertical	46
902.5635	18.43	-3.2	21.63	Vertical	46

For 802.11ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	AR_{pl} (dB)	P_{mea} (dBuV/m)	Polarity	Limit (dBuV/m)
40.0395	21.66	-18.5	40.16	Vertical	40
83.641	24.74	-23.3	48.04	Vertical	40
133.111	24.68	-22.5	47.18	Vertical	43.5
173.366	20.38	-21.4	41.78	Vertical	43.5
333.028	18.9	-15	33.9	Vertical	46
904.843	18.46	-3.2	21.66	Vertical	46

For 802.11a Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.72	-21.3	43.02	Vertical	40
84.029	24.59	-23.2	47.79	Vertical	40
134.1295	24.3	-22.5	46.8	Vertical	43.5
190.1955	19.49	-19.6	39.09	Vertical	43.5
332.155	18.71	-15	33.71	Vertical	46
959.9875	19.16	-2.6	21.76	Vertical	46

For 802.11n(HT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.1665	22.02	-18.7	40.72	Vertical	40
85.775	24.09	-22.6	46.69	Vertical	40
133.3535	24.28	-22.5	46.78	Vertical	43.5
189.371	19.82	-19.7	39.52	Vertical	43.5
332.7855	17.48	-15	32.48	Vertical	46
937.6775	19.18	-2.8	21.98	Vertical	46

For 802.11ac(VHT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.409	21.65	-18.7	40.35	Vertical	40
85.775	23.88	-22.6	46.48	Vertical	40
132.2865	24.34	-22.5	46.84	Vertical	43.5
173.2205	18.82	-21.5	40.32	Vertical	43.5
332.0095	16.87	-15	31.87	Vertical	46
958.3385	19.32	-2.6	21.92	Vertical	46

For 802.11a Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.8755	21.06	-18.8	39.86	Vertical	40
83.6895	24.41	-23.3	47.71	Vertical	40
132.432	24.45	-22.5	46.95	Vertical	43.5
173.8995	17.65	-21.4	39.05	Vertical	43.5
328.566	18.86	-15.1	33.96	Vertical	46
924.8735	18.82	-3	21.82	Vertical	46

For 802.11n(HT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	20.98	-21.3	42.28	Vertical	40
83.738	24.31	-23.3	47.61	Vertical	40
132.238	24.3	-22.4	46.7	Vertical	43.5
188.7405	19.24	-19.8	39.04	Vertical	43.5
325.8985	19.15	-15.2	34.35	Vertical	46
927.153	19.11	-2.9	22.01	Vertical	46

For 802.11ac(VHT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.432	20.59	-19.8	40.39	Vertical	40
86.842	23.27	-22.3	45.57	Vertical	40
132.4805	24.45	-22.5	46.95	Vertical	43.5
186.752	18.55	-20	38.55	Vertical	43.5
325.656	19.2	-15.2	34.4	Vertical	46
924.437	18.78	-3	21.78	Vertical	46

For 802.11n(HT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.917	20.77	-19.7	40.47	Vertical	40
83.447	24.28	-23.4	47.68	Vertical	40
133.7415	23.97	-22.5	46.47	Vertical	43.5
184.5695	17.44	-20.4	37.84	Vertical	43.5
324.88	18.65	-15.3	33.95	Vertical	46
922.9335	18.84	-3	21.84	Vertical	46

For 802.11ac(VHT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.1895	20.08	-19.9	39.98	Vertical	40
81.6525	23.87	-23.9	47.77	Vertical	40
134.081	23.89	-22.5	46.39	Vertical	43.5
306.256	19.56	-15.9	35.46	Vertical	46
321.194	17.67	-15.4	33.07	Vertical	46
939.9085	19.17	-2.8	21.97	Vertical	46

For 802.11n(HT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.3905	18.82	-19	37.82	Vertical	40
77.724	23.36	-23.9	47.26	Vertical	40
132.2865	24.06	-22.5	46.56	Vertical	43.5
309.166	19.8	-15.8	35.6	Vertical	46
310.9605	17.3	-15.7	33	Vertical	46
959.454	19.25	-2.6	21.85	Vertical	46

For 802.11ac(VHT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.9725	19.76	-18.8	38.56	Vertical	40
78.015	23.28	-24	47.28	Vertical	40
131.8985	23.81	-22.4	46.21	Vertical	43.5
307.9535	20.65	-15.9	36.55	Vertical	46
322.455	18.41	-15.3	33.71	Vertical	46
953.634	19.16	-2.7	21.86	Vertical	46

For 802.11ac(VHT80) Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.2635	20.2	-18.7	38.9	Vertical	40
83.7865	23.65	-23.3	46.95	Vertical	40
133.8385	23.85	-22.5	46.35	Vertical	43.5
307.808	20.68	-15.9	36.58	Vertical	46
332.931	17.69	-15	32.69	Vertical	46
917.647	18.73	-3	21.73	Vertical	46

For 802.11a Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.469	19.71	-19.2	38.91	Vertical	40
75.5415	22.85	-23.4	46.25	Vertical	40
132.044	23.86	-22.4	46.26	Vertical	43.5
174.045	15.94	-21.4	37.34	Vertical	43.5
321.291	18.33	-15.4	33.73	Vertical	46
920.46	18.8	-3	21.8	Vertical	46

For 802.11n(HT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.8985	19.11	-20	39.11	Vertical	40
76.172	22.91	-23.6	46.51	Vertical	40
132.1895	23.87	-22.4	46.27	Vertical	43.5
305.3345	19.79	-15.9	35.69	Vertical	46
333.7555	16.92	-15	31.92	Vertical	46
939.86	19.19	-2.8	21.99	Vertical	46

For 802.11ac(VHT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.529	19.58	-19.8	39.38	Vertical	40
72.001	23.05	-22.6	45.65	Vertical	40
133.014	23.61	-22.5	46.11	Vertical	43.5
306.838	20.04	-15.9	35.94	Vertical	46
312.6095	14.8	-15.7	30.5	Vertical	46
897.374	18.19	-3.3	21.49	Vertical	46

For 802.11a Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.924	19.79	-18.8	38.59	Vertical	40
83.641	23.66	-23.3	46.96	Vertical	40
132.141	23.89	-22.4	46.29	Vertical	43.5
195.191	16.94	-19.4	36.34	Vertical	43.5
319.5935	17.41	-15.4	32.81	Vertical	46
895.5795	18.16	-3.4	21.56	Vertical	46

For 802.11n(HT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.6815	19.25	-18.9	38.15	Vertical	40
84.708	23.44	-23	46.44	Vertical	40
131.947	23.71	-22.4	46.11	Vertical	43.5
192.0385	17.5	-19.5	37	Vertical	43.5
321.0485	18.16	-15.4	33.56	Vertical	46
936.3195	19.08	-2.8	21.88	Vertical	46

For 802.11ac(VHT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.6515	20.08	-18.6	38.68	Vertical	40
81.1675	23.51	-24.1	47.61	Vertical	40
133.402	23.38	-22.5	45.88	Vertical	43.5
307.614	20.04	-15.9	35.94	Vertical	46
320.6605	18.05	-15.4	33.45	Vertical	46
927.9775	19.06	-2.9	21.96	Vertical	46

For 802.11a Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
36.111	19.55	-19.6	39.15	Vertical	40
83.8835	23.33	-23.2	46.53	Vertical	40
133.111	23.24	-22.5	45.74	Vertical	43.5
306.5955	20.54	-15.9	36.44	Vertical	46
321.1455	18.04	-15.4	33.44	Vertical	46
956.835	19.26	-2.6	21.86	Vertical	46

For 802.11n(HT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	19.64	-21.3	40.94	Vertical	40
85.387	22.89	-22.7	45.59	Vertical	40
131.9955	23.84	-22.4	46.24	Vertical	43.5
192.0385	17.75	-19.5	37.25	Vertical	43.5
320.806	18.39	-15.4	33.79	Vertical	46
927.638	19.02	-2.9	21.92	Vertical	46

For 802.11ac(VHT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.021	19.73	-18.8	38.53	Vertical	40
83.6895	23.37	-23.3	46.67	Vertical	40
132.044	23.73	-22.4	46.13	Vertical	43.5
304.413	19.69	-16	35.69	Vertical	46
321	18.17	-15.4	33.57	Vertical	46
925.1645	19.01	-3	22.01	Vertical	46

For 802.11n(HT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	19.46	-21.3	40.76	Vertical	40
77.6755	23.41	-23.9	47.31	Vertical	40
133.596	23.36	-22.5	45.86	Vertical	43.5
184.4725	17.94	-20.4	38.34	Vertical	43.5
331.573	17.44	-15	32.44	Vertical	46
958.9205	19.23	-2.6	21.83	Vertical	46

For 802.11ac(VHT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.8755	19.05	-18.8	37.85	Vertical	40
83.253	23.53	-23.4	46.93	Vertical	40
131.9955	23.74	-22.4	46.14	Vertical	43.5
184.1815	17.83	-20.4	38.23	Vertical	43.5
319.351	18.16	-15.4	33.56	Vertical	46
935.592	19.12	-2.8	21.92	Vertical	46

For 802.11n(HT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.9655	19.83	-19.7	39.53	Vertical	40
81.604	23.46	-24	47.46	Vertical	40
132.0925	23.76	-22.4	46.16	Vertical	43.5
192.1355	17.91	-19.5	37.41	Vertical	43.5
320.6605	18.33	-15.4	33.73	Vertical	46
949.948	18.99	-2.7	21.69	Vertical	46

For 802.11ac(VHT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.1895	19.47	-19.9	39.37	Vertical	40
77.336	23.22	-23.8	47.02	Vertical	40
132.044	23.74	-22.4	46.14	Vertical	43.5
194.027	17.47	-19.4	36.87	Vertical	43.5
320.1755	18.38	-15.4	33.78	Vertical	46
901.5935	18.29	-3.2	21.49	Vertical	46

For 802.11ac(VHT80) Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	19.45	-21.3	40.75	Vertical	40
85.2415	23.06	-22.8	45.86	Vertical	40
132.044	23.73	-22.4	46.13	Vertical	43.5
191.5535	17.75	-19.5	37.25	Vertical	43.5
319.6905	18.3	-15.4	33.7	Vertical	46
952.276	19.04	-2.7	21.74	Vertical	46

For 802.11a Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.626	19.24	-19.8	39.04	Vertical	40
71.9525	22.98	-22.6	45.58	Vertical	40
132.5775	23.64	-22.5	46.14	Vertical	43.5
191.408	17.61	-19.5	37.11	Vertical	43.5
321.2425	18.06	-15.4	33.46	Vertical	46
916.6285	18.65	-3	21.65	Vertical	46

For 802.11n(HT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.82	19.77	-19.7	39.47	Vertical	40
83.544	23.42	-23.3	46.72	Vertical	40
133.79	23.38	-22.5	45.88	Vertical	43.5
306.353	19.12	-15.9	35.02	Vertical	46
320.806	18.24	-15.4	33.64	Vertical	46
958.29	19.28	-2.6	21.88	Vertical	46

For 802.11ac(VHT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.506	19.62	-18.6	38.22	Vertical	40
76.8025	22.76	-23.7	46.46	Vertical	40
131.8985	23.63	-22.4	46.03	Vertical	43.5
191.8445	17.92	-19.5	37.42	Vertical	43.5
320.806	18.28	-15.4	33.68	Vertical	46
911.342	18.67	-3.1	21.77	Vertical	46

For 802.11a Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.2335	18.62	-18.5	37.12	Vertical	40
83.35	23.45	-23.4	46.85	Vertical	40
132.044	23.74	-22.4	46.14	Vertical	43.5
184.5695	18	-20.4	38.4	Vertical	43.5
321.776	17.9	-15.4	33.3	Vertical	46
950.627	19.01	-2.7	21.71	Vertical	46

For 802.11n(HT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.827	19.11	-18.8	37.91	Vertical	40
84.611	22.98	-23	45.98	Vertical	40
132.0925	23.7	-22.4	46.1	Vertical	43.5
305.771	19.68	-15.9	35.58	Vertical	46
321	18.15	-15.4	33.55	Vertical	46
902.6605	18.34	-3.2	21.54	Vertical	46

For 802.11ac(VHT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097	19.32	-21.2	40.52	Vertical	40
83.156	23.42	-23.5	46.92	Vertical	40
132.3835	23.76	-22.5	46.26	Vertical	43.5
193.93	17.46	-19.5	36.96	Vertical	43.5
319.8845	18.37	-15.4	33.77	Vertical	46
954.216	19.07	-2.7	21.77	Vertical	46

For 802.11a Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.6145	18.96	-19.2	38.16	Vertical	40
83.253	23.49	-23.4	46.89	Vertical	40
132.1895	23.76	-22.4	46.16	Vertical	43.5
184.8605	17.62	-20.3	37.92	Vertical	43.5
320.418	18.38	-15.4	33.78	Vertical	46
917.453	18.72	-3	21.72	Vertical	46

For 802.11n(HT20) Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.335	19.63	-19.8	39.43	Vertical	40
81.4585	23.39	-24	47.39	Vertical	40
131.7045	23.27	-22.4	45.67	Vertical	43.5
193.154	17.46	-19.5	36.96	Vertical	43.5
320.03	18.46	-15.4	33.86	Vertical	46
957.7565	19.27	-2.6	21.87	Vertical	46

For 802.11ac(VHT20) Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.82	19.79	-19.7	39.49	Vertical	40
84.8535	23.06	-22.9	45.96	Vertical	40
132.432	23.74	-22.5	46.24	Vertical	43.5
184.618	17.91	-20.4	38.31	Vertical	43.5
320.418	18.4	-15.4	33.8	Vertical	46
927.6865	18.99	-2.9	21.89	Vertical	46

For 802.11n(HT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.1365	18.43	-18.5	36.93	Vertical	40
71.613	22.7	-22.5	45.2	Vertical	40
133.9355	23.32	-22.5	45.82	Vertical	43.5
184.23	17.66	-20.4	38.06	Vertical	43.5
320.418	18.37	-15.4	33.77	Vertical	46
931.615	19.06	-2.9	21.96	Vertical	46

For 802.11ac(VHT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.9725	19.38	-18.8	38.18	Vertical	40
79.761	23.07	-24.4	47.47	Vertical	40
132.141	23.7	-22.4	46.1	Vertical	43.5
184.618	17.9	-20.4	38.3	Vertical	43.5
320.6605	18.3	-15.4	33.7	Vertical	46
950.4815	19.08	-2.7	21.78	Vertical	46

For 802.11n(HT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.238	19.39	-19.9	39.29	Vertical	40
77.3845	23.14	-23.8	46.94	Vertical	40
132.9655	23.28	-22.5	45.78	Vertical	43.5
190.535	17.2	-19.6	36.8	Vertical	43.5
321.485	17.95	-15.4	33.35	Vertical	46
944.2735	19.08	-2.8	21.88	Vertical	46

For 802.11ac(VHT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
38.73	19.2	-18.9	38.1	Vertical	40
75.4445	22.71	-23.4	46.11	Vertical	40
132.335	23.76	-22.5	46.26	Vertical	43.5
183.939	17.03	-20.5	37.53	Vertical	43.5
318.963	17.96	-15.5	33.46	Vertical	46
874.385	17.59	-3.7	21.29	Vertical	46

For 802.11n(HT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.4805	19.43	-19.8	39.23	Vertical	40
86.3085	22.27	-22.5	44.77	Vertical	40
132.0925	23.67	-22.4	46.07	Vertical	43.5
184.5695	17.84	-20.4	38.24	Vertical	43.5
320.709	18.24	-15.4	33.64	Vertical	46
934.2825	19.16	-2.8	21.96	Vertical	46

For 802.11ac(VHT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.8245	18.55	-21	39.55	Vertical	40
82.6225	22.86	-23.6	46.46	Vertical	40
131.947	23.51	-22.4	45.91	Vertical	43.5
184.2785	17.68	-20.4	38.08	Vertical	43.5
319.06	17.87	-15.5	33.37	Vertical	46
937.9685	19.15	-2.8	21.95	Vertical	46

For 802.11ac(VHT80) Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.7045	18.41	-20	38.41	Vertical	40
85.581	22.77	-22.7	45.47	Vertical	40
134.2265	23.19	-22.5	45.69	Vertical	43.5
184.7635	17.78	-20.3	38.08	Vertical	43.5
319.836	18.26	-15.4	33.66	Vertical	46
942.4305	19.19	-2.8	21.99	Vertical	46

For 802.11ac(VHT80) Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.088	18.95	-18.5	37.45	Vertical	40
85.484	22.89	-22.7	45.59	Vertical	40
132.1895	23.71	-22.4	46.11	Vertical	43.5
193.2995	17.57	-19.5	37.07	Vertical	43.5
321.582	17.88	-15.4	33.28	Vertical	46
934.04	19.14	-2.9	22.04	Vertical	46

For 802.11ac(VHT80) Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.76	19.17	-19.2	38.37	Vertical	40
83.2045	23.48	-23.4	46.88	Vertical	40
131.8985	23.4	-22.4	45.8	Vertical	43.5
192.087	18.18	-19.5	37.68	Vertical	43.5
318.5265	17.34	-15.5	32.84	Vertical	46
946.165	19.11	-2.8	21.91	Vertical	46

For 802.11a Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
41.252	16.39	-18.4	34.79	Vertical	40
81.4585	23.4	-24	47.4	Vertical	40
134.0325	23.28	-22.5	45.78	Vertical	43.5
193.445	18.05	-19.5	37.55	Vertical	43.5
318.6235	17.4	-15.5	32.9	Vertical	46
929.19	19.11	-2.9	22.01	Vertical	46

For 802.11n(HT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.5545	19.33	-18.6	37.93	Vertical	40
76.948	22.91	-23.7	46.61	Vertical	40
133.0625	23.54	-22.5	46.04	Vertical	43.5
184.0845	17.14	-20.4	37.54	Vertical	43.5
320.6605	18.4	-15.4	33.8	Vertical	46
919.7325	18.7	-3	21.7	Vertical	46

For 802.11ac(VHT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.9655	19.55	-19.7	39.25	Vertical	40
71.6615	22.68	-22.5	45.18	Vertical	40
132.6745	23.89	-22.5	46.39	Vertical	43.5
184.133	17.93	-20.4	38.33	Vertical	43.5
318.866	18.33	-15.5	33.83	Vertical	46
953.246	19.06	-2.7	21.76	Vertical	46

For 802.11a Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.388	18.6	-21.1	39.7	Vertical	40
76.754	22.9	-23.7	46.6	Vertical	40
132.529	23.93	-22.5	46.43	Vertical	43.5
184.1815	18.59	-20.4	38.99	Vertical	43.5
320.515	19.04	-15.4	34.44	Vertical	46
905.6675	18.44	-3.2	21.64	Vertical	46

For 802.11n(HT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.5175	18.16	-19.2	37.36	Vertical	40
76.754	22.61	-23.7	46.31	Vertical	40
131.9955	23.75	-22.4	46.15	Vertical	43.5
173.8025	18.68	-21.4	40.08	Vertical	43.5
310.7665	20.86	-15.8	36.66	Vertical	46
929.1415	19.07	-2.9	21.97	Vertical	46

For 802.11ac(VHT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.0925	19.78	-19.9	39.68	Vertical	40
83.35	23.26	-23.4	46.66	Vertical	40
132.7715	24.44	-22.5	46.94	Vertical	43.5
173.6085	16.4	-21.4	37.8	Vertical	43.5
323.5705	17.38	-15.3	32.68	Vertical	46
945.5345	19.11	-2.8	21.91	Vertical	46

For 802.11a Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.5545	19.16	-18.6	37.76	Vertical	40
84.126	22.83	-23.1	45.93	Vertical	40
132.1895	24.08	-22.4	46.48	Vertical	43.5
296.6045	19.14	-16.2	35.34	Vertical	46
321.873	17.26	-15.4	32.66	Vertical	46
919.199	18.71	-3	21.71	Vertical	46

For 802.11n(HT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.2865	20.2	-19.8	40	Vertical	40
86.939	22.49	-22.3	44.79	Vertical	40
132.044	23.85	-22.4	46.25	Vertical	43.5
185.394	18.16	-20.2	38.36	Vertical	43.5
322.164	17.29	-15.4	32.69	Vertical	46
953.052	19.11	-2.7	21.81	Vertical	46

For 802.11ac(VHT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.275	19.99	-19.3	39.29	Vertical	40
85.2415	22.7	-22.8	45.5	Vertical	40
132.335	24.27	-22.5	46.77	Vertical	43.5
184.327	17.97	-20.4	38.37	Vertical	43.5
321.679	17.33	-15.4	32.73	Vertical	46
885.443	17.87	-3.5	21.37	Vertical	46

For 802.11n(HT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.2865	19.94	-19.8	39.74	Vertical	40
84.029	22.8	-23.2	46	Vertical	40
132.2865	24.18	-22.5	46.68	Vertical	43.5
184.327	17.85	-20.4	38.25	Vertical	43.5
321.9215	17.26	-15.4	32.66	Vertical	46
959.8905	19.72	-2.6	22.32	Vertical	46

For 802.11ac(VHT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.9955	19.1	-19.9	39	Vertical	40
83.5925	23.11	-23.3	46.41	Vertical	40
132.917	24.2	-22.5	46.7	Vertical	43.5
306.547	19.51	-15.9	35.41	Vertical	46
332.3005	16.75	-15	31.75	Vertical	46
944.322	19.19	-2.8	21.99	Vertical	46

For 802.11n(HT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.118	20.07	-18.8	38.87	Vertical	40
81.2645	22.68	-24.1	46.78	Vertical	40
132.529	24.33	-22.5	46.83	Vertical	43.5
173.269	15.61	-21.5	37.11	Vertical	43.5
331.8155	16.75	-15	31.75	Vertical	46
925.9405	19.09	-2.9	21.99	Vertical	46


For 802.11ac(VHT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.118	19.98	-18.8	38.78	Vertical	40
83.6895	22.97	-23.3	46.27	Vertical	40
132.0925	24.01	-22.4	46.41	Vertical	43.5
184.909	18.41	-20.3	38.71	Vertical	43.5
321.6305	17.11	-15.4	32.51	Vertical	46
925.7465	19.05	-2.9	21.95	Vertical	46


For 802.11ac(VHT80) Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.215	20.05	-18.7	38.75	Vertical	40
84.611	22.32	-23	45.32	Vertical	40
132.1895	24.16	-22.4	46.56	Vertical	43.5
184.8605	18.42	-20.3	38.72	Vertical	43.5
320.7575	17.31	-15.4	32.71	Vertical	46
901.3995	18.38	-3.2	21.58	Vertical	46

Carrier frequency (MHz): 5180
Channel No.:36




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Preview Result 2-AVG Critical_Freqs PK+ Final_Result PK+
Preview Result 1-PK+ PK.74 Final_Result AVG
Critical_Freqs AVG AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 * AV54
♦ Final_Result PK+ ♦ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Preview Result 2-AVG Critical_Freqs PK+ Final_Result PK+ Preview Result 1-PK+ PK.74 Final_Result AVG Critical_Freqs AVG AV54

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5220
Channel No.:44

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
♦ Final_Result PK+ ♦ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG
Critical_Freqs PK+
Final_Result PK+
Preview Result 1-PK+
PK.74
Final_Result AVG
Critical_Freqs AVG
AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 3GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG
* Critical_Freqs PK+
◆ Final_Result PK+
◆ Preview Result 1-PK+
◆ PK.74
◆ Final_Result AVG
* Critical_Freqs AVG
◆ AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
♦ Final_Result PK+ ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5230
Channel No.:46




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
♦ Final_Result PK+ ♦ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5210
Channel No.:42

Full Spectrum




— Preview Result 1-PK+ — FCC PART15 ◆ Final_Result QPK

Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(VHT80)

Full Spectrum




* Preview Result 2-AVG Critical_Freqs PK+ ◆ Final_Result PK+
— Preview Result 1-PK+ — PK.74 ◆ Final_Result AVG
* Critical_Freqs AVG AV54

Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)


Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Carrier frequency (MHz): 5260
Channel No.:52




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5300
Channel No.:60

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5320
Channel No.:64

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Full Spectrum




Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5270
Channel No.:54

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5310
Channel No.:62




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5290
Channel No.:58

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Carrier frequency (MHz): 5500
Channel No.:100




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Full Spectrum




Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5600
Channel No.:120

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode


Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5700
Channel No.:140

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11a