

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 38

1 RF Power Output

PRR Power Output							
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2572.5	37775	5	1	0	22.68	
				1	12	22.65	
				1	24	22.85	
				12	0	21.88	
				12	7	21.87	
				12	13	21.78	
	25	0		21.80			
	2595	38000		1	0	22.88	
				1	12	22.75	
				1	24	22.74	
				12	0	21.95	
				12	7	21.90	
				12	13	21.91	
	25	0		21.91			
	2617.5	38225		1	0	23.11	
				1	12	23.11	
				1	24	23.09	
				12	0	22.01	
				12	7	22.07	
				12	13	22.03	
	25	0		22.11			
	16QAM	2572.5		37775	1	0	22.07
					1	12	22.11
					1	24	21.42
12					0	20.82	
12					7	20.76	
12					13	20.92	
25		0		20.87			
2595		38000		1	0	22.08	
				1	12	22.24	
				1	24	22.13	
				12	0	20.95	
				12	7	20.95	
				12	13	20.95	
25		0		20.93			
2617.5		38225		1	0	22.32	
				1	12	22.13	
				1	24	22.34	
				12	0	21.19	
				12	7	21.18	
				12	13	21.20	
				25	0	21.06	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2572.5	37775	5	1	0	21.28
				1	12	21.09
				1	24	21.25
				12	0	19.95
				12	7	19.97
				12	13	19.90
				25	0	19.88
	2595	38000		1	0	21.11
				1	12	20.93
				1	24	21.04
				12	0	19.91
				12	7	19.84
				12	13	19.88
				25	0	19.83
	2617.5	38225		1	0	21.37
				1	12	21.21
				1	24	21.21
				12	0	20.20
				12	7	20.20
				12	13	20.20
				25	0	20.15

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2575	37800	10	1	0	22.58	
				1	25	22.62	
				1	49	22.56	
				25	0	21.75	
				25	12	21.64	
				25	25	21.62	
				50	0	21.68	
	2595	38000		1	0	22.61	
				1	25	22.69	
				1	49	22.66	
				25	0	21.76	
				25	12	21.85	
				25	25	21.71	
				50	0	21.74	
	2615	38200		1	0	22.82	
				1	25	22.80	
				1	49	22.87	
				25	0	21.93	
				25	12	21.96	
				25	25	21.95	
				50	0	21.95	
	16QAM	2575		37800	1	0	22.06
					1	25	22.08
					1	49	22.23
25					0	20.78	
25					12	20.75	
25					25	20.67	
50					0	20.73	
2595		38000		1	0	22.23	
				1	25	22.23	
				1	49	21.97	
				25	0	20.76	
				25	12	20.71	
				25	25	20.68	
				50	0	20.76	
2615		38200		1	0	22.25	
				1	25	22.42	
				1	49	22.08	
				25	0	20.92	
				25	12	21.04	
				25	25	21.02	
				50	0	20.97	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2575	37800	10	1	0	21.04
				1	25	20.97
				1	49	21.17
				25	0	19.67
				25	12	19.68
				25	25	19.56
				50	0	19.64
	2595	38000		1	0	20.38
				1	25	20.47
				1	49	20.47
				25	0	19.68
				25	12	19.71
				25	25	19.73
				50	0	19.73
	2615	38200		1	0	21.45
				1	25	21.15
				1	49	21.08
				25	0	19.82
				25	12	19.93
				25	25	19.91
				50	0	19.97

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2577.5	37825	15	1	0	22.53	
				1	37	22.44	
				1	74	22.55	
				36	0	21.60	
				36	29	21.57	
				36	30	21.58	
				75	0	21.52	
	2595	38000		1	0	22.48	
				1	37	22.54	
				1	74	22.65	
				36	0	21.63	
				36	29	21.62	
				36	30	21.72	
				75	0	21.54	
	2612.5	38175		1	0	22.62	
				1	37	22.60	
				1	74	22.63	
				36	0	21.78	
				36	29	21.71	
				36	30	21.72	
				75	0	21.82	
	16QAM	2577.5		37825	1	0	21.77
					1	37	21.79
					1	74	21.81
36					0	20.60	
36					29	20.59	
36					30	20.58	
75					0	20.45	
2595		38000	1	0	21.83		
			1	37	21.83		
			1	74	21.94		
			36	0	20.70		
			36	29	20.67		
			36	30	20.66		
			75	0	20.67		
2612.5		38175	1	0	22.09		
			1	37	22.10		
			1	74	22.09		
			36	0	20.83		
			36	29	20.81		
			36	30	20.71		
75	0	20.82					

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2577.5	37825	15	1	0	20.64
				1	37	20.69
				1	74	20.66
				36	0	19.64
				36	29	19.59
				36	30	19.59
				75	0	19.59
	2595	38000		1	0	20.67
				1	37	20.83
				1	74	20.95
				36	0	19.68
				36	29	19.71
				36	30	19.64
				75	0	19.64
	2612.5	38175		1	0	21.00
				1	37	21.04
				1	74	21.00
				36	0	19.80
				36	29	19.79
				36	30	19.69
				75	0	19.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	2580	37850	20	1	0	22.50	
				1	49	22.56	
				1	99	22.62	
				50	0	21.58	
				50	24	21.54	
				50	50	21.52	
				100	0	21.51	
	2595	38000		1	0	22.55	
				1	49	22.56	
				1	99	22.73	
				50	0	21.65	
				50	24	21.72	
				50	50	21.66	
				100	0	21.62	
	2610	38150		1	0	22.65	
				1	49	22.70	
				1	99	22.79	
				50	0	21.69	
				50	24	21.86	
				50	50	21.82	
				100	0	21.81	
	16QAM	2580		37850	1	0	21.85
					1	49	21.83
					1	99	21.99
50					0	20.55	
50					24	20.55	
50					50	20.49	
100					0	20.48	
2595		38000		1	0	21.92	
				1	49	21.95	
				1	99	22.04	
				50	0	20.65	
				50	24	20.75	
				50	50	20.72	
				100	0	20.61	
2610		38150		1	0	21.99	
				1	49	22.05	
				1	99	22.06	
				50	0	20.74	
				50	24	20.85	
				50	50	20.80	
				100	0	20.72	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	2580	37850	20	1	0	20.65
				1	49	20.57
				1	99	20.66
				50	0	19.54
				50	24	19.53
				50	50	19.54
				100	0	19.59
	2595	38000		1	0	20.72
				1	49	20.77
				1	99	20.84
				50	0	19.70
				50	24	19.76
				50	50	19.68
				100	0	19.63
	2610	38150		1	0	20.83
				1	49	20.88
				1	99	21.05
				50	0	19.70
				50	24	19.81
				50	50	19.70
				100	0	19.73

2 Occupied Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
38	2572.5	37775	5	25	0	4.472	Fig.1	4.472	Fig.2	4.472	Fig.3
	2595	38000		25	0	4.493	Fig.4	4.472	Fig.5	4.472	Fig.6
	2617.5	38225		25	0	4.472	Fig.7	4.493	Fig.8	4.493	Fig.9
	2575	37800	10	50	0	8.944	Fig.10	8.944	Fig.11	8.944	Fig.12
	2595	38000		50	0	8.944	Fig.13	8.944	Fig.14	8.944	Fig.15
	2615	38200		50	0	8.944	Fig.16	8.944	Fig.17	8.944	Fig.18
	2577.5	37825	15	75	0	13.415	Fig.19	13.415	Fig.20	13.415	Fig.21
	2595	38000		75	0	13.415	Fig.22	13.480	Fig.23	13.415	Fig.24
	2612.5	38175		75	0	13.415	Fig.25	13.415	Fig.26	13.415	Fig.27
	2580	37850	20	100	0	17.887	Fig.28	17.887	Fig.29	17.887	Fig.30
	2595	38000		100	0	17.887	Fig.31	17.887	Fig.32	17.887	Fig.33
	2610	38150		100	0	17.887	Fig.34	17.887	Fig.35	17.887	Fig.36




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




























Fig.6












Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

3 Emission Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
38	2572.5	37775	5	25	0	4.819	Fig.1	4.841	Fig.2	4.863	Fig.3
	2595	38000		25	0	4.797	Fig.4	4.841	Fig.5	4.819	Fig.6
	2617.5	38225		25	0	4.906	Fig.7	4.776	Fig.8	4.884	Fig.9
	2575	37800	10	50	0	9.595	Fig.10	9.421	Fig.11	9.378	Fig.12
	2595	38000		50	0	9.551	Fig.13	9.465	Fig.14	9.595	Fig.15
	2615	38200		50	0	9.682	Fig.16	9.682	Fig.17	9.508	Fig.18
	2577.5	37825	15	75	0	14.457	Fig.19	14.392	Fig.20	14.392	Fig.21
	2595	38000		75	0	14.392	Fig.22	14.457	Fig.23	14.392	Fig.24
	2612.5	38175		75	0	14.392	Fig.25	14.392	Fig.26	14.392	Fig.27
	2580	37850	20	100	0	18.929	Fig.28	19.016	Fig.29	19.103	Fig.30
	2595	38000		100	0	19.103	Fig.31	18.929	Fig.32	19.016	Fig.33
	2610	38150		100	0	19.103	Fig.34	18.929	Fig.35	18.842	Fig.36




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
38	2572.5	37775	5	1	24	Fig.1	Fig.2	Fig.3
	2572.5	37775		25	0	Fig.4	Fig.5	Fig.6
	2595	38000		1	24	Fig.7	Fig.8	Fig.9
	2595	38000		25	0	Fig.10	Fig.11	Fig.12
	2617.5	38225		1	24	Fig.13	Fig.14	Fig.15
	2617.5	38225		25	0	Fig.16	Fig.17	Fig.18
	2575	37800	10	1	49	Fig.19	Fig.20	Fig.21
	2575	37800		50	0	Fig.22	Fig.23	Fig.24
	2595	38000		1	49	Fig.25	Fig.26	Fig.27
	2595	38000		50	0	Fig.28	Fig.29	Fig.30
	2615	38200		1	49	Fig.31	Fig.32	Fig.33
	2615	38200		50	0	Fig.34	Fig.35	Fig.36
	2577.5	37825	15	1	74	Fig.37	Fig.38	Fig.39
	2577.5	37825		75	0	Fig.40	Fig.41	Fig.42
	2595	38000		1	74	Fig.43	Fig.44	Fig.45
	2595	38000		75	0	Fig.46	Fig.47	Fig.48
	2612.5	38175		1	74	Fig.49	Fig.50	Fig.51
	2612.5	38175		75	0	Fig.52	Fig.53	Fig.54
	2580	37850	20	1	99	Fig.55	Fig.56	Fig.57
	2580	37850		100	0	Fig.58	Fig.59	Fig.60
	2595	38000		1	99	Fig.61	Fig.62	Fig.63
	2595	38000		100	0	Fig.64	Fig.65	Fig.66
	2610	38150		1	99	Fig.67	Fig.68	Fig.69
	2610	38150		100	0	Fig.70	Fig.71	Fig.72




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18



Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24



Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36



Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54



Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60



Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
38	2580	37850	20	1	0	Fig.1
	2595	38000		1	0	Fig.2
	2610	38150		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
38	2572.5	37775	5	1	0	Fig.1
				25	0	Fig.2
		38225		1	24	Fig.3
				25	0	Fig.4
	2575	37800	10	1	0	Fig.5
				50	0	Fig.6
		38200		1	49	Fig.7
				50	0	Fig.8
	2577.5	37825	15	1	0	Fig.9
				75	0	Fig.10
		38175		1	74	Fig.11
				75	0	Fig.12
	2580	37850	20	1	0	Fig.13
				100	0	Fig.14
		38150		1	99	Fig.15
				100	0	Fig.16




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band38 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-20	NV	---	---	-0.003	0.001	0.002	0.002
-10	NV	---	---	-0.002	0.002	0.002	0.000
0	NV	---	---	-0.001	0.001	0.002	0.001
+20	NV	---	---	-0.001	0.002	0.001	0.002
+20	HV	---	---	-0.001	0.002	0.001	0.002

Temperature(°C)	Voltage	Test Result (ppm) Band38 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-20	NV	---	---	0.002	0.002	0.001	0.001
-10	NV	---	---	0.002	0.001	0.000	0.001
0	NV	---	---	0.001	0.002	0.002	0.001
+20	NV	---	---	0.003	0.002	0.000	0.000
+20	HV	---	---	0.001	0.002	-0.001	0.002

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	2572.5	37775	5	1	0	22.68	21.38	0.137	
				1	12	22.65	21.35	0.136	
				1	24	22.85	21.55	0.143	
				12	0	21.88	20.58	0.114	
				12	7	21.87	20.57	0.114	
				12	13	21.78	20.48	0.112	
	25	0		21.80	20.50	0.112			
	2595	38000		1	0	22.88	21.58	0.144	
				1	12	22.75	21.45	0.140	
				1	24	22.74	21.44	0.139	
				12	0	21.95	20.65	0.116	
				12	7	21.90	20.60	0.115	
				12	13	21.91	20.61	0.115	
	25	0		21.91	20.61	0.115			
	2617.5	38225		1	0	23.11	21.81	0.152	
				1	12	23.11	21.81	0.152	
				1	24	23.09	21.79	0.151	
				12	0	22.01	20.71	0.118	
				12	7	22.07	20.77	0.119	
				12	13	22.03	20.73	0.118	
	25	0		22.11	20.81	0.121			
	16QAM	2572.5		37775	1	0	22.07	20.77	0.119
					1	12	22.11	20.81	0.121
					1	24	21.42	20.12	0.103
12					0	20.82	19.52	0.090	
12					7	20.76	19.46	0.088	
12					13	20.92	19.62	0.092	
25		0		20.87	19.57	0.091			
2595		38000		1	0	22.08	20.78	0.120	
				1	12	22.24	20.94	0.124	
				1	24	22.13	20.83	0.121	
				12	0	20.95	19.65	0.092	
				12	7	20.95	19.65	0.092	
				12	13	20.95	19.65	0.092	
25		0		20.93	19.63	0.092			
2617.5		38225		1	0	22.32	21.02	0.126	
				1	12	22.13	20.83	0.121	
				1	24	22.34	21.04	0.127	
				12	0	21.19	19.89	0.097	
				12	7	21.18	19.88	0.097	
				12	13	21.20	19.90	0.098	
				25	0	21.06	19.76	0.095	

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2572.5	37775	5	1	0	21.28	19.98	0.100
				1	12	21.09	19.79	0.095
				1	24	21.25	19.95	0.099
				12	0	19.95	18.65	0.073
				12	7	19.97	18.67	0.074
				12	13	19.90	18.60	0.072
				25	0	19.88	18.58	0.072
	2595	38000		1	0	21.11	19.81	0.096
				1	12	20.93	19.63	0.092
				1	24	21.04	19.74	0.094
				12	0	19.91	18.61	0.073
				12	7	19.84	18.54	0.071
				12	13	19.88	18.58	0.072
				25	0	19.83	18.53	0.071
	2617.5	38225		1	0	21.37	20.07	0.102
				1	12	21.21	19.91	0.098
				1	24	21.21	19.91	0.098
				12	0	20.20	18.90	0.078
				12	7	20.20	18.90	0.078
				12	13	20.20	18.90	0.078
				25	0	20.15	18.85	0.077

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	2575	37800	10	1	0	22.58	21.28	0.134	
				1	25	22.62	21.32	0.136	
				1	49	22.56	21.26	0.134	
				25	0	21.75	20.45	0.111	
				25	12	21.64	20.34	0.108	
				25	25	21.62	20.32	0.108	
	50	0		21.68	20.38	0.109			
	2595	38000		1	0	22.61	21.31	0.135	
				1	25	22.69	21.39	0.138	
				1	49	22.66	21.36	0.137	
				25	0	21.76	20.46	0.111	
				25	12	21.85	20.55	0.114	
				25	25	21.71	20.41	0.110	
	50	0		21.74	20.44	0.111			
	2615	38200		1	0	22.82	21.52	0.142	
				1	25	22.80	21.50	0.141	
				1	49	22.87	21.57	0.144	
				25	0	21.93	20.63	0.116	
				25	12	21.96	20.66	0.116	
				25	25	21.95	20.65	0.116	
	50	0		21.95	20.65	0.116			
	16QAM	2575		37800	1	0	22.06	20.76	0.119
					1	25	22.08	20.78	0.120
					1	49	22.23	20.93	0.124
25					0	20.78	19.48	0.089	
25					12	20.75	19.45	0.088	
25					25	20.67	19.37	0.086	
50		0		20.73	19.43	0.088			
2595		38000		1	0	22.23	20.93	0.124	
				1	25	22.23	20.93	0.124	
				1	49	21.97	20.67	0.117	
				25	0	20.76	19.46	0.088	
				25	12	20.71	19.41	0.087	
				25	25	20.68	19.38	0.087	
50		0		20.76	19.46	0.088			
2615		38200		1	0	22.25	20.95	0.124	
				1	25	22.42	21.12	0.129	
				1	49	22.08	20.78	0.120	
				25	0	20.92	19.62	0.092	
				25	12	21.04	19.74	0.094	
				25	25	21.02	19.72	0.094	
50		0		20.97	19.67	0.093			

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2575	37800	10	1	0	21.04	19.74	0.094
				1	25	20.97	19.67	0.093
				1	49	21.17	19.87	0.097
				25	0	19.67	18.37	0.069
				25	12	19.68	18.38	0.069
				25	25	19.56	18.26	0.067
				50	0	19.64	18.34	0.068
	2595	38000		1	0	20.38	19.08	0.081
				1	25	20.47	19.17	0.083
				1	49	20.47	19.17	0.083
				25	0	19.68	18.38	0.069
				25	12	19.71	18.41	0.069
				25	25	19.73	18.43	0.070
				50	0	19.73	18.43	0.070
	2615	38200		1	0	21.45	20.15	0.104
				1	25	21.15	19.85	0.097
				1	49	21.08	19.78	0.095
				25	0	19.82	18.52	0.071
				25	12	19.93	18.63	0.073
				25	25	19.91	18.61	0.073
				50	0	19.97	18.67	0.074

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2577.5	37825	15	1	0	22.53	21.23	0.133
				1	37	22.44	21.14	0.130
				1	74	22.55	21.25	0.133
				36	0	21.60	20.30	0.107
				36	29	21.57	20.27	0.106
				36	30	21.58	20.28	0.107
				75	0	21.52	20.22	0.105
	2595	38000		1	0	22.48	21.18	0.131
				1	37	22.54	21.24	0.133
				1	74	22.65	21.35	0.136
				36	0	21.63	20.33	0.108
				36	29	21.62	20.32	0.108
				36	30	21.72	20.42	0.110
				75	0	21.54	20.24	0.106
	2612.5	38175		1	0	22.62	21.32	0.136
				1	37	22.60	21.30	0.135
				1	74	22.63	21.33	0.136
				36	0	21.78	20.48	0.112
				36	29	21.71	20.41	0.110
				36	30	21.72	20.42	0.110
				75	0	21.82	20.52	0.113
16QAM	2577.5	37825		1	0	21.77	20.47	0.111
				1	37	21.79	20.49	0.112
				1	74	21.81	20.51	0.112
				36	0	20.60	19.30	0.085
				36	29	20.59	19.29	0.085
				36	30	20.58	19.28	0.085
				75	0	20.45	19.15	0.082
	2595	38000		1	0	21.83	20.53	0.113
				1	37	21.83	20.53	0.113
				1	74	21.94	20.64	0.116
				36	0	20.70	19.40	0.087
				36	29	20.67	19.37	0.086
				36	30	20.66	19.36	0.086
				75	0	20.67	19.37	0.086
	2612.5	38175		1	0	22.09	20.79	0.120
				1	37	22.10	20.80	0.120
				1	74	22.09	20.79	0.120
				36	0	20.83	19.53	0.090
				36	29	20.81	19.51	0.089
				36	30	20.71	19.41	0.087
				75	0	20.82	19.52	0.090

Modulation	Carrier frequerncy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2577.5	37825	15	1	0	20.64	19.34	0.086
				1	37	20.69	19.39	0.087
				1	74	20.66	19.36	0.086
				36	0	19.64	18.34	0.068
				36	29	19.59	18.29	0.067
				36	30	19.59	18.29	0.067
				75	0	19.59	18.29	0.067
	2595	38000		1	0	20.67	19.37	0.086
				1	37	20.83	19.53	0.090
				1	74	20.95	19.65	0.092
				36	0	19.68	18.38	0.069
				36	29	19.71	18.41	0.069
				36	30	19.64	18.34	0.068
				75	0	19.64	18.34	0.068
	2612.5	38175		1	0	21.00	19.70	0.093
				1	37	21.04	19.74	0.094
				1	74	21.00	19.70	0.093
				36	0	19.80	18.50	0.071
				36	29	19.79	18.49	0.071
				36	30	19.69	18.39	0.069
				75	0	19.85	18.55	0.072

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	2580	37850	20	1	0	22.50	21.20	0.132	
				1	49	22.56	21.26	0.134	
				1	99	22.62	21.32	0.136	
				50	0	21.58	20.28	0.107	
				50	24	21.54	20.24	0.106	
				50	50	21.52	20.22	0.105	
	100	0		21.51	20.21	0.105			
	2595	38000		1	0	22.55	21.25	0.133	
				1	49	22.56	21.26	0.134	
				1	99	22.73	21.43	0.139	
				50	0	21.65	20.35	0.108	
				50	24	21.72	20.42	0.110	
				50	50	21.66	20.36	0.109	
	100	0		21.62	20.32	0.108			
	2610	38150		1	0	22.65	21.35	0.136	
				1	49	22.70	21.40	0.138	
				1	99	22.79	21.49	0.141	
				50	0	21.69	20.39	0.109	
				50	24	21.86	20.56	0.114	
				50	50	21.82	20.52	0.113	
	16QAM	2580		37850	100	0	21.81	20.51	0.112
					1	0	21.85	20.55	0.114
					1	49	21.83	20.53	0.113
					1	99	21.99	20.69	0.117
50					0	20.55	19.25	0.084	
50					24	20.55	19.25	0.084	
50		50		20.49	19.19	0.083			
100		0		20.48	19.18	0.083			
2595		38000		1	0	21.92	20.62	0.115	
				1	49	21.95	20.65	0.116	
				1	99	22.04	20.74	0.119	
				50	0	20.65	19.35	0.086	
				50	24	20.75	19.45	0.088	
				50	50	20.72	19.42	0.087	
100		0		20.61	19.31	0.085			
2610		38150		1	0	21.99	20.69	0.117	
				1	49	22.05	20.75	0.119	
				1	99	22.06	20.76	0.119	
				50	0	20.74	19.44	0.088	
				50	24	20.85	19.55	0.090	
				50	50	20.80	19.50	0.089	
				100	0	20.72	19.42	0.087	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	2580	37850	20	1	0	20.65	19.35	0.086
				1	49	20.57	19.27	0.085
				1	99	20.66	19.36	0.086
				50	0	19.54	18.24	0.067
				50	24	19.53	18.23	0.067
				50	50	19.54	18.24	0.067
				100	0	19.59	18.29	0.067
	2595	38000		1	0	20.72	19.42	0.087
				1	49	20.77	19.47	0.089
				1	99	20.84	19.54	0.090
				50	0	19.70	18.40	0.069
				50	24	19.76	18.46	0.070
				50	50	19.68	18.38	0.069
				100	0	19.63	18.33	0.068
	2610	38150		1	0	20.83	19.53	0.090
				1	49	20.88	19.58	0.091
				1	99	21.05	19.75	0.094
				50	0	19.70	18.40	0.069
				50	24	19.81	18.51	0.071
				50	50	19.70	18.40	0.069
				100	0	19.73	18.43	0.070