

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

Duty Cycle

Test Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor(dB)	Plot
802.11a	5745	99.97%	0	Fig.1
802.11a	5745	99.95%	0	Fig.2
802.11n HT20	5745	99.99%	0	Fig.3
802.11n HT20	5745	99.99%	0	Fig.4
802.11ac VHT20	5745	99.99%	0	Fig.5
802.11ac VHT20	5745	99.98%	0	Fig.6
802.11ax HE20	5745	99.98%	0	Fig.7
802.11ax HE20	5745	99.98%	0	Fig.8
802.11n HT40	5755	99.98%	0	Fig.9
802.11n HT40	5755	99.98%	0	Fig.10
802.11ac VHT40	5755	99.98%	0	Fig.11
802.11ac VHT40	5755	99.98%	0	Fig.12
802.11ax HE40	5755	99.99%	0	Fig.13
802.11ax HE40	5755	99.98%	0	Fig.14
802.11ac VHT80	5775	99.96%	0	Fig.15
802.11ac VHT80	5775	99.97%	0	Fig.16
802.11ax HE80	5775	99.99%	0	Fig.17
802.11ax HE80	5775	99.98%	0	Fig.18

Note: Correction Factor=10*log (1/Duty Cycle)




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18



Output Power

Mode	Tones/ RUIndex	Frequency (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
802.11a	NA	5745	Chain0	10.76	10.56
802.11a	NA	5745	Chain1	10.66	8.86
802.11a	NA	5785	Chain0	10.86	10.66
802.11a	NA	5785	Chain1	10.85	9.05
802.11a	NA	5825	Chain0	10.88	10.68
802.11a	NA	5825	Chain1	10.88	9.08
802.11n HT20	NA	5745	Chain0	10.73	10.53
802.11n HT20	NA	5745	Chain1	10.74	8.94
802.11n HT20	NA	5745	MIMO	13.75	12.82
802.11n HT20	NA	5785	Chain0	10.94	10.74
802.11n HT20	NA	5785	Chain1	10.96	9.16
802.11n HT20	NA	5785	MIMO	13.96	13.03
802.11n HT20	NA	5825	Chain0	10.97	10.77
802.11n HT20	NA	5825	Chain1	10.98	9.18
802.11n HT20	NA	5825	MIMO	13.99	13.06
802.11ac VHT20	NA	5745	Chain0	10.73	10.53
802.11ac VHT20	NA	5745	Chain1	10.70	8.90
802.11ac VHT20	NA	5745	MIMO	13.73	12.80
802.11ac VHT20	NA	5785	Chain0	10.92	10.72
802.11ac VHT20	NA	5785	Chain1	10.91	9.11
802.11ac VHT20	NA	5785	MIMO	13.93	13.00
802.11ac VHT20	NA	5825	Chain0	10.96	10.76
802.11ac VHT20	NA	5825	Chain1	10.98	9.18
802.11ac VHT20	NA	5825	MIMO	13.98	13.05
802.11n HT40	NA	5755	Chain0	10.72	10.52
802.11n HT40	NA	5755	Chain1	10.78	8.98
802.11n HT40	NA	5755	MIMO	13.76	12.83
802.11n HT40	NA	5795	Chain0	10.48	10.28
802.11n HT40	NA	5795	Chain1	10.48	8.68
802.11n HT40	NA	5795	MIMO	13.49	12.56
802.11ac VHT40	NA	5755	Chain0	10.83	10.63
802.11ac VHT40	NA	5755	Chain1	10.84	9.04
802.11ac VHT40	NA	5755	MIMO	13.85	12.92
802.11ac VHT40	NA	5795	Chain0	10.97	10.77
802.11ac VHT40	NA	5795	Chain1	10.97	9.17
802.11ac VHT40	NA	5795	MIMO	13.98	13.05
802.11ac VHT80	NA	5775	Chain0	10.60	10.40
802.11ac VHT80	NA	5775	Chain1	10.58	8.78
802.11ac VHT80	NA	5775	MIMO	13.60	12.67

Mode	Tones/	Frequency	Antenna	Conducted	EIRP
------	--------	-----------	---------	-----------	------



	RUIndex	(MHz)		average power output(dBm)	(dBm)
802.11ax HE20	26T 0	5745	Chain0	7.56	5.76
802.11ax HE20	26T 0	5745	Chain1	7.61	7.41
802.11ax HE20	26T 0	5745	MIMO	10.60	9.67
802.11ax HE20	26T 0	5785	Chain0	7.37	5.57
802.11ax HE20	26T 0	5785	Chain1	7.37	7.17
802.11ax HE20	26T 0	5785	MIMO	10.38	9.45
802.11ax HE20	26T 0	5825	Chain0	7.87	6.07
802.11ax HE20	26T 0	5825	Chain1	7.84	7.64
802.11ax HE20	26T 0	5825	MIMO	10.87	9.94
802.11ax HE20	26T 4	5745	Chain0	7.39	5.59
802.11ax HE20	26T 4	5745	Chain1	7.37	7.17
802.11ax HE20	26T 4	5745	MIMO	10.39	9.46
802.11ax HE20	26T 4	5785	Chain0	7.27	5.47
802.11ax HE20	26T 4	5785	Chain1	7.26	7.06
802.11ax HE20	26T 4	5785	MIMO	10.28	9.35
802.11ax HE20	26T 4	5825	Chain0	7.38	5.58
802.11ax HE20	26T 4	5825	Chain1	7.36	7.16
802.11ax HE20	26T 4	5825	MIMO	10.38	9.45
802.11ax HE20	26T 8	5745	Chain0	7.50	5.70
802.11ax HE20	26T 8	5745	Chain1	7.45	7.25
802.11ax HE20	26T 8	5745	MIMO	10.49	9.56
802.11ax HE20	26T 8	5785	Chain0	7.79	5.99
802.11ax HE20	26T 8	5785	Chain1	7.78	7.58
802.11ax HE20	26T 8	5785	MIMO	10.80	9.87
802.11ax HE20	26T 8	5825	Chain0	7.30	5.50
802.11ax HE20	26T 8	5825	Chain1	7.30	7.10
802.11ax HE20	26T 8	5825	MIMO	10.31	9.38
802.11ax HE20	52T 37	5745	Chain0	7.53	5.73
802.11ax HE20	52T 37	5745	Chain1	7.52	7.32
802.11ax HE20	52T 37	5745	MIMO	10.54	9.61
802.11ax HE20	52T 37	5785	Chain0	7.33	5.53
802.11ax HE20	52T 37	5785	Chain1	7.29	7.09
802.11ax HE20	52T 37	5785	MIMO	10.32	9.39
802.11ax HE20	52T 37	5825	Chain0	7.76	5.96
802.11ax HE20	52T 37	5825	Chain1	7.74	7.54
802.11ax HE20	52T 37	5825	MIMO	10.76	9.83
802.11ax HE20	52T 39	5745	Chain0	7.38	5.58
802.11ax HE20	52T 39	5745	Chain1	7.39	7.19
802.11ax HE20	52T 39	5745	MIMO	10.40	9.47
802.11ax HE20	52T 39	5785	Chain0	7.41	5.61
802.11ax HE20	52T 39	5785	Chain1	7.40	7.20
802.11ax HE20	52T 39	5785	MIMO	10.42	9.49
802.11ax HE20	52T 39	5825	Chain0	7.30	5.50
802.11ax HE20	52T 39	5825	Chain1	7.30	7.10



802.11ax HE20	52T 39	5825	MIMO	10.31	9.38
802.11ax HE20	52T 40	5745	Chain0	7.44	5.64
802.11ax HE20	52T 40	5745	Chain1	7.47	7.27
802.11ax HE20	52T 40	5745	MIMO	10.47	9.54
802.11ax HE20	52T 40	5785	Chain0	7.71	5.91
802.11ax HE20	52T 40	5785	Chain1	7.69	7.49
802.11ax HE20	52T 40	5785	MIMO	10.71	9.78
802.11ax HE20	52T 40	5825	Chain0	7.29	5.49
802.11ax HE20	52T 40	5825	Chain1	7.27	7.07
802.11ax HE20	52T 40	5825	MIMO	10.29	9.36
802.11ax HE20	106T 53	5745	Chain0	7.50	5.70
802.11ax HE20	106T 53	5745	Chain1	7.50	7.30
802.11ax HE20	106T 53	5745	MIMO	10.51	9.58
802.11ax HE20	106T 53	5785	Chain0	7.30	5.50
802.11ax HE20	106T 53	5785	Chain1	7.30	7.10
802.11ax HE20	106T 53	5785	MIMO	10.31	9.38
802.11ax HE20	106T 53	5825	Chain0	7.70	5.90
802.11ax HE20	106T 53	5825	Chain1	7.67	7.47
802.11ax HE20	106T 53	5825	MIMO	10.70	9.77
802.11ax HE20	106T 54	5745	Chain0	7.42	5.62
802.11ax HE20	106T 54	5745	Chain1	7.46	7.26
802.11ax HE20	106T 54	5745	MIMO	10.45	9.52
802.11ax HE20	106T 54	5785	Chain0	7.57	5.77
802.11ax HE20	106T 54	5785	Chain1	7.58	7.38
802.11ax HE20	106T 54	5785	MIMO	10.59	9.66
802.11ax HE20	106T 54	5825	Chain0	7.32	5.52
802.11ax HE20	106T 54	5825	Chain1	7.30	7.10
802.11ax HE20	106T 54	5825	MIMO	10.32	9.39
802.11ax HE40	26T 0	5755	Chain0	7.53	5.73
802.11ax HE40	26T 0	5755	Chain1	7.52	7.32
802.11ax HE40	26T 0	5755	MIMO	10.54	9.61
802.11ax HE40	26T 0	5795	Chain0	7.28	5.48
802.11ax HE40	26T 0	5795	Chain1	7.23	7.03
802.11ax HE40	26T 0	5795	MIMO	10.27	9.34
802.11ax HE40	26T 10	5755	Chain0	7.18	5.38
802.11ax HE40	26T 10	5755	Chain1	7.20	7.00
802.11ax HE40	26T 10	5755	MIMO	10.20	9.27
802.11ax HE40	26T 10	5795	Chain0	7.77	5.97
802.11ax HE40	26T 10	5795	Chain1	7.74	7.54
802.11ax HE40	26T 10	5795	MIMO	10.77	9.84
802.11ax HE40	26T 17	5755	Chain0	7.24	5.44
802.11ax HE40	26T 17	5755	Chain1	7.23	7.03
802.11ax HE40	26T 17	5755	MIMO	10.25	9.32
802.11ax HE40	26T 17	5795	Chain0	7.66	5.86
802.11ax HE40	26T 17	5795	Chain1	7.68	7.48
802.11ax HE40	26T 17	5795	MIMO	10.68	9.75



802.11ax HE40	52T 37	5755	Chain0	7.48	5.68
802.11ax HE40	52T 37	5755	Chain1	7.52	7.32
802.11ax HE40	52T 37	5755	MIMO	10.51	9.58
802.11ax HE40	52T 37	5795	Chain0	7.27	5.47
802.11ax HE40	52T 37	5795	Chain1	7.29	7.09
802.11ax HE40	52T 37	5795	MIMO	10.29	9.36
802.11ax HE40	52T 41	5755	Chain0	7.12	5.32
802.11ax HE40	52T 41	5755	Chain1	7.17	6.97
802.11ax HE40	52T 41	5755	MIMO	10.16	9.23
802.11ax HE40	52T 41	5795	Chain0	7.69	5.89
802.11ax HE40	52T 41	5795	Chain1	7.67	7.47
802.11ax HE40	52T 41	5795	MIMO	10.69	9.76
802.11ax HE40	52T 44	5755	Chain0	7.16	5.36
802.11ax HE40	52T 44	5755	Chain1	7.20	7.00
802.11ax HE40	52T 44	5755	MIMO	10.19	9.26
802.11ax HE40	52T 44	5795	Chain0	7.65	5.85
802.11ax HE40	52T 44	5795	Chain1	7.65	7.45
802.11ax HE40	52T 44	5795	MIMO	10.66	9.73
802.11ax HE40	106T 53	5755	Chain0	7.49	5.69
802.11ax HE40	106T 53	5755	Chain1	7.49	7.29
802.11ax HE40	106T 53	5755	MIMO	10.50	9.57
802.11ax HE40	106T 53	5795	Chain0	7.30	5.50
802.11ax HE40	106T 53	5795	Chain1	7.28	7.08
802.11ax HE40	106T 53	5795	MIMO	10.30	9.37
802.11ax HE40	106T 55	5755	Chain0	7.14	5.34
802.11ax HE40	106T 55	5755	Chain1	7.18	6.98
802.11ax HE40	106T 55	5755	MIMO	10.17	9.24
802.11ax HE40	106T 55	5795	Chain0	7.75	5.95
802.11ax HE40	106T 55	5795	Chain1	7.77	7.57
802.11ax HE40	106T 55	5795	MIMO	10.77	9.84
802.11ax HE40	106T 56	5755	Chain0	7.20	5.40
802.11ax HE40	106T 56	5755	Chain1	7.20	7.00
802.11ax HE40	106T 56	5755	MIMO	10.21	9.28
802.11ax HE40	106T 56	5795	Chain0	7.62	5.82
802.11ax HE40	106T 56	5795	Chain1	7.66	7.46
802.11ax HE40	106T 56	5795	MIMO	10.65	9.72
802.11ax HE40	242T 61	5755	Chain0	7.23	5.43
802.11ax HE40	242T 61	5755	Chain1	7.22	7.02
802.11ax HE40	242T 61	5755	MIMO	10.24	9.31
802.11ax HE40	242T 61	5795	Chain0	7.21	5.41
802.11ax HE40	242T 61	5795	Chain1	7.22	7.02
802.11ax HE40	242T 61	5795	MIMO	10.23	9.30
802.11ax HE40	242T 62	5755	Chain0	7.53	5.73
802.11ax HE40	242T 62	5755	Chain1	7.55	7.35
802.11ax HE40	242T 62	5755	MIMO	10.55	9.62
802.11ax HE40	242T 62	5795	Chain0	7.72	5.92



802.11ax HE40	242T 62	5795	Chain1	7.73	7.53
802.11ax HE40	242T 62	5795	MIMO	10.74	9.81
802.11ax HE80	26T 0	5775	Chain0	7.85	6.05
802.11ax HE80	26T 0	5775	Chain1	7.83	7.63
802.11ax HE80	26T 0	5775	MIMO	10.85	9.92
802.11ax HE80	26T 18	5775	Chain0	7.63	5.83
802.11ax HE80	26T 18	5775	Chain1	7.64	7.44
802.11ax HE80	26T 18	5775	MIMO	10.65	9.72
802.11ax HE80	26T 36	5775	Chain0	7.92	6.12
802.11ax HE80	26T 36	5775	Chain1	7.86	7.66
802.11ax HE80	26T 36	5775	MIMO	10.90	9.97
802.11ax HE80	52T 37	5775	Chain0	7.44	5.64
802.11ax HE80	52T 37	5775	Chain1	7.45	7.25
802.11ax HE80	52T 37	5775	MIMO	10.46	9.53
802.11ax HE80	52T 45	5775	Chain0	7.22	5.42
802.11ax HE80	52T 45	5775	Chain1	7.28	7.08
802.11ax HE80	52T 45	5775	MIMO	10.26	9.33
802.11ax HE80	52T 52	5775	Chain0	7.58	5.78
802.11ax HE80	52T 52	5775	Chain1	7.61	7.41
802.11ax HE80	52T 52	5775	MIMO	10.61	9.68
802.11ax HE80	106T 53	5775	Chain0	7.42	5.62
802.11ax HE80	106T 53	5775	Chain1	7.97	7.77
802.11ax HE80	106T 53	5775	MIMO	10.71	9.78
802.11ax HE80	106T 57	5775	Chain0	7.24	5.44
802.11ax HE80	106T 57	5775	Chain1	7.30	7.10
802.11ax HE80	106T 57	5775	MIMO	10.28	9.35
802.11ax HE80	106T 60	5775	Chain0	7.95	6.15
802.11ax HE80	106T 60	5775	Chain1	7.56	7.36
802.11ax HE80	106T 60	5775	MIMO	10.77	9.84
802.11ax HE80	242T 61	5775	Chain0	7.83	6.03
802.11ax HE80	242T 61	5775	Chain1	7.82	7.62
802.11ax HE80	242T 61	5775	MIMO	10.84	9.91
802.11ax HE80	242T 63	5775	Chain0	7.82	6.02
802.11ax HE80	242T 63	5775	Chain1	7.79	7.59
802.11ax HE80	242T 63	5775	MIMO	10.82	9.89
802.11ax HE80	242T 64	5775	Chain0	7.78	5.98
802.11ax HE80	242T 64	5775	Chain1	7.75	7.55
802.11ax HE80	242T 64	5775	MIMO	10.78	9.85
802.11ax HE80	484T 65	5775	Chain0	7.25	5.45
802.11ax HE80	484T 65	5775	Chain1	7.23	7.03
802.11ax HE80	484T 65	5775	MIMO	10.25	9.32
802.11ax HE80	484T 66	5775	Chain0	7.60	5.80
802.11ax HE80	484T 66	5775	Chain1	7.59	7.39
802.11ax HE80	484T 66	5775	MIMO	10.61	9.68



Mode	Tones/ RUIndex	Frequency (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
802.11ax HE20	242T 61	5745	Chain0	10.86	10.66
802.11ax HE20	242T 61	5745	Chain1	10.89	9.09
802.11ax HE20	242T 61	5745	MIMO	13.89	12.96
802.11ax HE20	242T 61	5785	Chain0	10.58	10.38
802.11ax HE20	242T 61	5785	Chain1	10.61	8.81
802.11ax HE20	242T 61	5785	MIMO	13.61	12.68
802.11ax HE20	242T 61	5825	Chain0	10.52	10.32
802.11ax HE20	242T 61	5825	Chain1	10.50	8.70
802.11ax HE20	242T 61	5825	MIMO	13.52	12.59
802.11ax HE40	484T 65	5755	Chain0	10.80	10.60
802.11ax HE40	484T 65	5755	Chain1	10.78	8.98
802.11ax HE40	484T 65	5755	MIMO	13.80	12.87
802.11ax HE40	484T 65	5795	Chain0	10.47	10.27
802.11ax HE40	484T 65	5795	Chain1	10.48	8.68
802.11ax HE40	484T 65	5795	MIMO	13.49	12.56
802.11ax HE80	996T 67	5775	Chain0	10.75	10.55
802.11ax HE80	996T 67	5775	Chain1	10.73	8.93
802.11ax HE80	996T 67	5775	MIMO	13.75	12.82

**Emission Bandwidth**


Offset 21.3dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11a	Chain0	23.26	23.21	23.24
802.11a	Chain1	22.91	22.55	22.63
802.11n HT20	Chain0	23.30	23.63	23.49
802.11n HT20	Chain1	22.76	23.72	23.67
802.11ac VHT20	Chain0	22.90	22.92	23.27
802.11ac VHT20	Chain1	23.37	24.38	23.41
802.11ax HE20	Chain0	22.42	23.20	22.71
802.11ax HE20	Chain1	22.48	24.20	22.20



Test Mode	Antenna	26dB Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11n HT40	Chain0	46.59	---	44.33
802.11n HT40	Chain1	44.25	---	43.51
802.11ac VHT40	Chain0	44.03	---	44.68
802.11ac VHT40	Chain1	45.66	---	44.57
802.11ax HE40	Chain0	41.59	---	42.76
802.11ax HE40	Chain1	43.22	---	42.77

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5775MHz	---	---
802.11ac VHT80	Chain0	88.42	---	---
802.11ac VHT80	Chain1	90.96	---	---
802.11ax HE80	Chain0	87.17	---	---
802.11ax HE80	Chain1	85.65	---	---

Test Mode: 802.11a





Test Mode: 802.11n HT20





Mode:802.11n HT20 Frequency:5745MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5785MHz Ant:Chain0



Mode:802.11n HT20 Frequency:5825MHz Ant:Chain0


Mode:802.11n HT20 Frequency:5745MHz Ant:Chain1




Mode:802.11n HT20 Frequency:5785MHz Ant:Chain1

Mode:802.11n HT20 Frequency:5825MHz Ant:Chain1


Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20 Frequency:5745MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5785MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5825MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5745MHz
Ant:Chain1




Mode:802.11ac VHT20 Frequency:5785MHz
Ant:Chain1




Mode:802.11ac VHT20 Frequency:5825MHz
Ant:Chain1

Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:5745MHz Ant:Chain0

Mode:802.11ax HE20 Frequency:5785MHz Ant:Chain0



Mode:802.11ax HE20 Frequency:5825MHz Ant:Chain0



Mode:802.11ax HE20 Frequency:5745MHz Ant:Chain1




Mode:802.11ax HE20 Frequency:5785MHz Ant:Chain1

Mode:802.11ax HE20 Frequency:5825MHz Ant:Chain1


Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5755MHz Ant:Chain0




Mode:802.11n HT40 Frequency:5795MHz Ant:Chain0




Mode:802.11n HT40 Frequency:5755MHz Ant:Chain1




Mode:802.11n HT40 Frequency:5795MHz Ant:Chain1




Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40 Frequency:5755MHz Ant:Chain0



Mode:802.11ac VHT40 Frequency:5795MHz Ant:Chain0




Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain1




Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain1


Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:5755MHz Ant:Chain0



Mode:802.11ax HE40 Frequency:5795MHz Ant:Chain0




Mode:802.11ax HE40 Frequency:5755MHz Ant:Chain1




Mode:802.11ax HE40 Frequency:5795MHz Ant:Chain1



Test Mode: 802.11ac VHT80




Test Mode:802.11ac VHT80 5775MHz Chain0




Test Mode:802.11ac VHT80 5775MHz Chain1

Test Mode: 802.11ax HE80



Test Mode:802.11ax HE80 5775MHz Chain0



Test Mode:802.11ax HE80 5775MHz Chain1

**Occupied Bandwidth**



Offset 21.3dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11a	Chain0	17.224	17.216	17.089
802.11a	Chain1	17.170	17.097	17.026
802.11n HT20	Chain0	18.251	18.267	18.196
802.11n HT20	Chain1	18.092	18.196	18.245
802.11ac VHT20	Chain0	18.126	18.149	18.176
802.11ac VHT20	Chain1	18.211	18.283	18.175
802.11ax HE20	Chain0	19.181	19.261	19.214
802.11ax HE20	Chain1	19.188	19.299	19.249

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11n HT40	Chain0	36.879	---	36.786
802.11n HT40	Chain1	36.762	---	36.809
802.11ac VHT40	Chain0	36.908	---	36.757
802.11ac VHT40	Chain1	36.975	---	36.954
802.11ax HE40	Chain0	38.304	---	38.335
802.11ax HE40	Chain1	38.300	---	38.243



Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5775MHz	---	---
802.11ac VHT80	Chain0	76.995	---	---
802.11ac VHT80	Chain1	76.843	---	---
802.11ax HE80	Chain0	78.570	---	---
802.11ax HE80	Chain1	79.085	---	---

Test Mode: 802.11a





Mode:802.11a Frequency:5745MHz Ant:Chain0

Mode:802.11a Frequency:5785MHz Ant:Chain0



Mode:802.11a Frequency:5825MHz Ant:Chain0


Mode:802.11a Frequency:5745MHz Ant:Chain1




Mode:802.11a Frequency:5785MHz Ant:Chain1

Mode:802.11a Frequency:5825MHz Ant:Chain1


Test Mode: 802.11n HT20




Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20 Frequency:5745MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5785MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5825MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5745MHz
Ant:Chain1





Mode:802.11ac VHT20 Frequency:5785MHz
Ant:Chain1





Mode:802.11ac VHT20 Frequency:5825MHz
Ant:Chain1

Test Mode: 802.11ax HE20





Mode: 802.11ax HE20 Frequency: 5745MHz Ant: Chain0

Mode: 802.11ax HE20 Frequency: 5785MHz Ant: Chain0



Mode: 802.11ax HE20 Frequency: 5825MHz Ant: Chain0



Mode: 802.11ax HE20 Frequency: 5745MHz Ant: Chain1



Mode: 802.11ax HE20 Frequency: 5785MHz Ant: Chain1



Mode: 802.11ax HE20 Frequency: 5825MHz Ant: Chain1

Test Mode: 802.11n HT40



Mode:802.11n HT40 Frequency:5755MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5795MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5755MHz Ant:Chain1


Mode:802.11n HT40 Frequency:5795MHz Ant:Chain1

Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain0

Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain0




Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain1




Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain1


Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:5755MHz Ant:Chain0



Mode:802.11ax HE40 Frequency:5795MHz Ant:Chain0




Mode:802.11ax HE40 Frequency:5755MHz Ant:Chain1




Mode:802.11ax HE40 Frequency:5795MHz Ant:Chain1



Test Mode: 802.11ac VHT80




Test Mode:802.11ac VHT80 5775MHz Chain0




Test Mode:802.11ac VHT80 5775MHz Chain1

Test Mode: 802.11ax HE80



Test Mode:802.11ax HE80 5775MHz Chain0



Test Mode:802.11ax HE80 5775MHz Chain1



6dB Bandwidth


Offset 21.3dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11a	Chain0	16.48	15.71	16.38
802.11a	Chain1	16.45	16.46	16.46
802.11n HT20	Chain0	17.58	17.63	17.80
802.11n HT20	Chain1	17.76	17.71	17.62
802.11ac VHT20	Chain0	17.75	17.56	17.77
802.11ac VHT20	Chain1	17.78	17.62	17.69
802.11ax HE20	Chain0	19.04	19.01	19.08
802.11ax HE20	Chain1	18.87	19.04	19.13


Test Mode	Antenna	6dB Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11n HT40	Chain0	36.48	---	36.30
802.11n HT40	Chain1	36.53	---	36.45
802.11ac VHT40	Chain0	36.48	---	36.53
802.11ac VHT40	Chain1	36.41	---	36.49
802.11ax HE40	Chain0	38.03	---	38.12
802.11ax HE40	Chain1	38.13	---	38.18

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5775MHz	---	---
802.11ac VHT80	Chain0	76.59	---	---
802.11ac VHT80	Chain1	76.52	---	---
802.11ax HE80	Chain0	78.14	---	---
802.11ax HE80	Chain1	78.20	---	---


Test Mode: 802.11a




Test Mode: 802.11n HT20




Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20 Frequency:5745MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5785MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5825MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5745MHz
Ant:Chain1




Mode:802.11ac VHT20 Frequency:5785MHz
Ant:Chain1




Mode:802.11ac VHT20 Frequency:5825MHz
Ant:Chain1

Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:5745MHz Ant:Chain0

Mode:802.11ax HE20 Frequency:5785MHz Ant:Chain0



Mode:802.11ax HE20 Frequency:5825MHz Ant:Chain0



Mode:802.11ax HE20 Frequency:5745MHz Ant:Chain1



Mode:802.11ax HE20 Frequency:5785MHz Ant:Chain1



Mode:802.11ax HE20 Frequency:5825MHz Ant:Chain1

Test Mode: 802.11n HT40



Mode:802.11n HT40 Frequency:5755MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5795MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5755MHz Ant:Chain1


Mode:802.11n HT40 Frequency:5795MHz Ant:Chain1

Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain0

Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain0




Mode:802.11ac VHT40 Frequency:5755MHz
Ant:Chain1




Mode:802.11ac VHT40 Frequency:5795MHz
Ant:Chain1


Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:5755MHz Ant:Chain0



Mode:802.11ax HE40 Frequency:5795MHz Ant:Chain0




Mode:802.11ax HE40 Frequency:5755MHz Ant:Chain1




Mode:802.11ax HE40 Frequency:5795MHz Ant:Chain1



Test Mode: 802.11ac VHT80




Test Mode:802.11ac VHT80 5775MHz Chain0




Test Mode:802.11ac VHT80 5775MHz Chain1

Test Mode: 802.11ax HE80



Test Mode:802.11ax HE80 5775MHz Chain0



Test Mode:802.11ax HE80 5775MHz Chain1

Transmitter Power Spectral Density

Offset 21.3dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Tones	5745MHz		5785MHz		5825MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11a	Chain0	NA	0	-2.532	---	-2.556	---	-2.585
802.11a	Chain1	NA	---	-2.692	---	-2.436	---	-2.385
802.11n HT20	Chain0	NA	0	-2.991	---	-2.798	---	-2.852
802.11n HT20	Chain1	NA	---	-2.808	---	-2.692	---	-2.757
802.11n HT20	MIMO	NA	---	0.112	---	0.266	---	0.206
802.11ac VHT20	Chain0	NA	0	-2.908	---	-2.781	---	-2.568
802.11ac VHT20	Chain1	NA	---	-2.995	---	-2.842	---	-2.849
802.11ac VHT20	MIMO	NA	---	0.059	---	0.199	---	0.304
802.11ax HE20	Chain0	26T	0	0.425	---	0.595	---	0.515
802.11ax HE20	Chain1	26T	---	0.437	---	0.540	---	0.472
802.11ax HE20	MIMO	26T	---	3.441	---	3.578	---	3.504
802.11ax HE20	Chain0	52T	0	-2.486	---	-2.412	---	-2.467
802.11ax HE20	Chain1	52T	---	-2.320	---	-2.290	---	-2.414
802.11ax HE20	MIMO	52T	---	0.608	---	0.660	---	0.570
802.11ax HE20	Chain0	106T	0	-5.542	---	-5.470	---	-5.418
802.11ax HE20	Chain1	106T	---	-5.595	---	-5.444	---	-5.607
802.11ax HE20	MIMO	106T	---	-2.558	---	-2.447	---	-2.501
802.11ax HE20	Chain0	242T	0	-4.039	---	-4.471	---	-4.596
802.11ax HE20	Chain1	242T	---	-4.029	---	-4.475	---	-4.594
802.11ax HE20	MIMO	242T	---	-1.024	---	-1.463	---	-1.585

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11n HT40	Chain0	NA	0	-5.998	---	---	---	-6.205
802.11n HT40	Chain1	NA	---	-5.811	---	---	---	-6.316
802.11n HT40	MIMO	NA	---	-2.893	---	---	---	-3.250
802.11ac VHT40	Chain0	NA	0	-5.722	---	---	---	-5.727
802.11ac VHT40	Chain1	NA	---	-5.773	---	---	---	-5.764
802.11ac VHT40	MIMO	NA	---	-2.737	---	---	---	-2.735
802.11ax HE40	Chain0	26T	0	0.400	---	---	---	0.467
802.11ax HE40	Chain1	26T	---	0.508	---	---	---	0.417
802.11ax HE40	MIMO	26T	---	3.465	---	---	---	3.452
802.11ax HE40	Chain0	52T	0	-2.243	---	---	---	-2.425
802.11ax HE40	Chain1	52T	---	-2.501	---	---	---	-2.392
802.11ax HE40	MIMO	52T	---	0.640	---	---	---	0.602
802.11ax HE40	Chain0	106T	0	-5.749	---	---	---	-5.573
802.11ax HE40	Chain1	106T	---	-5.708	---	---	---	-5.528
802.11ax HE40	MIMO	106T	---	-2.718	---	---	---	-2.540
802.11ax HE40	Chain0	242T	0	-9.363	---	---	---	-9.167
802.11ax HE40	Chain1	242T	---	-9.425	---	---	---	-9.162
802.11ax HE40	MIMO	242T	---	-6.384	---	---	---	-6.154
802.11ax HE40	Chain0	484T	0	-7.139	---	---	---	-7.568
802.11ax HE40	Chain1	484T	---	-7.065	---	---	---	-7.642
802.11ax HE40	MIMO	484T	---	-4.092	---	---	---	-4.595

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.




Test Mode	Antenna	Tones	5775MHz		---		---	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11ac VHT80	Chain0	NA	0	-9.049	---	---	---	---
802.11ac VHT80	Chain1	NA	---	-8.950	---	---	---	---
802.11ac VHT80	MIMO	NA	---	-5.989	---	---	---	---
802.11ax HE80	Chain0	26T	0	0.305	---	---	---	---
802.11ax HE80	Chain1	26T	---	0.146	---	---	---	---
802.11ax HE80	MIMO	26T	---	3.237	---	---	---	---
802.11ax HE80	Chain0	52T	0	-2.713	---	---	---	---
802.11ax HE80	Chain1	52T	---	-2.618	---	---	---	---
802.11ax HE80	MIMO	52T	---	0.345	---	---	---	---
802.11ax HE80	Chain0	106T	0	-5.504	---	---	---	---
802.11ax HE80	Chain1	106T	---	-5.624	---	---	---	---
802.11ax HE80	MIMO	106T	---	-2.553	---	---	---	---
802.11ax HE80	Chain0	242T	0	-9.434	---	---	---	---
802.11ax HE80	Chain1	242T	---	-9.356	---	---	---	---
802.11ax HE80	MIMO	242T	---	-6.385	---	---	---	---
802.11ax HE80	Chain0	484T	0	-12.116	---	---	---	---
802.11ax HE80	Chain1	484T	---	-12.072	---	---	---	---
802.11ax HE80	MIMO	484T	---	-9.084	---	---	---	---
802.11ax HE80	Chain0	996T	0	-9.911	---	---	---	---
802.11ax HE80	Chain1	996T	---	-9.924	---	---	---	---
802.11ax HE80	MIMO	996T	---	-6.907	---	---	---	---


Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode: 802.11a





Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:5745MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5785MHz Ant:Chain0



Mode:802.11n HT20 Frequency:5825MHz Ant:Chain0


Mode:802.11n HT20 Frequency:5745MHz Ant:Chain1




Mode:802.11n HT20 Frequency:5785MHz Ant:Chain1

Mode:802.11n HT20 Frequency:5825MHz Ant:Chain1

Test Mode: 802.11ac VHT20




Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:26T Frequency:5745MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:26T Frequency:5785MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:26T Frequency:5825MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:26T Frequency:5745MHz
Ant:Chain1




Mode:802.11ax HE20 Tone:26T Frequency:5785MHz
Ant:Chain1




Mode:802.11ax HE20 Tone:26T Frequency:5825MHz
Ant:Chain1




Mode:802.11ax HE20 Tone:52T Frequency:5745MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:52T Frequency:5785MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:52T Frequency:5825MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:52T Frequency:5745MHz
Ant:Chain1



Mode:802.11ax HE20 Tone:52T Frequency:5785MHz
Ant:Chain1




Mode:802.11ax HE20 Tone:52T Frequency:5825MHz
Ant:Chain1




Mode:802.11ax HE20 Tone:106T Frequency:5745MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:106T Frequency:5785MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:106T Frequency:5825MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:106T Frequency:5745MHz
Ant:Chain1




Mode:802.11ax HE20 Tone:106T Frequency:5785MHz
Ant:Chain1



Mode:802.11ax HE20 Tone:106T Frequency:5825MHz
Ant:Chain1




Mode:802.11ax HE20 Tone:242T Frequency:5745MHz
Ant:Chain0



Mode:802.11ax HE20 Tone:242T Frequency:5785MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:242T Frequency:5825MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:242T Frequency:5745MHz
Ant:Chain1



Mode:802.11ax HE20 Tone:242T Frequency:5785MHz
Ant:Chain1



Mode:802.11ax HE20 Tone:242T Frequency:5825MHz
Ant:Chain1



Center Freq 5.755000000 GHz

Input: RF FWD: 1 out Trig: Free Run Ref: 20 dB

Auto Tune

Mkr1 5.737 52 GHz -12.988 dBm

10 dBd/Div Log

Ref Offset: 21.3 dB Ref: 15.00 dBm

Center Freq 5.755000000 GHz

Start Freq 5.736000000 GHz

Stop Freq 5.776000000 GHz


CF Step 4.000000 MHz

Freq Offset 0 Hz



Center 5.75500 GHz Span 40.000 MHz

#Res BW 100 kHz #VBW 300 kHz

#Sweep 50.0 ms (1001 pts)




Mode:802.11n HT40 Frequency:5795MHz Ant:Chain0




Mode:802.11n HT40 Frequency:5795MHz Ant:Chain1


Test Mode: 802.11ac VHT40




Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Tone:26T Frequency:5755MHz
Ant:Chain0




Mode:802.11ax HE40 Tone:26T Frequency:5795MHz
Ant:Chain0




Mode:802.11ax HE40 Tone:26T Frequency:5755MHz
Ant:Chain1



Mode:802.11ax HE40 Tone:26T Frequency:5795MHz
Ant:Chain1




Mode:802.11ax HE40 Tone:52T Frequency:5755MHz
Ant:Chain0




Mode:802.11ax HE40 Tone:52T Frequency:5795MHz
Ant:Chain0




Mode:802.11ax HE40 Tone:52T Frequency:5755MHz
Ant:Chain1




Mode:802.11ax HE40 Tone:52T Frequency:5795MHz
Ant:Chain1



Mode:802.11ax HE40 Tone:106T Frequency:5755MHz
Ant:Chain0



Mode:802.11ax HE40 Tone:106T Frequency:5795MHz
Ant:Chain0



Mode:802.11ax HE40 Tone:106T Frequency:5755MHz
Ant:Chain1




Mode:802.11ax HE40 Tone:106T Frequency:5795MHz
Ant:Chain1



Mode:802.11ax HE40 Tone:242T Frequency:5755MHz
Ant:Chain0



Mode:802.11ax HE40 Tone:242T Frequency:5795MHz
Ant:Chain0




Mode:802.11ax HE40 Tone:242T Frequency:5755MHz
Ant:Chain1



Mode:802.11ax HE40 Tone:242T Frequency:5795MHz
Ant:Chain1



Mode:802.11ax HE40 Tone:484T Frequency:5755MHz
Ant:Chain0




Mode:802.11ax HE40 Tone:484T Frequency:5795MHz
Ant:Chain0




No.: SRTC2023-9004(F)- 23042702(G)

FCC ID: APYHRO00326




Mode:802.11ax HE40 Tone:484T Frequency:5755MHz
Ant:Chain1




Mode:802.11ax HE40 Tone:484T Frequency:5795MHz
Ant:Chain1



Test Mode: 802.11ac VHT80



Test Mode: 802.11ax HE80





Mode:802.11ax HE80 Tone:242T Frequency:5775MHz
Ant:Chain0



Mode:802.11ax HE80 Tone:242T Frequency:5775MHz
Ant:Chain1




Mode:802.11ax HE80 Tone:484T Frequency:5775MHz
Ant:Chain0



Mode:802.11ax HE80 Tone:484T Frequency:5775MHz
Ant:Chain1



Mode:802.11ax HE80 Tone:996T Frequency:5775MHz
Ant:Chain0



Mode:802.11ax HE80 Tone:996T Frequency:5775MHz
Ant:Chain1