



Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)


Carrier frequency (MHz): 5570
Channel No.:114




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 1602.11ax(HE160)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Sample calculation: $(11.88\text{dB}\mu\text{V/m}) = (24.48\text{dB}\mu\text{V}) + (-12.6\text{dB/m})$, the corresponding frequency is 30.194MHz.

Partial RU (Tone26)

For 802.11ax(HE20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	11.88	-12.6	24.48	Vertical	40	28.12
81.022	16.43	-23.7	40.13	Vertical	40	23.57
111.2375	16.77	-21.6	38.37	Vertical	43.5	26.73
215.1245	8.31	-21.9	30.21	Vertical	43.5	35.19
523.6815	10.91	-11.7	22.61	Vertical	46	35.09
895.0945	16.36	-4.9	21.26	Vertical	46	29.64

For 802.11ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	11.74	-12.7	24.44	Vertical	40	28.26
81.0705	16.02	-23.7	39.72	Vertical	40	23.98
111.3345	17.98	-21.6	39.58	Vertical	43.5	25.52
215.464	8.48	-21.9	30.38	Vertical	43.5	35.02
520.723	10.94	-11.8	22.74	Vertical	46	35.06
953.537	17.02	-4	21.02	Vertical	46	28.98

For 802.11ax(HE20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

30	12.32	-12.6	24.92	Vertical	40	27.68
81.022	17.16	-23.7	40.86	Vertical	40	22.84
110.995	16.6	-21.6	38.2	Vertical	43.5	26.9
236.7555	8.9	-20.8	29.7	Vertical	46	37.1
551.4235	10.91	-11.2	22.11	Vertical	46	35.09
919.8295	16.85	-4.4	21.25	Vertical	46	29.15

For 802.11ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.26	-12.6	24.86	Vertical	40	27.74
81.1675	14.1	-23.7	37.8	Vertical	40	25.9
112.838	18.07	-21.5	39.57	Vertical	43.5	25.43
210.1775	7.74	-22.2	29.94	Vertical	43.5	35.76
517.5705	10.83	-11.8	22.63	Vertical	46	35.17
932.7305	17.07	-4.3	21.37	Vertical	46	28.93

For 802.11ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.0485	12.14	-12.6	24.74	Vertical	40	27.86
81.0705	16.33	-23.7	40.03	Vertical	40	23.67
111.4315	18.07	-21.6	39.67	Vertical	43.5	25.43
214.882	8.31	-21.9	30.21	Vertical	43.5	35.19
543.033	11.17	-11.3	22.47	Vertical	46	34.83
935.7375	16.99	-4.2	21.19	Vertical	46	29.01

For 802.11ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	11.68	-12.7	24.38	Vertical	40	28.32
80.9735	14.47	-23.7	38.17	Vertical	40	25.53
111.674	16.88	-21.6	38.48	Vertical	43.5	26.62
214.7365	8.27	-21.9	30.17	Vertical	43.5	35.23
524.5545	10.97	-11.7	22.67	Vertical	46	35.03
917.259	16.64	-4.5	21.14	Vertical	46	29.36

For 802.11ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.3	-12.6	24.9	Vertical	40	27.7
80.925	14.51	-23.7	38.21	Vertical	40	25.49
112.159	16.85	-21.6	38.45	Vertical	43.5	26.65
229.8685	10.34	-21.1	31.44	Vertical	46	35.66
549.9685	10.96	-11.2	22.16	Vertical	46	35.04
944.5645	17.08	-4.1	21.18	Vertical	46	28.92

For 802.11ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.1225	10.66	-14.6	25.26	Vertical	40	29.34
80.634	12.63	-23.7	36.33	Vertical	40	27.37
111.383	17.93	-21.6	39.53	Vertical	43.5	25.57
230.014	10.41	-21.1	31.51	Vertical	46	35.59
519.9955	10.95	-11.8	22.75	Vertical	46	35.05
889.7595	16.29	-4.9	21.19	Vertical	46	29.71

For 802.11ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.141	10.27	-15.1	25.37	Vertical	40	29.73
80.9735	16.28	-23.7	39.98	Vertical	40	23.72
113.5655	17.99	-21.5	39.49	Vertical	43.5	25.51
208.3345	6.98	-22.2	29.18	Vertical	43.5	36.52
556.419	10.8	-11.1	21.9	Vertical	46	35.2
935.4465	16.95	-4.2	21.15	Vertical	46	29.05

For 802.11ax(HE40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	11.73	-12.7	24.43	Vertical	40	28.27
81.022	16.64	-23.7	40.34	Vertical	40	23.36
112.1105	16.85	-21.6	38.45	Vertical	43.5	26.65
214.3485	7.95	-21.9	29.85	Vertical	43.5	35.55
548.853	11.09	-11.2	22.29	Vertical	46	34.91
929.675	16.86	-4.3	21.16	Vertical	46	29.14

For 802.11ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.13	-12.6	24.73	Vertical	40	27.87
81.022	16.33	-23.7	40.03	Vertical	40	23.67
112.9835	16.56	-21.5	38.06	Vertical	43.5	26.94
232.827	10.67	-21	31.67	Vertical	46	35.33
531.5385	11.07	-11.5	22.57	Vertical	46	34.93
943.4005	17.04	-4.2	21.24	Vertical	46	28.96

For 802.11ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.27	-12.6	24.87	Vertical	40	27.73
84.999	12.36	-23.3	35.66	Vertical	40	27.64
112.2075	16.85	-21.6	38.45	Vertical	43.5	26.65
231.76	11	-21.1	32.1	Vertical	46	35
552.733	10.93	-11.2	22.13	Vertical	46	35.07
899.0715	16.36	-4.8	21.16	Vertical	46	29.64

For 802.11ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.365	10.65	-14.8	25.45	Vertical	40	29.35
81.022	17.47	-23.7	41.17	Vertical	40	22.53
111.9165	18.03	-21.6	39.63	Vertical	43.5	25.47
214.397	9.58	-21.9	31.48	Vertical	43.5	33.92
517.3765	10.81	-11.8	22.61	Vertical	46	35.19
903.2425	16.51	-4.7	21.21	Vertical	46	29.49

For 802.11ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.33	-12.6	24.93	Vertical	40	27.67
85.096	13.24	-23.3	36.54	Vertical	40	26.76
112.935	16.58	-21.5	38.08	Vertical	43.5	26.92
215.6095	8.45	-21.9	30.35	Vertical	43.5	35.05
503.5055	10.34	-12	22.34	Vertical	46	35.66
912.2635	16.54	-4.6	21.14	Vertical	46	29.46

For 802.11ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.09	-12.6	24.69	Vertical	40	27.91
84.9505	12.2	-23.3	35.5	Vertical	40	27.8
109.346	14.95	-21.7	36.65	Vertical	43.5	28.55
231.954	10.87	-21	31.87	Vertical	46	35.13
516.1155	10.79	-11.7	22.49	Vertical	46	35.21
939.6175	17.01	-4.2	21.21	Vertical	46	28.99

For 802.11ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	11.99	-12.6	24.59	Vertical	40	28.01
80.9735	15.63	-23.7	39.33	Vertical	40	24.37
112.45	16.77	-21.6	38.37	Vertical	43.5	26.73

229.626	10.18	-21.1	31.28	Vertical	46	35.82
499.674	10.31	-12.1	22.41	Vertical	46	35.69
903.4365	16.46	-4.7	21.16	Vertical	46	29.54

For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	11.72	-12.7	24.42	Vertical	40	28.28
80.9735	16.44	-23.7	40.14	Vertical	40	23.56
112.8865	18.05	-21.5	39.55	Vertical	43.5	25.45
215.8035	9.68	-21.9	31.58	Vertical	43.5	33.82
547.204	11.09	-11.2	22.29	Vertical	46	34.91
908.6745	16.64	-4.6	21.24	Vertical	46	29.36

For 802.11ax(HE40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	11.84	-12.6	24.44	Vertical	40	28.16
78.9365	11.51	-23.9	35.41	Vertical	40	28.49
111.383	18.86	-21.6	40.46	Vertical	43.5	24.64
230.111	10.4	-21.1	31.5	Vertical	46	35.6
517.231	10.74	-11.8	22.54	Vertical	46	35.26
929.1415	16.83	-4.3	21.13	Vertical	46	29.17

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	12.01	-12.6	24.61	Vertical	40	27.99
80.828	14.22	-23.7	37.92	Vertical	40	25.78
113.4685	16.62	-21.5	38.12	Vertical	43.5	26.88
231.3235	10.88	-21.1	31.98	Vertical	46	35.12
516.2125	10.77	-11.7	22.47	Vertical	46	35.23
885.1035	16.04	-5.1	21.14	Vertical	46	29.96

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.298	10.24	-14.2	24.44	Vertical	40	29.76
84.999	12.26	-23.3	35.56	Vertical	40	27.74
111.8195	16.88	-21.6	38.48	Vertical	43.5	26.62
214.688	8.26	-21.9	30.16	Vertical	43.5	35.24
509.8105	10.51	-11.9	22.41	Vertical	46	35.49
930.548	16.88	-4.3	21.18	Vertical	46	29.12

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.462	10.79	-14.8	25.59	Vertical	40	29.21
80.9735	16.04	-23.7	39.74	Vertical	40	23.96
112.45	18.11	-21.6	39.71	Vertical	43.5	25.39
215.7065	9.29	-21.9	31.19	Vertical	43.5	34.21
550.1625	10.93	-11.2	22.13	Vertical	46	35.07
947.8625	17.1	-4.1	21.2	Vertical	46	28.9

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	11.8	-12.7	24.5	Vertical	40	28.2
81.7495	13.24	-23.6	36.84	Vertical	40	26.76
111.1405	16.68	-21.6	38.28	Vertical	43.5	26.82
210.226	6.85	-22.2	29.05	Vertical	43.5	36.65
518.783	10.85	-11.8	22.65	Vertical	46	35.15
956.4955	17	-4	21	Vertical	46	29

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.28	-12.6	24.88	Vertical	40	27.72
80.1005	12.4	-23.8	36.2	Vertical	40	27.6
113.323	16.4	-21.5	37.9	Vertical	43.5	27.1
232.4875	10.69	-21	31.69	Vertical	46	35.31
532.7025	11.13	-11.5	22.63	Vertical	46	34.87
946.262	17.05	-4.1	21.15	Vertical	46	28.95

For 802.11ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	11.44	-12.8	24.24	Vertical	40	28.56
85.0475	13.1	-23.3	36.4	Vertical	40	26.9
113.5655	16.23	-21.5	37.73	Vertical	43.5	27.27
222.739	9.37	-21.5	30.87	Vertical	46	36.63
524.797	11.04	-11.7	22.74	Vertical	46	34.96
956.7865	16.98	-4	20.98	Vertical	46	29.02

For 802.11ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.485	11.24	-12.8	24.04	Vertical	40	28.76
81.022	16.47	-23.7	40.17	Vertical	40	23.53
111.7225	16.89	-21.6	38.49	Vertical	43.5	26.61

231.9055	10.96	-21.1	32.06	Vertical	46	35.04
550.7445	10.91	-11.2	22.11	Vertical	46	35.09
941.994	17.05	-4.2	21.25	Vertical	46	28.95

For 802.11ax(HE40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.8315	10.55	-14.5	25.05	Vertical	40	29.45
81.022	16.44	-23.7	40.14	Vertical	40	23.56
111.4315	17.94	-21.6	39.54	Vertical	43.5	25.56
230.9355	10.86	-21.1	31.96	Vertical	46	35.14
526.3975	11.07	-11.6	22.67	Vertical	46	34.93
959.5025	16.97	-4	20.97	Vertical	46	29.03

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	11.95	-12.6	24.55	Vertical	40	28.05
81.022	16.36	-23.7	40.06	Vertical	40	23.64
110.801	16.44	-21.6	38.04	Vertical	43.5	27.06
214.8335	8.24	-21.9	30.14	Vertical	43.5	35.26
510.1985	10.57	-11.9	22.47	Vertical	46	35.43
728.4	13.21	-7.8	21.01	Vertical	46	32.79

For 802.11ax(HE160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.0485	12.15	-12.6	24.75	Vertical	40	27.85
81.119	13.96	-23.7	37.66	Vertical	40	26.04
112.4985	16.79	-21.6	38.39	Vertical	43.5	26.71
224.485	9.78	-21.4	31.18	Vertical	46	36.22
547.9315	11.09	-11.2	22.29	Vertical	46	34.91
778.7915	14.33	-6.7	21.03	Vertical	46	31.67

For 802.11ax(HE160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	11.97	-12.6	24.57	Vertical	40	28.03
80.343	12.68	-23.8	36.48	Vertical	40	27.32
111.383	18	-21.6	39.6	Vertical	43.5	25.5
209.2075	7.02	-22.2	29.22	Vertical	43.5	36.48
509.0345	10.59	-11.9	22.49	Vertical	46	35.41
913.0395	16.61	-4.5	21.11	Vertical	46	29.39

Partial RU (Tone26)

For 802.11be(EHT20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.8245	23.88	17.7	6.18	Vertical	40	16.12
60.458	21.61	6.4	15.21	Vertical	40	18.39
143.975	29.78	13.1	16.68	Vertical	43.5	13.72
207.704	27.45	10.8	16.65	Vertical	43.5	16.05
433.4715	25.67	17.7	7.97	Vertical	46	20.33
939.569	29.29	24.4	4.89	Vertical	46	16.71

For 802.11be(EHT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.0485	24.32	17.9	6.42	Vertical	40	15.68
61.816	24.24	6.6	17.64	Vertical	40	15.76
110.995	30.56	11.4	19.16	Vertical	43.5	12.94
215.949	29.28	11.9	17.38	Vertical	43.5	14.22
437.2545	25.88	18.1	7.78	Vertical	46	20.12
920.169	28.3	23.9	4.4	Vertical	46	17.7

For 802.11be(EHT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.6305	24.02	17.8	6.22	Vertical	40	15.98
63.368	22.41	6.6	15.81	Vertical	40	17.59

143.975	29.8	13.1	16.7	Vertical	43.5	13.7
215.9975	30.06	11.9	18.16	Vertical	43.5	13.44
433.9565	25.72	17.8	7.92	Vertical	46	20.28
936.9985	29.21	24.4	4.81	Vertical	46	16.79

For 802.11be(EHT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	24.31	17.9	6.41	Vertical	40	15.69
62.495	23.86	6.7	17.16	Vertical	40	16.14
111.48	31.32	11.5	19.82	Vertical	43.5	12.18
284.6735	27.68	15	12.68	Vertical	46	18.32
433.3745	25.71	17.7	8.01	Vertical	46	20.29
946.0195	29.03	24.3	4.73	Vertical	46	16.97

For 802.11be(EHT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	24.21	17.9	6.31	Vertical	40	15.79
61.0885	23.33	6.5	16.83	Vertical	40	16.67
143.975	29.79	13.1	16.69	Vertical	43.5	13.71
204.115	26.3	10.7	15.6	Vertical	43.5	17.2
437.303	25.95	18.1	7.85	Vertical	46	20.05
937.6775	29.29	24.4	4.89	Vertical	46	16.71

For 802.11be(EHT80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.3095	23.76	17.6	6.16	Vertical	40	16.24
63.3195	22.87	6.7	16.17	Vertical	40	17.13
143.8295	29.55	13	16.55	Vertical	43.5	13.95
215.9975	30.1	11.9	18.2	Vertical	43.5	13.4
436.624	25.88	18	7.88	Vertical	46	20.12
934.816	29.2	24.3	4.9	Vertical	46	16.8

For 802.11be(EHT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.164	23.89	17.7	6.19	Vertical	40	16.11
61.816	24.16	6.6	17.56	Vertical	40	15.84
111.5285	31.31	11.5	19.81	Vertical	43.5	12.19
215.9975	29.98	11.9	18.08	Vertical	43.5	13.52
443.9475	26.14	18.5	7.64	Vertical	46	19.86
933.6035	29.14	24.3	4.84	Vertical	46	16.86

For 802.11be(EHT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.007	23.36	17.1	6.26	Vertical	40	16.64
83.4955	21.63	8.4	13.23	Vertical	40	18.37
111.48	31.15	11.5	19.65	Vertical	43.5	12.35
208.674	28.04	10.8	17.24	Vertical	43.5	15.46
438.176	26	18.2	7.8	Vertical	46	20
951.7425	29.04	24.4	4.64	Vertical	46	16.96

For 802.11be(EHT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.776	23.92	17.7	6.22	Vertical	40	16.08
62.01	21.65	6.6	15.05	Vertical	40	18.35
111.5285	29.81	11.5	18.31	Vertical	43.5	13.69
209.2075	27.5	10.8	16.7	Vertical	43.5	16
436.236	25.86	18	7.86	Vertical	46	20.14
938.7445	29.3	24.4	4.9	Vertical	46	16.7

For 802.11be(EHT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.97	23.91	17.7	6.21	Vertical	40	16.09
61.234	21.79	6.5	15.29	Vertical	40	18.21
116.233	28.16	11.6	16.56	Vertical	43.5	15.34
215.7065	28.05	11.9	16.15	Vertical	43.5	15.45
442.929	26.17	18.4	7.77	Vertical	46	19.83
956.0105	29.01	24.5	4.51	Vertical	46	16.99

For 802.11be(EHT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6975	23.6	17.5	6.1	Vertical	40	16.4
61.234	21.84	6.5	15.34	Vertical	40	18.16
111.5285	29.87	11.5	18.37	Vertical	43.5	13.63
209.4015	27.5	10.8	16.7	Vertical	43.5	16
441.6195	26.16	18.4	7.76	Vertical	46	19.84
941.509	29.29	24.4	4.89	Vertical	46	16.71

For 802.11be(EHT80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.746	39.36	17.5	21.86	Vertical	40	0.64
62.6405	23.36	6.7	16.66	Vertical	40	16.64

143.975	29.73	13.1	16.63	Vertical	43.5	13.77
208.674	27.33	10.8	16.53	Vertical	43.5	16.17
441.7165	26.18	18.4	7.78	Vertical	46	19.82
956.835	28.9	24.4	4.5	Vertical	46	17.1

For 802.11be(EHT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.455	23.68	17.6	6.08	Vertical	40	16.32
60.264	21.57	6.3	15.27	Vertical	40	18.43
143.975	29.75	13.1	16.65	Vertical	43.5	13.75
215.8035	28.87	11.9	16.97	Vertical	43.5	14.63
425.6145	25.36	17.2	8.16	Vertical	46	20.64
933.0215	29.11	24.3	4.81	Vertical	46	16.89

For 802.11be(EHT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.2125	23.75	17.7	6.05	Vertical	40	16.25
61.234	21.89	6.5	15.39	Vertical	40	18.11
143.975	29.75	13.1	16.65	Vertical	43.5	13.75
215.755	28.24	11.9	16.34	Vertical	43.5	15.26
433.811	25.74	17.8	7.94	Vertical	46	20.26
948.3475	29.06	24.3	4.76	Vertical	46	16.94

For 802.11be(EHT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.231	23.64	17.4	6.24	Vertical	40	16.36
60.8945	20.31	6.5	13.81	Vertical	40	19.69
143.975	29.78	13.1	16.68	Vertical	43.5	13.72
215.9975	29.79	11.9	17.89	Vertical	43.5	13.71
426.2935	25.44	17.3	8.14	Vertical	46	20.56
934.6705	29.2	24.3	4.9	Vertical	46	16.8

For 802.11be(EHT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	24.17	17.9	6.27	Vertical	40	15.83
63.368	22.45	6.6	15.85	Vertical	40	17.55
143.975	29.73	13.1	16.63	Vertical	43.5	13.77
215.076	27.68	11.8	15.88	Vertical	43.5	15.82
439.825	26.13	18.4	7.73	Vertical	46	19.87
925.698	28.84	24.1	4.74	Vertical	46	17.16

For 802.11be(EHT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.7275	23.97	17.8	6.17	Vertical	40	16.03
61.816	24.21	6.6	17.61	Vertical	40	15.79
111.48	29.53	11.5	18.03	Vertical	43.5	13.97
209.062	27.77	10.8	16.97	Vertical	43.5	15.74
435.6055	25.75	17.9	7.85	Vertical	46	20.25
947.3775	29.09	24.3	4.79	Vertical	46	16.91

For 802.11be(EHT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	24.2	17.9	6.3	Vertical	40	15.8
61.04	23.3	6.5	16.8	Vertical	40	16.7
111.965	29.49	11.5	17.99	Vertical	43.5	14.01
215.755	28.32	11.9	16.42	Vertical	43.5	15.18
437.4485	25.97	18.1	7.87	Vertical	46	20.03
943.8855	29.2	24.3	4.9	Vertical	46	16.8

For 802.11be(EHT80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.134	23.44	17.4	6.04	Vertical	40	16.56
83.253	19.34	8.4	10.94	Vertical	40	20.66
143.975	29.72	13.1	16.62	Vertical	43.5	13.78
215.9975	29.76	11.9	17.86	Vertical	43.5	13.74
440.0675	26.2	18.4	7.8	Vertical	46	19.8
889.808	27.72	23.8	3.92	Vertical	46	18.28

For 802.11be(EHT80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	24.05	17.8	6.25	Vertical	40	15.95
63.174	21.99	6.7	15.29	Vertical	40	18.01
117.7365	28.77	12	16.77	Vertical	43.5	14.73
215.852	28.94	11.9	17.04	Vertical	43.5	14.56
440.892	26.14	18.4	7.74	Vertical	46	19.86
948.687	29	24.3	4.7	Vertical	46	17

For 802.11be(EHT80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
31.746	23.66	17.5	6.16	Vertical	40	16.34
64.047	21.14	6.6	14.54	Vertical	40	18.86
144.169	29.39	13.1	16.29	Vertical	43.5	14.11
215.8035	28.81	11.9	16.91	Vertical	43.5	14.69
503.9905	26.38	18.4	7.98	Vertical	46	19.62
940.733	29.32	24.4	4.92	Vertical	46	16.68

For 802.11be(EHT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.261	23.78	17.6	6.18	Vertical	40	16.22
63.271	23.02	6.7	16.32	Vertical	40	16.98
143.781	27.5	13	14.5	Vertical	43.5	16
215.7065	28.08	11.9	16.18	Vertical	43.5	15.42
440.116	26.19	18.4	7.79	Vertical	46	19.81
907.2195	28.07	24.1	3.97	Vertical	46	17.93

For 802.11be(EHT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.358	23.8	17.6	6.2	Vertical	40	16.2
61.719	22.99	6.6	16.39	Vertical	40	17.01
113.614	28.52	11.5	17.02	Vertical	43.5	14.98
214.5425	27.48	11.8	15.68	Vertical	43.5	16.02
435.363	25.71	17.9	7.81	Vertical	46	20.29
908.529	28.17	24.1	4.07	Vertical	46	17.83

For 802.11be(EHT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.3095	23.74	17.6	6.14	Vertical	40	16.26
62.495	23.94	6.7	17.24	Vertical	40	16.06
143.975	29.82	13.1	16.72	Vertical	43.5	13.68
215.755	27.68	11.9	15.78	Vertical	43.5	15.82
423.8685	25.32	17.1	8.22	Vertical	46	20.68
935.592	29.31	24.4	4.91	Vertical	46	16.69

For 802.11be(EHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	24.19	17.8	6.39	Vertical	40	15.81
61.1855	22.71	6.5	16.21	Vertical	40	17.29
143.975	29.8	13.1	16.7	Vertical	43.5	13.7
209.45	27.81	10.8	17.01	Vertical	43.5	15.69

441.5225	26.15	18.4	7.75	Vertical	46	19.85
943.74	29.24	24.3	4.94	Vertical	46	16.76

For 802.11be(EHT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.037	23.48	17.4	6.08	Vertical	40	16.52
83.9805	19.04	8.4	10.64	Vertical	40	20.96
115.6995	26.75	11.5	15.25	Vertical	43.5	16.75
280.5025	28.05	14.8	13.25	Vertical	46	17.95
438.6125	26.04	18.3	7.74	Vertical	46	19.96
709.7275	24.4	21.1	3.3	Vertical	46	21.6

For 802.11be(EHT80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	24.22	17.9	6.32	Vertical	40	15.78
83.8835	19.05	8.4	10.65	Vertical	40	20.95
117.882	27.44	12.1	15.34	Vertical	43.5	16.06
276.5255	28.58	14.8	13.78	Vertical	46	17.42
430.1735	25.62	17.6	8.02	Vertical	46	20.38
934.719	29.28	24.3	4.98	Vertical	46	16.72


For 802.11be(EHT160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.328	23.57	17.4	6.17	Vertical	40	16.43
83.544	19.05	8.4	10.65	Vertical	40	20.95
111.4315	27.53	11.4	16.13	Vertical	43.5	15.97
214.4455	26.2	11.7	14.5	Vertical	43.5	17.3
425.1295	25.29	17.2	8.09	Vertical	46	20.71
959.842	28.71	24.3	4.41	Vertical	46	17.29

For 802.11be(EHT160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.358	23.7	17.6	6.1	Vertical	40	16.3
83.544	19.02	8.4	10.62	Vertical	40	20.98
111.868	26.96	11.5	15.46	Vertical	43.5	16.54
213.3785	26.32	11.5	14.82	Vertical	43.5	17.18
440.892	26.14	18.4	7.74	Vertical	46	19.86
921.139	28.42	23.9	4.52	Vertical	46	17.58

Full Spectrum



Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worstfeatures, the result show above is the worst case.

Carrier frequency (MHz): 5180


Channel No.:36

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5220
Channel No.44




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5190
Channel No.:38




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5230
Channel No.:46




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5210
Channel No.:42

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5260
Channel No.:52




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5300
Channel No.:60

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5320
Channel No.:64




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5270
Channel No.:54




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5310
Channel No.:62




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5290
Channel No.:58




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5500
Channel No.:100




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5600
Channel No.:120




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5700
Channel No.:140




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5510
Channel No.:102




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5590
Channel No.:118




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5670
Channel No.:134




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5530
Channel No.:106




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5610
Channel No.:122




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5690
Channel No.:138




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5745
Channel No.:149




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5785
Channel No.:157




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5825
Channel No.:165

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5755
Channel No.:151




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5795
Channel No.:159




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ax(HE40)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5775
Channel No.:155