





Test Report No.: RF260330B003

Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV






Test Report No.: RF260330B003

Band41_20MHz_16QAM_LCH_2506MHz_RB_1_0_NTNV



Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.487	-30.49	-25	Pass
2490.5	2495	1	CHP	2	2494.486	-28.40	-13	Pass
2495	2496	0.195	CHP	3	2495.788	-33.10	-13	Pass
2496	2516	0.195	CHP	/	/	/	/	/




Test Report No.: RF260330B003

Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV






Test Report No.: RF260330B003






Test Report No.: RF260330B003

Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_1_0_NTNV






Test Report No.: RF260330B003

Band41_20MHz_16QAM_HCH_2680MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.490	-37.13	-10	Pass
2691	2695	1	CHP	2	2691.580	-34.25	-10	Pass
2695	2710.105	1	CHP	3	2695.880	-38.73	-13	Pass
2710.105	2715	1	CHP	4	2712.945	-44.43	-25	Pass

Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.402	CHP	/	/	/	/	/
2690	2691	0.402	CHP	1	2690.160	-28.54	-10	Pass
2691	2695	1	CHP	2	2691.825	-27.09	-10	Pass
2695	2710.105	1	CHP	3	2695.020	-28.49	-13	Pass
2710.105	2715	1	CHP	4	2710.995	-39.64	-25	Pass

Band41_20MHz_64QAM_LCH_2506MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.445	-39.23	-25	Pass
2490.5	2495	1	CHP	2	2494.410	-33.38	-13	Pass
2495	2496	0.01	/	3	2495.990	-41.15	-13	Pass
2496	2516	0.01	/	/	/	/	/	/

Band41_20MHz_64QAM_LCH_2506MHz_RB_1_0_NTNV






Test Report No.: RF260330B003






Test Report No.: RF260330B003

Band41_20MHz_64QAM_LCH_2506MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.487	-30.53	-25	Pass
2490.5	2495	1	CHP	2	2494.300	-26.23	-13	Pass
2495	2496	0.198	CHP	3	2495.912	-31.99	-13	Pass
2496	2516	0.198	CHP	/	/	/	/	/


Band41_20MHz_64QAM_MCH_2593MHz_RB_1_0_NTNV






Test Report No.: RF260330B003

Band41_20MHz_64QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_64QAM_MCH_2593MHz_RB_1_0_NTNV






Test Report No.: RF260330B003

Band41_20MHz_64QAM_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_64QAM_HCH_2680MHz_RB_1_0_NTNV






Test Report No.: RF260330B003

Band41_20MHz_64QAM_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_64QAM_HCH_2680MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.125	-36.71	-10	Pass
2691	2695	1	CHP	2	2691.625	-34.90	-10	Pass
2695	2710.453	1	CHP	3	2696.010	-38.42	-13	Pass
2710.453	2715	1	CHP	4	2712.670	-44.54	-25	Pass



Test Report No.: RF260330B003





Test Report No.: RF260330B003

LTE BAND66

FREQUENCY STABILITY

Test Result

1.4MHz

Band: 66 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1710.7	6	0	20	3.4	-11.800	-0.0069	-2.5 to 2.5	Pass
					4	-9.700	-0.0057	-2.5 to 2.5	Pass
					4.6	-5.900	-0.0034	-2.5 to 2.5	Pass
				5	4	-10.500	-0.0061	-2.5 to 2.5	Pass
				15	4	-10.100	-0.0059	-2.5 to 2.5	Pass
				25	4	-10.200	-0.0060	-2.5 to 2.5	Pass
				35	4	-8.500	-0.0050	-2.5 to 2.5	Pass
	1745	6	0	20	3.4	4.100	0.0023	-2.5 to 2.5	Pass
					4	-2.100	-0.0012	-2.5 to 2.5	Pass
					4.6	-2.100	-0.0012	-2.5 to 2.5	Pass
				5	4	-8.200	-0.0047	-2.5 to 2.5	Pass
				15	4	11.300	0.0065	-2.5 to 2.5	Pass
				25	4	4.800	0.0028	-2.5 to 2.5	Pass
				35	4	0.500	0.0003	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.4	8.600	0.0048	-2.5 to 2.5	Pass
					4	9.000	0.0051	-2.5 to 2.5	Pass
					4.6	8.000	0.0045	-2.5 to 2.5	Pass
				5	4	7.900	0.0044	-2.5 to 2.5	Pass
				15	4	9.600	0.0054	-2.5 to 2.5	Pass
				25	4	6.800	0.0038	-2.5 to 2.5	Pass
				35	4	5.400	0.0030	-2.5 to 2.5	Pass
16QAM	1710.7	6	0	20	3.4	-9.900	-0.0058	-2.5 to 2.5	Pass
					4	-6.200	-0.0036	-2.5 to 2.5	Pass
					4.6	-9.800	-0.0057	-2.5 to 2.5	Pass
				5	4	-6.800	-0.0040	-2.5 to 2.5	Pass
				15	4	-4.000	-0.0023	-2.5 to 2.5	Pass
				25	4	-9.000	-0.0053	-2.5 to 2.5	Pass
				35	4	-5.700	-0.0033	-2.5 to 2.5	Pass
	1745	6	0	20	3.4	6.200	0.0036	-2.5 to 2.5	Pass
					4	6.400	0.0037	-2.5 to 2.5	Pass
					4.6	7.800	0.0045	-2.5 to 2.5	Pass
				5	4	5.800	0.0033	-2.5 to 2.5	Pass
				15	4	2.000	0.0011	-2.5 to 2.5	Pass
				25	4	7.400	0.0042	-2.5 to 2.5	Pass
				35	4	14.500	0.0083	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.4	4.900	0.0028	-2.5 to 2.5	Pass
					4	5.600	0.0031	-2.5 to 2.5	Pass
					4.6	3.000	0.0017	-2.5 to 2.5	Pass
				5	4	5.800	0.0033	-2.5 to 2.5	Pass



Test Report No.: RF260330B003

64QAM	1710.7	6	0	15	4	4.200	0.0024	-2.5 to 2.5	Pass
				25	4	6.500	0.0037	-2.5 to 2.5	Pass
				35	4	4.700	0.0026	-2.5 to 2.5	Pass
				20	3.4	-186.900	-0.1093	-2.5 to 2.5	Pass
					4	181.500	0.1061	-2.5 to 2.5	Pass
					4.6	172.200	0.1007	-2.5 to 2.5	Pass
				5	4	-200.400	-0.1171	-2.5 to 2.5	Pass
				15	4	176.200	0.1030	-2.5 to 2.5	Pass
				25	4	183.200	0.1071	-2.5 to 2.5	Pass
				35	4	189.400	0.1107	-2.5 to 2.5	Pass
	1745	6	0	20	3.4	135.100	0.0774	-2.5 to 2.5	Pass
					4	185.500	0.1063	-2.5 to 2.5	Pass
					4.6	201.200	0.1153	-2.5 to 2.5	Pass
				5	4	119.900	0.0687	-2.5 to 2.5	Pass
				15	4	177.100	0.1015	-2.5 to 2.5	Pass
				25	4	-192.000	-0.1100	-2.5 to 2.5	Pass
				35	4	-15.200	-0.0087	-2.5 to 2.5	Pass
				20	3.4	-185.000	-0.1040	-2.5 to 2.5	Pass
					4	24.000	0.0135	-2.5 to 2.5	Pass
					4.6	-20.600	-0.0116	-2.5 to 2.5	Pass
	1779.3	6	0	5	4	-183.400	-0.1031	-2.5 to 2.5	Pass
				15	4	-19.700	-0.0111	-2.5 to 2.5	Pass
				25	4	-114.800	-0.0645	-2.5 to 2.5	Pass
				35	4	-98.400	-0.0553	-2.5 to 2.5	Pass

3MHz

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.4	0.200	0.0001	-2.5 to 2.5	Pass
					4	-0.300	-0.0002	-2.5 to 2.5	Pass
					4.6	1.300	0.0008	-2.5 to 2.5	Pass
				5	4	2.800	0.0016	-2.5 to 2.5	Pass
				15	4	0.700	0.0004	-2.5 to 2.5	Pass
				25	4	-0.400	-0.0002	-2.5 to 2.5	Pass
				35	4	-1.200	-0.0007	-2.5 to 2.5	Pass
	1745	15	0	20	3.4	-1.100	-0.0006	-2.5 to 2.5	Pass
					4	0.200	0.0001	-2.5 to 2.5	Pass
					4.6	1.100	0.0006	-2.5 to 2.5	Pass
				5	4	0.500	0.0003	-2.5 to 2.5	Pass
				15	4	0.600	0.0003	-2.5 to 2.5	Pass
				25	4	0.000	0.0000	-2.5 to 2.5	Pass
				35	4	-0.200	-0.0001	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.4	-2.300	-0.0013	-2.5 to 2.5	Pass
					4	-0.200	-0.0001	-2.5 to 2.5	Pass
					4.6	0.900	0.0005	-2.5 to 2.5	Pass
				5	4	-0.900	-0.0005	-2.5 to 2.5	Pass
				15	4	-2.000	-0.0011	-2.5 to 2.5	Pass
				25	4	1.600	0.0009	-2.5 to 2.5	Pass
				35	4	0.000	0.0000	-2.5 to 2.5	Pass
16QAM	1711.5	15	0	20	3.4	-0.300	-0.0002	-2.5 to 2.5	Pass
					4	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.6	2.700	0.0016	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th
Road, Chiwan Community, Zhaoshang Street, Nanshan
District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260330B003

	1745	15	0	5	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				15	4	0.900	0.0005	-2.5 to 2.5	Pass
				25	4	2.000	0.0012	-2.5 to 2.5	Pass
				35	4	-1.900	-0.0011	-2.5 to 2.5	Pass
				20	3.4	0.900	0.0005	-2.5 to 2.5	Pass
					4	0.300	0.0002	-2.5 to 2.5	Pass
					4.6	1.300	0.0007	-2.5 to 2.5	Pass
				5	4	-2.000	-0.0011	-2.5 to 2.5	Pass
				15	4	-1.500	-0.0009	-2.5 to 2.5	Pass
				25	4	-1.200	-0.0007	-2.5 to 2.5	Pass
				35	4	-0.800	-0.0005	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.4	-1.400	-0.0008	-2.5 to 2.5	Pass
					4	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.6	-3.000	-0.0017	-2.5 to 2.5	Pass
				5	4	-2.000	-0.0011	-2.5 to 2.5	Pass
				15	4	-0.400	-0.0002	-2.5 to 2.5	Pass
				25	4	-2.700	-0.0015	-2.5 to 2.5	Pass
				35	4	-0.500	-0.0003	-2.5 to 2.5	Pass
	64QAM	1711.5	15	20	3.4	-47.000	-0.0275	-2.5 to 2.5	Pass
					4	-27.200	-0.0159	-2.5 to 2.5	Pass
					4.6	-13.500	-0.0079	-2.5 to 2.5	Pass
				5	4	-88.700	-0.0518	-2.5 to 2.5	Pass
				15	4	18.200	0.0106	-2.5 to 2.5	Pass
				25	4	-74.400	-0.0435	-2.5 to 2.5	Pass
				35	4	-124.300	-0.0726	-2.5 to 2.5	Pass
		1745	15	20	3.4	-73.600	-0.0422	-2.5 to 2.5	Pass
					4	41.700	0.0239	-2.5 to 2.5	Pass
					4.6	28.600	0.0164	-2.5 to 2.5	Pass
				5	4	-44.000	-0.0252	-2.5 to 2.5	Pass
				15	4	23.500	0.0135	-2.5 to 2.5	Pass
				25	4	21.300	0.0122	-2.5 to 2.5	Pass
				35	4	-81.200	-0.0465	-2.5 to 2.5	Pass
		1778.5	15	20	3.4	-76.600	-0.0431	-2.5 to 2.5	Pass
					4	10.500	0.0059	-2.5 to 2.5	Pass
					4.6	2.300	0.0013	-2.5 to 2.5	Pass
				5	4	1.700	0.0010	-2.5 to 2.5	Pass
				15	4	-41.400	-0.0233	-2.5 to 2.5	Pass
				25	4	48.400	0.0272	-2.5 to 2.5	Pass
				35	4	85.600	0.0481	-2.5 to 2.5	Pass

5MHz

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.4	-2.500	-0.0015	-2.5 to 2.5	Pass
					4	-2.500	-0.0015	-2.5 to 2.5	Pass
					4.6	-2.700	-0.0016	-2.5 to 2.5	Pass
				5	4	-1.500	-0.0009	-2.5 to 2.5	Pass
				15	4	-0.500	-0.0003	-2.5 to 2.5	Pass
				25	4	-1.400	-0.0008	-2.5 to 2.5	Pass
				35	4	0.200	0.0001	-2.5 to 2.5	Pass
	1745	25	0	20	3.4	0.600	0.0003	-2.5 to 2.5	Pass
					4	-0.800	-0.0005	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th
Road, Chiwan Community, Zhaoshang Street, Nanshan
District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260330B003

					4.6	-0.900	-0.0005	-2.5 to 2.5	Pass
				5	4	-0.600	-0.0003	-2.5 to 2.5	Pass
				15	4	0.300	0.0002	-2.5 to 2.5	Pass
				25	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				35	4	-1.800	-0.0010	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.4	0.200	0.0001	-2.5 to 2.5	Pass
					4	0.000	0.0000	-2.5 to 2.5	Pass
					4.6	-1.700	-0.0010	-2.5 to 2.5	Pass
				5	4	-0.300	-0.0002	-2.5 to 2.5	Pass
				15	4	-0.500	-0.0003	-2.5 to 2.5	Pass
				25	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				35	4	-0.200	-0.0001	-2.5 to 2.5	Pass
				20	3.4	-3.000	-0.0018	-2.5 to 2.5	Pass
					4	-2.400	-0.0014	-2.5 to 2.5	Pass
					4.6	-3.800	-0.0022	-2.5 to 2.5	Pass
16QAM	1712.5	25	0	5	4	-1.200	-0.0007	-2.5 to 2.5	Pass
				15	4	-0.300	-0.0002	-2.5 to 2.5	Pass
				25	4	-1.200	-0.0007	-2.5 to 2.5	Pass
				35	4	-0.500	-0.0003	-2.5 to 2.5	Pass
	1745	25	0	20	3.4	0.000	0.0000	-2.5 to 2.5	Pass
					4	-0.800	-0.0005	-2.5 to 2.5	Pass
					4.6	0.600	0.0003	-2.5 to 2.5	Pass
				5	4	0.300	0.0002	-2.5 to 2.5	Pass
				15	4	-0.500	-0.0003	-2.5 to 2.5	Pass
				25	4	-1.100	-0.0006	-2.5 to 2.5	Pass
				35	4	0.100	0.0001	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.4	0.000	0.0000	-2.5 to 2.5	Pass
					4	-0.700	-0.0004	-2.5 to 2.5	Pass
					4.6	0.800	0.0005	-2.5 to 2.5	Pass
				5	4	-1.000	-0.0006	-2.5 to 2.5	Pass
				15	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				25	4	0.000	0.0000	-2.5 to 2.5	Pass
				35	4	0.400	0.0002	-2.5 to 2.5	Pass
64QAM	1712.5	25	0	20	3.4	-12.700	-0.0074	-2.5 to 2.5	Pass
					4	-36.800	-0.0215	-2.5 to 2.5	Pass
					4.6	36.800	0.0215	-2.5 to 2.5	Pass
				5	4	19.700	0.0115	-2.5 to 2.5	Pass
				15	4	-22.500	-0.0131	-2.5 to 2.5	Pass
				25	4	-33.000	-0.0193	-2.5 to 2.5	Pass
				35	4	24.400	0.0142	-2.5 to 2.5	Pass
	1745	25	0	20	3.4	10.100	0.0058	-2.5 to 2.5	Pass
					4	20.400	0.0117	-2.5 to 2.5	Pass
					4.6	-11.500	-0.0066	-2.5 to 2.5	Pass
				5	4	-3.000	-0.0017	-2.5 to 2.5	Pass
				15	4	7.900	0.0045	-2.5 to 2.5	Pass
				25	4	6.300	0.0036	-2.5 to 2.5	Pass
				35	4	49.000	0.0281	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.4	-14.900	-0.0084	-2.5 to 2.5	Pass
					4	23.300	0.0131	-2.5 to 2.5	Pass
					4.6	-33.500	-0.0188	-2.5 to 2.5	Pass
				5	4	24.200	0.0136	-2.5 to 2.5	Pass
				15	4	15.900	0.0089	-2.5 to 2.5	Pass
				25	4	-9.300	-0.0052	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th
Road, Chiwan Community, Zhaoshang Street, Nanshan
District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260330B003

				35	4	-5.700	-0.0032	-2.5 to 2.5	Pass
--	--	--	--	----	---	--------	---------	-------------	------

10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.4	-3.200	-0.0019	-2.5 to 2.5	Pass
					4	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.6	1.000	0.0006	-2.5 to 2.5	Pass
				5	4	-1.600	-0.0009	-2.5 to 2.5	Pass
				15	4	-2.200	-0.0013	-2.5 to 2.5	Pass
				25	4	-1.600	-0.0009	-2.5 to 2.5	Pass
				35	4	0.100	0.0001	-2.5 to 2.5	Pass
	1745	50	0	20	3.4	0.100	0.0001	-2.5 to 2.5	Pass
					4	-1.200	-0.0007	-2.5 to 2.5	Pass
					4.6	3.400	0.0019	-2.5 to 2.5	Pass
				5	4	-1.200	-0.0007	-2.5 to 2.5	Pass
				15	4	-1.600	-0.0009	-2.5 to 2.5	Pass
				25	4	-1.000	-0.0006	-2.5 to 2.5	Pass
				35	4	0.300	0.0002	-2.5 to 2.5	Pass
	1775	50	0	20	3.4	-1.700	-0.0010	-2.5 to 2.5	Pass
					4	-3.000	-0.0017	-2.5 to 2.5	Pass
					4.6	-4.900	-0.0028	-2.5 to 2.5	Pass
				5	4	-1.700	-0.0010	-2.5 to 2.5	Pass
				15	4	-1.300	-0.0007	-2.5 to 2.5	Pass
				25	4	-2.800	-0.0016	-2.5 to 2.5	Pass
16QAM	1715	50	0	20	3.4	-2.600	-0.0015	-2.5 to 2.5	Pass
					4	-0.300	-0.0002	-2.5 to 2.5	Pass
					4.6	-1.200	-0.0007	-2.5 to 2.5	Pass
				5	4	-2.300	-0.0013	-2.5 to 2.5	Pass
				15	4	0.200	0.0001	-2.5 to 2.5	Pass
				25	4	-2.800	-0.0016	-2.5 to 2.5	Pass
				35	4	0.200	0.0001	-2.5 to 2.5	Pass
	1745	50	0	20	3.4	-1.300	-0.0007	-2.5 to 2.5	Pass
					4	0.100	0.0001	-2.5 to 2.5	Pass
					4.6	-1.200	-0.0007	-2.5 to 2.5	Pass
				5	4	-1.200	-0.0007	-2.5 to 2.5	Pass
				15	4	-0.100	-0.0001	-2.5 to 2.5	Pass
				25	4	-1.700	-0.0010	-2.5 to 2.5	Pass
				35	4	-1.800	-0.0010	-2.5 to 2.5	Pass
	1775	50	0	20	3.4	-2.900	-0.0016	-2.5 to 2.5	Pass
					4	-0.600	-0.0003	-2.5 to 2.5	Pass
					4.6	-1.600	-0.0009	-2.5 to 2.5	Pass
				5	4	0.300	0.0002	-2.5 to 2.5	Pass
				15	4	-0.800	-0.0005	-2.5 to 2.5	Pass
				25	4	-1.800	-0.0010	-2.5 to 2.5	Pass
64QAM	1715	50	0	20	3.4	-27.500	-0.0160	-2.5 to 2.5	Pass
					4	-14.700	-0.0086	-2.5 to 2.5	Pass
					4.6	1.400	0.0008	-2.5 to 2.5	Pass
				5	4	-21.400	-0.0125	-2.5 to 2.5	Pass
				15	4	0.300	0.0002	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th
Road, Chiwan Community, Zhaoshang Street, Nanshan
District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260330B003

	1745	50	0	25	4	14.000	0.0082	-2.5 to 2.5	Pass
				35	4	3.100	0.0018	-2.5 to 2.5	Pass
				20	3.4	9.000	0.0052	-2.5 to 2.5	Pass
					4	26.500	0.0152	-2.5 to 2.5	Pass
					4.6	7.000	0.0040	-2.5 to 2.5	Pass
				5	4	-21.300	-0.0122	-2.5 to 2.5	Pass
				15	4	15.000	0.0086	-2.5 to 2.5	Pass
	1775	50	0	25	4	-13.000	-0.0074	-2.5 to 2.5	Pass
				35	4	-25.700	-0.0147	-2.5 to 2.5	Pass
				20	3.4	-13.000	-0.0073	-2.5 to 2.5	Pass
					4	-3.500	-0.0020	-2.5 to 2.5	Pass
					4.6	-21.000	-0.0118	-2.5 to 2.5	Pass
				5	4	-15.800	-0.0089	-2.5 to 2.5	Pass
				15	4	-18.100	-0.0102	-2.5 to 2.5	Pass
				25	4	5.500	0.0031	-2.5 to 2.5	Pass
				35	4	-4.300	-0.0024	-2.5 to 2.5	Pass

15MHz

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.4	-0.900	-0.0005	-2.5 to 2.5	Pass
					4	0.000	0.0000	-2.5 to 2.5	Pass
					4.6	1.000	0.0006	-2.5 to 2.5	Pass
				5	4	1.200	0.0007	-2.5 to 2.5	Pass
				15	4	1.100	0.0006	-2.5 to 2.5	Pass
				25	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				35	4	-0.800	-0.0005	-2.5 to 2.5	Pass
	1745	75	0	20	3.4	-2.500	-0.0014	-2.5 to 2.5	Pass
					4	-2.900	-0.0017	-2.5 to 2.5	Pass
					4.6	-1.400	-0.0008	-2.5 to 2.5	Pass
				5	4	-2.600	-0.0015	-2.5 to 2.5	Pass
				15	4	-1.700	-0.0010	-2.5 to 2.5	Pass
				25	4	-2.300	-0.0013	-2.5 to 2.5	Pass
				35	4	-2.600	-0.0015	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.4	-3.700	-0.0021	-2.5 to 2.5	Pass
					4	-2.100	-0.0012	-2.5 to 2.5	Pass
					4.6	-3.600	-0.0020	-2.5 to 2.5	Pass
				5	4	-2.300	-0.0013	-2.5 to 2.5	Pass
				15	4	-2.300	-0.0013	-2.5 to 2.5	Pass
				25	4	-2.100	-0.0012	-2.5 to 2.5	Pass
				35	4	-3.400	-0.0019	-2.5 to 2.5	Pass
16QAM	1717.5	75	0	20	3.4	1.400	0.0008	-2.5 to 2.5	Pass
					4	-1.800	-0.0010	-2.5 to 2.5	Pass
					4.6	-0.100	-0.0001	-2.5 to 2.5	Pass
				5	4	-2.300	-0.0013	-2.5 to 2.5	Pass
				15	4	0.200	0.0001	-2.5 to 2.5	Pass
				25	4	-1.700	-0.0010	-2.5 to 2.5	Pass
				35	4	1.000	0.0006	-2.5 to 2.5	Pass
	1745	75	0	20	3.4	-2.500	-0.0014	-2.5 to 2.5	Pass
					4	0.200	0.0001	-2.5 to 2.5	Pass
					4.6	-0.800	-0.0005	-2.5 to 2.5	Pass
				5	4	-1.000	-0.0006	-2.5 to 2.5	Pass



Test Report No.: RF260330B003

64QAM	1772.5	75	0	15	4	0.600	0.0003	-2.5 to 2.5	Pass
				25	4	0.600	0.0003	-2.5 to 2.5	Pass
				35	4	-2.900	-0.0017	-2.5 to 2.5	Pass
				20	3.4	-2.500	-0.0014	-2.5 to 2.5	Pass
					4	-3.800	-0.0021	-2.5 to 2.5	Pass
					4.6	-2.500	-0.0014	-2.5 to 2.5	Pass
				5	4	-2.500	-0.0014	-2.5 to 2.5	Pass
				15	4	-3.200	-0.0018	-2.5 to 2.5	Pass
				25	4	-2.800	-0.0016	-2.5 to 2.5	Pass
				35	4	-3.600	-0.0020	-2.5 to 2.5	Pass
	1717.5	75	0	20	3.4	-13.000	-0.0076	-2.5 to 2.5	Pass
					4	16.400	0.0095	-2.5 to 2.5	Pass
					4.6	16.100	0.0094	-2.5 to 2.5	Pass
				5	4	1.300	0.0008	-2.5 to 2.5	Pass
				15	4	-8.600	-0.0050	-2.5 to 2.5	Pass
				25	4	-2.400	-0.0014	-2.5 to 2.5	Pass
				35	4	12.300	0.0072	-2.5 to 2.5	Pass
	1745	75	0	20	3.4	-16.300	-0.0093	-2.5 to 2.5	Pass
					4	5.200	0.0030	-2.5 to 2.5	Pass
					4.6	-5.100	-0.0029	-2.5 to 2.5	Pass
				5	4	2.600	0.0015	-2.5 to 2.5	Pass
				15	4	5.000	0.0029	-2.5 to 2.5	Pass
				25	4	18.600	0.0107	-2.5 to 2.5	Pass
				35	4	2.700	0.0015	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.4	20.800	0.0117	-2.5 to 2.5	Pass
					4	-5.300	-0.0030	-2.5 to 2.5	Pass
					4.6	-1.600	-0.0009	-2.5 to 2.5	Pass
				5	4	-2.900	-0.0016	-2.5 to 2.5	Pass
				15	4	-4.600	-0.0026	-2.5 to 2.5	Pass
				25	4	-11.000	-0.0062	-2.5 to 2.5	Pass
				35	4	-1.900	-0.0011	-2.5 to 2.5	Pass

20MHz

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.4	-3.800	-0.0022	-2.5 to 2.5	Pass
					4	-1.900	-0.0011	-2.5 to 2.5	Pass
					4.6	-0.800	-0.0005	-2.5 to 2.5	Pass
				5	4	-1.200	-0.0007	-2.5 to 2.5	Pass
				15	4	-1.200	-0.0007	-2.5 to 2.5	Pass
				25	4	-2.300	-0.0013	-2.5 to 2.5	Pass
				35	4	-3.100	-0.0018	-2.5 to 2.5	Pass
	1745	100	0	20	3.4	1.400	0.0008	-2.5 to 2.5	Pass
					4	0.800	0.0005	-2.5 to 2.5	Pass
					4.6	-1.000	-0.0006	-2.5 to 2.5	Pass
				5	4	0.000	0.0000	-2.5 to 2.5	Pass
				15	4	-1.700	-0.0010	-2.5 to 2.5	Pass
				25	4	0.300	0.0002	-2.5 to 2.5	Pass
				35	4	-1.100	-0.0006	-2.5 to 2.5	Pass
	1770	100	0	20	3.4	1.400	0.0008	-2.5 to 2.5	Pass
					4	1.300	0.0007	-2.5 to 2.5	Pass
					4.6	1.200	0.0007	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th
Road, Chiwan Community, Zhaoshang Street, Nanshan
District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260330B003

				5	4	2.500	0.0014	-2.5 to 2.5	Pass	
				15	4	-0.400	-0.0002	-2.5 to 2.5	Pass	
				25	4	-2.200	-0.0012	-2.5 to 2.5	Pass	
				35	4	1.500	0.0008	-2.5 to 2.5	Pass	
16QAM	1720	100	0	20	3.4	-2.600	-0.0015	-2.5 to 2.5	Pass	
					4	-3.000	-0.0017	-2.5 to 2.5	Pass	
					4.6	-3.200	-0.0019	-2.5 to 2.5	Pass	
				5	4	-3.200	-0.0019	-2.5 to 2.5	Pass	
				15	4	-1.500	-0.0009	-2.5 to 2.5	Pass	
				25	4	-2.300	-0.0013	-2.5 to 2.5	Pass	
				35	4	-2.300	-0.0013	-2.5 to 2.5	Pass	
				1745	100	0	20	3.4	0.300	0.0002
	4	1.300	0.0007					-2.5 to 2.5	Pass	
	4.6	1.600	0.0009					-2.5 to 2.5	Pass	
	5	4	0.800				0.0005	-2.5 to 2.5	Pass	
	15	4	-2.100				-0.0012	-2.5 to 2.5	Pass	
	25	4	-0.500				-0.0003	-2.5 to 2.5	Pass	
	35	4	0.600				0.0003	-2.5 to 2.5	Pass	
	1770	100	0				20	3.4	0.900	0.0005
				4	2.000	0.0011		-2.5 to 2.5	Pass	
				4.6	2.500	0.0014		-2.5 to 2.5	Pass	
				5	4	-1.000	-0.0006	-2.5 to 2.5	Pass	
				15	4	-0.900	-0.0005	-2.5 to 2.5	Pass	
				25	4	1.500	0.0008	-2.5 to 2.5	Pass	
				35	4	0.000	0.0000	-2.5 to 2.5	Pass	
				64QAM	1720	100	0	20	3.4	-9.600
	4	15.700	0.0091						-2.5 to 2.5	Pass
	4.6	-4.800	-0.0028						-2.5 to 2.5	Pass
5	4	14.100	0.0082					-2.5 to 2.5	Pass	
15	4	-1.500	-0.0009					-2.5 to 2.5	Pass	
25	4	-17.800	-0.0103					-2.5 to 2.5	Pass	
35	4	-2.700	-0.0016					-2.5 to 2.5	Pass	
1745	100	0	20					3.4	3.200	0.0018
					4	-3.400	-0.0019	-2.5 to 2.5	Pass	
					4.6	-7.400	-0.0042	-2.5 to 2.5	Pass	
			5		4	-8.700	-0.0050	-2.5 to 2.5	Pass	
			15		4	11.200	0.0064	-2.5 to 2.5	Pass	
			25		4	5.000	0.0029	-2.5 to 2.5	Pass	
			35		4	2.500	0.0014	-2.5 to 2.5	Pass	
			1770		100	0	20	3.4	2.600	0.0015
4	5.300	0.0030						-2.5 to 2.5	Pass	
4.6	8.200	0.0046						-2.5 to 2.5	Pass	
5	4	2.500					0.0014	-2.5 to 2.5	Pass	
15	4	-5.600					-0.0032	-2.5 to 2.5	Pass	
25	4	-1.100					-0.0006	-2.5 to 2.5	Pass	
35	4	0.400					0.0002	-2.5 to 2.5	Pass	



Test Report No.: RF260330B003

26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.106	/	Pass
		1745	6	0	1.103	/	Pass
		1779.3	6	0	1.104	/	Pass
	16QAM	1710.7	6	0	1.114	/	Pass
		1745	6	0	1.105	/	Pass
		1779.3	6	0	1.106	/	Pass
	64QAM	1710.7	6	0	1.112	/	Pass
		1745	6	0	1.101	/	Pass
		1779.3	6	0	1.111	/	Pass
3	QPSK	1711.5	15	0	2.749	/	Pass
		1745	15	0	2.740	/	Pass
		1778.5	15	0	2.747	/	Pass
	16QAM	1711.5	15	0	2.744	/	Pass
		1745	15	0	2.757	/	Pass
		1778.5	15	0	2.744	/	Pass
	64QAM	1711.5	15	0	2.749	/	Pass
		1745	15	0	2.741	/	Pass
		1778.5	15	0	2.745	/	Pass
5	QPSK	1712.5	25	0	4.529	/	Pass
		1745	25	0	4.521	/	Pass
		1777.5	25	0	4.527	/	Pass
	16QAM	1712.5	25	0	4.513	/	Pass
		1745	25	0	4.511	/	Pass
		1777.5	25	0	4.521	/	Pass
	64QAM	1712.5	25	0	4.523	/	Pass
		1745	25	0	4.508	/	Pass
		1777.5	25	0	4.529	/	Pass
10	QPSK	1715	50	0	9.027	/	Pass
		1745	50	0	9.046	/	Pass
		1775	50	0	9.039	/	Pass
	16QAM	1715	50	0	9.037	/	Pass
		1745	50	0	9.031	/	Pass
		1775	50	0	9.019	/	Pass
	64QAM	1715	50	0	9.009	/	Pass
		1745	50	0	8.993	/	Pass
		1775	50	0	9.023	/	Pass
15	QPSK	1717.5	75	0	13.531	/	Pass
		1745	75	0	13.529	/	Pass
		1772.5	75	0	13.513	/	Pass
	16QAM	1717.5	75	0	13.553	/	Pass
		1745	75	0	13.517	/	Pass
		1772.5	75	0	13.515	/	Pass



Test Report No.: RF260330B003

20	64QAM	1717.5	75	0	13.477	/	Pass
		1745	75	0	13.520	/	Pass
		1772.5	75	0	13.489	/	Pass
	QPSK	1720	100	0	18.058	/	Pass
		1745	100	0	17.980	/	Pass
		1770	100	0	18.016	/	Pass
	16QAM	1720	100	0	18.068	/	Pass
		1745	100	0	18.023	/	Pass
		1770	100	0	18.034	/	Pass
	64QAM	1720	100	0	18.040	/	Pass
		1745	100	0	17.957	/	Pass
		1770	100	0	18.004	/	Pass

XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.435	/	Pass
		1745	6	0	1.352	/	Pass
		1779.3	6	0	1.404	/	Pass
	16QAM	1710.7	6	0	1.430	/	Pass
		1745	6	0	1.444	/	Pass
		1779.3	6	0	1.542	/	Pass
	64QAM	1710.7	6	0	1.430	/	Pass
		1745	6	0	1.470	/	Pass
		1779.3	6	0	1.363	/	Pass
3	QPSK	1711.5	15	0	3.136	/	Pass
		1745	15	0	3.154	/	Pass
		1778.5	15	0	3.135	/	Pass
	16QAM	1711.5	15	0	3.110	/	Pass
		1745	15	0	3.123	/	Pass
		1778.5	15	0	3.108	/	Pass
	64QAM	1711.5	15	0	3.129	/	Pass
		1745	15	0	3.131	/	Pass
		1778.5	15	0	3.126	/	Pass
5	QPSK	1712.5	25	0	5.213	/	Pass
		1745	25	0	5.135	/	Pass
		1777.5	25	0	5.151	/	Pass
	16QAM	1712.5	25	0	5.192	/	Pass
		1745	25	0	5.172	/	Pass
		1777.5	25	0	5.228	/	Pass
	64QAM	1712.5	25	0	5.195	/	Pass
		1745	25	0	5.075	/	Pass
		1777.5	25	0	5.280	/	Pass
10	QPSK	1715	50	0	9.990	/	Pass
		1745	50	0	9.884	/	Pass
		1775	50	0	10.076	/	Pass
	16QAM	1715	50	0	9.950	/	Pass
		1745	50	0	9.816	/	Pass
		1775	50	0	10.061	/	Pass
	64QAM	1715	50	0	10.017	/	Pass
		1745	50	0	9.963	/	Pass
		1775	50	0	10.019	/	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th
Road, Chiwan Community, Zhaoshang Street, Nanshan
District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260330B003


15	QPSK	1717.5	75	0	14.668	/	Pass
		1745	75	0	14.705	/	Pass
		1772.5	75	0	14.808	/	Pass
	16QAM	1717.5	75	0	14.987	/	Pass
		1745	75	0	14.865	/	Pass
		1772.5	75	0	14.912	/	Pass
	64QAM	1717.5	75	0	14.845	/	Pass
		1745	75	0	14.844	/	Pass
		1772.5	75	0	14.905	/	Pass
20	QPSK	1720	100	0	19.621	/	Pass
		1745	100	0	19.938	/	Pass
		1770	100	0	19.786	/	Pass
	16QAM	1720	100	0	19.795	/	Pass
		1745	100	0	19.915	/	Pass
		1770	100	0	19.780	/	Pass
	64QAM	1720	100	0	19.768	/	Pass
		1745	100	0	19.636	/	Pass
		1770	100	0	19.727	/	Pass



Test Report No.: RF260330B003


Test Graph

OBW




Test Report No.: RF260330B003

Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Test Report No.: RF260330B003

Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV






Test Report No.: RF260330B003

Band66_1.4MHz_64QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Test Report No.: RF260330B003

Band66_1.4MHz_64QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV






Test Report No.: RF260330B003

Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV






Test Report No.: RF260330B003

Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV






Test Report No.: RF260330B003

Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_LCH_1711.5MHz_RB_15_0_NTNV






Test Report No.: RF260330B003

Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_HCH_1778.5MHz_RB_15_0_NTNV






Test Report No.: RF260330B003

Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV






Test Report No.: RF260330B003

Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV






Test Report No.: RF260330B003

Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV






Test Report No.: RF260330B003

Band66_5MHz_64QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV






Test Report No.: RF260330B003

Band66_5MHz_64QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV






Test Report No.: RF260330B003

Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV






Test Report No.: RF260330B003

Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV






Test Report No.: RF260330B003

Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_LCH_1715MHz_RB_50_0_NTNV






Test Report No.: RF260330B003

Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_HCH_1775MHz_RB_50_0_NTNV






Test Report No.: RF260330B003

Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV






Test Report No.: RF260330B003

Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV






Test Report No.: RF260330B003

Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV






Test Report No.: RF260330B003

Band66_15MHz_64QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV






Test Report No.: RF260330B003






Test Report No.: RF260330B003

Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV






Test Report No.: RF260330B003

Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV






Test Report No.: RF260330B003

Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_LCH_1720MHz_RB_100_0_NTNV






Test Report No.: RF260330B003

Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_HCH_1770MHz_RB_100_0_NTNV





Test Report No.: RF260330B003


XDB






Test Report No.: RF260330B003

Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Test Report No.: RF260330B003

Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Test Report No.: RF260330B003

Band66_1.4MHz_64QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Test Report No.: RF260330B003

Band66_1.4MHz_64QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV






Test Report No.: RF260330B003

Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Test Report No.: RF260330B003

Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV





Test Report No.: RF260330B003

Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV



Band66_3MHz_64QAM_LCH_1711.5MHz_RB_15_0_NTNV

