



Test Report No.: RF260330B008




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14



Test Report No.: RF260330B008




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20



Test Report No.: RF260330B008




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26

Test Report No.: RF260330B008




Fig.27




Fig.28




Fig.29




Fig.30

Test Report No.: RF260330B008

Output Power

Mode	Tones/ RUIndex	Frequency (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
802.11a	NA	5180	Ant3	11.34	7.34
802.11a	NA	5180	Ant7	11.55	12.65
802.11a	NA	5220	Ant3	11.67	7.67
802.11a	NA	5220	Ant7	11.90	13.00
802.11a	NA	5240	Ant3	11.61	7.61
802.11a	NA	5240	Ant7	11.50	12.60
802.11n HT20	NA	5180	Ant3	11.38	7.38
802.11n HT20	NA	5180	Ant7	11.27	12.37
802.11n HT20	NA	5180	MIMO	14.34	13.60
802.11n HT20	NA	5220	Ant3	11.59	7.59
802.11n HT20	NA	5220	Ant7	11.35	12.45
802.11n HT20	NA	5220	MIMO	14.48	13.74
802.11n HT20	NA	5240	Ant3	11.79	7.79
802.11n HT20	NA	5240	Ant7	11.49	12.59
802.11n HT20	NA	5240	MIMO	14.65	13.91
802.11ac VHT20	NA	5180	Ant3	11.29	7.29
802.11ac VHT20	NA	5180	Ant7	11.25	12.35
802.11ac VHT20	NA	5180	MIMO	14.28	13.54
802.11ac VHT20	NA	5220	Ant3	11.49	7.49
802.11ac VHT20	NA	5220	Ant7	11.29	12.39
802.11ac VHT20	NA	5220	MIMO	14.40	13.66
802.11ac VHT20	NA	5240	Ant3	11.75	7.75
802.11ac VHT20	NA	5240	Ant7	11.48	12.58
802.11ac VHT20	NA	5240	MIMO	14.63	13.89
802.11n HT40	NA	5190	Ant3	10.78	6.78
802.11n HT40	NA	5190	Ant7	11.63	12.73
802.11n HT40	NA	5190	MIMO	14.24	13.50
802.11n HT40	NA	5230	Ant3	11.89	7.89
802.11n HT40	NA	5230	Ant7	11.59	12.69

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260330B008

802.11n HT40	NA	5230	MIMO	14.75	14.01
802.11ac VHT40	NA	5190	Ant3	11.78	7.78
802.11ac VHT40	NA	5190	Ant7	11.64	12.74
802.11ac VHT40	NA	5190	MIMO	14.72	13.98
802.11ac VHT40	NA	5230	Ant3	11.91	7.91
802.11ac VHT40	NA	5230	Ant7	11.61	12.71
802.11ac VHT40	NA	5230	MIMO	14.77	14.03
802.11ac VHT80	NA	5210	Ant3	11.34	7.34
802.11ac VHT80	NA	5210	Ant7	11.34	12.44
802.11ac VHT80	NA	5210	MIMO	14.35	13.61
802.11ac VHT160	NA	5250	Ant3	11.19	7.19
802.11ac VHT160	NA	5250	Ant7	11.01	12.11
802.11ac VHT160	NA	5250	MIMO	14.11	13.37

Mode	Tones/ RU Index	Frequency (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
802.11ax HE20	26T 0	5180	ANT3	2.71	-1.29
802.11ax HE20	26T 0	5180	ANT7	2.70	3.80
802.11ax HE20	26T 0	5180	MIMO	5.72	4.98
802.11ax HE20	26T 0	5220	ANT3	2.78	-1.22
802.11ax HE20	26T 0	5220	ANT7	2.86	3.96
802.11ax HE20	26T 0	5220	MIMO	5.83	5.09
802.11ax HE20	26T 0	5240	ANT3	2.32	-1.68
802.11ax HE20	26T 0	5240	ANT7	2.45	3.55
802.11ax HE20	26T 0	5240	MIMO	5.40	4.66
802.11ax HE20	26T 4	5180	ANT3	2.74	-1.26
802.11ax HE20	26T 4	5180	ANT7	2.69	3.79
802.11ax HE20	26T 4	5180	MIMO	5.73	4.99
802.11ax HE20	26T 4	5220	ANT3	2.64	-1.36
802.11ax HE20	26T 4	5220	ANT7	2.64	3.74
802.11ax HE20	26T 4	5220	MIMO	5.65	4.91
802.11ax HE20	26T 4	5240	ANT3	2.29	-1.71
802.11ax HE20	26T 4	5240	ANT7	2.27	3.37

Test Report No.: RF260330B008

802.11ax HE20	26T 4	5240	MIMO	5.29	4.55
802.11ax HE20	26T 8	5180	ANT3	2.87	-1.13
802.11ax HE20	26T 8	5180	ANT7	2.86	3.96
802.11ax HE20	26T 8	5180	MIMO	5.88	5.14
802.11ax HE20	26T 8	5220	ANT3	2.76	-1.24
802.11ax HE20	26T 8	5220	ANT7	2.81	3.91
802.11ax HE20	26T 8	5220	MIMO	5.80	5.06
802.11ax HE20	26T 8	5240	ANT3	2.62	-1.38
802.11ax HE20	26T 8	5240	ANT7	2.70	3.80
802.11ax HE20	26T 8	5240	MIMO	5.67	4.93
802.11ax HE20	52T 37	5180	ANT3	5.76	1.76
802.11ax HE20	52T 37	5180	ANT7	5.71	6.81
802.11ax HE20	52T 37	5180	MIMO	8.75	8.01
802.11ax HE20	52T 37	5220	ANT3	5.91	1.91
802.11ax HE20	52T 37	5220	ANT7	5.91	7.01
802.11ax HE20	52T 37	5220	MIMO	8.92	8.18
802.11ax HE20	52T 37	5240	ANT3	5.43	1.43
802.11ax HE20	52T 37	5240	ANT7	5.46	6.56
802.11ax HE20	52T 37	5240	MIMO	8.46	7.72
802.11ax HE20	52T 39	5180	ANT3	5.77	1.77
802.11ax HE20	52T 39	5180	ANT7	5.77	6.87
802.11ax HE20	52T 39	5180	MIMO	8.78	8.04
802.11ax HE20	52T 39	5220	ANT3	5.84	1.84
802.11ax HE20	52T 39	5220	ANT7	5.93	7.03
802.11ax HE20	52T 39	5220	MIMO	8.90	8.16
802.11ax HE20	52T 39	5240	ANT3	5.52	1.52
802.11ax HE20	52T 39	5240	ANT7	5.54	6.64
802.11ax HE20	52T 39	5240	MIMO	8.54	7.80
802.11ax HE20	52T 40	5180	ANT3	5.62	1.62
802.11ax HE20	52T 40	5180	ANT7	5.68	6.78
802.11ax HE20	52T 40	5180	MIMO	8.66	7.92
802.11ax HE20	52T 40	5220	ANT3	5.60	1.60
802.11ax HE20	52T 40	5220	ANT7	5.70	6.80
802.11ax HE20	52T 40	5220	MIMO	8.66	7.92
802.11ax HE20	52T 40	5240	ANT3	5.60	1.60

Test Report No.: RF260330B008

802.11ax HE20	52T 40	5240	ANT7	5.62	6.72
802.11ax HE20	52T 40	5240	MIMO	8.62	7.88
802.11ax HE20	106T 53	5180	ANT3	8.01	4.01
802.11ax HE20	106T 53	5180	ANT7	8.37	9.47
802.11ax HE20	106T 53	5180	MIMO	11.20	10.46
802.11ax HE20	106T 53	5220	ANT3	8.71	4.71
802.11ax HE20	106T 53	5220	ANT7	8.50	9.60
802.11ax HE20	106T 53	5220	MIMO	11.62	10.88
802.11ax HE20	106T 53	5240	ANT3	8.80	4.80
802.11ax HE20	106T 53	5240	ANT7	8.51	9.61
802.11ax HE20	106T 53	5240	MIMO	11.67	10.93
802.11ax HE20	106T 54	5180	ANT3	8.44	4.44
802.11ax HE20	106T 54	5180	ANT7	8.21	9.31
802.11ax HE20	106T 54	5180	MIMO	11.34	10.60
802.11ax HE20	106T 54	5220	ANT3	8.42	4.42
802.11ax HE20	106T 54	5220	ANT7	8.95	10.05
802.11ax HE20	106T 54	5220	MIMO	11.70	10.96
802.11ax HE20	106T 54	5240	ANT3	8.77	4.77
802.11ax HE20	106T 54	5240	ANT7	9.11	10.21
802.11ax HE20	106T 54	5240	MIMO	11.95	11.21
802.11ax HE20	242T 61	5180	ANT3	11.09	7.09
802.11ax HE20	242T 61	5180	ANT7	11.03	12.13
802.11ax HE20	242T 61	5180	MIMO	14.07	13.33
802.11ax HE20	242T 61	5220	ANT3	11.30	7.30
802.11ax HE20	242T 61	5220	ANT7	11.19	12.29
802.11ax HE20	242T 61	5220	MIMO	14.26	13.52
802.11ax HE20	242T 61	5240	ANT3	11.57	7.57
802.11ax HE20	242T 61	5240	ANT7	11.20	12.30
802.11ax HE20	242T 61	5240	MIMO	14.40	13.66
802.11be EHT20	26T 0	5180	ANT3	2.62	-1.38
802.11be EHT20	26T 0	5180	ANT7	2.60	3.70
802.11be EHT20	26T 0	5180	MIMO	5.62	4.88
802.11be EHT20	26T 0	5220	ANT3	2.81	-1.19
802.11be EHT20	26T 0	5220	ANT7	2.87	3.97
802.11be EHT20	26T 0	5220	MIMO	5.85	5.11

Test Report No.: RF260330B008

802.11be EHT20	26T 0	5240	ANT3	2.32	-1.68
802.11be EHT20	26T 0	5240	ANT7	2.42	3.52
802.11be EHT20	26T 0	5240	MIMO	5.38	4.64
802.11be EHT20	26T 4	5180	ANT3	2.62	-1.38
802.11be EHT20	26T 4	5180	ANT7	2.64	3.74
802.11be EHT20	26T 4	5180	MIMO	5.64	4.90
802.11be EHT20	26T 4	5220	ANT3	2.61	-1.39
802.11be EHT20	26T 4	5220	ANT7	2.57	3.67
802.11be EHT20	26T 4	5220	MIMO	5.60	4.86
802.11be EHT20	26T 4	5240	ANT3	2.28	-1.72
802.11be EHT20	26T 4	5240	ANT7	2.22	3.32
802.11be EHT20	26T 4	5240	MIMO	5.26	4.52
802.11be EHT20	26T 8	5180	ANT3	2.82	-1.18
802.11be EHT20	26T 8	5180	ANT7	2.84	3.94
802.11be EHT20	26T 8	5180	MIMO	5.84	5.10
802.11be EHT20	26T 8	5220	ANT3	2.77	-1.23
802.11be EHT20	26T 8	5220	ANT7	2.77	3.87
802.11be EHT20	26T 8	5220	MIMO	5.78	5.04
802.11be EHT20	26T 8	5240	ANT3	2.60	-1.40
802.11be EHT20	26T 8	5240	ANT7	2.66	3.76
802.11be EHT20	26T 8	5240	MIMO	5.64	4.90
802.11be EHT20	52T 37	5180	ANT3	5.78	1.78
802.11be EHT20	52T 37	5180	ANT7	5.72	6.82
802.11be EHT20	52T 37	5180	MIMO	8.76	8.02
802.11be EHT20	52T 37	5220	ANT3	5.93	1.93
802.11be EHT20	52T 37	5220	ANT7	5.80	6.90
802.11be EHT20	52T 37	5220	MIMO	8.88	8.14
802.11be EHT20	52T 37	5240	ANT3	5.51	1.51
802.11be EHT20	52T 37	5240	ANT7	5.34	6.44
802.11be EHT20	52T 37	5240	MIMO	8.44	7.70
802.11be EHT20	52T 39	5180	ANT3	5.90	1.90
802.11be EHT20	52T 39	5180	ANT7	5.80	6.90
802.11be EHT20	52T 39	5180	MIMO	8.86	8.12
802.11be EHT20	52T 39	5220	ANT3	5.47	1.47
802.11be EHT20	52T 39	5220	ANT7	5.87	6.97

Test Report No.: RF260330B008

802.11be EHT20	52T 39	5220	MIMO	8.68	7.94
802.11be EHT20	52T 39	5240	ANT3	5.57	1.57
802.11be EHT20	52T 39	5240	ANT7	5.51	6.61
802.11be EHT20	52T 39	5240	MIMO	8.55	7.81
802.11be EHT20	52T 40	5180	ANT3	5.68	1.68
802.11be EHT20	52T 40	5180	ANT7	5.66	6.76
802.11be EHT20	52T 40	5180	MIMO	8.68	7.94
802.11be EHT20	52T 40	5220	ANT3	5.70	1.70
802.11be EHT20	52T 40	5220	ANT7	5.58	6.68
802.11be EHT20	52T 40	5220	MIMO	8.65	7.91
802.11be EHT20	52T 40	5240	ANT3	5.65	1.65
802.11be EHT20	52T 40	5240	ANT7	5.56	6.66
802.11be EHT20	52T 40	5240	MIMO	8.62	7.88
802.11be EHT20	106T 53	5180	ANT3	8.26	4.26
802.11be EHT20	106T 53	5180	ANT7	8.36	9.46
802.11be EHT20	106T 53	5180	MIMO	11.32	10.58
802.11be EHT20	106T 53	5220	ANT3	8.50	4.50
802.11be EHT20	106T 53	5220	ANT7	8.49	9.59
802.11be EHT20	106T 53	5220	MIMO	11.51	10.77
802.11be EHT20	106T 53	5240	ANT3	8.51	4.51
802.11be EHT20	106T 53	5240	ANT7	8.51	9.61
802.11be EHT20	106T 53	5240	MIMO	11.52	10.78
802.11be EHT20	106T 54	5180	ANT3	8.19	4.19
802.11be EHT20	106T 54	5180	ANT7	8.23	9.33
802.11be EHT20	106T 54	5180	MIMO	11.22	10.48
802.11be EHT20	106T 54	5220	ANT3	8.16	4.16
802.11be EHT20	106T 54	5220	ANT7	8.93	10.03
802.11be EHT20	106T 54	5220	MIMO	11.57	10.83
802.11be EHT20	106T 54	5240	ANT3	8.50	4.50
802.11be EHT20	106T 54	5240	ANT7	9.05	10.15
802.11be EHT20	106T 54	5240	MIMO	11.79	11.05
802.11be EHT20	242T 61	5180	ANT3	11.12	7.12
802.11be EHT20	242T 61	5180	ANT7	11.24	12.34
802.11be EHT20	242T 61	5180	MIMO	14.19	13.45
802.11be EHT20	242T 61	5220	ANT3	11.32	7.32

Test Report No.: RF260330B008

802.11be EHT20	242T 61	5220	ANT7	11.21	12.31
802.11be EHT20	242T 61	5220	MIMO	14.28	13.54
802.11be EHT20	242T 61	5240	ANT3	11.52	7.52
802.11be EHT20	242T 61	5240	ANT7	11.36	12.46
802.11be EHT20	242T 61	5240	MIMO	14.45	13.71
802.11be EHT20	26+52	5180	ANT3	5.72	1.72
802.11be EHT20	26+52	5180	ANT7	5.74	6.84
802.11be EHT20	26+52	5180	MIMO	8.74	8.00
802.11be EHT20	26+52	5220	ANT3	5.95	1.95
802.11be EHT20	26+52	5220	ANT7	5.42	7.52
802.11be EHT20	26+52	5220	MIMO	8.70	8.46
802.11be EHT20	26+52	5240	ANT3	5.58	1.58
802.11be EHT20	26+52	5240	ANT7	6.12	7.22
802.11be EHT20	26+52	5240	MIMO	8.87	8.13
802.11be EHT20	26+106	5180	ANT3	8.83	4.83
802.11be EHT20	26+106	5180	ANT7	8.02	9.12
802.11be EHT20	26+106	5180	MIMO	11.45	10.71
802.11be EHT20	26+106	5220	ANT3	9.24	5.24
802.11be EHT20	26+106	5220	ANT7	8.14	9.24
802.11be EHT20	26+106	5220	MIMO	11.74	11.00
802.11be EHT20	26+106	5240	ANT3	9.13	5.13
802.11be EHT20	26+106	5240	ANT7	8.16	9.26
802.11be EHT20	26+106	5240	MIMO	11.68	10.94
802.11ax HE40	484T 65	5190	ANT3	11.08	7.08
802.11ax HE40	484T 65	5190	ANT7	11.94	13.04
802.11ax HE40	484T 65	5190	MIMO	14.54	13.80
802.11ax HE40	484T 65	5230	ANT3	11.16	7.16
802.11ax HE40	484T 65	5230	ANT7	11.87	12.97
802.11ax HE40	484T 65	5230	MIMO	14.54	13.80
802.11be EHT40	484T 65	5190	ANT3	11.42	7.42
802.11be EHT40	484T 65	5190	ANT7	11.36	12.46
802.11be EHT40	484T 65	5190	MIMO	14.40	13.66
802.11be EHT40	484T 65	5230	ANT3	11.53	7.53
802.11be EHT40	484T 65	5230	ANT7	11.41	12.51
802.11be EHT40	484T 65	5230	MIMO	14.48	13.74

Test Report No.: RF260330B008

802.11ax HE80	996T 67	5210	ANT3	11.39	7.39
802.11ax HE80	996T 67	5210	ANT7	11.43	12.53
802.11ax HE80	996T 67	5210	MIMO	14.42	13.68
802.11be EHT80	996T 67	5210	ANT3	11.43	7.43
802.11be EHT80	996T 67	5210	ANT7	11.53	12.63
802.11be EHT80	996T 67	5210	MIMO	14.49	13.75
802.11be EHT80	242+484	5210	ANT3	8.91	4.91
802.11be EHT80	242+484	5210	ANT7	8.94	10.04
802.11be EHT80	242+484	5210	MIMO	11.94	11.20
802.11ax HE160	1992T LH	5250	ANT3	11.37	7.37
802.11ax HE160	1992T LH	5250	ANT7	11.21	12.31
802.11ax HE160	1992T LH	5250	MIMO	14.30	13.56
802.11be EHT160	1992T LH	5250	ANT3	11.38	7.38
802.11be EHT160	1992T LH	5250	ANT7	11.17	12.27
802.11be EHT160	1992T LH	5250	MIMO	14.29	13.55
802.11be EHT160	484+996	5250	ANT3	8.50	4.50
802.11be EHT160	484+996	5250	ANT7	8.85	9.95
802.11be EHT160	484+996	5250	MIMO	11.69	10.95

Note: 1. Conducted Power=Measured Power +Duty Cycle Factor
2. Equivalent Isotropically Radiated Power =Measured Power +Duty Cycle Factor+Gain

Test Report No.: RF260330B008

Emission Bandwidth

Offset 12.6dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5180MHz	5220MHz	5240MHz
802.11a	Ant3	22.44	22.85	23.09
802.11a	Ant7	22.58	23.07	22.61
802.11n HT20	Ant3	22.81	23.58	22.58
802.11n HT20	Ant7	23.31	23.57	22.94
802.11ac VHT20	Ant3	22.84	23.50	23.05
802.11ac VHT20	Ant7	22.60	22.73	23.32
802.11ax HE20	Ant3	21.39	22.56	22.46
802.11ax HE20	Ant7	21.69	22.24	23.38
802.11be EHT20	Ant3	22.30	22.88	22.80
802.11be EHT20	Ant7	21.13	21.88	21.81

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5190MHz	---	5230MHz
802.11n HT40	Ant3	42.14	---	41.62
802.11n HT40	Ant7	44.64	---	43.23
802.11ac VHT40	Ant3	42.53	---	44.52
802.11ac VHT40	Ant7	42.92	---	44.27
802.11ax HE40	Ant3	41.02	---	41.28
802.11ax HE40	Ant7	41.28	---	42.15
802.11be EHT40	Ant3	42.83	---	42.38
802.11be EHT40	Ant7	41.64	---	41.19

Test Report No.: RF260330B008

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5210MHz	---	---
802.11ac VHT80	Ant3	88.02	---	---
802.11ac VHT80	Ant7	84.43	---	---
802.11ax HE80	Ant3	83.01	---	---
802.11ax HE80	Ant7	84.62	---	---
802.11be EHT80	Ant3	85.85	---	---
802.11be EHT80	Ant7	86.09	---	---

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5250MHz	---	---
802.11ac VHT160	Ant3	169.55	---	---
802.11ac VHT160	Ant7	168.08	---	---
802.11ax HE160	Ant3	169.43	---	---
802.11ax HE160	Ant7	169.26	---	---
802.11be EHT160	Ant3	166.62	---	---
802.11be EHT160	Ant7	168.18	---	---

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5180MHz	5220MHz	5240MHz
802.11ax HE20 26T	ANT3	6.82	6.82	6.70
802.11ax HE20 26T	ANT7	8.80	7.34	10.11
802.11be EHT20 26T	ANT3	9.93	10.84	8.18
802.11be EHT20 26T	ANT7	19.17	8.18	6.58

Test Report No.: RF260330B008

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5190MHz	---	5230MHz
802.11ax HE40 26T	ANT3	15.41	---	6.95
802.11ax HE40 26T	ANT7	10.89	---	20.67
802.11be EHT40 26T	ANT3	9.05	---	14.43
802.11be EHT40 26T	ANT7	16.84	---	20.70


Test Mode	Antenna	26dB Bandwidth (MHz)		
		5210MHz	---	---
802.11ax HE80 26T	ANT3	10.52	---	---
802.11ax HE80 26T	ANT7	16.62	---	---
802.11be EHT80 26T	ANT3	22.18	---	---
802.11be EHT80 26T	ANT7	13.46	---	---

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5250MHz	---	---
802.11ax HE160 26T	ANT3	13.31	---	---
802.11ax HE160 26T	ANT7	13.90	---	---
802.11be EHT160 26T	ANT3	21.73	---	---
802.11be EHT160 26T	ANT7	14.00	---	---



Test Report No.: RF260330B008


Test Mode: 802.11a





Test Report No.: RF260330B008


Test Mode: 802.11n HT20





Test Report No.: RF260330B008


Test Mode: 802.11ac VHT20





Test Report No.: RF260330B008


Test Mode: 802.11ax HE20





Test Report No.: RF260330B008


Test Mode: 802.11be EHT20





Test Report No.: RF260330B008

Test Mode: 802.11n HT40





Test Report No.: RF260330B008

Test Mode: 802.11ac VHT40

