





Test Report No.: RF260330B008

Test Mode: 802.11ac VHT160




Test Mode: 802.11ax HE160





Test Report No.: RF260330B008

Test Mode: 802.11be EHT160



7 APPENDIX B: RLAN UNII-2A

Duty Cycle

Test Mode	Antenna	Frequency (MHz)	Duty Cycle (%)	Correction Factor(dB)	Plot
802.11a	Ant3	5260	99.87%	0	Fig.1
802.11a	Ant7	5260	99.84%	0	Fig.2
802.11n HT20	Ant3	5260	99.95%	0	Fig.3
802.11n HT20	Ant7	5260	99.97%	0	Fig.4
802.11ac VHT20	Ant3	5260	99.94%	0	Fig.5
802.11ac VHT20	Ant7	5260	99.96%	0	Fig.6
802.11ax HE20	Ant3	5260	99.94%	0	Fig.7
802.11ax HE20	Ant7	5260	99.94%	0	Fig.8
802.11be EHT20	Ant3	5260	99.97%	0	Fig.9
802.11be EHT20	Ant7	5260	99.96%	0	Fig.10
802.11n HT40	Ant3	5270	99.96%	0	Fig.11
802.11n HT40	Ant7	5270	99.93%	0	Fig.12
802.11ac VHT40	Ant3	5270	99.95%	0	Fig.13
802.11ac VHT40	Ant7	5270	99.95%	0	Fig.14
802.11ax HE40	Ant3	5270	99.96%	0	Fig.15
802.11ax HE40	Ant7	5270	99.93%	0	Fig.16
802.11be EHT40	Ant3	5270	99.94%	0	Fig.17
802.11be EHT40	Ant7	5270	99.97%	0	Fig.18
802.11ac VHT80	Ant3	5290	99.94%	0	Fig.19
802.11ac	Ant7	5290	99.94%	0	Fig.20

Test Report No.: RF260330B008

VHT80					
802.11ax HE80	Ant3	5290	99.95%	0	Fig.21
802.11ax HE80	Ant7	5290	99.96%	0	Fig.22
802.11be EHT80	Ant3	5290	99.94%	0	Fig.23
802.11be EHT80	Ant7	5290	99.96%	0	Fig.24

Note: Correction Factor=10*log (1/Duty Cycle)




Fig.1




Fig.2




Fig.3




Fig.4



Test Report No.: RF260330B008




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10



Test Report No.: RF260330B008




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16



Test Report No.: RF260330B008




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21





Fig.22

Test Report No.: RF260330B008



Test Report No.: RF260330B008

Output Power

Mode	Tones/ RU Index	Frequency (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
802.11a	NA	5260	Ant3	11.78	9.28
802.11a	NA	5260	Ant7	11.60	13.30
802.11a	NA	5280	Ant3	11.66	9.16
802.11a	NA	5280	Ant7	11.75	13.45
802.11a	NA	5320	Ant3	11.49	8.99
802.11a	NA	5320	Ant7	11.71	13.41
802.11n HT20	NA	5260	Ant3	11.48	8.98
802.11n HT20	NA	5260	Ant7	11.95	13.65
802.11n HT20	NA	5260	MIMO	14.73	14.82
802.11n HT20	NA	5280	Ant3	11.35	8.85
802.11n HT20	NA	5280	Ant7	11.42	13.12
802.11n HT20	NA	5280	MIMO	14.40	14.49
802.11n HT20	NA	5320	Ant3	11.13	8.63
802.11n HT20	NA	5320	Ant7	11.20	12.90
802.11n HT20	NA	5320	MIMO	14.18	14.27
802.11ac VHT20	NA	5260	Ant3	11.46	8.96
802.11ac VHT20	NA	5260	Ant7	11.88	13.58
802.11ac VHT20	NA	5260	MIMO	14.69	14.78
802.11ac VHT20	NA	5280	Ant3	11.35	8.85
802.11ac VHT20	NA	5280	Ant7	11.45	13.15
802.11ac VHT20	NA	5280	MIMO	14.41	14.50
802.11ac VHT20	NA	5320	Ant3	11.12	8.62
802.11ac VHT20	NA	5320	Ant7	11.16	12.86
802.11ac VHT20	NA	5320	MIMO	14.15	14.24
802.11n HT40	NA	5270	Ant3	11.64	9.14
802.11n HT40	NA	5270	Ant7	11.18	12.88
802.11n HT40	NA	5270	MIMO	14.43	14.52
802.11n HT40	NA	5310	Ant3	11.41	8.91

Test Report No.: RF260330B008

802.11n HT40	NA	5310	Ant7	11.39	13.09
802.11n HT40	NA	5310	MIMO	14.41	14.50
802.11ac VHT40	NA	5270	Ant3	11.13	8.63
802.11ac VHT40	NA	5270	Ant7	11.12	12.82
802.11ac VHT40	NA	5270	MIMO	14.14	14.23
802.11ac VHT40	NA	5310	Ant3	11.40	8.90
802.11ac VHT40	NA	5310	Ant7	11.33	13.03
802.11ac VHT40	NA	5310	MIMO	14.38	14.47
802.11ac VHT80	NA	5290	Ant3	11.94	9.44
802.11ac VHT80	NA	5290	Ant7	11.80	13.50
802.11ac VHT80	NA	5290	MIMO	14.88	14.97

Mode	Tones/ RU Index	Frequency (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
802.11ax HE20	26T 0	5260	ANT3	2.41	-0.09
802.11ax HE20	26T 0	5260	ANT7	2.64	4.34
802.11ax HE20	26T 0	5260	MIMO	5.54	5.63
802.11ax HE20	26T 0	5280	ANT3	2.90	0.40
802.11ax HE20	26T 0	5280	ANT7	2.69	4.39
802.11ax HE20	26T 0	5280	MIMO	5.81	5.90
802.11ax HE20	26T 0	5320	ANT3	2.66	0.16
802.11ax HE20	26T 0	5320	ANT7	2.60	4.30
802.11ax HE20	26T 0	5320	MIMO	5.64	5.73
802.11ax HE20	26T 4	5260	ANT3	2.98	0.48
802.11ax HE20	26T 4	5260	ANT7	2.42	4.12
802.11ax HE20	26T 4	5260	MIMO	5.72	5.68
802.11ax HE20	26T 4	5280	ANT3	2.50	0.00
802.11ax HE20	26T 4	5280	ANT7	3.09	4.79
802.11ax HE20	26T 4	5280	MIMO	5.82	5.91
802.11ax HE20	26T 4	5320	ANT3	2.53	0.03
802.11ax HE20	26T 4	5320	ANT7	2.75	4.45
802.11ax HE20	26T 4	5320	MIMO	5.65	5.79

Test Report No.: RF260330B008

802.11ax HE20	26T 8	5260	ANT3	2.62	0.12
802.11ax HE20	26T 8	5260	ANT7	2.71	4.41
802.11ax HE20	26T 8	5260	MIMO	5.68	5.78
802.11ax HE20	26T 8	5280	ANT3	2.23	-0.27
802.11ax HE20	26T 8	5280	ANT7	3.32	5.02
802.11ax HE20	26T 8	5280	MIMO	5.82	5.91
802.11ax HE20	26T 8	5320	ANT3	2.96	0.46
802.11ax HE20	26T 8	5320	ANT7	2.86	4.56
802.11ax HE20	26T 8	5320	MIMO	5.92	5.99
802.11ax HE20	52T 37	5260	ANT3	5.42	2.92
802.11ax HE20	52T 37	5260	ANT7	5.54	7.24
802.11ax HE20	52T 37	5260	MIMO	8.49	8.61
802.11ax HE20	52T 37	5280	ANT3	5.52	3.02
802.11ax HE20	52T 37	5280	ANT7	5.46	7.16
802.11ax HE20	52T 37	5280	MIMO	8.50	8.58
802.11ax HE20	52T 37	5320	ANT3	5.84	3.34
802.11ax HE20	52T 37	5320	ANT7	5.90	8.60
802.11ax HE20	52T 37	5320	MIMO	8.88	9.73
802.11ax HE20	52T 39	5260	ANT3	5.57	3.07
802.11ax HE20	52T 39	5260	ANT7	5.45	7.15
802.11ax HE20	52T 39	5260	MIMO	8.52	8.58
802.11ax HE20	52T 39	5280	ANT3	5.46	2.96
802.11ax HE20	52T 39	5280	ANT7	6.38	8.08
802.11ax HE20	52T 39	5280	MIMO	8.95	9.04
802.11ax HE20	52T 39	5320	ANT3	5.98	3.48
802.11ax HE20	52T 39	5320	ANT7	5.95	7.65
802.11ax HE20	52T 39	5320	MIMO	8.98	9.06
802.11ax HE20	52T 40	5260	ANT3	5.54	3.04
802.11ax HE20	52T 40	5260	ANT7	5.45	7.15
802.11ax HE20	52T 40	5260	MIMO	8.51	8.57
802.11ax HE20	52T 40	5280	ANT3	5.27	2.77
802.11ax HE20	52T 40	5280	ANT7	6.13	7.83
802.11ax HE20	52T 40	5280	MIMO	8.73	8.82
802.11ax HE20	52T 40	5320	ANT3	5.85	3.35

Test Report No.: RF260330B008

802.11ax HE20	52T 40	5320	ANT7	5.85	7.55
802.11ax HE20	52T 40	5320	MIMO	8.86	8.95
802.11ax HE20	106T 53	5260	ANT3	8.39	5.89
802.11ax HE20	106T 53	5260	ANT7	9.16	10.86
802.11ax HE20	106T 53	5260	MIMO	11.80	11.89
802.11ax HE20	106T 53	5280	ANT3	8.47	5.97
802.11ax HE20	106T 53	5280	ANT7	9.18	10.88
802.11ax HE20	106T 53	5280	MIMO	11.85	11.94
802.11ax HE20	106T 53	5320	ANT3	8.70	6.20
802.11ax HE20	106T 53	5320	ANT7	8.49	10.19
802.11ax HE20	106T 53	5320	MIMO	11.61	11.65
802.11ax HE20	106T 54	5260	ANT3	8.28	5.78
802.11ax HE20	106T 54	5260	ANT7	9.03	10.73
802.11ax HE20	106T 54	5260	MIMO	11.68	11.77
802.11ax HE20	106T 54	5280	ANT3	8.17	5.67
802.11ax HE20	106T 54	5280	ANT7	8.92	10.62
802.11ax HE20	106T 54	5280	MIMO	11.57	11.66
802.11ax HE20	106T 54	5320	ANT3	8.68	6.18
802.11ax HE20	106T 54	5320	ANT7	8.41	10.11
802.11ax HE20	106T 54	5320	MIMO	11.56	11.59
802.11ax HE20	242T 61	5260	ANT3	11.18	8.68
802.11ax HE20	242T 61	5260	ANT7	11.72	13.42
802.11ax HE20	242T 61	5260	MIMO	14.47	14.56
802.11ax HE20	242T 61	5280	ANT3	11.03	8.53
802.11ax HE20	242T 61	5280	ANT7	11.27	12.97
802.11ax HE20	242T 61	5280	MIMO	14.16	14.25
802.11ax HE20	242T 61	5320	ANT3	11.72	9.22
802.11ax HE20	242T 61	5320	ANT7	10.98	12.68
802.11ax HE20	242T 61	5320	MIMO	14.38	14.47
802.11be EHT20	26T 0	5260	ANT3	2.40	-0.10
802.11be EHT20	26T 0	5260	ANT7	2.60	4.30
802.11be EHT20	26T 0	5260	MIMO	5.51	5.60
802.11be EHT20	26T 0	5280	ANT3	2.84	0.34
802.11be EHT20	26T 0	5280	ANT7	2.63	4.33

Test Report No.: RF260330B008

802.11be EHT20	26T 0	5280	MIMO	5.75	5.84
802.11be EHT20	26T 0	5320	ANT3	2.66	0.16
802.11be EHT20	26T 0	5320	ANT7	2.68	4.38
802.11be EHT20	26T 0	5320	MIMO	5.68	5.77
802.11be EHT20	26T 4	5260	ANT3	2.35	-0.15
802.11be EHT20	26T 4	5260	ANT7	2.72	4.42
802.11be EHT20	26T 4	5260	MIMO	5.55	5.64
802.11be EHT20	26T 4	5280	ANT3	1.96	-0.54
802.11be EHT20	26T 4	5280	ANT7	2.47	4.17
802.11be EHT20	26T 4	5280	MIMO	5.23	5.32
802.11be EHT20	26T 4	5320	ANT3	2.60	0.10
802.11be EHT20	26T 4	5320	ANT7	2.85	4.55
802.11be EHT20	26T 4	5320	MIMO	5.74	5.83
802.11be EHT20	26T 8	5260	ANT3	2.57	0.07
802.11be EHT20	26T 8	5260	ANT7	2.63	4.33
802.11be EHT20	26T 8	5260	MIMO	5.61	5.70
802.11be EHT20	26T 8	5280	ANT3	2.27	-0.23
802.11be EHT20	26T 8	5280	ANT7	2.01	3.71
802.11be EHT20	26T 8	5280	MIMO	5.15	5.24
802.11be EHT20	26T 8	5320	ANT3	2.92	0.42
802.11be EHT20	26T 8	5320	ANT7	2.76	4.46
802.11be EHT20	26T 8	5320	MIMO	5.85	5.94
802.11be EHT20	52T 37	5260	ANT3	5.49	2.99
802.11be EHT20	52T 37	5260	ANT7	5.33	7.03
802.11be EHT20	52T 37	5260	MIMO	8.42	8.51
802.11be EHT20	52T 37	5280	ANT3	5.45	2.95
802.11be EHT20	52T 37	5280	ANT7	5.09	6.79
802.11be EHT20	52T 37	5280	MIMO	8.28	8.37
802.11be EHT20	52T 37	5320	ANT3	5.87	3.37
802.11be EHT20	52T 37	5320	ANT7	5.60	7.30
802.11be EHT20	52T 37	5320	MIMO	8.75	8.84
802.11be EHT20	52T 39	5260	ANT3	5.53	3.03
802.11be EHT20	52T 39	5260	ANT7	5.58	7.28
802.11be EHT20	52T 39	5260	MIMO	8.57	8.66

Test Report No.: RF260330B008

802.11be EHT20	52T 39	5280	ANT3	5.50	3.00
802.11be EHT20	52T 39	5280	ANT7	5.12	6.82
802.11be EHT20	52T 39	5280	MIMO	8.32	8.41
802.11be EHT20	52T 39	5320	ANT3	5.98	3.48
802.11be EHT20	52T 39	5320	ANT7	5.77	7.47
802.11be EHT20	52T 39	5320	MIMO	8.89	8.98
802.11be EHT20	52T 40	5260	ANT3	5.52	3.02
802.11be EHT20	52T 40	5260	ANT7	5.36	7.06
802.11be EHT20	52T 40	5260	MIMO	8.45	8.54
802.11be EHT20	52T 40	5280	ANT3	5.16	2.66
802.11be EHT20	52T 40	5280	ANT7	5.39	7.09
802.11be EHT20	52T 40	5280	MIMO	8.29	8.38
802.11be EHT20	52T 40	5320	ANT3	5.89	3.39
802.11be EHT20	52T 40	5320	ANT7	5.85	7.55
802.11be EHT20	52T 40	5320	MIMO	8.88	8.97
802.11be EHT20	106T 53	5260	ANT3	8.60	6.10
802.11be EHT20	106T 53	5260	ANT7	8.69	10.39
802.11be EHT20	106T 53	5260	MIMO	11.66	11.75
802.11be EHT20	106T 53	5280	ANT3	8.69	6.19
802.11be EHT20	106T 53	5280	ANT7	8.40	10.10
802.11be EHT20	106T 53	5280	MIMO	11.56	11.65
802.11be EHT20	106T 53	5320	ANT3	8.97	6.47
802.11be EHT20	106T 53	5320	ANT7	8.61	10.31
802.11be EHT20	106T 53	5320	MIMO	11.80	11.89
802.11be EHT20	106T 54	5260	ANT3	8.50	6.00
802.11be EHT20	106T 54	5260	ANT7	8.83	10.53
802.11be EHT20	106T 54	5260	MIMO	11.68	11.77
802.11be EHT20	106T 54	5280	ANT3	8.27	5.77
802.11be EHT20	106T 54	5280	ANT7	8.94	10.64
802.11be EHT20	106T 54	5280	MIMO	11.63	11.72
802.11be EHT20	106T 54	5320	ANT3	8.91	6.41
802.11be EHT20	106T 54	5320	ANT7	8.99	10.69
802.11be EHT20	106T 54	5320	MIMO	11.96	12.05
802.11be EHT20	242T 61	5260	ANT3	11.22	8.72

Test Report No.: RF260330B008

802.11be EHT20	242T 61	5260	ANT7	11.69	13.39
802.11be EHT20	242T 61	5260	MIMO	14.47	14.56
802.11be EHT20	242T 61	5280	ANT3	11.05	8.55
802.11be EHT20	242T 61	5280	ANT7	11.22	12.92
802.11be EHT20	242T 61	5280	MIMO	14.15	14.24
802.11be EHT20	242T 61	5320	ANT3	11.74	9.24
802.11be EHT20	242T 61	5320	ANT7	10.95	12.65
802.11be EHT20	242T 61	5320	MIMO	14.37	14.46
802.11be EHT20	26+52	5260	ANT3	5.57	3.07
802.11be EHT20	26+52	5260	ANT7	5.63	7.33
802.11be EHT20	26+52	5260	MIMO	8.61	8.70
802.11be EHT20	26+52	5280	ANT3	5.51	3.01
802.11be EHT20	26+52	5280	ANT7	5.17	6.87
802.11be EHT20	26+52	5280	MIMO	8.35	8.44
802.11be EHT20	26+52	5320	ANT3	5.99	3.49
802.11be EHT20	26+52	5320	ANT7	5.81	7.51
802.11be EHT20	26+52	5320	MIMO	8.91	9.00
802.11be EHT20	26+106	5260	ANT3	8.09	5.59
802.11be EHT20	26+106	5260	ANT7	8.69	10.39
802.11be EHT20	26+106	5260	MIMO	11.41	11.50
802.11be EHT20	26+106	5280	ANT3	8.11	5.61
802.11be EHT20	26+106	5280	ANT7	8.44	10.14
802.11be EHT20	26+106	5280	MIMO	11.29	11.38
802.11be EHT20	26+106	5320	ANT3	8.43	5.93
802.11be EHT20	26+106	5320	ANT7	8.67	10.37
802.11be EHT20	26+106	5320	MIMO	11.56	11.65
802.11ax HE40	484T 65	5270	ANT3	10.88	8.38
802.11ax HE40	484T 65	5270	ANT7	11.50	13.20
802.11ax HE40	484T 65	5270	MIMO	14.21	14.30
802.11ax HE40	484T 65	5310	ANT3	11.55	9.05
802.11ax HE40	484T 65	5310	ANT7	11.65	13.35
802.11ax HE40	484T 65	5310	MIMO	14.61	14.70
802.11be EHT40	484T 65	5270	ANT3	11.13	8.63
802.11be EHT40	484T 65	5270	ANT7	11.83	13.53

Test Report No.: RF260330B008

802.11be EHT40	484T 65	5270	MIMO	14.50	14.59
802.11be EHT40	484T 65	5310	ANT3	10.77	8.27
802.11be EHT40	484T 65	5310	ANT7	11.06	12.76
802.11be EHT40	484T 65	5310	MIMO	13.93	14.02
802.11ax HE80	996T 67	5290	ANT3	11.95	9.45
802.11ax HE80	996T 67	5290	ANT7	11.79	13.49
802.11ax HE80	996T 67	5290	MIMO	14.88	14.97
802.11be EHT80	996T 67	5290	ANT3	11.88	9.38
802.11be EHT80	996T 67	5290	ANT7	11.76	13.46
802.11be EHT80	996T 67	5290	MIMO	14.83	14.92
802.11be EHT80	242+484	5290	ANT3	8.69	6.19
802.11be EHT80	242+484	5290	ANT7	9.26	10.96
802.11be EHT80	242+484	5290	MIMO	11.99	12.08

Note: 1. Conducted Power=Measured Power +Duty Cycle Factor
 2. Equivalent Isotropically Radiated Power =Measured Power +Duty Cycle Factor+Gain

Emission Bandwidth

Offset 15.44dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5260MHz	5280MHz	5320MHz
802.11a	ANT3	22.86	23.42	23.62
802.11a	ANT7	22.56	22.77	22.64
802.11n HT20	ANT3	22.75	22.31	23.17
802.11n HT20	ANT7	23.13	23.56	22.69
802.11ac VHT20	ANT3	23.31	23.12	23.24
802.11ac VHT20	ANT7	23.02	23.17	23.32
802.11ax HE20	ANT3	22.13	22.12	22.80
802.11ax HE20	ANT7	21.63	22.24	21.34
802.11be EHT20	ANT3	22.08	22.37	22.41
802.11be EHT20	ANT7	21.32	22.84	22.08

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5270MHz	---	5310MHz

Test Report No.: RF260330B008

802.11n HT40	ANT3	43.12	---	42.74
802.11n HT40	ANT7	43.08	---	44.23
802.11ac VHT40	ANT3	42.32	---	43.36
802.11ac VHT40	ANT7	44.84	---	41.55
802.11ax HE40	ANT3	41.38	---	42.37
802.11ax HE40	ANT7	42.24	---	42.66
802.11be EHT40	ANT3	42.32	---	43.08
802.11be EHT40	ANT7	42.78	---	44.07

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5290MHz	---	---
802.11ac VHT80	ANT3	87.62	---	---
802.11ac VHT80	ANT7	87.92	---	---
802.11ax HE80	ANT3	82.69	---	---
802.11ax HE80	ANT7	82.94	---	---
802.11be EHT80	ANT3	86.59	---	---
802.11be EHT80	ANT7	83.83	---	---

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5260MHz	5280MHz	5320MHz
802.11ax HE20 26T	ANT3	6.80	14.16	7.71
802.11ax HE20 26T	ANT7	15.85	13.87	11.50
802.11be EHT20 26T	ANT3	7.05	7.43	7.08
802.11be EHT20 26T	ANT7	6.95	8.64	6.72

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5270MHz	---	5310MHz
802.11ax HE40 26T	ANT3	9.42	---	8.06
802.11ax HE40 26T	ANT7	10.26	---	10.20



Test Report No.: RF260330B008

802.11be EHT40 26T	ANT3	12.60	---	8.08
802.11be EHT40 26T	ANT7	10.94	---	11.25



Test Report No.: RF260330B008

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5290MHz	---	---
802.11ax HE80 26T	ANT3	11.47	---	---
802.11ax HE80 26T	ANT7	14.72	---	---
802.11be EHT80 26T	ANT3	18.75	---	---
802.11be EHT80 26T	ANT7	14.09	---	---

Test Mode: 802.11a

Mode:802.11a Frequency:5260MHz Ant:ANT3	Mode:802.11a Frequency:5280MHz Ant:ANT3
Mode:802.11a Frequency:5320MHz	Mode:802.11a Frequency:5260MHz


BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260330B008

Ant:ANT3



Mode:802.11a Frequency:5280MHz
Ant:ANT7

Ant:ANT7




Mode:802.11a Frequency:5320MHz
Ant:ANT7



Test Report No.: RF260330B008


Test Mode: 802.11n HT20





Test Report No.: RF260330B008


Test Mode: 802.11ac VHT20





Test Report No.: RF260330B008

Test Mode: 802.11ax HE20





Test Report No.: RF260330B008

Test Mode: 802.11be EHT20

