































Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11b	Ant6	2412	8.38	8.41	99.64	0.02
11b	Ant6	2437	8.38	8.42	99.52	0.02
11b	Ant6	2462	8.38	8.42	99.52	0.02
11g	Ant6	2412	1.39	1.43	97.20	0.12
11g	Ant6	2437	1.40	1.43	97.90	0.09
11g	Ant6	2462	1.39	1.43	97.20	0.12
11n20SISO	Ant6	2412	1.30	1.33	97.74	0.10
11n20SISO	Ant6	2437	1.30	1.34	97.01	0.13
11n20SISO	Ant6	2462	1.30	1.33	97.74	0.10
11n40SISO	Ant6	2422	1.22	1.25	97.60	0.11
11n40SISO	Ant6	2427	1.22	1.26	96.83	0.14
11n40SISO	Ant6	2432	1.23	1.26	97.62	0.10
11n40SISO	Ant6	2437	1.22	1.26	96.83	0.14
11n40SISO	Ant6	2442	1.23	1.26	97.62	0.10
11n40SISO	Ant6	2447	1.23	1.26	97.62	0.10
11n40SISO	Ant6	2452	1.22	1.26	96.83	0.14
11VHT20SISO	Ant6	2412	3.74	4.71	79.41	1.00
11VHT20SISO	Ant6	2437	3.75	4.70	79.79	0.98
11VHT20SISO	Ant6	2462	3.75	4.68	80.13	0.96
11VHT40SISO	Ant6	2422	1.83	2.77	66.06	1.80
11VHT40SISO	Ant6	2427	1.82	2.76	65.94	1.81
11VHT40SISO	Ant6	2432	1.82	2.75	66.18	1.79
11VHT40SISO	Ant6	2437	1.82	2.73	66.67	1.76
11VHT40SISO	Ant6	2442	1.82	2.74	66.42	1.78
11VHT40SISO	Ant6	2447	1.82	2.76	65.94	1.81
11VHT40SISO	Ant6	2452	1.82	2.74	66.42	1.78


Test Graphs











Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	74.96	43.54	-27.03	16.51	40.00	23.49	Horizontal	PASS
2	99.99	42.68	-23.86	18.82	43.50	24.68	Horizontal	PASS
3	173.52	45.53	-25.39	20.14	43.50	23.36	Horizontal	PASS
4	223.09	47.44	-23.55	23.89	47.00	23.11	Horizontal	PASS
5	329.50	45.42	-19.18	26.24	47.00	20.76	Horizontal	PASS
6	392.51	41.85	-17.47	24.38	47.00	22.62	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	49.93	49.86	-22.27	27.59	40.00	12.41	Vertical	PASS
2	95.14	54.56	-25.03	29.53	43.50	13.97	Vertical	PASS
3	146.21	53.24	-26.27	26.97	43.50	16.53	Vertical	PASS
4	225.17	46.61	-22.84	23.77	47.00	23.23	Vertical	PASS
5	327.76	44.18	-19.14	25.04	47.00	21.96	Vertical	PASS
6	549.99	41.96	-15.91	26.05	47.00	20.95	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2997.60	39.66	4.17	43.83	54.00	10.17	Horizontal	PASS
2	4824.50	57.33	-6.79	50.54	54.00	3.46	Horizontal	PASS
3	17870.00	31.76	13.38	45.14	54.00	8.86	Horizontal	PASS
4	2412.90	101.60	1.26	102.86	-	-	Horizontal	NA
5	2979.20	47.94	4.26	52.20	74.00	21.80	Horizontal	PASS
6	4824.00	58.44	-6.79	51.65	74.00	22.35	Horizontal	PASS
7	17470.50	41.01	11.90	52.91	74.00	21.09	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2930.10	39.81	4.19	44.00	54.00	10.00	Vertical	PASS
2	4824.50	51.24	-6.79	44.45	54.00	9.55	Vertical	PASS
3	17912.00	31.48	13.70	45.18	54.00	8.82	Vertical	PASS
4	2411.10	95.21	1.24	96.45	-	-	Vertical	NA
5	2991.50	48.16	4.20	52.36	74.00	21.64	Vertical	PASS
6	4824.00	53.73	-6.79	46.94	74.00	27.06	Vertical	PASS
7	17863.00	40.38	13.30	53.68	74.00	20.32	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2987.60	39.81	4.22	44.03	54.00	9.97	Horizontal	PASS
2	4874.50	57.78	-6.81	50.97	54.00	3.03	Horizontal	PASS
3	17884.00	32.25	13.57	45.82	54.00	8.18	Horizontal	PASS
4	2437.80	100.03	1.53	101.56	-	-	Horizontal	NA
5	2936.90	48.38	4.25	52.63	74.00	21.37	Horizontal	PASS
6	4874.00	59.41	-6.81	52.60	74.00	21.40	Horizontal	PASS
7	17815.00	40.04	12.66	52.70	74.00	21.30	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2958.80	40.11	4.35	44.46	54.00	9.54	Vertical	PASS
2	4874.50	54.46	-6.81	47.65	54.00	6.35	Vertical	PASS
3	17881.00	32.24	13.53	45.77	54.00	8.23	Vertical	PASS
4	2437.90	96.03	1.53	97.56	-	-	Vertical	NA
5	2980.90	48.37	4.25	52.62	74.00	21.38	Vertical	PASS
6	4874.00	55.77	-6.81	48.96	74.00	25.04	Vertical	PASS
7	17607.50	40.60	11.73	52.33	74.00	21.67	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2967.20	39.81	4.31	44.12	54.00	9.88	Horizontal	PASS
2	4924.50	57.54	-6.64	50.90	54.00	3.10	Horizontal	PASS
3	17872.50	32.20	13.42	45.62	54.00	8.38	Horizontal	PASS
4	2461.10	98.47	1.69	100.16	-	-	Horizontal	NA
5	2986.60	48.31	4.22	52.53	74.00	21.47	Horizontal	PASS
6	4924.00	58.91	-6.64	52.27	74.00	21.73	Horizontal	PASS
7	17931.50	39.52	13.56	53.08	74.00	20.92	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2998.40	39.67	4.17	43.84	54.00	10.16	Vertical	PASS
2	4924.50	52.16	-6.64	45.52	54.00	8.48	Vertical	PASS
3	17873.00	31.54	13.43	44.97	54.00	9.03	Vertical	PASS
4	2461.10	93.47	1.69	95.16	-	-	Vertical	NA
5	2974.40	47.63	4.28	51.91	74.00	22.09	Vertical	PASS
6	4924.00	54.04	-6.64	47.40	74.00	26.60	Vertical	PASS
7	17940.00	39.27	13.49	52.76	74.00	21.24	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2989.60	39.70	4.21	43.91	54.00	10.09	Horizontal	PASS
2	4827.00	49.09	-6.79	42.30	54.00	11.70	Horizontal	PASS
3	17887.50	31.65	13.62	45.27	54.00	8.73	Horizontal	PASS
4	2410.70	101.87	1.23	103.10	-	-	Horizontal	NA
5	2906.60	49.45	3.94	53.39	74.00	20.61	Horizontal	PASS
6	4824.50	55.44	-6.79	48.65	74.00	25.35	Horizontal	PASS
7	17821.50	40.01	12.74	52.75	74.00	21.25	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2965.30	39.82	4.32	44.14	54.00	9.86	Vertical	PASS
2	4826.00	42.92	-6.79	36.13	54.00	17.87	Vertical	PASS
3	17888.00	32.44	13.63	46.07	54.00	7.93	Vertical	PASS
4	2412.10	98.77	1.25	100.02	-	-	Vertical	NA
5	2995.20	48.27	4.18	52.45	74.00	21.55	Vertical	PASS
6	4825.00	50.61	-6.79	43.82	74.00	30.18	Vertical	PASS
7	17951.00	39.20	13.41	52.61	74.00	21.39	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2991.70	39.86	4.20	44.06	54.00	9.94	Horizontal	PASS
2	4875.50	48.91	-6.81	42.10	54.00	11.90	Horizontal	PASS
3	17885.00	31.61	13.58	45.19	54.00	8.81	Horizontal	PASS
4	2438.90	100.71	1.54	102.25	-	-	Horizontal	NA
5	2999.10	48.80	4.16	52.96	74.00	21.04	Horizontal	PASS
6	4874.50	55.05	-6.81	48.24	74.00	25.76	Horizontal	PASS
7	17843.50	39.94	13.04	52.98	74.00	21.02	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2976.20	39.61	4.27	43.88	54.00	10.12	Vertical	PASS
2	4877.50	43.07	-6.81	36.26	54.00	17.74	Vertical	PASS
3	17876.00	32.02	13.46	45.48	54.00	8.52	Vertical	PASS
4	2437.50	98.67	1.52	100.19	-	-	Vertical	NA
5	2963.80	48.24	4.33	52.57	74.00	21.43	Vertical	PASS
6	4874.00	50.84	-6.81	44.03	74.00	29.97	Vertical	PASS
7	17875.50	39.74	13.46	53.20	74.00	20.80	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2979.70	39.47	4.25	43.72	54.00	10.28	Horizontal	PASS
2	4926.50	51.34	-6.63	44.71	54.00	9.29	Horizontal	PASS
3	17871.00	31.90	13.40	45.30	54.00	8.70	Horizontal	PASS
4	2465.00	102.07	1.70	103.77	-	-	Horizontal	NA
5	2974.40	48.61	4.28	52.89	74.00	21.11	Horizontal	PASS
6	4922.50	56.63	-6.64	49.99	74.00	24.01	Horizontal	PASS
7	17883.50	39.45	13.57	53.02	74.00	20.98	Horizontal	PASS


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2970.00	39.74	4.30	44.04	54.00	9.96	Vertical	PASS
2	4930.00	42.61	-6.61	36.00	54.00	18.00	Vertical	PASS
3	17883.50	32.12	13.57	45.69	54.00	8.31	Vertical	PASS
4	2464.20	96.47	1.70	98.17	-	-	Vertical	NA
5	2899.00	48.96	3.88	52.84	74.00	21.16	Vertical	PASS
6	4927.00	50.01	-6.63	43.38	74.00	30.62	Vertical	PASS
7	17867.00	39.74	13.34	53.08	74.00	20.92	Vertical	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2940.80	39.23	4.29	43.52	54.00	10.48	Horizontal	PASS
2	4923.50	47.94	-6.64	41.30	54.00	12.70	Horizontal	PASS
3	17886.00	31.89	13.59	45.48	54.00	8.52	Horizontal	PASS
4	2458.90	100.60	1.69	102.29	-	-	Horizontal	NA
5	2939.30	48.13	4.28	52.41	74.00	21.59	Horizontal	PASS
6	4928.00	54.22	-6.62	47.60	74.00	26.40	Horizontal	PASS
7	17239.50	41.45	11.35	52.80	74.00	21.20	Horizontal	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2982.20	39.73	4.24	43.97	54.00	10.03	Vertical	PASS
2	4928.00	42.32	-6.62	35.70	54.00	18.30	Vertical	PASS
3	17939.50	31.94	13.50	45.44	54.00	8.56	Vertical	PASS
4	2463.30	98.75	1.69	100.44	-	-	Vertical	NA
5	2976.60	48.96	4.27	53.23	74.00	20.77	Vertical	PASS
6	4927.50	48.91	-6.62	42.29	74.00	31.71	Vertical	PASS
7	17926.50	39.86	13.59	53.45	74.00	20.55	Vertical	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2988.50	40.33	4.21	44.54	54.00	9.46	Horizontal	PASS
2	4903.00	45.81	-6.73	39.08	54.00	14.92	Horizontal	PASS
3	17943.50	31.99	13.46	45.45	54.00	8.55	Horizontal	PASS
4	2453.70	99.60	1.67	101.27	-	-	Horizontal	NA
5	2916.10	48.25	4.04	52.29	74.00	21.71	Horizontal	PASS
6	4900.50	52.11	-6.75	45.36	74.00	28.64	Horizontal	PASS
7	17885.50	39.54	13.59	53.13	74.00	20.87	Horizontal	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2975.50	40.05	4.27	44.32	54.00	9.68	Vertical	PASS
2	4903.00	41.53	-6.73	34.80	54.00	19.20	Vertical	PASS
3	17876.50	32.08	13.47	45.55	54.00	8.45	Vertical	PASS
4	2453.50	97.55	1.67	99.22	-	-	Vertical	NA
5	2978.50	48.67	4.26	52.93	74.00	21.07	Vertical	PASS
6	4910.00	47.68	-6.70	40.98	74.00	33.02	Vertical	PASS
7	17871.50	39.93	13.40	53.33	74.00	20.67	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2360.30	41.13	1.07	42.20	54.00	11.80	Horizontal	PASS
2	2374.53	41.05	1.09	42.14	54.00	11.86	Horizontal	PASS
3	2384.92	41.41	1.10	42.51	54.00	11.49	Horizontal	PASS
4	2363.11	52.81	1.08	53.89	74.00	20.11	Horizontal	PASS
5	2376.62	52.58	1.09	53.67	74.00	20.33	Horizontal	PASS
6	2388.99	53.33	1.11	54.44	74.00	19.56	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2358.89	41.14	1.07	42.21	54.00	11.79	Vertical	PASS
2	2375.21	41.26	1.09	42.35	54.00	11.65	Vertical	PASS
3	2387.01	41.29	1.10	42.39	54.00	11.61	Vertical	PASS
4	2358.96	52.93	1.07	54.00	74.00	20.00	Vertical	PASS
5	2377.22	52.73	1.09	53.82	74.00	20.18	Vertical	PASS
6	2385.07	53.39	1.10	54.49	74.00	19.51	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2486.10	42.13	1.76	43.89	54.00	10.11	Horizontal	PASS
2	2488.57	43.28	1.76	45.04	54.00	8.96	Horizontal	PASS
3	2491.84	41.65	1.78	43.43	54.00	10.57	Horizontal	PASS
4	2484.46	53.35	1.76	55.11	74.00	18.89	Horizontal	PASS
5	2488.74	54.30	1.76	56.06	74.00	17.94	Horizontal	PASS
6	2494.09	53.16	1.79	54.95	74.00	19.05	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.39	41.52	1.76	43.28	54.00	10.72	Vertical	PASS
2	2487.87	42.04	1.76	43.80	54.00	10.20	Vertical	PASS
3	2491.91	41.43	1.78	43.21	54.00	10.79	Vertical	PASS
4	2485.93	52.97	1.76	54.73	74.00	19.27	Vertical	PASS
5	2489.15	53.58	1.77	55.35	74.00	18.65	Vertical	PASS
6	2498.08	53.31	1.79	55.10	74.00	18.90	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2368.89	41.59	1.08	42.67	54.00	11.33	Horizontal	PASS
2	2386.82	42.77	1.10	43.87	54.00	10.13	Horizontal	PASS
3	2389.88	47.93	1.11	49.04	54.00	4.96	Horizontal	PASS
4	2371.10	53.31	1.08	54.39	74.00	19.61	Horizontal	PASS
5	2379.13	52.88	1.10	53.98	74.00	20.02	Horizontal	PASS
6	2389.85	63.89	1.11	65.00	74.00	9.00	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.86	41.36	1.09	42.45	54.00	11.55	Vertical	PASS
2	2381.74	41.39	1.09	42.48	54.00	11.52	Vertical	PASS
3	2389.85	43.09	1.11	44.20	54.00	9.80	Vertical	PASS
4	2369.98	53.03	1.08	54.11	74.00	19.89	Vertical	PASS
5	2373.64	53.41	1.09	54.50	74.00	19.50	Vertical	PASS
6	2389.66	56.47	1.11	57.58	74.00	16.42	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	48.47	1.75	50.22	54.00	3.78	Horizontal	PASS
2	2485.62	45.26	1.76	47.02	54.00	6.98	Horizontal	PASS
3	2488.71	44.04	1.76	45.80	54.00	8.20	Horizontal	PASS
4	2483.58	64.26	1.75	66.01	74.00	7.99	Horizontal	PASS
5	2487.83	60.94	1.76	62.70	74.00	11.30	Horizontal	PASS
6	2488.81	58.82	1.77	60.59	74.00	13.41	Horizontal	PASS


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.84	45.19	1.76	46.95	54.00	7.05	Vertical	PASS
2	2486.60	42.70	1.77	44.47	54.00	9.53	Vertical	PASS
3	2491.60	41.57	1.78	43.35	54.00	10.65	Vertical	PASS
4	2483.77	61.00	1.76	62.76	74.00	11.24	Vertical	PASS
5	2489.63	56.22	1.77	57.99	74.00	16.01	Vertical	PASS
6	2490.64	54.43	1.77	56.20	74.00	17.80	Vertical	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2374.27	41.29	1.09	42.38	54.00	11.62	Horizontal	PASS
2	2386.37	42.06	1.10	43.16	54.00	10.84	Horizontal	PASS
3	2389.92	48.37	1.11	49.48	54.00	4.52	Horizontal	PASS
4	2370.61	52.53	1.08	53.61	74.00	20.39	Horizontal	PASS
5	2375.77	53.23	1.09	54.32	74.00	19.68	Horizontal	PASS
6	2389.55	63.23	1.11	64.34	74.00	9.66	Horizontal	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.26	41.14	1.09	42.23	54.00	11.77	Vertical	PASS
2	2376.10	41.17	1.09	42.26	54.00	11.74	Vertical	PASS
3	2389.73	46.49	1.11	47.60	54.00	6.40	Vertical	PASS
4	2367.59	52.67	1.09	53.76	74.00	20.24	Vertical	PASS
5	2375.73	52.95	1.09	54.04	74.00	19.96	Vertical	PASS
6	2388.65	61.44	1.11	62.55	74.00	11.45	Vertical	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.94	48.91	1.76	50.67	54.00	3.33	Horizontal	PASS
2	2484.85	47.99	1.76	49.75	54.00	4.25	Horizontal	PASS
3	2487.15	44.95	1.77	46.72	54.00	7.28	Horizontal	PASS
4	2484.25	66.68	1.76	68.44	74.00	5.56	Horizontal	PASS
5	2486.89	60.74	1.77	62.51	74.00	11.49	Horizontal	PASS
6	2491.43	56.82	1.78	58.60	74.00	15.40	Horizontal	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	46.73	1.75	48.48	54.00	5.52	Vertical	PASS
2	2485.57	44.14	1.76	45.90	54.00	8.10	Vertical	PASS
3	2488.28	42.79	1.76	44.55	54.00	9.45	Vertical	PASS
4	2483.91	61.42	1.76	63.18	74.00	10.82	Vertical	PASS
5	2487.56	56.74	1.76	58.50	74.00	15.50	Vertical	PASS
6	2491.86	53.16	1.78	54.94	74.00	19.06	Vertical	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	3
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.98	43.85	1.10	44.95	54.00	9.05	Horizontal	PASS
2	2388.26	46.63	1.11	47.74	54.00	6.26	Horizontal	PASS
3	2389.40	49.05	1.11	50.16	54.00	3.84	Horizontal	PASS
4	2386.45	57.83	1.10	58.93	74.00	15.07	Horizontal	PASS
5	2388.21	60.27	1.11	61.38	74.00	12.62	Horizontal	PASS
6	2389.14	61.72	1.11	62.83	74.00	11.17	Horizontal	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	3
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.79	40.99	1.10	42.09	54.00	11.91	Vertical	PASS
2	2387.64	41.97	1.11	43.08	54.00	10.92	Vertical	PASS
3	2389.31	44.16	1.11	45.27	54.00	8.73	Vertical	PASS
4	2386.50	53.31	1.10	54.41	74.00	19.59	Vertical	PASS
5	2388.61	54.79	1.11	55.90	74.00	18.10	Vertical	PASS
6	2389.75	56.11	1.11	57.22	74.00	16.78	Vertical	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	4
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:16.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.07	45.13	1.10	46.23	54.00	7.77	Horizontal	PASS
2	2388.80	48.30	1.11	49.41	54.00	4.59	Horizontal	PASS
3	2389.49	49.06	1.11	50.17	54.00	3.83	Horizontal	PASS
4	2386.56	58.72	1.10	59.82	74.00	14.18	Horizontal	PASS
5	2388.89	61.89	1.11	63.00	74.00	11.00	Horizontal	PASS
6	2389.58	64.31	1.11	65.42	74.00	8.58	Horizontal	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	4
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.06	41.03	1.08	42.11	54.00	11.89	Vertical	PASS
2	2387.57	42.45	1.11	43.56	54.00	10.44	Vertical	PASS
3	2389.90	44.42	1.11	45.53	54.00	8.47	Vertical	PASS
4	2368.75	52.66	1.09	53.75	74.00	20.25	Vertical	PASS
5	2388.98	57.22	1.11	58.33	74.00	15.67	Vertical	PASS
6	2389.99	57.66	1.11	58.77	74.00	15.23	Vertical	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	5
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.97	40.89	1.09	41.98	54.00	12.02	Horizontal	PASS
2	2387.75	44.62	1.11	45.73	54.00	8.27	Horizontal	PASS
3	2389.93	46.89	1.11	48.00	54.00	6.00	Horizontal	PASS
4	2375.63	53.11	1.09	54.20	74.00	19.80	Horizontal	PASS
5	2387.13	60.21	1.10	61.31	74.00	12.69	Horizontal	PASS
6	2389.97	61.01	1.11	62.12	74.00	11.88	Horizontal	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	5
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2370.65	40.88	1.08	41.96	54.00	12.04	Vertical	PASS
2	2387.37	41.82	1.10	42.92	54.00	11.08	Vertical	PASS
3	2388.79	43.10	1.11	44.21	54.00	9.79	Vertical	PASS
4	2370.99	52.54	1.08	53.62	74.00	20.38	Vertical	PASS
5	2387.84	54.97	1.11	56.08	74.00	17.92	Vertical	PASS
6	2389.64	55.56	1.11	56.67	74.00	17.33	Vertical	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.61	49.05	1.75	50.80	54.00	3.20	Horizontal	PASS
2	2485.58	47.58	1.76	49.34	54.00	4.66	Horizontal	PASS
3	2489.82	47.49	1.77	49.26	54.00	4.74	Horizontal	PASS
4	2483.66	65.67	1.75	67.42	74.00	6.58	Horizontal	PASS
5	2486.13	61.83	1.76	63.59	74.00	10.41	Horizontal	PASS
6	2490.02	64.41	1.77	66.18	74.00	7.82	Horizontal	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.93	48.70	1.76	50.46	54.00	3.54	Vertical	PASS
2	2485.78	47.60	1.76	49.36	54.00	4.64	Vertical	PASS
3	2489.73	46.75	1.77	48.52	54.00	5.48	Vertical	PASS
4	2483.93	64.78	1.76	66.54	74.00	7.46	Vertical	PASS
5	2485.64	66.41	1.76	68.17	74.00	5.83	Vertical	PASS
6	2489.24	63.30	1.77	65.07	74.00	8.93	Vertical	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	8
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.82	49.22	1.76	50.98	54.00	3.02	Horizontal	PASS
2	2484.55	48.98	1.76	50.74	54.00	3.26	Horizontal	PASS
3	2487.69	47.44	1.76	49.20	54.00	4.80	Horizontal	PASS
4	2483.71	66.46	1.75	68.21	74.00	5.79	Horizontal	PASS
5	2486.20	64.64	1.76	66.40	74.00	7.60	Horizontal	PASS
6	2488.90	63.80	1.77	65.57	74.00	8.43	Horizontal	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	8
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.79	43.85	1.76	45.61	54.00	8.39	Vertical	PASS
2	2484.95	43.36	1.76	45.12	54.00	8.88	Vertical	PASS
3	2488.90	43.27	1.77	45.04	54.00	8.96	Vertical	PASS
4	2483.97	58.29	1.76	60.05	74.00	13.95	Vertical	PASS
5	2484.77	58.57	1.76	60.33	74.00	13.67	Vertical	PASS
6	2488.86	58.28	1.77	60.05	74.00	13.95	Vertical	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	7
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.69	48.43	1.75	50.18	54.00	3.82	Horizontal	PASS
2	2487.05	46.68	1.77	48.45	54.00	5.55	Horizontal	PASS
3	2488.45	46.14	1.76	47.90	54.00	6.10	Horizontal	PASS
4	2484.55	66.07	1.76	67.83	74.00	6.17	Horizontal	PASS
5	2487.12	64.61	1.77	66.38	74.00	7.62	Horizontal	PASS
6	2488.18	64.51	1.76	66.27	74.00	7.73	Horizontal	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	7
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.85	43.21	1.76	44.97	54.00	9.03	Vertical	PASS
2	2486.19	42.28	1.76	44.04	54.00	9.96	Vertical	PASS
3	2489.93	41.66	1.77	43.43	54.00	10.57	Vertical	PASS
4	2483.73	56.88	1.75	58.63	74.00	15.37	Vertical	PASS
5	2485.45	58.04	1.76	59.80	74.00	14.20	Vertical	PASS
6	2489.93	55.24	1.77	57.01	74.00	16.99	Vertical	PASS


Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:16.5		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.68	48.39	1.75	50.14	54.00	3.86	Horizontal	PASS
2	2486.09	46.67	1.76	48.43	54.00	5.57	Horizontal	PASS
3	2490.04	43.82	1.77	45.59	54.00	8.41	Horizontal	PASS
4	2483.60	63.83	1.75	65.58	74.00	8.42	Horizontal	PASS
5	2487.38	63.77	1.77	65.54	74.00	8.46	Horizontal	PASS
6	2490.70	58.07	1.77	59.84	74.00	14.16	Horizontal	PASS

Project Information			
Mode:	802.11VHT	Band:	-
Bandwidth	40M	Channel	6
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.31	43.05	1.76	44.81	54.00	9.19	Vertical	PASS
2	2486.13	42.73	1.76	44.49	54.00	9.51	Vertical	PASS
3	2491.57	41.23	1.78	43.01	54.00	10.99	Vertical	PASS
4	2484.35	58.69	1.76	60.45	74.00	13.55	Vertical	PASS
5	2485.43	56.90	1.76	58.66	74.00	15.34	Vertical	PASS
6	2492.61	53.74	1.78	55.52	74.00	18.48	Vertical	PASS

~The End~