




































Radiated Spurious Emissions

Test Result Below 1GHz


Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	58
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	48.67	41.83	-23.22	18.61	40.00	21.39	Horizontal	PASS
2	97.37	47.13	-24.56	22.57	43.50	20.93	Horizontal	PASS
3	149.99	45.25	-26.17	19.08	43.50	24.42	Horizontal	PASS
4	170.50	46.13	-25.79	20.34	43.50	23.16	Horizontal	PASS
5	222.84	46.75	-23.55	23.20	46.00	22.80	Horizontal	PASS
6	325.51	45.00	-19.77	25.23	46.00	20.77	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	58
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	49.89	50.15	-22.36	27.79	40.00	12.21	Vertical	PASS
2	56.09	48.06	-23.55	24.51	40.00	15.49	Vertical	PASS
3	95.91	53.90	-24.56	29.34	43.50	14.16	Vertical	PASS
4	146.11	52.70	-26.33	26.37	43.50	17.13	Vertical	PASS
5	226.81	46.12	-22.78	23.34	46.00	22.66	Vertical	PASS
6	321.92	43.82	-19.38	24.44	46.00	21.56	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7459.52	38.30	-0.51	37.79	54.00	16.21	Horizontal	PASS
2	11359.68	35.34	5.76	41.10	54.00	12.90	Horizontal	PASS
3	15580.32	33.35	9.26	42.61	54.00	11.39	Horizontal	PASS
4	5181.61	95.83	11.83	107.66	-	-	Horizontal	NA
5	6331.51	39.47	13.96	53.43	68.20	14.77	Horizontal	PASS
6	10355.70	45.65	4.22	49.87	68.20	18.33	Horizontal	PASS
7	17883.46	39.49	13.71	53.20	74.00	20.80	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7441.88	38.01	-0.46	37.55	54.00	16.45	Vertical	PASS
2	11094.79	35.93	5.56	41.49	54.00	12.51	Vertical	PASS
3	15580.32	33.92	9.26	43.18	54.00	10.82	Vertical	PASS
4	5177.39	93.50	11.85	105.35	-	-	Vertical	NA
5	6486.62	38.89	14.36	53.25	68.20	14.95	Vertical	PASS
6	10355.31	44.02	4.22	48.24	68.20	19.96	Vertical	PASS
7	17819.06	40.09	13.06	53.15	74.00	20.85	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	40
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7359.85	37.62	-0.35	37.27	54.00	16.73	Horizontal	PASS
2	11703.16	34.95	5.95	40.90	54.00	13.10	Horizontal	PASS
3	15778.13	34.09	8.62	42.71	54.00	11.29	Horizontal	PASS
4	5198.84	95.19	11.74	106.93	-	-	Horizontal	NA
5	6482.22	38.54	14.31	52.85	68.20	15.35	Horizontal	PASS
6	10395.18	45.09	4.41	49.50	68.20	18.70	Horizontal	PASS
7	17865.06	40.11	13.52	53.63	74.00	20.37	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	40
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7577.59	37.48	-0.42	37.06	54.00	16.94	Vertical	PASS
2	11449.38	35.81	5.56	41.37	54.00	12.63	Vertical	PASS
3	15551.95	34.02	9.10	43.12	54.00	10.88	Vertical	PASS
4	5198.29	94.35	11.74	106.09	-	-	Vertical	NA
5	6476.35	39.03	14.24	53.27	68.20	14.93	Vertical	PASS
6	10402.46	44.23	4.43	48.66	68.20	19.54	Vertical	PASS
7	17831.33	39.90	13.18	53.08	74.00	20.92	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8425.93	37.32	1.56	38.88	54.00	15.12	Horizontal	PASS
2	11920.90	35.29	5.92	41.21	54.00	12.79	Horizontal	PASS
3	15369.10	33.63	9.77	43.40	54.00	10.60	Horizontal	PASS
4	5240.82	94.94	11.52	106.46	-	-	Horizontal	NA
5	6296.49	40.08	13.81	53.89	68.20	14.31	Horizontal	PASS
6	10481.43	44.46	4.50	48.96	68.20	19.24	Horizontal	PASS
7	17809.09	40.08	12.95	53.03	74.00	20.97	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7479.45	37.74	-0.51	37.23	54.00	16.77	Vertical	PASS
2	11307.93	35.87	5.98	41.85	54.00	12.15	Vertical	PASS
3	15520.13	33.65	8.91	42.56	54.00	11.44	Vertical	PASS
4	5239.17	95.07	11.53	106.60	-	-	Vertical	NA
5	6342.33	39.54	14.00	53.54	68.20	14.66	Vertical	PASS
6	10479.90	44.63	4.49	49.12	68.20	19.08	Vertical	PASS
7	17885.38	39.66	13.73	53.39	74.00	20.61	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7468.72	37.97	-0.51	37.46	54.00	16.54	Horizontal	PASS
2	11268.83	35.43	5.99	41.42	54.00	12.58	Horizontal	PASS
3	15589.52	33.93	9.31	43.24	54.00	10.76	Horizontal	PASS
4	5240.09	93.95	11.52	105.47	-	-	Horizontal	NA
5	6370.93	39.34	13.92	53.26	68.20	14.94	Horizontal	PASS
6	10480.28	44.17	4.49	48.66	68.20	19.54	Horizontal	PASS
7	17862.38	39.98	13.49	53.47	74.00	20.53	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7459.13	38.18	-0.51	37.67	54.00	16.33	Vertical	PASS
2	11452.45	35.85	5.56	41.41	54.00	12.59	Vertical	PASS
3	15563.07	34.53	9.15	43.68	54.00	10.32	Vertical	PASS
4	5238.99	92.47	11.53	104.00	-	-	Vertical	NA
5	6457.28	39.94	14.01	53.95	68.20	14.25	Vertical	PASS
6	10479.13	43.58	4.49	48.07	68.20	20.13	Vertical	PASS
7	11134.65	42.79	5.69	48.48	74.00	25.52	Vertical	PASS
8	17875.03	39.52	13.63	53.15	74.00	20.85	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	46
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8065.59	37.62	0.63	38.25	54.00	15.75	Horizontal	PASS
2	11496.53	36.30	5.54	41.84	54.00	12.16	Horizontal	PASS
3	15334.21	33.50	9.87	43.37	-	-	Horizontal	NA
4	5227.62	92.77	11.60	104.37	-	-	Horizontal	NA
5	6321.24	39.54	13.91	53.45	68.20	14.75	Horizontal	PASS
6	10459.58	43.19	4.48	47.67	68.20	20.53	Horizontal	PASS
7	17874.65	39.65	13.62	53.27	74.00	20.73	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	46
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7414.28	37.41	-0.30	37.11	54.00	16.89	Vertical	PASS
2	11380.38	36.03	5.67	41.70	54.00	12.30	Vertical	PASS
3	16143.84	34.39	8.30	42.69	54.00	11.31	Vertical	PASS
4	5231.47	91.03	11.57	102.60	-	-	Vertical	NA
5	6428.68	39.48	13.86	53.34	68.20	14.86	Vertical	PASS
6	9561.79	43.71	3.43	47.14	68.20	21.06	Vertical	PASS
7	17967.42	39.18	13.42	52.60	74.00	21.40	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	42
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7466.42	38.80	-0.51	38.29	54.00	15.71	Horizontal	PASS
2	11192.54	35.01	5.89	40.90	54.00	13.10	Horizontal	PASS
3	15765.48	33.94	8.64	42.58	54.00	11.42	Horizontal	PASS
4	5223.59	89.80	11.62	101.42	-	-	Horizontal	NA
5	6359.38	39.37	13.98	53.35	68.20	14.85	Horizontal	PASS
6	10406.30	43.01	4.44	47.45	68.20	20.75	Horizontal	PASS
7	17866.21	39.35	13.53	52.88	74.00	21.12	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	42
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7499.00	38.20	-0.51	37.69	54.00	16.31	Vertical	PASS
2	11367.73	35.89	5.72	41.61	54.00	12.39	Vertical	PASS
3	15587.60	33.67	9.29	42.96	54.00	11.04	Vertical	PASS
4	5203.61	88.67	11.72	100.39	-	-	Vertical	NA
5	6434.18	39.50	13.88	53.38	68.20	14.82	Vertical	PASS
6	11180.27	42.74	5.84	48.58	74.00	25.42	Vertical	PASS
7	17873.88	39.59	13.62	53.21	74.00	20.79	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	52
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7451.47	37.54	-0.51	37.03	54.00	16.97	Horizontal	PASS
2	11335.91	35.39	5.86	41.25	54.00	12.75	Horizontal	PASS
3	15543.52	33.97	9.04	43.01	54.00	10.99	Horizontal	PASS
4	5261.18	94.54	11.51	106.05	-	-	Horizontal	NA
5	6486.07	38.98	14.35	53.33	68.20	14.87	Horizontal	PASS
6	10518.23	44.94	4.42	49.36	68.20	18.84	Horizontal	PASS
7	17861.23	40.09	13.48	53.57	74.00	20.43	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	52
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.60	37.92	-0.51	37.41	54.00	16.59	Vertical	PASS
2	11289.53	34.95	6.01	40.96	54.00	13.04	Vertical	PASS
3	15443.08	33.59	9.30	42.89	54.00	11.11	Vertical	PASS
4	5260.99	92.73	11.51	104.24	-	-	Vertical	NA
5	6459.48	39.41	14.04	53.45	68.20	14.75	Vertical	PASS
6	10522.45	44.39	4.41	48.80	68.20	19.40	Vertical	PASS
7	17875.03	39.40	13.63	53.03	74.00	20.97	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	60
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7601.74	37.77	-0.39	37.38	54.00	16.62	Horizontal	PASS
2	11368.88	36.99	5.72	42.71	54.00	11.29	Horizontal	PASS
3	15996.25	34.96	7.78	42.74	54.00	11.26	Horizontal	PASS
4	5301.33	95.51	11.69	107.20	-	-	Horizontal	NA
5	6349.29	39.87	14.03	53.90	68.20	14.30	Horizontal	PASS
6	10596.82	44.43	4.05	48.48	68.20	19.72	Horizontal	PASS
7	17744.31	40.80	12.27	53.07	74.00	20.93	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	60
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7431.91	37.61	-0.40	37.21	54.00	16.79	Vertical	PASS
2	11646.04	35.13	6.02	41.15	54.00	12.85	Vertical	PASS
3	15361.43	34.38	9.80	44.18	54.00	9.82	Vertical	PASS
4	5296.56	93.98	11.67	105.65	-	-	Vertical	NA
5	6251.58	40.74	13.56	54.30	68.20	13.90	Vertical	PASS
6	10605.25	44.69	4.07	48.76	74.00	25.24	Vertical	PASS
7	17977.38	40.51	13.35	53.86	74.00	20.14	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7569.15	38.25	-0.43	37.82	54.00	16.18	Horizontal	PASS
2	11529.12	36.13	5.70	41.83	54.00	12.17	Horizontal	PASS
3	15585.69	33.44	9.29	42.73	54.00	11.27	Horizontal	PASS
4	5318.74	95.16	11.85	107.01	-	-	Horizontal	NA
5	6492.30	39.08	14.42	53.50	68.20	14.70	Horizontal	PASS
6	10643.59	45.50	4.34	49.84	74.00	24.16	Horizontal	PASS
7	17925.63	39.35	13.70	53.05	74.00	20.95	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.51	37.63	-0.43	37.20	54.00	16.80	Vertical	PASS
2	11305.24	36.31	5.99	42.30	54.00	11.70	Vertical	PASS
3	15479.12	33.76	8.98	42.74	54.00	11.26	Vertical	PASS
4	5319.11	92.85	11.85	104.70	-	-	Vertical	NA
5	6478.00	38.68	14.26	52.94	68.20	15.26	Vertical	PASS
6	10643.59	45.07	4.34	49.41	74.00	24.59	Vertical	PASS
7	17815.99	40.22	13.02	53.24	74.00	20.76	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5318.74	94.01	11.85	105.86	-	-	Horizontal	NA
2	6280.18	40.56	13.72	54.28	68.20	13.92	Horizontal	PASS
3	7461.82	44.69	-0.51	44.18	74.00	29.82	Horizontal	PASS
4	10645.50	43.88	4.35	48.23	74.00	25.77	Horizontal	PASS
5	12000.63	42.74	5.59	48.33	74.00	25.67	Horizontal	PASS
6	15577.25	40.35	9.24	49.59	74.00	24.41	Horizontal	PASS
7	17757.73	40.97	12.41	53.38	74.00	20.62	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7687.61	37.22	0.40	37.62	54.00	16.38	Vertical	PASS
2	11182.57	35.28	5.86	41.14	54.00	12.86	Vertical	PASS
3	15412.41	33.37	9.58	42.95	54.00	11.05	Vertical	PASS
4	5318.93	92.30	11.85	104.15	-	-	Vertical	NA
5	6321.06	39.63	13.91	53.54	68.20	14.66	Vertical	PASS
6	12012.90	42.45	5.64	48.09	74.00	25.91	Vertical	PASS
7	17808.33	40.21	12.95	53.16	74.00	20.84	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	62
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8410.98	36.84	1.44	38.28	54.00	15.72	Horizontal	PASS
2	11447.08	36.11	5.56	41.67	54.00	12.33	Horizontal	PASS
3	15470.68	34.47	9.06	43.53	54.00	10.47	Horizontal	PASS
4	5306.28	93.07	11.74	104.81	-	-	Horizontal	NA
5	6455.45	39.33	13.99	53.32	68.20	14.88	Horizontal	PASS
6	10719.11	44.11	4.74	48.85	74.00	25.15	Horizontal	PASS
7	17878.10	40.17	13.66	53.83	74.00	20.17	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	62
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7456.07	37.82	-0.51	37.31	54.00	16.69	Vertical	PASS
2	11540.62	35.62	5.76	41.38	54.00	12.62	Vertical	PASS
3	15361.81	34.61	9.80	44.41	54.00	9.59	Vertical	PASS
4	5304.44	90.70	11.72	102.42	-	-	Vertical	NA
5	6287.14	39.54	13.76	53.30	68.20	14.90	Vertical	PASS
6	11370.41	42.24	5.71	47.95	74.00	26.05	Vertical	PASS
7	17833.24	39.97	13.20	53.17	74.00	20.83	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	58
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7451.08	37.90	-0.51	37.39	54.00	16.61	Horizontal	PASS
2	11329.39	36.26	5.89	42.15	54.00	11.85	Horizontal	PASS
3	15777.36	34.22	8.63	42.85	54.00	11.15	Horizontal	PASS
4	5288.31	90.14	11.63	101.77	-	-	Horizontal	NA
5	6194.92	41.02	13.49	54.51	68.20	13.69	Horizontal	PASS
6	12002.55	42.82	5.60	48.42	74.00	25.58	Horizontal	PASS
7	17929.46	39.07	13.68	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	58
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8090.89	38.01	0.66	38.67	54.00	15.33	Vertical	PASS
2	11464.72	36.09	5.56	41.65	54.00	12.35	Vertical	PASS
3	15351.85	33.33	9.83	43.16	54.00	10.84	Vertical	PASS
4	5285.93	87.33	11.62	98.95	-	-	Vertical	NA
5	6458.93	39.33	14.04	53.37	68.20	14.83	Vertical	PASS
6	11330.54	42.39	5.89	48.28	74.00	25.72	Vertical	PASS
7	17985.05	40.45	13.30	53.75	74.00	20.25	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8102.00	36.88	0.68	37.56	54.00	16.44	Horizontal	PASS
2	11000.87	37.01	5.53	42.54	54.00	11.46	Horizontal	PASS
3	15762.79	34.05	8.64	42.69	54.00	11.31	Horizontal	PASS
4	5502.63	92.79	12.40	105.19	-	-	Horizontal	NA
5	6237.46	40.51	13.53	54.04	68.20	14.16	Horizontal	PASS
6	11000.48	42.41	5.53	47.94	74.00	26.06	Horizontal	PASS
7	17811.78	40.95	12.98	53.93	74.00	20.07	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8432.83	36.52	1.62	38.14	54.00	15.86	Vertical	PASS
2	11371.95	35.42	5.71	41.13	54.00	12.87	Vertical	PASS
3	15762.79	34.65	8.64	43.29	54.00	10.71	Vertical	PASS
4	5501.35	94.35	12.41	106.76	-	-	Vertical	NA
5	6109.49	40.93	13.40	54.33	68.20	13.87	Vertical	PASS
6	12122.54	42.09	6.08	48.17	74.00	25.83	Vertical	PASS
7	15079.67	41.81	10.35	52.16	68.20	16.04	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	120
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7467.57	37.60	-0.51	37.09	54.00	16.91	Horizontal	PASS
2	12009.07	35.54	5.63	41.17	54.00	12.83	Horizontal	PASS
3	15612.52	33.81	9.29	43.10	54.00	10.90	Horizontal	PASS
4	5601.45	92.91	12.75	105.66	-	-	Horizontal	NA
5	6317.94	40.12	13.90	54.02	68.20	14.18	Horizontal	PASS
6	14129.35	42.25	9.47	51.72	68.20	16.48	Horizontal	PASS
7	17662.66	41.37	11.81	53.18	68.20	15.02	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	120
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7592.54	37.98	-0.40	37.58	54.00	16.42	Vertical	PASS
2	11463.57	35.68	5.56	41.24	54.00	12.76	Vertical	PASS
3	16008.52	34.76	7.79	42.55	54.00	11.45	Vertical	PASS
4	5600.90	91.37	12.73	104.10	-	-	Vertical	NA
5	6365.61	39.94	13.95	53.89	68.20	14.31	Vertical	PASS
6	11464.33	42.32	5.56	47.88	74.00	26.12	Vertical	PASS
7	15129.89	40.60	10.43	51.03	68.20	17.17	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7349.49	37.96	-0.38	37.58	54.00	16.42	Horizontal	PASS
2	11392.65	35.72	5.62	41.34	54.00	12.66	Horizontal	PASS
3	15527.03	33.55	8.95	42.50	54.00	11.50	Horizontal	PASS
4	5702.84	94.51	13.09	107.60	-	-	Horizontal	NA
5	6360.48	40.56	13.98	54.54	68.20	13.66	Horizontal	PASS
6	9512.33	44.51	3.20	47.71	68.20	20.49	Horizontal	PASS
7	17798.74	40.38	12.85	53.23	74.00	20.77	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7476.77	38.05	-0.51	37.54	54.00	16.46	Vertical	PASS
2	12087.65	35.41	5.95	41.36	54.00	12.64	Vertical	PASS
3	15806.88	34.30	8.55	42.85	54.00	11.15	Vertical	PASS
4	5701.01	91.07	13.10	104.17	-	-	Vertical	NA
5	6481.30	39.74	14.30	54.04	68.20	14.16	Vertical	PASS
6	9658.01	44.31	3.10	47.41	68.20	20.79	Vertical	PASS
7	17872.35	39.34	13.59	52.93	74.00	21.07	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8254.19	37.34	0.76	38.10	54.00	15.90	Horizontal	PASS
2	12181.96	35.16	6.27	41.43	54.00	12.57	Horizontal	PASS
3	15409.35	33.95	9.60	43.55	54.00	10.45	Horizontal	PASS
4	5702.11	93.24	13.09	106.33	-	-	Horizontal	NA
5	6484.78	39.04	14.34	53.38	68.20	14.82	Horizontal	PASS
6	9562.55	44.21	3.43	47.64	68.20	20.56	Horizontal	PASS
7	17892.28	39.67	13.80	53.47	74.00	20.53	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7450.70	37.76	-0.51	37.25	54.00	16.75	Vertical	PASS
2	11429.45	35.75	5.57	41.32	54.00	12.68	Vertical	PASS
3	15392.86	33.62	9.71	43.33	54.00	10.67	Vertical	PASS
4	5698.62	89.93	13.11	103.04	-	-	Vertical	NA
5	6286.59	40.07	13.76	53.83	68.20	14.37	Vertical	PASS
6	15083.12	40.65	10.42	51.07	68.20	17.13	Vertical	PASS
7	17890.36	39.88	13.78	53.66	74.00	20.34	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	134
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7449.55	38.14	-0.51	37.63	54.00	16.37	Horizontal	PASS
2	11364.66	36.13	5.74	41.87	54.00	12.13	Horizontal	PASS
3	15788.86	34.63	8.60	43.23	54.00	10.77	Horizontal	PASS
4	5665.81	92.16	13.13	105.29	-	-	Horizontal	NA
5	6494.32	39.48	14.45	53.93	68.20	14.27	Horizontal	PASS
6	11459.73	43.22	5.56	48.78	74.00	25.22	Horizontal	PASS
7	17816.76	40.46	13.03	53.49	74.00	20.51	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	134
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7350.65	37.73	-0.38	37.35	54.00	16.65	Vertical	PASS
2	11296.43	35.15	6.02	41.17	54.00	12.83	Vertical	PASS
3	15474.52	33.94	9.02	42.96	54.00	11.04	Vertical	PASS
4	5671.31	88.74	13.13	101.87	-	-	Vertical	NA
5	6096.65	41.25	13.38	54.63	68.20	13.57	Vertical	PASS
6	15079.29	41.31	10.34	51.65	68.20	16.55	Vertical	PASS
7	17911.83	40.10	13.80	53.90	74.00	20.10	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	122
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7428.46	38.30	-0.38	37.92	54.00	16.08	Horizontal	PASS
2	11286.84	34.82	6.01	40.83	54.00	13.17	Horizontal	PASS
3	15363.35	34.24	9.79	44.03	54.00	9.97	Horizontal	PASS
4	5623.45	87.17	12.92	100.09	-	-	Horizontal	NA
5	6366.16	39.78	13.95	53.73	68.20	14.47	Horizontal	PASS
6	11470.47	42.49	5.55	48.04	74.00	25.96	Horizontal	PASS
7	17954.77	39.38	13.51	52.89	74.00	21.11	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	122
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8060.99	37.56	0.63	38.19	54.00	15.81	Vertical	PASS
2	12231.79	35.17	6.27	41.44	54.00	12.56	Vertical	PASS
3	15392.86	33.22	9.71	42.93	54.00	11.07	Vertical	PASS
4	5603.29	85.39	12.75	98.14	-	-	Vertical	NA
5	6216.37	40.39	13.51	53.90	68.20	14.30	Vertical	PASS
6	11373.86	42.26	5.70	47.96	74.00	26.04	Vertical	PASS
7	17872.73	39.85	13.61	53.46	74.00	20.54	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7375.95	38.00	-0.29	37.71	54.00	16.29	Horizontal	PASS
2	11483.50	36.46	5.55	42.01	54.00	11.99	Horizontal	PASS
3	15757.81	34.52	8.64	43.16	54.00	10.84	Horizontal	PASS
4	5746.84	93.20	12.74	105.94	-	-	Horizontal	NA
5	6268.99	40.82	13.65	54.47	68.20	13.73	Horizontal	PASS
6	12044.72	42.74	5.77	48.51	74.00	25.49	Horizontal	PASS
7	17808.33	40.71	12.95	53.66	74.00	20.34	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7535.80	38.48	-0.47	38.01	54.00	15.99	Vertical	PASS
2	11508.03	36.23	5.59	41.82	54.00	12.18	Vertical	PASS
3	15394.01	33.92	9.70	43.62	54.00	10.38	Vertical	PASS
4	5746.47	88.42	12.75	101.17	-	-	Vertical	NA
5	6470.85	40.15	14.17	54.32	68.20	13.88	Vertical	PASS
6	11100.54	43.85	5.57	49.42	74.00	24.58	Vertical	PASS
7	15075.45	41.29	10.27	51.56	68.20	16.64	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	157
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7455.68	37.97	-0.51	37.46	54.00	16.54	Horizontal	PASS
2	11489.25	36.46	5.54	42.00	54.00	12.00	Horizontal	PASS
3	15377.15	34.22	9.76	43.98	54.00	10.02	Horizontal	PASS
4	5789.19	93.96	12.76	106.72	-	-	Horizontal	NA
5	6354.61	40.16	14.01	54.17	68.20	14.03	Horizontal	PASS
6	9589.00	44.73	3.52	48.25	68.20	19.95	Horizontal	PASS
7	17966.65	39.53	13.43	52.96	74.00	21.04	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	157
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7708.31	36.80	0.52	37.32	54.00	16.68	Vertical	PASS
2	11325.56	36.63	5.90	42.53	54.00	11.47	Vertical	PASS
3	15762.03	34.70	8.65	43.35	54.00	10.65	Vertical	PASS
4	5784.06	87.67	12.76	100.43	-	-	Vertical	NA
5	6408.70	39.75	13.80	53.55	68.20	14.65	Vertical	PASS
6	9608.55	44.03	3.48	47.51	68.20	20.69	Vertical	PASS
7	17831.33	40.61	13.18	53.79	74.00	20.21	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7454.15	37.89	-0.51	37.38	54.00	16.62	Horizontal	PASS
2	11851.13	35.63	6.04	41.67	54.00	12.33	Horizontal	PASS
3	16127.74	34.85	8.16	43.01	54.00	10.99	Horizontal	PASS
4	5826.96	93.21	12.81	106.02	-	-	Horizontal	NA
5	6368.18	40.12	13.93	54.05	68.20	14.15	Horizontal	PASS
6	8039.13	44.22	0.56	44.78	74.00	29.22	Horizontal	PASS
7	17885.76	40.51	13.73	54.24	74.00	19.76	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7456.07	38.64	-0.51	38.13	54.00	15.87	Vertical	PASS
2	11958.08	35.68	5.76	41.44	54.00	12.56	Vertical	PASS
3	15782.73	34.62	8.61	43.23	54.00	10.77	Vertical	PASS
4	5826.23	87.36	12.81	100.17	-	-	Vertical	NA
5	6257.08	40.55	13.59	54.14	68.20	14.06	Vertical	PASS
6	10124.15	43.55	3.94	47.49	68.20	20.71	Vertical	PASS
7	17863.15	40.02	13.51	53.53	74.00	20.47	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8355.01	37.48	1.14	38.62	54.00	15.38	Horizontal	PASS
2	11316.36	35.84	5.94	41.78	54.00	12.22	Horizontal	PASS
3	15803.81	34.31	8.56	42.87	54.00	11.13	Horizontal	PASS
4	5826.78	92.23	12.81	105.04	-	-	Horizontal	NA
5	6397.15	39.90	13.79	53.69	68.20	14.51	Horizontal	PASS
6	9511.18	44.55	3.19	47.74	68.20	20.46	Horizontal	PASS
7	17803.73	40.63	12.90	53.53	74.00	20.47	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7505.52	38.12	-0.50	37.62	54.00	16.38	Vertical	PASS
2	11339.36	36.19	5.85	42.04	54.00	11.96	Vertical	PASS
3	15344.18	34.21	9.84	44.05	-	-	Vertical	NA
4	5826.96	87.48	12.81	100.29	-	-	Vertical	NA
5	6190.16	40.75	13.49	54.24	68.20	13.96	Vertical	PASS
6	11153.06	42.83	5.75	48.58	74.00	25.42	Vertical	PASS
7	17878.48	39.60	13.66	53.26	74.00	20.74	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8102.39	38.47	0.68	39.15	54.00	14.85	Horizontal	PASS
2	11606.17	35.42	6.07	41.49	54.00	12.51	Horizontal	PASS
3	15576.10	34.01	9.23	43.24	54.00	10.76	Horizontal	PASS
4	5799.09	89.45	12.77	102.22	-	-	Horizontal	NA
5	6398.06	40.19	13.78	53.97	68.20	14.23	Horizontal	PASS
6	13695.02	41.52	10.04	51.56	68.20	16.64	Horizontal	PASS
7	17860.85	39.71	13.48	53.19	74.00	20.81	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5793.23	85.83	12.76	98.59	-	-	Vertical	NA
2	6382.85	40.34	13.85	54.19	68.20	14.01	Vertical	PASS
3	7394.35	44.45	-0.23	44.22	74.00	29.78	Vertical	PASS
4	9600.50	43.62	3.55	47.17	68.20	21.03	Vertical	PASS
5	11501.13	43.21	5.54	48.75	74.00	25.25	Vertical	PASS
6	15613.67	40.60	9.29	49.89	74.00	24.11	Vertical	PASS
7	17886.15	39.95	13.74	53.69	74.00	20.31	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7558.80	39.04	-0.44	38.60	54.00	15.40	Horizontal	PASS
2	12089.19	35.32	5.96	41.28	54.00	12.72	Horizontal	PASS
3	15332.68	34.55	9.87	44.42	-	-	Horizontal	NA
4	5788.09	88.53	12.76	101.29	-	-	Horizontal	NA
5	6354.80	40.22	14.00	54.22	68.20	13.98	Horizontal	PASS
6	13693.49	41.43	10.02	51.45	68.20	16.75	Horizontal	PASS
7	17886.91	39.66	13.74	53.40	74.00	20.60	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7433.45	37.69	-0.41	37.28	54.00	16.72	Vertical	PASS
2	11350.10	37.11	5.80	42.91	54.00	11.09	Vertical	PASS
3	15575.72	33.57	9.23	42.80	54.00	11.20	Vertical	PASS
4	5788.28	82.38	12.76	95.14	-	-	Vertical	NA
5	6377.35	40.69	13.89	54.58	68.20	13.62	Vertical	PASS
6	8857.20	45.04	2.57	47.61	68.20	20.59	Vertical	PASS
7	17814.46	40.02	13.01	53.03	74.00	20.97	Vertical	PASS