


Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.05	35.17	11.93	47.10	54.00	6.90	Horizontal	PASS
2	5146.92	36.25	11.95	48.20	54.00	5.80	Horizontal	PASS
3	5149.39	37.37	11.97	49.34	54.00	4.66	Horizontal	PASS
4	5142.59	51.56	11.92	63.48	74.00	10.52	Horizontal	PASS
5	5146.88	56.07	11.95	68.02	74.00	5.98	Horizontal	PASS
6	5149.58	55.44	11.97	67.41	74.00	6.59	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.06	32.91	11.94	44.85	54.00	9.15	Vertical	PASS
2	5147.44	33.93	11.95	45.88	54.00	8.12	Vertical	PASS
3	5149.42	34.58	11.97	46.55	54.00	7.45	Vertical	PASS
4	5142.69	48.91	11.92	60.83	74.00	13.17	Vertical	PASS
5	5145.49	50.13	11.94	62.07	74.00	11.93	Vertical	PASS
6	5149.84	52.75	11.97	64.72	74.00	9.28	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.45	35.74	11.94	47.68	54.00	6.32	Horizontal	PASS
2	5147.21	36.69	11.95	48.64	54.00	5.36	Horizontal	PASS
3	5149.94	37.59	11.97	49.56	54.00	4.44	Horizontal	PASS
4	5145.16	53.61	11.94	65.55	74.00	8.45	Horizontal	PASS
5	5146.33	53.29	11.95	65.24	74.00	8.76	Horizontal	PASS
6	5149.91	58.14	11.97	70.11	74.00	3.89	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.44	32.55	11.94	44.49	54.00	9.51	Vertical	PASS
2	5147.66	33.81	11.95	45.76	54.00	8.24	Vertical	PASS
3	5149.84	34.32	11.97	46.29	54.00	7.71	Vertical	PASS
4	5143.24	47.85	11.92	59.77	74.00	14.23	Vertical	PASS
5	5147.53	48.84	11.95	60.79	74.00	13.21	Vertical	PASS
6	5149.48	52.53	11.97	64.50	74.00	9.50	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.71	36.90	11.94	48.84	54.00	5.16	Horizontal	PASS
2	5147.66	37.74	11.95	49.69	54.00	4.31	Horizontal	PASS
3	5149.79	38.55	11.97	50.52	54.00	3.48	Horizontal	PASS
4	5145.67	56.27	11.94	68.21	74.00	5.79	Horizontal	PASS
5	5147.41	56.49	11.95	68.44	74.00	5.56	Horizontal	PASS
6	5149.58	57.52	11.97	69.49	74.00	4.51	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.11	32.59	11.92	44.51	54.00	9.49	Vertical	PASS
2	5145.96	33.67	11.94	45.61	54.00	8.39	Vertical	PASS
3	5149.45	34.42	11.97	46.39	54.00	7.61	Vertical	PASS
4	5142.90	47.07	11.92	58.99	74.00	15.01	Vertical	PASS
5	5145.28	52.12	11.94	64.06	74.00	9.94	Vertical	PASS
6	5149.02	55.29	11.97	67.26	74.00	6.74	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.51	31.86	11.89	43.75	54.00	10.25	Horizontal	PASS
2	5141.38	32.14	11.92	44.06	54.00	9.94	Horizontal	PASS
3	5148.64	33.02	11.96	44.98	54.00	9.02	Horizontal	PASS
4	5125.69	43.85	11.81	55.66	74.00	18.34	Horizontal	PASS
5	5136.19	44.65	11.87	56.52	74.00	17.48	Horizontal	PASS
6	5146.45	45.46	11.95	57.41	74.00	16.59	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5131.25	31.25	11.85	43.10	54.00	10.90	Vertical	PASS
2	5136.07	31.54	11.87	43.41	54.00	10.59	Vertical	PASS
3	5144.63	31.73	11.94	43.67	54.00	10.33	Vertical	PASS
4	5131.88	42.32	11.85	54.17	74.00	19.83	Vertical	PASS
5	5141.26	43.13	11.92	55.05	74.00	18.95	Vertical	PASS
6	5149.57	43.20	11.97	55.17	74.00	18.83	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.82	35.89	11.91	47.80	54.00	6.20	Horizontal	PASS
2	5145.76	37.42	11.94	49.36	54.00	4.64	Horizontal	PASS
3	5149.76	38.25	11.97	50.22	54.00	3.78	Horizontal	PASS
4	5144.45	55.73	11.94	67.67	74.00	6.33	Horizontal	PASS
5	5147.01	57.19	11.95	69.14	74.00	4.86	Horizontal	PASS
6	5149.14	55.75	11.97	67.72	74.00	6.28	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.26	33.79	11.89	45.68	54.00	8.32	Vertical	PASS
2	5139.51	33.94	11.90	45.84	54.00	8.16	Vertical	PASS
3	5149.57	35.62	11.97	47.59	54.00	6.41	Vertical	PASS
4	5136.76	50.05	11.89	61.94	74.00	12.06	Vertical	PASS
5	5142.76	50.65	11.92	62.57	74.00	11.43	Vertical	PASS
6	5148.14	51.07	11.96	63.03	74.00	10.97	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.52	38.29	12.13	50.42	54.00	3.58	Horizontal	PASS
2	5354.29	37.65	12.14	49.79	54.00	4.21	Horizontal	PASS
3	5356.30	35.92	12.15	48.07	54.00	5.93	Horizontal	PASS
4	5350.22	57.24	12.13	69.37	74.00	4.63	Horizontal	PASS
5	5353.21	54.92	12.14	67.06	74.00	6.94	Horizontal	PASS
6	5356.40	54.44	12.15	66.59	74.00	7.41	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.49	36.56	12.14	48.70	54.00	5.30	Vertical	PASS
2	5355.52	34.11	12.15	46.26	54.00	7.74	Vertical	PASS
3	5360.24	33.76	12.16	45.92	54.00	8.08	Vertical	PASS
4	5350.68	55.00	12.13	67.13	74.00	6.87	Vertical	PASS
5	5357.44	50.40	12.16	62.56	74.00	11.44	Vertical	PASS
6	5359.72	52.50	12.16	64.66	74.00	9.34	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.35	38.83	12.13	50.96	54.00	3.04	Horizontal	PASS
2	5355.10	37.10	12.15	49.25	54.00	4.75	Horizontal	PASS
3	5359.65	35.79	12.16	47.95	54.00	6.05	Horizontal	PASS
4	5350.87	57.60	12.13	69.73	74.00	4.27	Horizontal	PASS
5	5354.42	56.09	12.14	68.23	74.00	5.77	Horizontal	PASS
6	5359.72	53.46	12.16	65.62	74.00	8.38	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.78	37.18	12.13	49.31	54.00	4.69	Vertical	PASS
2	5355.98	34.78	12.15	46.93	54.00	7.07	Vertical	PASS
3	5360.95	33.93	12.17	46.10	54.00	7.90	Vertical	PASS
4	5350.32	54.44	12.13	66.57	74.00	7.43	Vertical	PASS
5	5355.30	52.54	12.15	64.69	74.00	9.31	Vertical	PASS
6	5359.59	49.77	12.16	61.93	74.00	12.07	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	35.69	12.13	47.82	54.00	6.18	Horizontal	PASS
2	5354.42	35.22	12.14	47.36	54.00	6.64	Horizontal	PASS
3	5360.50	33.95	12.16	46.11	54.00	7.89	Horizontal	PASS
4	5350.04	54.42	12.13	66.55	74.00	7.45	Horizontal	PASS
5	5353.36	54.75	12.14	66.89	74.00	7.11	Horizontal	PASS
6	5358.93	52.53	12.16	64.69	74.00	9.31	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.89	34.46	12.13	46.59	54.00	7.41	Vertical	PASS
2	5353.74	34.56	12.14	46.70	54.00	7.30	Vertical	PASS
3	5357.44	33.81	12.16	45.97	54.00	8.03	Vertical	PASS
4	5351.06	53.18	12.14	65.32	74.00	8.68	Vertical	PASS
5	5355.48	52.07	12.15	64.22	74.00	9.78	Vertical	PASS
6	5362.46	48.14	12.17	60.31	74.00	13.69	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.61	34.03	12.13	46.16	54.00	7.84	Horizontal	PASS
2	5356.24	33.42	12.15	45.57	54.00	8.43	Horizontal	PASS
3	5364.74	32.74	12.18	44.92	54.00	9.08	Horizontal	PASS
4	5350.68	51.22	12.13	63.35	74.00	10.65	Horizontal	PASS
5	5356.43	49.99	12.15	62.14	74.00	11.86	Horizontal	PASS
6	5364.74	44.90	12.18	57.08	74.00	16.92	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.11	32.95	12.14	45.09	54.00	8.91	Vertical	PASS
2	5356.12	32.97	12.15	45.12	54.00	8.88	Vertical	PASS
3	5364.62	32.43	12.18	44.61	54.00	9.39	Vertical	PASS
4	5350.93	48.44	12.13	60.57	74.00	13.43	Vertical	PASS
5	5359.18	45.03	12.16	57.19	74.00	16.81	Vertical	PASS
6	5368.56	44.66	12.19	56.85	74.00	17.15	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.33	37.42	12.13	49.55	54.00	4.45	Horizontal	PASS
2	5358.35	36.40	12.15	48.55	54.00	5.45	Horizontal	PASS
3	5367.66	35.52	12.18	47.70	54.00	6.30	Horizontal	PASS
4	5351.90	55.99	12.14	68.13	74.00	5.87	Horizontal	PASS
5	5359.93	54.15	12.16	66.31	74.00	7.69	Horizontal	PASS
6	5371.64	52.45	12.20	64.65	74.00	9.35	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.40	35.94	12.13	48.07	54.00	5.93	Vertical	PASS
2	5357.45	35.33	12.16	47.49	54.00	6.51	Vertical	PASS
3	5366.53	34.81	12.19	47.00	54.00	7.00	Vertical	PASS
4	5350.70	51.61	12.13	63.74	74.00	10.26	Vertical	PASS
5	5364.06	51.70	12.17	63.87	74.00	10.13	Vertical	PASS
6	5374.64	50.31	12.21	62.52	74.00	11.48	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:16		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.96	32.64	12.39	45.03	54.00	8.97	Horizontal	PASS
2	5454.98	33.01	12.39	45.40	54.00	8.60	Horizontal	PASS
3	5458.22	32.90	12.39	45.29	54.00	8.71	Horizontal	PASS
4	5461.35	47.71	12.40	60.11	68.20	8.09	Horizontal	PASS
5	5464.83	52.65	12.40	65.05	68.20	3.15	Horizontal	PASS
6	5467.89	51.78	12.40	64.18	68.20	4.02	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:16		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.54	32.49	12.39	44.88	54.00	9.12	Vertical	PASS
2	5455.40	32.70	12.39	45.09	54.00	8.91	Vertical	PASS
3	5458.88	32.77	12.39	45.16	54.00	8.84	Vertical	PASS
4	5461.47	48.27	12.40	60.67	68.20	7.53	Vertical	PASS
5	5465.79	49.02	12.39	61.41	68.20	6.79	Vertical	PASS
6	5468.67	52.16	12.40	64.56	68.20	3.64	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.52	32.14	12.40	44.54	54.00	9.46	Horizontal	PASS
2	5454.48	32.04	12.39	44.43	54.00	9.57	Horizontal	PASS
3	5458.36	32.39	12.39	44.78	54.00	9.22	Horizontal	PASS
4	5460.25	44.12	12.39	56.51	68.20	11.69	Horizontal	PASS
5	5465.77	44.76	12.39	57.15	68.20	11.05	Horizontal	PASS
6	5468.89	46.84	12.39	59.23	68.20	8.97	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.36	31.71	12.40	44.11	54.00	9.89	Vertical	PASS
2	5455.00	31.83	12.39	44.22	54.00	9.78	Vertical	PASS
3	5459.76	32.03	12.40	44.43	54.00	9.57	Vertical	PASS
4	5458.12	43.94	12.39	56.33	74.00	17.67	Vertical	PASS
5	5463.85	44.53	12.39	56.92	68.20	11.28	Vertical	PASS
6	5469.65	45.87	12.40	58.27	68.20	9.93	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.30	50.90	12.91	63.81	68.20	4.39	Horizontal	PASS
2	5726.89	50.50	12.90	63.40	68.20	4.80	Horizontal	PASS
3	5729.86	49.88	12.88	62.76	68.20	5.44	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.18	47.46	12.91	60.37	68.20	7.83	Vertical	PASS
2	5728.18	45.84	12.89	58.73	68.20	9.47	Vertical	PASS
3	5732.02	43.84	12.86	56.70	68.20	11.50	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.15	45.16	12.91	58.07	68.20	10.13	Horizontal	PASS
2	5732.31	44.48	12.86	57.34	68.20	10.86	Horizontal	PASS
3	5736.99	45.18	12.82	58.00	68.20	10.20	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.31	45.19	12.91	58.10	68.20	10.10	Vertical	PASS
2	5728.43	43.56	12.89	56.45	68.20	11.75	Vertical	PASS
3	5738.47	43.47	12.81	56.28	68.20	11.92	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.70	32.13	12.39	44.52	54.00	9.48	Horizontal	PASS
2	5457.38	32.49	12.39	44.88	54.00	9.12	Horizontal	PASS
3	5459.99	32.46	12.39	44.85	54.00	9.15	Horizontal	PASS
4	5463.09	46.98	12.40	59.38	68.20	8.82	Horizontal	PASS
5	5466.36	49.09	12.40	61.49	68.20	6.71	Horizontal	PASS
6	5469.72	51.15	12.40	63.55	68.20	4.65	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.16	32.20	12.39	44.59	54.00	9.41	Vertical	PASS
2	5456.78	31.92	12.39	44.31	54.00	9.69	Vertical	PASS
3	5459.24	32.08	12.40	44.48	54.00	9.52	Vertical	PASS
4	5463.60	46.01	12.39	58.40	68.20	9.80	Vertical	PASS
5	5467.68	52.27	12.40	64.67	68.20	3.53	Vertical	PASS
6	5469.81	49.73	12.40	62.13	68.20	6.07	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.48	32.05	12.39	44.44	54.00	9.56	Horizontal	PASS
2	5456.12	32.26	12.40	44.66	54.00	9.34	Horizontal	PASS
3	5459.12	32.10	12.39	44.49	54.00	9.51	Horizontal	PASS
4	5460.01	45.83	12.39	58.22	68.20	9.98	Horizontal	PASS
5	5463.05	45.91	12.40	58.31	68.20	9.89	Horizontal	PASS
6	5469.17	46.29	12.40	58.69	68.20	9.51	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.96	31.78	12.39	44.17	54.00	9.83	Vertical	PASS
2	5453.40	31.86	12.39	44.25	54.00	9.75	Vertical	PASS
3	5459.08	31.96	12.39	44.35	54.00	9.65	Vertical	PASS
4	5455.84	43.29	12.40	55.69	74.00	18.31	Vertical	PASS
5	5463.17	43.19	12.40	55.59	68.20	12.61	Vertical	PASS
6	5469.49	45.57	12.40	57.97	68.20	10.23	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.18	51.25	12.91	64.16	68.20	4.04	Horizontal	PASS
2	5727.13	49.63	12.90	62.53	68.20	5.67	Horizontal	PASS
3	5732.05	46.31	12.86	59.17	68.20	9.03	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.63	45.73	12.91	58.64	68.20	9.56	Vertical	PASS
2	5728.57	43.37	12.89	56.26	68.20	11.94	Vertical	PASS
3	5733.67	43.61	12.85	56.46	68.20	11.74	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.51	48.29	12.91	61.20	68.20	7.00	Horizontal	PASS
2	5733.51	44.16	12.85	57.01	68.20	11.19	Horizontal	PASS
3	5743.64	44.44	12.77	57.21	68.20	10.99	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.47	43.95	12.90	56.85	68.20	11.35	Vertical	PASS
2	5733.15	43.22	12.85	56.07	68.20	12.13	Vertical	PASS
3	5743.92	43.52	12.77	56.29	68.20	11.91	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.72	32.13	12.39	44.52	54.00	9.48	Horizontal	PASS
2	5455.24	32.32	12.39	44.71	54.00	9.29	Horizontal	PASS
3	5459.04	32.45	12.39	44.84	54.00	9.16	Horizontal	PASS
4	5462.33	47.59	12.39	59.98	68.20	8.22	Horizontal	PASS
5	5467.53	48.93	12.40	61.33	68.20	6.87	Horizontal	PASS
6	5469.41	52.00	12.40	64.40	68.20	3.80	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.08	31.79	12.39	44.18	54.00	9.82	Vertical	PASS
2	5455.88	31.91	12.40	44.31	54.00	9.69	Vertical	PASS
3	5458.92	32.17	12.39	44.56	54.00	9.44	Vertical	PASS
4	5464.05	45.50	12.39	57.89	68.20	10.31	Vertical	PASS
5	5467.09	47.76	12.39	60.15	68.20	8.05	Vertical	PASS
6	5469.09	47.33	12.39	59.72	68.20	8.48	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	- U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.70	32.29	12.39	44.68	54.00	9.32	Horizontal	PASS
2	5457.50	32.36	12.40	44.76	54.00	9.24	Horizontal	PASS
3	5459.84	32.62	12.39	45.01	54.00	8.99	Horizontal	PASS
4	5460.45	44.09	12.39	56.48	68.20	11.72	Horizontal	PASS
5	5465.73	45.09	12.39	57.48	68.20	10.72	Horizontal	PASS
6	5468.61	46.28	12.40	58.68	68.20	9.52	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.44	32.06	12.39	44.45	54.00	9.55	Vertical	PASS
2	5454.62	31.99	12.39	44.38	54.00	9.62	Vertical	PASS
3	5458.64	32.04	12.39	44.43	54.00	9.57	Vertical	PASS
4	5454.98	43.42	12.39	55.81	74.00	18.19	Vertical	PASS
5	5462.07	44.19	12.39	56.58	68.20	11.62	Vertical	PASS
6	5469.93	44.74	12.40	57.14	68.20	11.06	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.50	52.07	12.90	64.97	68.20	3.23	Horizontal	PASS
2	5732.53	51.94	12.86	64.80	68.20	3.40	Horizontal	PASS
3	5735.50	50.52	12.83	63.35	68.20	4.85	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.41	48.01	12.90	60.91	68.20	7.29	Vertical	PASS
2	5732.26	47.40	12.86	60.26	68.20	7.94	Vertical	PASS
3	5738.29	46.34	12.81	59.15	68.20	9.05	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.54	34.44	12.39	46.83	54.00	7.17	Horizontal	PASS
2	5456.72	35.04	12.39	47.43	54.00	6.57	Horizontal	PASS
3	5458.64	35.82	12.39	48.21	54.00	5.79	Horizontal	PASS
4	5462.25	51.95	12.39	64.34	68.20	3.86	Horizontal	PASS
5	5466.51	51.40	12.40	63.80	68.20	4.40	Horizontal	PASS
6	5469.45	52.13	12.40	64.53	68.20	3.67	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:14		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.22	33.15	12.39	45.54	54.00	8.46	Vertical	PASS
2	5457.74	33.37	12.40	45.77	54.00	8.23	Vertical	PASS
3	5459.96	33.83	12.39	46.22	54.00	7.78	Vertical	PASS
4	5463.33	48.25	12.40	60.65	68.20	7.55	Vertical	PASS
5	5466.81	47.75	12.40	60.15	68.20	8.05	Vertical	PASS
6	5469.21	48.85	12.40	61.25	68.20	6.95	Vertical	PASS

roject Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.05	51.44	12.91	64.35	68.20	3.85	Horizontal	PASS
2	5732.08	50.55	12.86	63.41	68.20	4.79	Horizontal	PASS
3	5743.79	50.74	12.77	63.51	68.20	4.69	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:15.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.60	46.19	12.91	59.10	68.20	9.10	Vertical	PASS
2	5732.71	45.97	12.85	58.82	68.20	9.38	Vertical	PASS
3	5742.71	44.34	12.78	57.12	68.20	11.08	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5678.65	43.95	13.12	57.07	89.44	32.37	Horizontal	PASS
2	5717.02	56.62	12.98	69.60	109.97	40.37	Horizontal	PASS
3	5894.23	43.42	12.99	56.41	90.93	34.52	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5678.49	44.00	13.12	57.12	89.32	32.20	Vertical	PASS
2	5705.64	47.94	13.07	61.01	106.78	45.77	Vertical	PASS
3	5886.27	43.58	12.97	56.55	96.83	40.28	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5667.92	43.00	13.13	56.13	81.50	25.37	Horizontal	PASS
2	5706.94	43.67	13.06	56.73	107.15	50.42	Horizontal	PASS
3	5913.09	43.53	13.11	56.64	76.98	20.34	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5698.49	43.95	13.11	57.06	104.08	47.02	Vertical	PASS
2	5869.36	44.06	12.92	56.98	106.78	49.80	Vertical	PASS
3	5903.18	44.03	13.04	57.07	84.31	27.24	Vertical	PASS


Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5661.26	43.59	13.14	56.73	76.56	19.83	Horizontal	PASS
2	5710.68	54.56	13.03	67.59	108.19	40.60	Horizontal	PASS
3	5909.03	43.96	13.08	57.04	79.98	22.94	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5666.95	43.67	13.13	56.80	80.78	23.98	Vertical	PASS
2	5853.91	43.55	12.87	56.42	113.27	56.85	Vertical	PASS
3	5910.98	43.64	13.08	56.72	78.54	21.82	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.12	43.27	13.06	56.33	68.20	11.87	Horizontal	PASS
2	5679.63	43.14	13.12	56.26	90.16	33.90	Horizontal	PASS
3	5932.12	43.61	13.23	56.84	68.20	11.36	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5651.66	43.08	13.14	56.22	69.44	13.22	Vertical	PASS
2	5674.10	43.37	13.12	56.49	86.07	29.58	Vertical	PASS
3	5911.47	43.79	13.09	56.88	78.18	21.30	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	151
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5667.43	46.34	13.13	59.47	81.14	21.67	Horizontal	PASS
2	5707.43	57.41	13.05	70.46	107.28	36.82	Horizontal	PASS
3	5887.41	43.91	12.97	56.88	95.99	39.11	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	151
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5674.26	45.42	13.12	58.54	86.19	27.65	Vertical	PASS
2	5710.52	53.98	13.03	67.01	108.15	41.14	Vertical	PASS
3	5877.98	43.91	12.94	56.85	102.99	46.14	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5635.41	42.76	13.02	55.78	68.20	12.42	Horizontal	PASS
2	5695.72	44.71	13.11	57.82	102.05	44.23	Horizontal	PASS
3	5936.67	43.82	13.26	57.08	68.20	11.12	Horizontal	PASS


Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.65	42.68	13.10	55.78	68.20	12.42	Vertical	PASS
2	5695.56	43.27	13.11	56.38	101.93	45.55	Vertical	PASS
3	5907.08	44.14	13.06	57.20	81.43	24.23	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5650.04	52.84	13.14	65.98	68.23	2.25	Horizontal	PASS
2	5680.44	61.12	13.12	74.24	90.76	16.52	Horizontal	PASS
3	5931.79	44.47	13.23	57.70	68.20	10.50	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:	Power:17		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.14	48.58	13.10	61.68	68.20	6.52	Vertical	PASS
2	5680.44	56.80	13.12	69.92	90.76	20.84	Vertical	PASS
3	5926.59	44.02	13.19	57.21	68.20	10.99	Vertical	PASS

~The End~