


Appendix-D Field Strength of Spurious Radiation-234G

For GSM:

Project Information			
Mode:	GSM 850	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.13	55.09	-113.70	-58.61	-13.00	45.61	Horizontal	PASS
2	2510.93	62.49	-110.97	-48.48	-13.00	35.48	Horizontal	PASS
3	8904.80	37.23	-92.32	-55.09	-13.00	42.09	Horizontal	PASS

Project Information

Mode:	GSM 850	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.13	49.40	-113.70	-64.30	-13.00	51.30	Vertical	PASS
2	2510.93	47.98	-110.97	-62.99	-13.00	49.99	Vertical	PASS
3	3348.00	43.21	-107.42	-64.21	-13.00	51.21	Vertical	PASS

Project Information			
Mode:	GSM 1900	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	115.36	-95.20	20.16	-	-	Horizontal	NA
2	2999.13	51.30	-91.10	-39.80	-13.00	26.80	Horizontal	PASS
3	8082.00	36.94	-94.61	-57.67	-13.00	44.67	Horizontal	PASS
4	17876.50	32.68	-81.79	-49.11	-13.00	36.11	Horizontal	PASS

Project Information			
Mode:	GSM 1900	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	106.30	-95.20	11.10	-	-	Vertical	NA
2	2977.60	50.78	-91.00	-40.22	-13.00	27.22	Vertical	PASS
3	6547.00	37.89	-97.23	-59.34	-13.00	46.34	Vertical	PASS
4	17904.50	32.20	-81.51	-49.31	-13.00	36.31	Vertical	PASS

For WCDMA:

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth	-	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1651.47	45.15	-113.66	-68.51	-13.00	55.51	Horizontal	PASS
2	4408.00	39.03	-103.26	-64.23	-13.00	51.23	Horizontal	PASS
3	8883.47	36.80	-92.45	-55.65	-13.00	42.65	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	V
Bandwidth	-	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1156.00	44.76	-114.02	-69.26	-13.00	56.26	Vertical	PASS
2	2440.27	44.41	-111.44	-67.03	-13.00	54.03	Vertical	PASS
3	8905.07	36.70	-92.33	-55.63	-13.00	42.63	Vertical	PASS

For LTE:

Project Information			
Mode:	LTE	Band:	B2
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	121.27	-95.23	26.04	-	-	Horizontal	NA
2	2938.67	50.78	-90.98	-40.20	-13.00	27.20	Horizontal	PASS
3	6770.00	38.71	-97.00	-58.29	-13.00	45.29	Horizontal	PASS
4	17891.50	32.28	-81.60	-49.32	-13.00	36.32	Horizontal	PASS

Project Information

Mode:	LTE	Band:	B2
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	110.87	-95.23	15.64	-	-	Vertical	NA
2	2915.60	51.04	-91.22	-40.18	-13.00	27.18	Vertical	PASS
3	5613.50	41.42	-100.15	-58.73	-13.00	45.73	Vertical	PASS
4	17362.00	33.77	-83.64	-49.87	-13.00	36.87	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B5
Bandwidth	10MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1330.13	44.52	-113.87	-69.35	-13.00	56.35	Horizontal	PASS
2	2496.53	53.44	-111.04	-57.60	-13.00	44.60	Horizontal	PASS
3	6296.27	38.33	-98.29	-59.96	-13.00	46.96	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B5
Bandwidth	10MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2496.27	45.43	-111.04	-65.61	-13.00	52.61	Vertical	PASS
2	5824.53	41.38	-99.50	-58.12	-13.00	45.12	Vertical	PASS
3	6656.53	40.25	-97.50	-57.25	-13.00	44.25	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B7
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	112.03	-93.46	18.57	-	-	Horizontal	NA
2	2647.60	47.10	-92.68	-45.58	-	-	Horizontal	NA
3	2990.00	39.52	-91.05	-51.53	-25.00	26.53	Horizontal	PASS
4	6090.50	37.40	-99.03	-61.63	-25.00	36.63	Horizontal	PASS
5	12630.50	37.85	-88.91	-51.06	-25.00	26.06	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B7
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	102.21	-93.46	8.75	-	-	Vertical	NA
2	2661.30	49.63	-92.63	-43.00	-	-	Vertical	NA
3	2986.60	39.68	-91.04	-51.36	-25.00	26.36	Vertical	PASS
4	5199.50	38.36	-101.12	-62.76	-25.00	37.76	Vertical	PASS
5	12630.50	42.47	-88.91	-46.44	-25.00	21.44	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B12
Bandwidth	10MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.23	58.03	-113.90	-55.87	-13.00	42.87	Horizontal	PASS
2	2416.80	54.01	-111.60	-57.59	-13.00	44.59	Horizontal	PASS
3	7002.73	38.89	-96.26	-57.37	-13.00	44.37	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B12
Bandwidth	10MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.23	51.46	-113.90	-62.44	-13.00	49.44	Vertical	PASS
2	2409.10	51.26	-111.65	-60.39	-13.00	47.39	Vertical	PASS
3	5624.67	46.93	-99.56	-52.63	-13.00	39.63	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B17
Bandwidth	10MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1410.90	55.35	-113.89	-58.54	-13.00	45.54	Horizontal	PASS
2	2414.00	45.16	-111.62	-66.46	-13.00	53.46	Horizontal	PASS
3	7241.43	37.47	-95.41	-57.94	-13.00	44.94	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B17
Bandwidth	10MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.13	50.73	-113.89	-63.16	-13.00	50.16	Vertical	PASS
2	3095.80	41.14	-108.27	-67.13	-13.00	54.13	Vertical	PASS
3	5644.73	43.13	-99.46	-56.33	-13.00	43.33	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B38
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	110.75	-93.02	17.73	-	-	Horizontal	NA
2	2992.80	39.68	-91.07	-51.39	-25.00	26.39	Horizontal	PASS
3	3674.00	40.44	-106.02	-65.58	-25.00	40.58	Horizontal	PASS
4	17888.50	32.18	-81.63	-49.45	-25.00	24.45	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B38
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	100.81	-93.02	7.79	-	-	Vertical	NA
2	2946.00	39.67	-90.91	-51.24	-25.00	26.24	Vertical	PASS
3	4609.50	38.78	-102.15	-63.37	-25.00	38.37	Vertical	PASS
4	17981.00	32.11	-82.07	-49.96	-25.00	24.96	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B41
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	110.13	-93.05	17.08	-	-	Horizontal	NA
2	2953.60	40.25	-90.89	-50.64	-25.00	25.64	Horizontal	PASS
3	8878.50	36.87	-92.68	-55.81	-25.00	30.81	Horizontal	PASS
4	17265.00	32.83	-83.79	-50.96	-25.00	25.96	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B41
Bandwidth	20MHz	Channel	Mid
IMEI:	004401232211520	Engineer:	Tian shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	100.62	-93.05	7.57	-	-	Vertical	NA
2	2995.30	39.41	-91.08	-51.67	-25.00	26.67	Vertical	PASS
3	5186.00	38.05	-101.07	-63.02	-25.00	38.02	Vertical	PASS
4	17342.50	32.67	-83.64	-50.97	-25.00	25.97	Vertical	PASS

~The End~