



Test Report No.: RF260703B001

Band5_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-31.95	-13	Pass
850	852	0.1	CHP	2	850.052	-42.62	-13	Pass


Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.006	-27.52	-13	Pass
850	852	0.1	CHP	2	850.056	-33.21	-13	Pass


Test Report No.: RF260703B001

Band5_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-44.14	-13	Pass
823	824	0.003	/	2	823.995	-33.98	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band5_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV




Test Report No.: RF260703B001

Band5_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.740	-33.71	-13	Pass
823	824	0.03	/	2	823.994	-30.64	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band5_3MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV



Test Report No.: RF260703B001




Test Report No.: RF260703B001



Test Report No.: RF260703B001


B5_5MHz

Band5_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.192	-39.85	-13	Pass
823	824	0.003	/	2	823.983	-35.45	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band5_5MHz_QPSK_LCH_826.5MHz_RB_1_0_NTNV




Test Report No.: RF260703B001

Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.750	-36.45	-13	Pass
823	824	0.05	CHP	2	823.990	-27.10	-13	Pass
824	829	0.05	CHP	/	/	/	/	/

Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Test Report No.: RF260703B001

Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-32.70	-13	Pass
850	854	0.1	CHP	2	850.050	-46.66	-13	Pass


Test Report No.: RF260703B001

Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-26.82	-13	Pass
850	854	0.1	CHP	2	850.490	-35.16	-13	Pass

Band5_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.180	-41.26	-13	Pass
823	824	0.003	/	2	823.999	-36.07	-13	Pass
824	829	0.003	/	/	/	/	/	/

Test Report No.: RF260703B001




Test Report No.: RF260703B001




Test Report No.: RF260703B001

Band5_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-33.93	-13	Pass
850	854	0.1	CHP	2	851.402	-47.70	-13	Pass

Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05	CHP	/	/	/	/	/
849	850	0.05	CHP	1	849.010	-32.04	-13	Pass
850	854	0.1	CHP	2	850.090	-35.17	-13	Pass

Test Report No.: RF260703B001




Test Report No.: RF260703B001

Band5_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-35.33	-13	Pass
823	824	0.05	CHP	2	823.990	-30.77	-13	Pass
824	829	0.05	CHP	/	/	/	/	/

Band5_5MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Test Report No.: RF260703B001





Test Report No.: RF260703B001

Band5_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05	CHP	/	/	/	/	/
849	850	0.05	CHP	1	849.010	-30.82	-13	Pass
850	854	0.1	CHP	2	850.540	-34.83	-13	Pass



Test Report No.: RF260703B001


B5_10MHz

Band5_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.922	-52.37	-13	Pass
823	824	0.003	/	2	823.998	-48.85	-13	Pass
824	834	0.003	/	/	/	/	/	/

Band5_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Test Report No.: RF260703B001

Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	821.982	-38.35	-13	Pass
823	824	0.097	CHP	2	823.992	-32.96	-13	Pass
824	834	0.097	CHP	/	/	/	/	/

Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Test Report No.: RF260703B001

Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.017	-45.55	-13	Pass
850	859	0.1	CHP	2	851.210	-47.10	-13	Pass


Test Report No.: RF260703B001

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.097	CHP	/	/	/	/	/
849	850	0.097	CHP	1	849.008	-33.60	-13	Pass
850	859	0.1	CHP	2	850.388	-38.52	-13	Pass


Band5_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.948	-52.47	-13	Pass
823	824	0.003	/	2	823.996	-44.79	-13	Pass
824	834	0.003	/	/	/	/	/	/

Test Report No.: RF260703B001

Band5_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.867	-37.28	-13	Pass
823	824	0.097	CHP	2	823.992	-33.62	-13	Pass
824	834	0.097	CHP	/	/	/	/	/

Test Report No.: RF260703B001

Band5_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band5_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Test Report No.: RF260703B001

Band5_10MHz_16QAM_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.004	-44.27	-13	Pass
850	859	0.1	CHP	2	851.212	-47.30	-13	Pass


Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.097	CHP	/	/	/	/	/
849	850	0.097	CHP	1	849.008	-35.53	-13	Pass
850	859	0.1	CHP	2	850.283	-38.77	-13	Pass


Test Report No.: RF260703B001

Band5_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.949	-53.52	-13	Pass
823	824	0.003	/	2	823.981	-48.11	-13	Pass
824	834	0.003	/	/	/	/	/	/

Band5_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV




Test Report No.: RF260703B001

Band5_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	821.472	-37.29	-13	Pass
823	824	0.098	CHP	2	823.992	-34.40	-13	Pass
824	834	0.098	CHP	/	/	/	/	/

Band5_10MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV




Test Report No.: RF260703B001





Test Report No.: RF260703B001





Test Report No.: RF260703B001

FREQUENCY STABILITY

Test Result

B5 1.4MHz

Band: 5 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.4	18.900	0.0229	-2.5 to 2.5	Pass
					4	9.100	0.0110	-2.5 to 2.5	Pass
					4.6	9.400	0.0114	-2.5 to 2.5	Pass
				5	4	7.500	0.0091	-2.5 to 2.5	Pass
				15	4	6.600	0.0080	-2.5 to 2.5	Pass
				25	4	11.700	0.0142	-2.5 to 2.5	Pass
				35	4	13.300	0.0161	-2.5 to 2.5	Pass
	836.5	6	0	20	3.4	-15.700	-0.0188	-2.5 to 2.5	Pass
					4	-19.500	-0.0233	-2.5 to 2.5	Pass
					4.6	-17.500	-0.0209	-2.5 to 2.5	Pass
				5	4	-14.900	-0.0178	-2.5 to 2.5	Pass
				15	4	-11.800	-0.0141	-2.5 to 2.5	Pass
				25	4	-12.500	-0.0149	-2.5 to 2.5	Pass
				35	4	-10.800	-0.0129	-2.5 to 2.5	Pass
	848.3	6	0	20	3.4	12.200	0.0144	-2.5 to 2.5	Pass
					4	14.900	0.0176	-2.5 to 2.5	Pass
					4.6	16.700	0.0197	-2.5 to 2.5	Pass
				5	4	13.100	0.0154	-2.5 to 2.5	Pass
				15	4	11.900	0.0140	-2.5 to 2.5	Pass
				25	4	13.100	0.0154	-2.5 to 2.5	Pass
				35	4	14.600	0.0172	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.4	4.500	0.0055	-2.5 to 2.5	Pass
					4	4.000	0.0049	-2.5 to 2.5	Pass
					4.6	2.700	0.0033	-2.5 to 2.5	Pass
				5	4	8.000	0.0097	-2.5 to 2.5	Pass
				15	4	6.300	0.0076	-2.5 to 2.5	Pass
				25	4	2.500	0.0030	-2.5 to 2.5	Pass
				35	4	2.000	0.0024	-2.5 to 2.5	Pass
	836.5	6	0	20	3.4	-12.200	-0.0146	-2.5 to 2.5	Pass
					4	-9.500	-0.0114	-2.5 to 2.5	Pass
					4.6	-5.300	-0.0063	-2.5 to 2.5	Pass
				5	4	-5.500	-0.0066	-2.5 to 2.5	Pass
				15	4	-1.800	-0.0022	-2.5 to 2.5	Pass
				25	4	-3.100	-0.0037	-2.5 to 2.5	Pass
				35	4	-3.600	-0.0043	-2.5 to 2.5	Pass
	848.3	6	0	20	3.4	12.400	0.0146	-2.5 to 2.5	Pass
					4	7.200	0.0085	-2.5 to 2.5	Pass
					4.6	6.900	0.0081	-2.5 to 2.5	Pass
				5	4	6.400	0.0075	-2.5 to 2.5	Pass
				15	4	7.400	0.0087	-2.5 to 2.5	Pass
				25	4	4.900	0.0058	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260703B001

				35	4	7.800	0.0092	-2.5 to 2.5	Pass
64QAM	824.7	6	0	20	3.4	-183.300	-0.2223	-2.5 to 2.5	Pass
					4	-186.600	-0.2263	-2.5 to 2.5	Pass
					4.6	145.500	0.1764	-2.5 to 2.5	Pass
				5	4	-180.600	-0.2190	-2.5 to 2.5	Pass
				15	4	-191.900	-0.2327	-2.5 to 2.5	Pass
				25	4	194.300	0.2356	-2.5 to 2.5	Pass
				35	4	-114.600	-0.1390	-2.5 to 2.5	Pass
	836.5	6	0	20	3.4	54.800	0.0655	-2.5 to 2.5	Pass
					4	2.000	0.0024	-2.5 to 2.5	Pass
					4.6	4.400	0.0053	-2.5 to 2.5	Pass
				5	4	-183.800	-0.2197	-2.5 to 2.5	Pass
				15	4	-183.400	-0.2192	-2.5 to 2.5	Pass
				25	4	187.700	0.2244	-2.5 to 2.5	Pass
				35	4	-189.500	-0.2265	-2.5 to 2.5	Pass
	848.3	6	0	20	3.4	27.000	0.0318	-2.5 to 2.5	Pass
					4	180.200	0.2124	-2.5 to 2.5	Pass
					4.6	193.900	0.2286	-2.5 to 2.5	Pass
				5	4	184.500	0.2175	-2.5 to 2.5	Pass
				15	4	178.600	0.2105	-2.5 to 2.5	Pass
				25	4	-193.600	-0.2282	-2.5 to 2.5	Pass
				35	4	190.900	0.2250	-2.5 to 2.5	Pass

B5_3MHz

Band: 5 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.4	0.300	0.0004	-2.5 to 2.5	Pass
					4	1.200	0.0015	-2.5 to 2.5	Pass
					4.6	0.500	0.0006	-2.5 to 2.5	Pass
				5	4	-2.600	-0.0031	-2.5 to 2.5	Pass
				15	4	-6.500	-0.0079	-2.5 to 2.5	Pass
				25	4	-0.400	-0.0005	-2.5 to 2.5	Pass
				35	4	6.000	0.0073	-2.5 to 2.5	Pass
	836.5	15	0	20	3.4	-0.700	-0.0008	-2.5 to 2.5	Pass
					4	0.700	0.0008	-2.5 to 2.5	Pass
					4.6	0.500	0.0006	-2.5 to 2.5	Pass
				5	4	1.200	0.0014	-2.5 to 2.5	Pass
				15	4	0.600	0.0007	-2.5 to 2.5	Pass
				25	4	1.100	0.0013	-2.5 to 2.5	Pass
				35	4	3.000	0.0036	-2.5 to 2.5	Pass
	847.5	15	0	20	3.4	1.000	0.0012	-2.5 to 2.5	Pass
					4	0.700	0.0008	-2.5 to 2.5	Pass
					4.6	0.400	0.0005	-2.5 to 2.5	Pass
				5	4	0.200	0.0002	-2.5 to 2.5	Pass
				15	4	1.300	0.0015	-2.5 to 2.5	Pass
				25	4	3.500	0.0041	-2.5 to 2.5	Pass
				35	4	1.000	0.0012	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.4	0.700	0.0008	-2.5 to 2.5	Pass
					4	5.200	0.0063	-2.5 to 2.5	Pass
					4.6	-4.600	-0.0056	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260703B001

	836.5	15	0	5	4	-1.500	-0.0018	-2.5 to 2.5	Pass
				15	4	1.900	0.0023	-2.5 to 2.5	Pass
				25	4	3.600	0.0044	-2.5 to 2.5	Pass
				35	4	-0.100	-0.0001	-2.5 to 2.5	Pass
				20	3.4	2.500	0.0030	-2.5 to 2.5	Pass
					4	2.100	0.0025	-2.5 to 2.5	Pass
					4.6	-0.100	-0.0001	-2.5 to 2.5	Pass
				5	4	0.500	0.0006	-2.5 to 2.5	Pass
				15	4	-0.800	-0.0010	-2.5 to 2.5	Pass
				25	4	-0.300	-0.0004	-2.5 to 2.5	Pass
				35	4	-1.100	-0.0013	-2.5 to 2.5	Pass
	847.5	15	0	20	3.4	1.700	0.0020	-2.5 to 2.5	Pass
					4	1.400	0.0017	-2.5 to 2.5	Pass
					4.6	1.900	0.0022	-2.5 to 2.5	Pass
				5	4	0.700	0.0008	-2.5 to 2.5	Pass
				15	4	1.200	0.0014	-2.5 to 2.5	Pass
				25	4	-1.500	-0.0018	-2.5 to 2.5	Pass
				35	4	-1.200	-0.0014	-2.5 to 2.5	Pass
	64QAM	825.5	15	20	3.4	-26.400	-0.0320	-2.5 to 2.5	Pass
					4	59.800	0.0724	-2.5 to 2.5	Pass
					4.6	-89.000	-0.1078	-2.5 to 2.5	Pass
				5	4	-90.400	-0.1095	-2.5 to 2.5	Pass
				15	4	14.000	0.0170	-2.5 to 2.5	Pass
				25	4	22.300	0.0270	-2.5 to 2.5	Pass
				35	4	-17.200	-0.0208	-2.5 to 2.5	Pass
		836.5	15	20	3.4	-23.200	-0.0277	-2.5 to 2.5	Pass
					4	-38.500	-0.0460	-2.5 to 2.5	Pass
					4.6	24.900	0.0298	-2.5 to 2.5	Pass
				5	4	-0.700	-0.0008	-2.5 to 2.5	Pass
				15	4	85.100	0.1017	-2.5 to 2.5	Pass
				25	4	23.600	0.0282	-2.5 to 2.5	Pass
				35	4	-46.100	-0.0551	-2.5 to 2.5	Pass
		847.5	15	20	3.4	25.900	0.0306	-2.5 to 2.5	Pass
					4	-47.400	-0.0559	-2.5 to 2.5	Pass
					4.6	26.700	0.0315	-2.5 to 2.5	Pass
				5	4	56.100	0.0662	-2.5 to 2.5	Pass
				15	4	-78.400	-0.0925	-2.5 to 2.5	Pass
				25	4	-44.100	-0.0520	-2.5 to 2.5	Pass
				35	4	-22.200	-0.0262	-2.5 to 2.5	Pass

B5_5MHz

Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.4	12.300	0.0149	-2.5 to 2.5	Pass
					4	7.200	0.0087	-2.5 to 2.5	Pass
					4.6	-0.600	-0.0007	-2.5 to 2.5	Pass
				5	4	1.900	0.0023	-2.5 to 2.5	Pass
				15	4	1.500	0.0018	-2.5 to 2.5	Pass
				25	4	0.300	0.0004	-2.5 to 2.5	Pass
				35	4	2.400	0.0029	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260703B001

	836.5	25	0	20	3.4	2.700	0.0032	-2.5 to 2.5	Pass
					4	17.800	0.0213	-2.5 to 2.5	Pass
					4.6	-3.800	-0.0045	-2.5 to 2.5	Pass
				5	4	-2.800	-0.0033	-2.5 to 2.5	Pass
				15	4	-5.700	-0.0068	-2.5 to 2.5	Pass
				25	4	3.200	0.0038	-2.5 to 2.5	Pass
				35	4	1.900	0.0023	-2.5 to 2.5	Pass
	846.5	25	0	20	3.4	0.100	0.0001	-2.5 to 2.5	Pass
					4	0.700	0.0008	-2.5 to 2.5	Pass
					4.6	0.600	0.0007	-2.5 to 2.5	Pass
				5	4	0.600	0.0007	-2.5 to 2.5	Pass
				15	4	1.600	0.0019	-2.5 to 2.5	Pass
				25	4	0.400	0.0005	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.4	-1.600	-0.0019	-2.5 to 2.5	Pass
					4	-2.000	-0.0024	-2.5 to 2.5	Pass
					4.6	0.400	0.0005	-2.5 to 2.5	Pass
				5	4	2.800	0.0034	-2.5 to 2.5	Pass
				15	4	-7.500	-0.0091	-2.5 to 2.5	Pass
				25	4	-7.600	-0.0092	-2.5 to 2.5	Pass
	836.5	25	0	20	3.4	1.100	0.0013	-2.5 to 2.5	Pass
					4	-2.900	-0.0035	-2.5 to 2.5	Pass
					4.6	-4.600	-0.0055	-2.5 to 2.5	Pass
				5	4	-3.500	-0.0042	-2.5 to 2.5	Pass
				15	4	6.600	0.0079	-2.5 to 2.5	Pass
				25	4	1.000	0.0012	-2.5 to 2.5	Pass
	846.5	25	0	20	3.4	-1.900	-0.0022	-2.5 to 2.5	Pass
					4	0.700	0.0008	-2.5 to 2.5	Pass
					4.6	-0.500	-0.0006	-2.5 to 2.5	Pass
				5	4	-0.800	-0.0009	-2.5 to 2.5	Pass
				15	4	0.900	0.0011	-2.5 to 2.5	Pass
				25	4	0.700	0.0008	-2.5 to 2.5	Pass
64QAM	826.5	25	0	20	3.4	51.000	0.0617	-2.5 to 2.5	Pass
					4	-11.100	-0.0134	-2.5 to 2.5	Pass
					4.6	21.700	0.0263	-2.5 to 2.5	Pass
				5	4	9.900	0.0120	-2.5 to 2.5	Pass
				15	4	-8.300	-0.0100	-2.5 to 2.5	Pass
				25	4	-9.800	-0.0119	-2.5 to 2.5	Pass
	836.5	25	0	20	3.4	-17.500	-0.0209	-2.5 to 2.5	Pass
					4	8.800	0.0105	-2.5 to 2.5	Pass
					4.6	-14.000	-0.0167	-2.5 to 2.5	Pass
				5	4	4.700	0.0056	-2.5 to 2.5	Pass
				15	4	-9.000	-0.0108	-2.5 to 2.5	Pass
				25	4	8.200	0.0098	-2.5 to 2.5	Pass
	846.5	25	0	20	3.4	-10.000	-0.0118	-2.5 to 2.5	Pass
					4	-23.500	-0.0278	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260703B001

				4.6	-3.200	-0.0038	-2.5 to 2.5	Pass
			5	4	-31.000	-0.0366	-2.5 to 2.5	Pass
			15	4	-17.100	-0.0202	-2.5 to 2.5	Pass
			25	4	-20.000	-0.0236	-2.5 to 2.5	Pass
			35	4	-34.800	-0.0411	-2.5 to 2.5	Pass

B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.4	2.500	0.0030	-2.5 to 2.5	Pass
					4	10.100	0.0122	-2.5 to 2.5	Pass
					4.6	2.800	0.0034	-2.5 to 2.5	Pass
				5	4	-1.200	-0.0014	-2.5 to 2.5	Pass
				15	4	-8.000	-0.0097	-2.5 to 2.5	Pass
				25	4	2.600	0.0031	-2.5 to 2.5	Pass
				35	4	1.900	0.0023	-2.5 to 2.5	Pass
	836.5	50	0	20	3.4	-4.900	-0.0059	-2.5 to 2.5	Pass
					4	-1.900	-0.0023	-2.5 to 2.5	Pass
					4.6	-5.400	-0.0065	-2.5 to 2.5	Pass
				5	4	-6.300	-0.0075	-2.5 to 2.5	Pass
				15	4	3.100	0.0037	-2.5 to 2.5	Pass
				25	4	-1.300	-0.0016	-2.5 to 2.5	Pass
				35	4	-7.200	-0.0086	-2.5 to 2.5	Pass
	844	50	0	20	3.4	-1.700	-0.0020	-2.5 to 2.5	Pass
					4	-3.000	-0.0036	-2.5 to 2.5	Pass
					4.6	-2.100	-0.0025	-2.5 to 2.5	Pass
				5	4	-1.800	-0.0021	-2.5 to 2.5	Pass
				15	4	-1.200	-0.0014	-2.5 to 2.5	Pass
				25	4	-2.100	-0.0025	-2.5 to 2.5	Pass
				35	4	-2.100	-0.0025	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.4	-2.000	-0.0024	-2.5 to 2.5	Pass
					4	-3.100	-0.0037	-2.5 to 2.5	Pass
					4.6	0.400	0.0005	-2.5 to 2.5	Pass
				5	4	5.400	0.0065	-2.5 to 2.5	Pass
				15	4	-2.200	-0.0027	-2.5 to 2.5	Pass
				25	4	-1.700	-0.0021	-2.5 to 2.5	Pass
				35	4	-0.300	-0.0004	-2.5 to 2.5	Pass
	836.5	50	0	20	3.4	-2.800	-0.0033	-2.5 to 2.5	Pass
					4	-3.800	-0.0045	-2.5 to 2.5	Pass
					4.6	-1.700	-0.0020	-2.5 to 2.5	Pass
				5	4	-1.000	-0.0012	-2.5 to 2.5	Pass
				15	4	-6.100	-0.0073	-2.5 to 2.5	Pass
				25	4	2.400	0.0029	-2.5 to 2.5	Pass
				35	4	11.400	0.0136	-2.5 to 2.5	Pass
	844	50	0	20	3.4	-0.800	-0.0009	-2.5 to 2.5	Pass
					4	-1.700	-0.0020	-2.5 to 2.5	Pass
					4.6	-2.400	-0.0028	-2.5 to 2.5	Pass
				5	4	-2.700	-0.0032	-2.5 to 2.5	Pass
				15	4	-1.700	-0.0020	-2.5 to 2.5	Pass
				25	4	-1.400	-0.0017	-2.5 to 2.5	Pass

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260703B001

				35	4	0.200	0.0002	-2.5 to 2.5	Pass
64QAM	829	50	0	20	3.4	5.200	0.0063	-2.5 to 2.5	Pass
					4	-6.700	-0.0081	-2.5 to 2.5	Pass
					4.6	25.000	0.0302	-2.5 to 2.5	Pass
				5	4	-18.500	-0.0223	-2.5 to 2.5	Pass
				15	4	-6.000	-0.0072	-2.5 to 2.5	Pass
				25	4	-24.300	-0.0293	-2.5 to 2.5	Pass
				35	4	15.000	0.0181	-2.5 to 2.5	Pass
	836.5	50	0	20	3.4	2.600	0.0031	-2.5 to 2.5	Pass
					4	2.900	0.0035	-2.5 to 2.5	Pass
					4.6	-14.800	-0.0177	-2.5 to 2.5	Pass
				5	4	-15.000	-0.0179	-2.5 to 2.5	Pass
				15	4	-19.400	-0.0232	-2.5 to 2.5	Pass
				25	4	19.000	0.0227	-2.5 to 2.5	Pass
				35	4	2.600	0.0031	-2.5 to 2.5	Pass
	844	50	0	20	3.4	-21.500	-0.0255	-2.5 to 2.5	Pass
					4	19.500	0.0231	-2.5 to 2.5	Pass
					4.6	17.200	0.0204	-2.5 to 2.5	Pass
				5	4	26.700	0.0316	-2.5 to 2.5	Pass
				15	4	10.600	0.0126	-2.5 to 2.5	Pass
				25	4	-17.300	-0.0205	-2.5 to 2.5	Pass
				35	4	-36.200	-0.0429	-2.5 to 2.5	Pass

---END---