





Test Report No.: RF260703B002

Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-36.80	-13	Pass
1911	1915	1	CHP	2	1911.500	-44.26	-13	Pass

Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-32.37	-13	Pass
1911	1915	1	CHP	2	1911.500	-29.21	-13	Pass




Test Report No.: RF260703B002

Band2_5MHz_64QAM_LCH_1852.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-45.71	-13	Pass
1849	1850	0.003	/	2	1849.998	-37.27	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2_5MHz_64QAM_LCH_1852.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_5MHz_64QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-26.58	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-31.71	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/




Test Report No.: RF260703B002






Test Report No.: RF260703B002

Band2_5MHz_64QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_64QAM_HCH_1907.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_5MHz_64QAM_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-36.69	-13	Pass
1911	1915	1	CHP	2	1911.500	-45.43	-13	Pass

Band2_5MHz_64QAM_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-31.49	-13	Pass
1911	1915	1	CHP	2	1911.500	-29.33	-13	Pass



Test Report No.: RF260703B002


B2_10MHz

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.499	-46.37	-13	Pass
1849	1850	0.003	/	2	1849.996	-50.32	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.477	-27.71	-13	Pass
1849	1850	0.099	CHP	2	1849.977	-32.52	-13	Pass
1850	1860	0.099	CHP	/	/	/	/	/




Test Report No.: RF260703B002






Test Report No.: RF260703B002




Test Report No.: RF260703B002

Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.004	-48.90	-13	Pass
1911	1920	1	CHP	2	1911.501	-45.87	-13	Pass


Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.098	CHP	/	/	/	/	/
1910	1911	0.098	CHP	1	1910.008	-32.73	-13	Pass
1911	1920	1	CHP	2	1911.508	-31.06	-13	Pass




Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002




Test Report No.: RF260703B002

Band2_10MHz_16QAM_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.004	-49.84	-13	Pass
1911	1920	1	CHP	2	1911.747	-45.55	-13	Pass


Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.098	CHP	/	/	/	/	/
1910	1911	0.098	CHP	1	1910.038	-35.39	-13	Pass
1911	1920	1	CHP	2	1911.508	-31.27	-13	Pass




Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002

Band2_10MHz_64QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_1_0_NTNV






Test Report No.: RF260703B002






Test Report No.: RF260703B002

Band2_10MHz_64QAM_HCH_1905MHz_RB_1_49_NTNV




Band2_10MHz_64QAM_HCH_1905MHz_RB_50_0_NTNV





Test Report No.: RF260703B002


B2_15MHz






Test Report No.: RF260703B002

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.470	-28.81	-13	Pass
1849	1850	0.145	CHP	2	1849.910	-34.06	-13	Pass
1850	1865	0.145	CHP	/	/	/	/	/




Test Report No.: RF260703B002






Test Report No.: RF260703B002

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-46.77	-13	Pass
1911	1925	1	CHP	2	1911.515	-46.07	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.146	CHP	/	/	/	/	/
1910	1911	0.146	CHP	1	1910.540	-37.69	-13	Pass
1911	1925	1	CHP	2	1911.500	-31.57	-13	Pass




Test Report No.: RF260703B002

Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-46.86	-13	Pass
1849	1850	0.003	/	2	1849.997	-47.36	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-29.87	-13	Pass
1849	1850	0.144	CHP	2	1849.550	-36.86	-13	Pass
1850	1865	0.144	CHP	/	/	/	/	/




Test Report No.: RF260703B002






Test Report No.: RF260703B002

Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.018	-47.55	-13	Pass
1911	1925	1	CHP	2	1911.500	-46.23	-13	Pass

Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.147	CHP	/	/	/	/	/
1910	1911	0.147	CHP	1	1910.030	-36.87	-13	Pass
1911	1925	1	CHP	2	1911.950	-32.67	-13	Pass




Test Report No.: RF260703B002

Band2_15MHz_64QAM_LCH_1857.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.497	-47.44	-13	Pass
1849	1850	0.003	/	2	1849.997	-48.57	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_64QAM_LCH_1857.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_15MHz_64QAM_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.110	-29.01	-13	Pass
1849	1850	0.147	CHP	2	1849.970	-35.05	-13	Pass
1850	1865	0.147	CHP	/	/	/	/	/




Test Report No.: RF260703B002

Band2_15MHz_64QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_15MHz_64QAM_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_64QAM_HCH_1902.5MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_15MHz_64QAM_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-48.23	-13	Pass
1911	1925	1	CHP	2	1911.500	-46.67	-13	Pass

Band2_15MHz_64QAM_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.147	CHP	/	/	/	/	/
1910	1911	0.147	CHP	1	1910.120	-38.28	-13	Pass
1911	1925	1	CHP	2	1911.500	-31.88	-13	Pass



Test Report No.: RF260703B002


B2 20MHz

Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.500	-46.29	-13	Pass
1849	1850	0.003	/	2	1849.979	-49.76	-13	Pass
1850	1870	0.003	/	/	/	/	/	/


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV






Test Report No.: RF260703B002

Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1847.320	-30.15	-13	Pass
1849	1850	0.192	CHP	2	1849.920	-35.82	-13	Pass
1850	1870	0.192	CHP	/	/	/	/	/




Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002

Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-49.22	-13	Pass
1911	1930	1	CHP	2	1911.500	-45.78	-13	Pass


Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.191	CHP	/	/	/	/	/
1910	1911	0.191	CHP	1	1910.160	-38.54	-13	Pass
1911	1930	1	CHP	2	1911.800	-32.68	-13	Pass




Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002




Test Report No.: RF260703B002

Band2_20MHz_16QAM_HCH_1900MHz_RB_1_99_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV






Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002






Test Report No.: RF260703B002

Band2_20MHz_64QAM_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.007	-50.39	-13	Pass
1911	1930	1	CHP	2	1911.500	-46.41	-13	Pass

Band2_20MHz_64QAM_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.194	CHP	/	/	/	/	/
1910	1911	0.194	CHP	1	1910.040	-38.01	-13	Pass
1911	1930	1	CHP	2	1913.200	-33.21	-13	Pass



Test Report No.: RF260703B002

FREQUENCY STABILITY

Test Result

B2 1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.4	-21.800	-0.0118	-2.5 to 2.5	Pass
					4	-20.400	-0.0110	-2.5 to 2.5	Pass
					4.6	-17.100	-0.0092	-2.5 to 2.5	Pass
				5	4	-17.000	-0.0092	-2.5 to 2.5	Pass
				15	4	-20.000	-0.0108	-2.5 to 2.5	Pass
				25	4	-15.100	-0.0082	-2.5 to 2.5	Pass
				35	4	-15.300	-0.0083	-2.5 to 2.5	Pass
	1880	6	0	20	3.4	-15.700	-0.0084	-2.5 to 2.5	Pass
					4	-18.400	-0.0098	-2.5 to 2.5	Pass
					4.6	-20.500	-0.0109	-2.5 to 2.5	Pass
				5	4	-24.700	-0.0131	-2.5 to 2.5	Pass
				15	4	-20.900	-0.0111	-2.5 to 2.5	Pass
				25	4	-19.000	-0.0101	-2.5 to 2.5	Pass
				35	4	-18.600	-0.0099	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.4	5.300	0.0028	-2.5 to 2.5	Pass
					4	14.900	0.0078	-2.5 to 2.5	Pass
					4.6	-0.300	-0.0002	-2.5 to 2.5	Pass
				5	4	-10.400	-0.0054	-2.5 to 2.5	Pass
				15	4	-0.600	-0.0003	-2.5 to 2.5	Pass
				25	4	0.500	0.0003	-2.5 to 2.5	Pass
				35	4	2.600	0.0014	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.4	-16.900	-0.0091	-2.5 to 2.5	Pass
					4	-14.000	-0.0076	-2.5 to 2.5	Pass
					4.6	-13.500	-0.0073	-2.5 to 2.5	Pass
				5	4	-10.900	-0.0059	-2.5 to 2.5	Pass
				15	4	-13.000	-0.0070	-2.5 to 2.5	Pass
				25	4	-9.100	-0.0049	-2.5 to 2.5	Pass
				35	4	-12.700	-0.0069	-2.5 to 2.5	Pass
	1880	6	0	20	3.4	-17.200	-0.0091	-2.5 to 2.5	Pass
					4	-18.300	-0.0097	-2.5 to 2.5	Pass
					4.6	-19.400	-0.0103	-2.5 to 2.5	Pass
				5	4	-13.600	-0.0072	-2.5 to 2.5	Pass
				15	4	-12.100	-0.0064	-2.5 to 2.5	Pass
				25	4	-13.400	-0.0071	-2.5 to 2.5	Pass
				35	4	-11.800	-0.0063	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.4	-3.000	-0.0016	-2.5 to 2.5	Pass
					4	-7.300	-0.0038	-2.5 to 2.5	Pass
					4.6	5.400	0.0028	-2.5 to 2.5	Pass
				5	4	-0.300	-0.0002	-2.5 to 2.5	Pass
				15	4	3.600	0.0019	-2.5 to 2.5	Pass
				25	4	-3.600	-0.0019	-2.5 to 2.5	Pass
				35	4	-5.000	-0.0026	-2.5 to 2.5	Pass

Test Report No.: RF260703B002

64QAM	1850.7	6	0	20	3.4	170.600	0.0922	-2.5 to 2.5	Pass
					4	175.200	0.0947	-2.5 to 2.5	Pass
					4.6	-196.200	-0.1060	-2.5 to 2.5	Pass
				5	4	-189.800	-0.1026	-2.5 to 2.5	Pass
				15	4	-111.700	-0.0604	-2.5 to 2.5	Pass
				25	4	-150.500	-0.0813	-2.5 to 2.5	Pass
				35	4	-187.500	-0.1013	-2.5 to 2.5	Pass
	1880	6	0	20	3.4	115.800	0.0616	-2.5 to 2.5	Pass
					4	161.600	0.0860	-2.5 to 2.5	Pass
					4.6	-206.100	-0.1096	-2.5 to 2.5	Pass
				5	4	-31.400	-0.0167	-2.5 to 2.5	Pass
				15	4	-123.600	-0.0657	-2.5 to 2.5	Pass
				25	4	-194.600	-0.1035	-2.5 to 2.5	Pass
				35	4	24.400	0.0130	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.4	14.900	0.0078	-2.5 to 2.5	Pass
					4	177.400	0.0929	-2.5 to 2.5	Pass
					4.6	180.500	0.0945	-2.5 to 2.5	Pass
				5	4	-196.400	-0.1029	-2.5 to 2.5	Pass
				15	4	174.300	0.0913	-2.5 to 2.5	Pass
				25	4	-159.500	-0.0835	-2.5 to 2.5	Pass
				35	4	124.600	0.0653	-2.5 to 2.5	Pass

B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.4	-2.600	-0.0014	-2.5 to 2.5	Pass
					4	-1.800	-0.0010	-2.5 to 2.5	Pass
					4.6	-1.800	-0.0010	-2.5 to 2.5	Pass
				5	4	-2.500	-0.0014	-2.5 to 2.5	Pass
				15	4	-2.800	-0.0015	-2.5 to 2.5	Pass
				25	4	-1.000	-0.0005	-2.5 to 2.5	Pass
				35	4	-1.700	-0.0009	-2.5 to 2.5	Pass
	1880	15	0	20	3.4	-0.900	-0.0005	-2.5 to 2.5	Pass
					4	-0.300	-0.0002	-2.5 to 2.5	Pass
					4.6	-2.500	-0.0013	-2.5 to 2.5	Pass
				5	4	-2.000	-0.0011	-2.5 to 2.5	Pass
				15	4	-2.100	-0.0011	-2.5 to 2.5	Pass
				25	4	-1.300	-0.0007	-2.5 to 2.5	Pass
				35	4	-1.000	-0.0005	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.4	0.000	0.0000	-2.5 to 2.5	Pass
					4	-1.200	-0.0006	-2.5 to 2.5	Pass
					4.6	0.300	0.0002	-2.5 to 2.5	Pass
				5	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				15	4	1.600	0.0008	-2.5 to 2.5	Pass
				25	4	1.100	0.0006	-2.5 to 2.5	Pass
				35	4	-2.200	-0.0012	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.4	-1.100	-0.0006	-2.5 to 2.5	Pass
					4	-0.600	-0.0003	-2.5 to 2.5	Pass
					4.6	-0.900	-0.0005	-2.5 to 2.5	Pass
				5	4	1.400	0.0008	-2.5 to 2.5	Pass
				15	4	-2.500	-0.0014	-2.5 to 2.5	Pass



Test Report No.: RF260703B002

	1880	15	0	25	4	1.400	0.0008	-2.5 to 2.5	Pass
				35	4	-0.200	-0.0001	-2.5 to 2.5	Pass
				20	3.4	-0.700	-0.0004	-2.5 to 2.5	Pass
					4	-0.300	-0.0002	-2.5 to 2.5	Pass
					4.6	1.000	0.0005	-2.5 to 2.5	Pass
				5	4	-1.100	-0.0006	-2.5 to 2.5	Pass
				15	4	-0.400	-0.0002	-2.5 to 2.5	Pass
	1908.5	15	0	25	4	-0.800	-0.0004	-2.5 to 2.5	Pass
				35	4	-1.000	-0.0005	-2.5 to 2.5	Pass
				20	3.4	-0.500	-0.0003	-2.5 to 2.5	Pass
					4	-2.000	-0.0010	-2.5 to 2.5	Pass
					4.6	-1.300	-0.0007	-2.5 to 2.5	Pass
				5	4	-2.000	-0.0010	-2.5 to 2.5	Pass
				15	4	0.000	0.0000	-2.5 to 2.5	Pass
				25	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				35	4	0.800	0.0004	-2.5 to 2.5	Pass
64QAM	1851.5	15	0	20	3.4	-43.500	-0.0235	-2.5 to 2.5	Pass
					4	28.100	0.0152	-2.5 to 2.5	Pass
					4.6	12.100	0.0065	-2.5 to 2.5	Pass
				5	4	-144.300	-0.0779	-2.5 to 2.5	Pass
				15	4	58.000	0.0313	-2.5 to 2.5	Pass
				25	4	-50.000	-0.0270	-2.5 to 2.5	Pass
				35	4	-49.800	-0.0269	-2.5 to 2.5	Pass
	1880	15	0	20	3.4	-46.900	-0.0249	-2.5 to 2.5	Pass
					4	2.300	0.0012	-2.5 to 2.5	Pass
					4.6	-22.900	-0.0122	-2.5 to 2.5	Pass
				5	4	-82.500	-0.0439	-2.5 to 2.5	Pass
				15	4	-16.700	-0.0089	-2.5 to 2.5	Pass
				25	4	-73.800	-0.0393	-2.5 to 2.5	Pass
				35	4	-16.000	-0.0085	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.4	135.000	0.0707	-2.5 to 2.5	Pass
					4	-0.200	-0.0001	-2.5 to 2.5	Pass
					4.6	-36.800	-0.0193	-2.5 to 2.5	Pass
				5	4	33.800	0.0177	-2.5 to 2.5	Pass
				15	4	51.200	0.0268	-2.5 to 2.5	Pass
				25	4	-50.900	-0.0267	-2.5 to 2.5	Pass
				35	4	-111.900	-0.0586	-2.5 to 2.5	Pass

B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.4	0.500	0.0003	-2.5 to 2.5	Pass
					4	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.6	-1.100	-0.0006	-2.5 to 2.5	Pass
				5	4	1.400	0.0008	-2.5 to 2.5	Pass
				15	4	-1.400	-0.0008	-2.5 to 2.5	Pass
				25	4	1.800	0.0010	-2.5 to 2.5	Pass
				35	4	0.000	0.0000	-2.5 to 2.5	Pass
	1880	25	0	20	3.4	0.400	0.0002	-2.5 to 2.5	Pass
					4	2.300	0.0012	-2.5 to 2.5	Pass
					4.6	-0.600	-0.0003	-2.5 to 2.5	Pass



Test Report No.: RF260703B002

	1907.5	25	0	5	4	2.800	0.0015	-2.5 to 2.5	Pass
				15	4	0.800	0.0004	-2.5 to 2.5	Pass
				25	4	1.400	0.0007	-2.5 to 2.5	Pass
				35	4	1.700	0.0009	-2.5 to 2.5	Pass
				20	3.4	2.500	0.0013	-2.5 to 2.5	Pass
					4	4.000	0.0021	-2.5 to 2.5	Pass
					4.6	2.000	0.0010	-2.5 to 2.5	Pass
				5	4	0.200	0.0001	-2.5 to 2.5	Pass
				15	4	0.100	0.0001	-2.5 to 2.5	Pass
				25	4	0.700	0.0004	-2.5 to 2.5	Pass
				35	4	0.400	0.0002	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.4	-1.900	-0.0010	-2.5 to 2.5	Pass
					4	-1.400	-0.0008	-2.5 to 2.5	Pass
					4.6	-1.400	-0.0008	-2.5 to 2.5	Pass
				5	4	-2.700	-0.0015	-2.5 to 2.5	Pass
				15	4	-1.600	-0.0009	-2.5 to 2.5	Pass
				25	4	0.600	0.0003	-2.5 to 2.5	Pass
	1880	25	0	35	4	-2.200	-0.0012	-2.5 to 2.5	Pass
				20	3.4	2.200	0.0012	-2.5 to 2.5	Pass
					4	2.600	0.0014	-2.5 to 2.5	Pass
					4.6	3.200	0.0017	-2.5 to 2.5	Pass
				5	4	2.800	0.0015	-2.5 to 2.5	Pass
				15	4	-0.100	-0.0001	-2.5 to 2.5	Pass
	1907.5	25	0	25	4	1.400	0.0007	-2.5 to 2.5	Pass
				35	4	2.600	0.0014	-2.5 to 2.5	Pass
				20	3.4	-0.300	-0.0002	-2.5 to 2.5	Pass
					4	2.400	0.0013	-2.5 to 2.5	Pass
					4.6	1.100	0.0006	-2.5 to 2.5	Pass
				5	4	0.600	0.0003	-2.5 to 2.5	Pass
64QAM	1852.5	25	0	15	4	1.000	0.0005	-2.5 to 2.5	Pass
				25	4	0.900	0.0005	-2.5 to 2.5	Pass
				35	4	2.500	0.0013	-2.5 to 2.5	Pass
				20	3.4	-20.800	-0.0112	-2.5 to 2.5	Pass
					4	-38.900	-0.0210	-2.5 to 2.5	Pass
					4.6	22.100	0.0119	-2.5 to 2.5	Pass
	1880	25	0	5	4	11.300	0.0061	-2.5 to 2.5	Pass
				15	4	11.300	0.0061	-2.5 to 2.5	Pass
				25	4	15.200	0.0082	-2.5 to 2.5	Pass
				35	4	9.100	0.0049	-2.5 to 2.5	Pass
				20	3.4	-16.500	-0.0088	-2.5 to 2.5	Pass
					4	-19.000	-0.0101	-2.5 to 2.5	Pass
					4.6	-49.200	-0.0262	-2.5 to 2.5	Pass
	1907.5	25	0	5	4	-19.000	-0.0101	-2.5 to 2.5	Pass
				15	4	22.000	0.0117	-2.5 to 2.5	Pass
				25	4	6.200	0.0033	-2.5 to 2.5	Pass
				35	4	-12.700	-0.0068	-2.5 to 2.5	Pass
				20	3.4	-29.800	-0.0156	-2.5 to 2.5	Pass
					4	-11.300	-0.0059	-2.5 to 2.5	Pass
					4.6	-21.400	-0.0112	-2.5 to 2.5	Pass
				5	4	-14.800	-0.0078	-2.5 to 2.5	Pass
				15	4	22.900	0.0120	-2.5 to 2.5	Pass
				25	4	33.600	0.0176	-2.5 to 2.5	Pass



Test Report No.: RF260703B002

				35	4	10.000	0.0052	-2.5 to 2.5	Pass
--	--	--	--	----	---	--------	--------	-------------	------

B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.4	-0.600	-0.0003	-2.5 to 2.5	Pass
					4	1.900	0.0010	-2.5 to 2.5	Pass
					4.6	1.700	0.0009	-2.5 to 2.5	Pass
				5	4	-1.100	-0.0006	-2.5 to 2.5	Pass
				15	4	0.100	0.0001	-2.5 to 2.5	Pass
				25	4	-1.500	-0.0008	-2.5 to 2.5	Pass
				35	4	1.700	0.0009	-2.5 to 2.5	Pass
	1880	50	0	20	3.4	-1.100	-0.0006	-2.5 to 2.5	Pass
					4	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.6	-4.400	-0.0023	-2.5 to 2.5	Pass
				5	4	-0.500	-0.0003	-2.5 to 2.5	Pass
				15	4	-3.300	-0.0018	-2.5 to 2.5	Pass
				25	4	-4.400	-0.0023	-2.5 to 2.5	Pass
				35	4	-0.800	-0.0004	-2.5 to 2.5	Pass
	1905	50	0	20	3.4	-0.400	-0.0002	-2.5 to 2.5	Pass
					4	-2.900	-0.0015	-2.5 to 2.5	Pass
					4.6	-3.400	-0.0018	-2.5 to 2.5	Pass
				5	4	-2.100	-0.0011	-2.5 to 2.5	Pass
				15	4	0.300	0.0002	-2.5 to 2.5	Pass
				25	4	0.100	0.0001	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.4	-0.200	-0.0001	-2.5 to 2.5	Pass
					4	-2.500	-0.0013	-2.5 to 2.5	Pass
					4.6	-0.700	-0.0004	-2.5 to 2.5	Pass
				5	4	-1.100	-0.0006	-2.5 to 2.5	Pass
				15	4	-0.400	-0.0002	-2.5 to 2.5	Pass
				25	4	1.800	0.0010	-2.5 to 2.5	Pass
				35	4	-2.100	-0.0011	-2.5 to 2.5	Pass
	1880	50	0	20	3.4	-3.700	-0.0020	-2.5 to 2.5	Pass
					4	-2.500	-0.0013	-2.5 to 2.5	Pass
					4.6	-0.800	-0.0004	-2.5 to 2.5	Pass
				5	4	-3.900	-0.0021	-2.5 to 2.5	Pass
				15	4	-2.100	-0.0011	-2.5 to 2.5	Pass
				25	4	-1.500	-0.0008	-2.5 to 2.5	Pass
				35	4	-4.200	-0.0022	-2.5 to 2.5	Pass
	1905	50	0	20	3.4	0.800	0.0004	-2.5 to 2.5	Pass
					4	-1.700	-0.0009	-2.5 to 2.5	Pass
					4.6	-1.300	-0.0007	-2.5 to 2.5	Pass
				5	4	-1.000	-0.0005	-2.5 to 2.5	Pass
				15	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				25	4	-0.200	-0.0001	-2.5 to 2.5	Pass
64QAM	1855	50	0	20	3.4	12.300	0.0066	-2.5 to 2.5	Pass
					4	-16.400	-0.0088	-2.5 to 2.5	Pass
					4.6	-14.800	-0.0080	-2.5 to 2.5	Pass
				5	4	6.400	0.0035	-2.5 to 2.5	Pass

Test Report No.: RF260703B002

				15	4	-5.600	-0.0030	-2.5 to 2.5	Pass
				25	4	5.800	0.0031	-2.5 to 2.5	Pass
				35	4	2.500	0.0013	-2.5 to 2.5	Pass
	1880	50	0	20	3.4	-11.800	-0.0063	-2.5 to 2.5	Pass
					4	10.100	0.0054	-2.5 to 2.5	Pass
					4.6	18.400	0.0098	-2.5 to 2.5	Pass
				5	4	-8.000	-0.0043	-2.5 to 2.5	Pass
				15	4	-10.500	-0.0056	-2.5 to 2.5	Pass
				25	4	-13.700	-0.0073	-2.5 to 2.5	Pass
				35	4	8.300	0.0044	-2.5 to 2.5	Pass
	1905	50	0	20	3.4	23.700	0.0124	-2.5 to 2.5	Pass
					4	-8.700	-0.0046	-2.5 to 2.5	Pass
					4.6	-7.300	-0.0038	-2.5 to 2.5	Pass
				5	4	6.900	0.0036	-2.5 to 2.5	Pass
				15	4	25.900	0.0136	-2.5 to 2.5	Pass
				25	4	-19.400	-0.0102	-2.5 to 2.5	Pass
				35	4	-4.200	-0.0022	-2.5 to 2.5	Pass

B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.4	-0.900	-0.0005	-2.5 to 2.5	Pass
					4	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.6	-0.800	-0.0004	-2.5 to 2.5	Pass
				5	4	-1.300	-0.0007	-2.5 to 2.5	Pass
				15	4	0.000	0.0000	-2.5 to 2.5	Pass
				25	4	1.700	0.0009	-2.5 to 2.5	Pass
				35	4	-3.200	-0.0017	-2.5 to 2.5	Pass
	1880	75	0	20	3.4	-2.200	-0.0012	-2.5 to 2.5	Pass
					4	-1.600	-0.0009	-2.5 to 2.5	Pass
					4.6	-4.800	-0.0026	-2.5 to 2.5	Pass
				5	4	-3.900	-0.0021	-2.5 to 2.5	Pass
				15	4	-1.800	-0.0010	-2.5 to 2.5	Pass
				25	4	-3.600	-0.0019	-2.5 to 2.5	Pass
				35	4	-2.700	-0.0014	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.4	-3.900	-0.0020	-2.5 to 2.5	Pass
					4	-2.100	-0.0011	-2.5 to 2.5	Pass
					4.6	-3.900	-0.0020	-2.5 to 2.5	Pass
				5	4	-2.900	-0.0015	-2.5 to 2.5	Pass
				15	4	-2.600	-0.0014	-2.5 to 2.5	Pass
				25	4	-3.700	-0.0019	-2.5 to 2.5	Pass
				35	4	-1.200	-0.0006	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.4	-3.200	-0.0017	-2.5 to 2.5	Pass
					4	-4.300	-0.0023	-2.5 to 2.5	Pass
					4.6	0.800	0.0004	-2.5 to 2.5	Pass
				5	4	0.000	0.0000	-2.5 to 2.5	Pass
				15	4	-1.900	-0.0010	-2.5 to 2.5	Pass
				25	4	-4.200	-0.0023	-2.5 to 2.5	Pass
				35	4	-3.900	-0.0021	-2.5 to 2.5	Pass
	1880	75	0	20	3.4	-1.500	-0.0008	-2.5 to 2.5	Pass
					4	-4.000	-0.0021	-2.5 to 2.5	Pass

Test Report No.: RF260703B002

64QAM	1902.5	75	0		4.6	-2.800	-0.0015	-2.5 to 2.5	Pass
				5	4	-4.300	-0.0023	-2.5 to 2.5	Pass
				15	4	-0.900	-0.0005	-2.5 to 2.5	Pass
				25	4	-2.700	-0.0014	-2.5 to 2.5	Pass
				35	4	-3.100	-0.0016	-2.5 to 2.5	Pass
	1857.5	75	0	20	3.4	-0.600	-0.0003	-2.5 to 2.5	Pass
					4	-3.200	-0.0017	-2.5 to 2.5	Pass
					4.6	-2.500	-0.0013	-2.5 to 2.5	Pass
				5	4	-3.100	-0.0016	-2.5 to 2.5	Pass
				15	4	-1.000	-0.0005	-2.5 to 2.5	Pass
				25	4	-1.400	-0.0007	-2.5 to 2.5	Pass
				35	4	-2.800	-0.0015	-2.5 to 2.5	Pass
	1880	75	0	20	3.4	-6.500	-0.0035	-2.5 to 2.5	Pass
					4	7.000	0.0038	-2.5 to 2.5	Pass
					4.6	-7.600	-0.0041	-2.5 to 2.5	Pass
				5	4	17.900	0.0096	-2.5 to 2.5	Pass
				15	4	8.700	0.0047	-2.5 to 2.5	Pass
				25	4	-8.700	-0.0047	-2.5 to 2.5	Pass
				35	4	-1.800	-0.0010	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.4	-1.700	-0.0009	-2.5 to 2.5	Pass
					4	-11.200	-0.0060	-2.5 to 2.5	Pass
					4.6	11.200	0.0060	-2.5 to 2.5	Pass
				5	4	-6.600	-0.0035	-2.5 to 2.5	Pass
				15	4	1.600	0.0009	-2.5 to 2.5	Pass
				25	4	1.800	0.0010	-2.5 to 2.5	Pass
				35	4	8.200	0.0044	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.4	-5.800	-0.0030	-2.5 to 2.5	Pass
					4	21.200	0.0111	-2.5 to 2.5	Pass
					4.6	-8.100	-0.0043	-2.5 to 2.5	Pass
				5	4	-1.500	-0.0008	-2.5 to 2.5	Pass
				15	4	8.000	0.0042	-2.5 to 2.5	Pass
				25	4	-11.700	-0.0061	-2.5 to 2.5	Pass
				35	4	10.300	0.0054	-2.5 to 2.5	Pass

B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.4	-2.800	-0.0015	-2.5 to 2.5	Pass
					4	-5.300	-0.0028	-2.5 to 2.5	Pass
					4.6	-3.800	-0.0020	-2.5 to 2.5	Pass
				5	4	-1.700	-0.0009	-2.5 to 2.5	Pass
				15	4	-3.000	-0.0016	-2.5 to 2.5	Pass
				25	4	-3.400	-0.0018	-2.5 to 2.5	Pass
				35	4	-3.900	-0.0021	-2.5 to 2.5	Pass
	1880	100	0	20	3.4	-1.600	-0.0009	-2.5 to 2.5	Pass
					4	-1.400	-0.0007	-2.5 to 2.5	Pass
					4.6	-2.100	-0.0011	-2.5 to 2.5	Pass
				5	4	-1.400	-0.0007	-2.5 to 2.5	Pass
				15	4	-2.500	-0.0013	-2.5 to 2.5	Pass
				25	4	-0.700	-0.0004	-2.5 to 2.5	Pass
				35	4	-1.900	-0.0010	-2.5 to 2.5	Pass



Test Report No.: RF260703B002

	1900	100	0	20	3.4	-2.200	-0.0012	-2.5 to 2.5	Pass
					4	1.000	0.0005	-2.5 to 2.5	Pass
					4.6	-1.600	-0.0008	-2.5 to 2.5	Pass
				5	4	-0.800	-0.0004	-2.5 to 2.5	Pass
				15	4	-2.100	-0.0011	-2.5 to 2.5	Pass
				25	4	-2.600	-0.0014	-2.5 to 2.5	Pass
				35	4	-0.700	-0.0004	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.4	-2.200	-0.0012	-2.5 to 2.5	Pass
					4	10.200	0.0055	-2.5 to 2.5	Pass
					4.6	-8.700	-0.0047	-2.5 to 2.5	Pass
				5	4	-2.400	-0.0013	-2.5 to 2.5	Pass
				15	4	-2.500	-0.0013	-2.5 to 2.5	Pass
				25	4	-2.300	-0.0012	-2.5 to 2.5	Pass
				35	4	-3.000	-0.0016	-2.5 to 2.5	Pass
	1880	100	0	20	3.4	-2.900	-0.0015	-2.5 to 2.5	Pass
					4	-1.400	-0.0007	-2.5 to 2.5	Pass
					4.6	0.300	0.0002	-2.5 to 2.5	Pass
				5	4	-1.900	-0.0010	-2.5 to 2.5	Pass
				15	4	-1.700	-0.0009	-2.5 to 2.5	Pass
				25	4	-1.600	-0.0009	-2.5 to 2.5	Pass
				35	4	1.200	0.0006	-2.5 to 2.5	Pass
	1900	100	0	20	3.4	-2.500	-0.0013	-2.5 to 2.5	Pass
					4	-2.400	-0.0013	-2.5 to 2.5	Pass
					4.6	-1.200	-0.0006	-2.5 to 2.5	Pass
				5	4	-3.100	-0.0016	-2.5 to 2.5	Pass
				15	4	-1.000	-0.0005	-2.5 to 2.5	Pass
				25	4	-1.900	-0.0010	-2.5 to 2.5	Pass
				35	4	-2.600	-0.0014	-2.5 to 2.5	Pass
64QAM	1860	100	0	20	3.4	11.400	0.0061	-2.5 to 2.5	Pass
					4	-0.100	-0.0001	-2.5 to 2.5	Pass
					4.6	-0.100	-0.0001	-2.5 to 2.5	Pass
				5	4	11.100	0.0060	-2.5 to 2.5	Pass
				15	4	-4.900	-0.0026	-2.5 to 2.5	Pass
				25	4	-7.500	-0.0040	-2.5 to 2.5	Pass
				35	4	-16.800	-0.0090	-2.5 to 2.5	Pass
	1880	100	0	20	3.4	-5.000	-0.0027	-2.5 to 2.5	Pass
					4	-8.200	-0.0044	-2.5 to 2.5	Pass
					4.6	-13.000	-0.0069	-2.5 to 2.5	Pass
				5	4	3.100	0.0016	-2.5 to 2.5	Pass
				15	4	-19.900	-0.0106	-2.5 to 2.5	Pass
				25	4	-21.200	-0.0113	-2.5 to 2.5	Pass
				35	4	1.100	0.0006	-2.5 to 2.5	Pass
	1900	100	0	20	3.4	-11.200	-0.0059	-2.5 to 2.5	Pass
					4	0.300	0.0002	-2.5 to 2.5	Pass
					4.6	-22.100	-0.0116	-2.5 to 2.5	Pass
				5	4	-12.500	-0.0066	-2.5 to 2.5	Pass
				15	4	28.100	0.0148	-2.5 to 2.5	Pass
				25	4	-8.600	-0.0045	-2.5 to 2.5	Pass
				35	4	-6.700	-0.0035	-2.5 to 2.5	Pass

---END---

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan 4th
Road, Chiwan Community, Zhaoshang Street, Nanshan District,
Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com