



Test Report No.: RF260703B007

802.11ax(HEW80)_LCH_5530MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5363.050	-42.81	-21.20	21.61	Pass	Peak	7	5363.050	-50.91	-41.20	9.71	Pass	AVG
2	5384.650	-42.92	-21.20	21.72	Pass	Peak	8	5384.650	-50.98	-41.20	9.78	Pass	AVG
3	5407.150	-42.92	-21.20	21.72	Pass	Peak	9	5407.150	-51.11	-41.20	9.91	Pass	AVG
4	5425.600	-42.56	-21.20	21.36	Pass	Peak	10	5425.600	-50.96	-41.20	9.76	Pass	AVG
5	5442.250	-43.55	-21.20	22.35	Pass	Peak	11	5442.250	-50.90	-41.20	9.70	Pass	AVG
6	5456.200	-41.84	-21.20	20.64	Pass	Peak	12	5456.200	-51.57	-41.20	10.37	Pass	AVG


802.11ax(HEW80)_LCH_5530MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5357.650	-42.66	-21.20	21.46	Pass	Peak	7	5357.650	-50.98	-41.20	9.78	Pass	AVG
2	5378.800	-42.78	-21.20	21.58	Pass	Peak	8	5378.800	-51.13	-41.20	9.93	Pass	AVG
3	5392.750	-42.40	-21.20	21.20	Pass	Peak	9	5392.750	-50.90	-41.20	9.70	Pass	AVG
4	5415.700	-42.89	-21.20	21.69	Pass	Peak	10	5415.700	-51.15	-41.20	9.95	Pass	AVG
5	5431.900	-40.51	-21.20	19.31	Pass	Peak	11	5431.900	-51.32	-41.20	10.12	Pass	AVG
6	5446.300	-42.33	-21.20	21.13	Pass	Peak	12	5446.300	-51.16	-41.20	9.96	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_LCH_5530MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5360.350	-41.90	-21.20	20.70	Pass	Peak	7	5360.350	-51.05	-41.20	9.85	Pass	AVG
2	5376.100	-42.29	-21.20	21.09	Pass	Peak	8	5376.100	-51.47	-41.20	10.27	Pass	AVG
3	5390.050	-42.89	-21.20	21.69	Pass	Peak	9	5390.050	-51.31	-41.20	10.11	Pass	AVG
4	5410.300	-42.71	-21.20	21.51	Pass	Peak	10	5410.300	-50.97	-41.20	9.77	Pass	AVG
5	5433.250	-42.35	-21.20	21.15	Pass	Peak	11	5433.250	-50.91	-41.20	9.71	Pass	AVG
6	5447.200	-41.85	-21.20	20.65	Pass	Peak	12	5447.200	-51.43	-41.20	10.23	Pass	AVG


802.11ax(HEW80)_HCH_5610MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.300	-40.66	-27.00	13.66	Pass	Peak	6	5725.300	/	-27.00	/	/	AVG
2	5741.950	-41.03	-27.00	14.03	Pass	Peak	7	5741.950	/	-27.00	/	/	AVG
3	5763.550	-41.67	-27.00	14.67	Pass	Peak	8	5763.550	/	-27.00	/	/	AVG
4	5777.500	-40.83	-27.00	13.83	Pass	Peak	9	5777.500	/	-27.00	/	/	AVG
5	5799.550	-40.89	-27.00	13.89	Pass	Peak	10	5799.550	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5610MHz_RU26_Mid_Ant7_NTNV



Frequency (MHz)									
No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)
1	5738.800	-41.24	-27.00	14.24	Pass	Peak	5	5738.800	/
2	5758.600	-41.27	-27.00	14.27	Pass	Peak	6	5758.600	/
3	5785.150	-41.28	-27.00	14.28	Pass	Peak	7	5785.150	/
4	5799.550	-42.53	-27.00	15.53	Pass	Peak	8	5799.550	/

802.11ax(HEW80)_HCH_5610MHz_RU26_Right_Ant7_NTNV



Frequency (MHz)									
No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)
1	5733.850	-41.06	-27.00	14.06	Pass	Peak	5	5733.850	/
2	5759.050	-41.24	-27.00	14.24	Pass	Peak	6	5759.050	/
3	5773.900	-42.10	-27.00	15.10	Pass	Peak	7	5773.900	/
4	5787.850	-41.10	-27.00	14.10	Pass	Peak	8	5787.850	/

9.3. Spurious Emission

3.1 TEST RESULT


3.1.1 SE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11ax (HEW20)	SISO	5500	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5580	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5700	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5510	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5550	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5670	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5530	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5610	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass

Test Report No.: RF260703B007


3.2 Test Graph

802.11ax(HEW20)_LCH_5500MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	17021.65	-37.43	-27.00	10.43	Pass	Peak	7	17021.65	/	-27.00	/	/	AVG
2	18391.85	-37.60	-21.20	16.40	Pass	Peak	8	18391.85	-47.67	-41.20	6.47	Pass	AVG
3	19377.85	-37.78	-21.20	16.58	Pass	Peak	9	19377.85	-48.07	-41.20	6.87	Pass	AVG
4	20856	-36.53	-21.20	15.33	Pass	Peak	10	20856	-47.97	-41.20	6.77	Pass	AVG
5	22119.95	-36.80	-21.20	15.60	Pass	Peak	11	22119.95	-46.98	-41.20	5.78	Pass	AVG
6	24482.95	-37.24	-27.00	10.24	Pass	Peak	12	24482.95	/	-27.00	/	/	AVG


802.11ax(HEW20)_LCH_5500MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16326.35	-36.69	-27.00	9.69	Pass	Peak	7	16326.35	/	-27.00	/	/	AVG
2	17672.75	-37.48	-27.00	10.48	Pass	Peak	8	17672.75	/	-27.00	/	/	AVG
3	19853.85	-37.69	-21.20	16.49	Pass	Peak	9	19853.85	-48.00	-41.20	6.80	Pass	AVG
4	20827.1	-37.61	-21.20	16.41	Pass	Peak	10	20827.1	-47.91	-41.20	6.71	Pass	AVG
5	22761.7	-36.74	-21.20	15.54	Pass	Peak	11	22761.7	-46.85	-41.20	5.65	Pass	AVG
6	25014.2	-37.59	-27.00	10.59	Pass	Peak	12	25014.2	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5500MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16357.8	-38.07	-27.00	11.07	Pass	Peak	7	16357.8	/	-27.00	/	/	AVG
2	19951.6	-37.07	-21.20	15.87	Pass	Peak	8	19951.6	-48.07	-41.20	6.87	Pass	AVG
3	21382.15	-37.92	-21.20	16.72	Pass	Peak	9	21382.15	-47.79	-41.20	6.59	Pass	AVG
4	22726	-36.91	-21.20	15.71	Pass	Peak	10	22726	-46.85	-41.20	5.65	Pass	AVG
5	24500.8	-37.84	-27.00	10.84	Pass	Peak	11	24500.8	/	-27.00	/	/	AVG
6	26420.1	-37.93	-27.00	10.93	Pass	Peak	12	26420.1	/	-27.00	/	/	AVG


802.11ax(HEW20)_MCH_5580MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18366.35	-37.72	-21.20	16.52	Pass	Peak	7	18366.35	-47.78	-41.20	6.58	Pass	AVG
2	19830.9	-37.70	-21.20	16.50	Pass	Peak	8	19830.9	-47.80	-41.20	6.60	Pass	AVG
3	21478.2	-37.82	-27.00	10.82	Pass	Peak	9	21478.2	/	-27.00	/	/	AVG
4	22764.25	-36.77	-21.20	15.57	Pass	Peak	10	22764.25	-46.80	-41.20	5.60	Pass	AVG
5	25091.55	-37.56	-27.00	10.56	Pass	Peak	11	25091.55	/	-27.00	/	/	AVG
6	26491.5	-37.78	-27.00	10.78	Pass	Peak	12	26491.5	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5580MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16331.45	-37.27	-27.00	10.27	Pass	Peak	7	16331.45	/	-27.00	/	/	AVG
2	19810.5	-36.54	-21.20	15.34	Pass	Peak	8	19810.5	-47.96	-41.20	6.76	Pass	AVG
3	21414.45	-37.94	-27.00	10.94	Pass	Peak	9	21414.45	/	-27.00	/	/	AVG
4	22768.5	-37.01	-21.20	15.81	Pass	Peak	10	22768.5	-46.77	-41.20	5.57	Pass	AVG
5	25070.3	-37.62	-27.00	10.62	Pass	Peak	11	25070.3	/	-27.00	/	/	AVG
6	26042.7	-36.91	-27.00	9.91	Pass	Peak	12	26042.7	/	-27.00	/	/	AVG


802.11ax(HEW20)_MCH_5580MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18384.2	-37.84	-21.20	16.64	Pass	Peak	7	18384.2	-47.73	-41.20	6.53	Pass	AVG
2	20770.15	-37.77	-21.20	16.57	Pass	Peak	8	20770.15	-47.72	-41.20	6.52	Pass	AVG
3	21978	-37.60	-27.00	10.60	Pass	Peak	9	21978	/	-27.00	/	/	AVG
4	22758.3	-36.58	-21.20	15.38	Pass	Peak	10	22758.3	-46.76	-41.20	5.56	Pass	AVG
5	24421.75	-37.45	-27.00	10.45	Pass	Peak	11	24421.75	/	-27.00	/	/	AVG
6	26479.6	-37.34	-27.00	10.34	Pass	Peak	12	26479.6	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5700MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18427.55	-36.79	-21.20	15.59	Pass	Peak	7	18427.55	-47.64	-41.20	6.44	Pass	AVG
2	19326	-37.65	-21.20	16.45	Pass	Peak	8	19326	-48.26	-41.20	7.06	Pass	AVG
3	20780.35	-37.51	-21.20	16.31	Pass	Peak	9	20780.35	-47.74	-41.20	6.54	Pass	AVG
4	22723.45	-36.96	-21.20	15.76	Pass	Peak	10	22723.45	-46.83	-41.20	5.63	Pass	AVG
5	25099.2	-37.75	-27.00	10.75	Pass	Peak	11	25099.2	/	-27.00	/	/	AVG
6	26394.6	-36.69	-27.00	9.69	Pass	Peak	12	26394.6	/	-27.00	/	/	AVG


802.11ax(HEW20)_HCH_5700MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16302.55	-37.71	-27.00	10.71	Pass	Peak	7	16302.55	/	-27.00	/	/	AVG
2	20375.75	-37.21	-21.20	16.01	Pass	Peak	8	20375.75	-48.34	-41.20	7.14	Pass	AVG
3	21423.8	-37.93	-27.00	10.93	Pass	Peak	9	21423.8	/	-27.00	/	/	AVG
4	22665.65	-36.61	-21.20	15.41	Pass	Peak	10	22665.65	-47.13	-41.20	5.93	Pass	AVG
5	24038.4	-37.43	-27.00	10.43	Pass	Peak	11	24038.4	/	-27.00	/	/	AVG
6	25034.6	-37.29	-27.00	10.29	Pass	Peak	12	25034.6	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5700MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16388.4	-37.85	-27.00	10.85	Pass	Peak	7	16388.4	/	-27.00	/	/	AVG
2	18002.55	-37.25	-21.20	16.05	Pass	Peak	8	18002.55	-48.05	-41.20	6.85	Pass	AVG
3	20382.55	-37.68	-21.20	16.48	Pass	Peak	9	20382.55	-48.26	-41.20	7.06	Pass	AVG
4	21948.25	-37.32	-27.00	10.32	Pass	Peak	10	21948.25	/	-27.00	/	/	AVG
5	22835.65	-37.05	-21.20	15.85	Pass	Peak	11	22835.65	-47.56	-41.20	6.36	Pass	AVG
6	24362.25	-37.52	-27.00	10.52	Pass	Peak	12	24362.25	/	-27.00	/	/	AVG


802.11ax(HEW40)_LCH_5510MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16264.3	-37.84	-27.00	10.84	Pass	Peak	7	16264.3	/	-27.00	/	/	AVG
2	17346.35	-37.96	-27.00	10.96	Pass	Peak	8	17346.35	/	-27.00	/	/	AVG
3	20783.75	-37.66	-21.20	16.46	Pass	Peak	9	20783.75	-47.73	-41.20	6.53	Pass	AVG
4	22138.65	-36.50	-21.20	15.30	Pass	Peak	10	22138.65	-46.90	-41.20	5.70	Pass	AVG
5	23357.55	-37.41	-27.00	10.41	Pass	Peak	11	23357.55	/	-27.00	/	/	AVG
6	26445.6	-37.68	-27.00	10.68	Pass	Peak	12	26445.6	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5510MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16327.2	-37.69	-27.00	10.69	Pass	Peak	7	16327.2	/	-27.00	/	/	AVG
2	19400.8	-37.89	-21.20	16.69	Pass	Peak	8	19400.8	-48.04	-41.20	6.84	Pass	AVG
3	21997.55	-37.67	-27.00	10.67	Pass	Peak	9	21997.55	/	-27.00	/	/	AVG
4	22771.9	-37.03	-21.20	15.83	Pass	Peak	10	22771.9	-46.80	-41.20	5.60	Pass	AVG
5	24425.15	-37.23	-27.00	10.23	Pass	Peak	11	24425.15	/	-27.00	/	/	AVG
6	26249.25	-37.85	-27.00	10.85	Pass	Peak	12	26249.25	/	-27.00	/	/	AVG


802.11ax(HEW40)_LCH_5510MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16594.95	-38.10	-27.00	11.10	Pass	Peak	7	16594.95	/	-27.00	/	/	AVG
2	18912.05	-38.04	-21.20	16.84	Pass	Peak	8	18912.05	-48.62	-41.20	7.42	Pass	AVG
3	19902.3	-37.47	-21.20	16.27	Pass	Peak	9	19902.3	-47.82	-41.20	6.62	Pass	AVG
4	22065.55	-37.48	-21.20	16.28	Pass	Peak	10	22065.55	-47.12	-41.20	5.92	Pass	AVG
5	24451.5	-36.52	-27.00	9.52	Pass	Peak	11	24451.5	/	-27.00	/	/	AVG
6	26420.95	-37.69	-27.00	10.69	Pass	Peak	12	26420.95	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_MCH_5550MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16407.1	-37.64	-27.00	10.64	Pass	Peak	7	16407.1	/	-27.00	/	/	AVG
2	17671.9	-37.70	-27.00	10.70	Pass	Peak	8	17671.9	/	-27.00	/	/	AVG
3	20386.8	-36.96	-21.20	15.76	Pass	Peak	9	20386.8	-48.34	-41.20	7.14	Pass	AVG
4	22190.5	-36.97	-21.20	15.77	Pass	Peak	10	22190.5	-47.03	-41.20	5.83	Pass	AVG
5	23734.1	-38.08	-21.20	16.88	Pass	Peak	11	23734.1	-48.49	-41.20	7.29	Pass	AVG
6	26493.2	-38.07	-27.00	11.07	Pass	Peak	12	26493.2	/	-27.00	/	/	AVG


802.11ax(HEW40)_MCH_5550MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	17073.5	-37.07	-27.00	10.07	Pass	Peak	7	17073.5	/	-27.00	/	/	AVG
2	18388.45	-37.73	-21.20	16.53	Pass	Peak	8	18388.45	-47.63	-41.20	6.43	Pass	AVG
3	20750.6	-37.43	-21.20	16.23	Pass	Peak	9	20750.6	-47.77	-41.20	6.57	Pass	AVG
4	22731.1	-35.83	-21.20	14.63	Pass	Peak	10	22731.1	-46.89	-41.20	5.69	Pass	AVG
5	24393.7	-37.71	-27.00	10.71	Pass	Peak	11	24393.7	/	-27.00	/	/	AVG
6	25991.7	-37.77	-27.00	10.77	Pass	Peak	12	25991.7	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_MCH_5550MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16378.2	-37.65	-27.00	10.65	Pass	Peak	7	16378.2	/	-27.00	/	/	AVG
2	19397.4	-38.00	-21.20	16.80	Pass	Peak	8	19397.4	-48.17	-41.20	6.97	Pass	AVG
3	21897.25	-37.76	-27.00	10.76	Pass	Peak	9	21897.25	/	-27.00	/	/	AVG
4	22738.75	-36.81	-21.20	15.61	Pass	Peak	10	22738.75	-46.90	-41.20	5.70	Pass	AVG
5	24385.2	-37.43	-27.00	10.43	Pass	Peak	11	24385.2	/	-27.00	/	/	AVG
6	25944.1	-37.46	-27.00	10.46	Pass	Peak	12	25944.1	/	-27.00	/	/	AVG


802.11ax(HEW40)_HCH_5670MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15634.45	-37.81	-21.20	16.61	Pass	Peak	7	15634.45	-48.10	-41.20	6.90	Pass	AVG
2	16607.7	-37.73	-27.00	10.73	Pass	Peak	8	16607.7	/	-27.00	/	/	AVG
3	20490.5	-37.96	-21.20	16.76	Pass	Peak	9	20490.5	-48.35	-41.20	7.15	Pass	AVG
4	21608.25	-37.60	-27.00	10.60	Pass	Peak	10	21608.25	/	-27.00	/	/	AVG
5	22743	-36.97	-21.20	15.77	Pass	Peak	11	22743	-46.79	-41.20	5.59	Pass	AVG
6	24757.5	-37.50	-27.00	10.50	Pass	Peak	12	24757.5	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5670MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16640	-37.73	-27.00	10.73	Pass	Peak	7	16640	/	-27.00	/	/	AVG
2	19370.2	-37.79	-21.20	16.59	Pass	Peak	8	19370.2	-48.09	-41.20	6.89	Pass	AVG
3	22091.9	-36.87	-21.20	15.67	Pass	Peak	9	22091.9	-47.04	-41.20	5.84	Pass	AVG
4	23389.85	-38.27	-27.00	11.27	Pass	Peak	10	23389.85	/	-27.00	/	/	AVG
5	24339.3	-37.56	-27.00	10.56	Pass	Peak	11	24339.3	/	-27.00	/	/	AVG
6	25814.9	-37.51	-27.00	10.51	Pass	Peak	12	25814.9	/	-27.00	/	/	AVG


802.11ax(HEW40)_HCH_5670MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	14955.3	-37.77	-27.00	10.77	Pass	Peak	7	14955.3	/	-27.00	/	/	AVG
2	17082.85	-37.47	-27.00	10.47	Pass	Peak	8	17082.85	/	-27.00	/	/	AVG
3	18436.05	-37.69	-21.20	16.49	Pass	Peak	9	18436.05	-47.67	-41.20	6.47	Pass	AVG
4	21435.7	-37.22	-27.00	10.22	Pass	Peak	10	21435.7	/	-27.00	/	/	AVG
5	22771.05	-36.41	-21.20	15.21	Pass	Peak	11	22771.05	-46.92	-41.20	5.72	Pass	AVG
6	25449.4	-37.64	-27.00	10.64	Pass	Peak	12	25449.4	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_LCH_5530MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19003	-36.56	-21.20	15.36	Pass	Peak	7	19003	-48.19	-41.20	6.99	Pass	AVG
2	20056.15	-37.50	-21.20	16.30	Pass	Peak	8	20056.15	-48.11	-41.20	6.91	Pass	AVG
3	21399.15	-37.63	-21.20	16.43	Pass	Peak	9	21399.15	-47.84	-41.20	6.64	Pass	AVG
4	22166.7	-37.20	-21.20	16.00	Pass	Peak	10	22166.7	-46.93	-41.20	5.73	Pass	AVG
5	24431.1	-37.54	-27.00	10.54	Pass	Peak	11	24431.1	/	-27.00	/	/	AVG
6	26409.9	-36.97	-27.00	9.97	Pass	Peak	12	26409.9	/	-27.00	/	/	AVG


802.11ax(HEW80)_LCH_5530MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16301.7	-38.05	-27.00	11.05	Pass	Peak	7	16301.7	/	-27.00	/	/	AVG
2	17647.25	-38.01	-27.00	11.01	Pass	Peak	8	17647.25	/	-27.00	/	/	AVG
3	20019.6	-37.48	-21.20	16.28	Pass	Peak	9	20019.6	-48.06	-41.20	6.86	Pass	AVG
4	21971.2	-36.72	-27.00	9.72	Pass	Peak	10	21971.2	/	-27.00	/	/	AVG
5	22742.15	-37.08	-21.20	15.88	Pass	Peak	11	22742.15	-46.92	-41.20	5.72	Pass	AVG
6	24998.9	-38.04	-27.00	11.04	Pass	Peak	12	24998.9	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_LCH_5530MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	17028.45	-37.83	-27.00	10.83	Pass	Peak	7	17028.45	/	-27.00	/	/	AVG
2	18022.95	-38.10	-21.20	16.90	Pass	Peak	8	18022.95	-48.27	-41.20	7.07	Pass	AVG
3	20394.45	-37.12	-21.20	15.92	Pass	Peak	9	20394.45	-48.00	-41.20	6.80	Pass	AVG
4	22170.95	-36.83	-21.20	15.63	Pass	Peak	10	22170.95	-47.08	-41.20	5.88	Pass	AVG
5	24390.3	-37.18	-27.00	10.18	Pass	Peak	11	24390.3	/	-27.00	/	/	AVG
6	25805.55	-37.50	-27.00	10.50	Pass	Peak	12	25805.55	/	-27.00	/	/	AVG


802.11ax(HEW80)_HCH_5610MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16363.75	-37.91	-27.00	10.91	Pass	Peak	7	16363.75	/	-27.00	/	/	AVG
2	19354.9	-37.57	-21.20	16.37	Pass	Peak	8	19354.9	-48.22	-41.20	7.02	Pass	AVG
3	20286.5	-38.12	-21.20	16.92	Pass	Peak	9	20286.5	-48.45	-41.20	7.25	Pass	AVG
4	21714.5	-37.20	-27.00	10.20	Pass	Peak	10	21714.5	/	-27.00	/	/	AVG
5	22742.15	-36.60	-21.20	15.40	Pass	Peak	11	22742.15	-46.98	-41.20	5.78	Pass	AVG
6	25080.5	-38.06	-27.00	11.06	Pass	Peak	12	25080.5	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5610MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15651.45	-37.23	-21.20	16.03	Pass	Peak	7	15651.45	-48.28	-41.20	7.08	Pass	AVG
2	19964.35	-37.51	-21.20	16.31	Pass	Peak	8	19964.35	-47.88	-41.20	6.68	Pass	AVG
3	20797.35	-37.63	-21.20	16.43	Pass	Peak	9	20797.35	-47.83	-41.20	6.63	Pass	AVG
4	21944.85	-37.55	-27.00	10.55	Pass	Peak	10	21944.85	/	-27.00	/	/	AVG
5	22767.65	-36.28	-21.20	15.08	Pass	Peak	11	22767.65	-46.85	-41.20	5.65	Pass	AVG
6	25084.75	-37.59	-27.00	10.59	Pass	Peak	12	25084.75	/	-27.00	/	/	AVG

802.11ax(HEW80)_HCH_5610MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16586.45	-37.28	-27.00	10.28	Pass	Peak	7	16586.45	/	-27.00	/	/	AVG
2	21530.05	-37.55	-27.00	10.55	Pass	Peak	8	21530.05	/	-27.00	/	/	AVG
3	22674.15	-37.64	-21.20	16.44	Pass	Peak	9	22674.15	-46.80	-41.20	5.60	Pass	AVG
4	24417.5	-36.79	-27.00	9.79	Pass	Peak	10	24417.5	/	-27.00	/	/	AVG
5	25454.5	-37.53	-27.00	10.53	Pass	Peak	11	25454.5	/	-27.00	/	/	AVG
6	26470.25	-37.29	-27.00	10.29	Pass	Peak	12	26470.25	/	-27.00	/	/	AVG

12 APPENDIX D: RLAN UNII-3

1. Duty Cycle

1.1 TEST RESULT

1.1.1 ANT7

Ant7									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5745	/	/	2.097	2.114	99.20	0.04	0.03
		5785	/	/	2.096	2.113	99.20	0.04	0.03
		5825	/	/	2.097	2.114	99.20	0.04	0.03
802.11n (HT20)	SISO	5745	/	/	2.096	2.113	99.20	0.04	0.03
		5785	/	/	2.097	2.114	99.20	0.04	0.07
		5825	/	/	2.096	2.114	99.15	0.04	0.07
802.11n (HT40)	SISO	5755	/	/	1.977	1.994	99.15	0.04	0.03
		5795	/	/	1.976	1.993	99.15	0.04	0.07
802.11ac (VHT20)	SISO	5745	/	/	2.224	2.241	99.24	0.03	0.07
		5785	/	/	3.553	3.571	99.50	0.02	0.03
		5825	/	/	3.553	3.570	99.52	0.02	0.03
802.11ac (VHT40)	SISO	5755	/	/	1.980	1.996	99.20	0.03	0.03
		5795	/	/	1.980	1.996	99.20	0.03	0.03
802.11ac (VHT80)	SISO	5775	/	/	1.201	1.216	98.77	0.05	0.00
802.11ax (HEW20)	SISO	5745	RU242	Left	2.713	2.730	99.38	0.03	0.03
		5785	RU242	Left	2.714	2.732	99.34	0.03	0.07
		5825	RU242	Left	2.713	2.730	99.38	0.03	0.07
802.11ax (HEW40)	SISO	5755	RU484	Left	1.583	1.599	99.00	0.04	0.07
		5795	RU484	Left	1.583	1.600	98.94	0.05	0.03
802.11ax (HEW80)	SISO	5775	RU996	Left	1.000	1.015	98.52	0.06	0.03

Test Report No.: RF260703B007

2. Bandwidth

2.1 TEST RESULT

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5745	/	/	7	16.301	/	Pass
		5785	/	/	7	16.284	/	Pass
		5825	/	/	7	16.270	/	Pass
802.11n (HT20)	SISO	5745	/	/	7	16.299	/	Pass
		5785	/	/	7	17.487	/	Pass
		5825	/	/	7	17.476	/	Pass
802.11n (HT40)	SISO	5755	/	/	7	35.980	/	Pass
		5795	/	/	7	35.966	/	Pass
802.11ac (VHT20)	SISO	5745	/	/	7	17.525	/	Pass
		5785	/	/	7	17.493	/	Pass
		5825	/	/	7	17.499	/	Pass
802.11ac (VHT40)	SISO	5755	/	/	7	35.997	/	Pass
		5795	/	/	7	35.926	/	Pass
802.11ac (VHT80)	SISO	5775	/	/	7	75.091	/	Pass
802.11ax (HEW20)	SISO	5745	RU242	Left	7	18.851	/	Pass
		5785	RU242	Left	7	18.881	/	Pass
		5825	RU242	Left	7	18.894	/	Pass
802.11ax (HEW40)	SISO	5755	RU484	Left	7	37.647	/	Pass
		5795	RU484	Left	7	37.591	/	Pass
802.11ax (HEW80)	SISO	5775	RU996	Left	7	76.860	/	Pass


Test Report No.: RF260703B007

2.1.2 6DB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5745	/	/	7	15.714	≥ 0.5	Pass
		5785	/	/	7	13.433	≥ 0.5	Pass
		5825	/	/	7	15.107	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	/	/	7	12.980	≥ 0.5	Pass
		5785	/	/	7	13.846	≥ 0.5	Pass
		5825	/	/	7	12.642	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	/	/	7	35.104	≥ 0.5	Pass
		5795	/	/	7	33.901	≥ 0.5	Pass
802.11ac (VHT20)	SISO	5745	/	/	7	14.485	≥ 0.5	Pass
		5785	/	/	7	13.912	≥ 0.5	Pass
		5825	/	/	7	15.105	≥ 0.5	Pass
802.11ac (VHT40)	SISO	5755	/	/	7	35.142	≥ 0.5	Pass
		5795	/	/	7	35.116	≥ 0.5	Pass
802.11ac (VHT80)	SISO	5775	/	/	7	68.821	≥ 0.5	Pass
802.11ax (HEW20)	SISO	5745	RU242	Left	7	15.226	≥ 0.5	Pass
		5785	RU242	Left	7	17.823	≥ 0.5	Pass
		5825	RU242	Left	7	18.343	≥ 0.5	Pass
802.11ax (HEW40)	SISO	5755	RU484	Left	7	35.582	≥ 0.5	Pass
		5795	RU484	Left	7	35.242	≥ 0.5	Pass
802.11ax (HEW80)	SISO	5775	RU996	Left	7	71.356	≥ 0.5	Pass


Test Report No.: RF260703B007

2.2 Test Graph




Test Report No.: RF260703B007

802.11a_HCH_5825MHz_Ant7_NTNV




802.11n(HT20)_LCH_5745MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT20)_MCH_5785MHz_Ant7_NTNV




802.11n(HT20)_HCH_5825MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5755MHz_Ant7_NTNV




802.11n(HT40)_HCH_5795MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5745MHz_Ant7_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5825MHz_Ant7_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5795MHz_Ant7_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5745MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5785MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5825MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant7_NTNV




Test Report No.: RF260703B007

2.2.2 6DB BW

802.11a_LCH_5745MHz_Ant7_NTNV




802.11a_MCH_5785MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11a_HCH_5825MHz_Ant7_NTNV




802.11n(HT20)_LCH_5745MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT20)_MCH_5785MHz_Ant7_NTNV




802.11n(HT20)_HCH_5825MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5755MHz_Ant7_NTNV




802.11n(HT40)_HCH_5795MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5745MHz_Ant7_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5825MHz_Ant7_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5795MHz_Ant7_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5745MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5785MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5825MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant7_NTNV



802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant7_NTNV



3. Maximum Conducted Output Power

3.1 TEST RESULT

3.1.1 POWER

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT7	Limit	
802.11a	SISO	5745	/	/	8.63	<=30	Pass
		5785	/	/	8.69	<=30	Pass
		5825	/	/	8.13	<=30	Pass
802.11n (HT20)	SISO	5745	/	/	8.64	<=30	Pass
		5785	/	/	8.71	<=30	Pass
		5825	/	/	8.13	<=30	Pass
802.11n (HT40)	SISO	5755	/	/	8.64	<=30	Pass
		5795	/	/	8.44	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	8.78	<=30	Pass
		5785	/	/	8.87	<=30	Pass
		5825	/	/	8.26	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	8.67	<=30	Pass
		5795	/	/	8.40	<=30	Pass
802.11ac (VHT80)	SISO	5775	/	/	8.35	<=30	Pass
802.11ax (HEW20)	SISO	5745	RU26	Left	-0.61	<=30	Pass
				Mid	-0.60	<=30	Pass
				Right	-0.43	<=30	Pass
			RU52	Left	2.44	<=30	Pass
				Mid	2.41	<=30	Pass
				Right	2.53	<=30	Pass
			RU106	Left	2.57	<=30	Pass
				Right	2.63	<=30	Pass
			RU242	Left	8.75	<=30	Pass
		5785	RU26	Left	-0.62	<=30	Pass
				Mid	-0.56	<=30	Pass

Test Report No.: RF260703B007

				Right	-0.96	≤ 30	Pass
				Left	2.84	≤ 30	Pass
			RU52	Mid	2.90	≤ 30	Pass
				Right	2.42	≤ 30	Pass
			RU106	Left	2.98	≤ 30	Pass
				Right	2.62	≤ 30	Pass
			RU242	Left	8.82	≤ 30	Pass
		5825	RU26	Left	-1.54	≤ 30	Pass
				Mid	-1.17	≤ 30	Pass
				Right	-1.02	≤ 30	Pass
			RU52	Left	2.52	≤ 30	Pass
				Mid	2.64	≤ 30	Pass
				Right	2.87	≤ 30	Pass
			RU106	Left	2.63	≤ 30	Pass
				Right	2.96	≤ 30	Pass
			RU242	Left	8.20	≤ 30	Pass
802.11ax (HEW40)	SISO	5755	RU484	Left	8.78	≤ 30	Pass
		5795	RU484	Left	8.48	≤ 30	Pass
802.11ax (HEW80)	SISO	5775	RU996	Left	8.59	≤ 30	Pass
Note1: Antenna Gain: Ant7: -4.00dBi;							

4. Maximum Power Spectral Density

4.1 TEST RESULT

4.1.1 PSD-BAND3


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT7	Limit	
802.11a	SISO	5745	/	/	-3.52	<=30	Pass
		5785	/	/	-3.48	<=30	Pass
		5825	/	/	-3.93	<=30	Pass
802.11n (HT20)	SISO	5745	/	/	-3.57	<=30	Pass
		5785	/	/	-3.28	<=30	Pass
		5825	/	/	-4.01	<=30	Pass
802.11n (HT40)	SISO	5755	/	/	-6.68	<=30	Pass
		5795	/	/	-6.90	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	-3.54	<=30	Pass
		5785	/	/	-3.44	<=30	Pass
		5825	/	/	-4.06	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	-6.73	<=30	Pass
		5795	/	/	-7.14	<=30	Pass
802.11ac (VHT80)	SISO	5775	/	/	-9.56	<=30	Pass
802.11ax (HEW20)	SISO	5745	RU26	Left	-5.07	<=30	Pass
				Mid	-5.59	<=30	Pass
				Right	-5.02	<=30	Pass
			RU52	Left	-5.20	<=30	Pass
				Mid	-5.48	<=30	Pass
				Right	-5.23	<=30	Pass
			RU106	Left	-7.96	<=30	Pass
				Right	-8.06	<=30	Pass
			RU242	Left	-3.80	<=30	Pass
		5785	RU26	Left	-5.06	<=30	Pass
				Mid	-5.82	<=30	Pass
				Right	-5.60	<=30	Pass

Test Report No.: RF260703B007

			RU52	Left	-4.76	≤ 30	Pass
				Mid	-4.81	≤ 30	Pass
				Right	-5.42	≤ 30	Pass
			RU106	Left	-7.73	≤ 30	Pass
				Right	-8.16	≤ 30	Pass
			RU242	Left	-3.70	≤ 30	Pass
		5825	RU26	Left	-5.75	≤ 30	Pass
				Mid	-6.47	≤ 30	Pass
				Right	-5.56	≤ 30	Pass
			RU52	Left	-4.91	≤ 30	Pass
				Mid	-5.33	≤ 30	Pass
				Right	-4.88	≤ 30	Pass
			RU106	Left	-8.00	≤ 30	Pass
				Right	-7.48	≤ 30	Pass
			RU242	Left	-4.35	≤ 30	Pass
802.11ax (HEW40)	SISO	5755	RU484	Left	-6.60	≤ 30	Pass
		5795	RU484	Left	-7.10	≤ 30	Pass
802.11ax (HEW80)	SISO	5775	RU996	Left	-9.02	≤ 30	Pass
Note1: Antenna Gain: Ant7: -4.00dBi;							


Test Report No.: RF260703B007

4.2 Test Graph




Test Report No.: RF260703B007

802.11a_HCH_5825MHz_Ant7_NTNV




802.11n(HT20)_LCH_5745MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT20)_MCH_5785MHz_Ant7_NTNV




802.11n(HT20)_HCH_5825MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5755MHz_Ant7_NTNV




802.11n(HT40)_HCH_5795MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5745MHz_Ant7_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5825MHz_Ant7_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5795MHz_Ant7_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5745MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW20)_LCH_5745MHz_RU26_Mid_Ant7_NTNV



Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5745MHz_RU26_Right_Ant7_NTNV



802.11ax(HEW20)_LCH_5745MHz_RU52_Left_Ant7_NTNV

