



Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5755MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU26_Mid_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16311.9	-40.53	-27.00	13.53	Pass	Peak	7	16311.9	/	-27.00	/	/	AVG
2	18402.05	-40.66	-21.20	19.46	Pass	Peak	8	18402.05	-50.13	-41.20	8.93	Pass	AVG
3	20817.75	-40.43	-21.20	19.23	Pass	Peak	9	20817.75	-50.46	-41.20	9.26	Pass	AVG
4	22743	-39.58	-21.20	18.38	Pass	Peak	10	22743	-49.45	-41.20	8.25	Pass	AVG
5	24467.65	-40.18	-27.00	13.18	Pass	Peak	11	24467.65	/	-27.00	/	/	AVG
6	25894.8	-40.57	-27.00	13.57	Pass	Peak	12	25894.8	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5755MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU26_Right_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16702.9	-39.49	-27.00	12.49	Pass	Peak	7	16702.9	/	-27.00	/	/	AVG
2	19785	-40.36	-21.20	19.16	Pass	Peak	8	19785	-50.57	-41.20	9.37	Pass	AVG
3	20816.9	-39.68	-21.20	18.48	Pass	Peak	9	20816.9	-50.40	-41.20	9.20	Pass	AVG
4	22665.65	-39.47	-21.20	18.27	Pass	Peak	10	22665.65	-49.53	-41.20	8.33	Pass	AVG
5	24086	-40.47	-27.00	13.47	Pass	Peak	11	24086	/	-27.00	/	/	AVG
6	25048.2	-40.07	-27.00	13.07	Pass	Peak	12	25048.2	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW40)_LCH_5755MHz_RU484_Left_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16628.95	-50.23	-27.00	23.23	Pass	Peak	7	16628.95	/	-27.00	/	/	AVG
2	17699.1	-50.29	-27.00	23.29	Pass	Peak	8	17699.1	/	-27.00	/	/	AVG
3	21452.7	-49.52	-27.00	22.52	Pass	Peak	9	21452.7	/	-27.00	/	/	AVG
4	22714.1	-50.08	-21.20	28.88	Pass	Peak	10	22714.1	-59.26	-41.20	18.06	Pass	AVG
5	25497.85	-50.36	-27.00	23.36	Pass	Peak	11	25497.85	/	-27.00	/	/	AVG
6	26415.85	-49.43	-27.00	22.43	Pass	Peak	12	26415.85	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5795MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW40)_HCH_5795MHz_RU26_Left_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16403.7	-40.21	-27.00	13.21	Pass	Peak	7	16403.7	/	-27.00	/	/	AVG
2	20487.95	-40.35	-21.20	19.15	Pass	Peak	8	20487.95	-50.94	-41.20	9.74	Pass	AVG
3	21435.7	-40.43	-27.00	13.43	Pass	Peak	9	21435.7	/	-27.00	/	/	AVG
4	22691.15	-39.22	-21.20	18.02	Pass	Peak	10	22691.15	-49.59	-41.20	8.39	Pass	AVG
5	25068.6	-40.09	-27.00	13.09	Pass	Peak	11	25068.6	/	-27.00	/	/	AVG
6	25876.95	-40.33	-27.00	13.33	Pass	Peak	12	25876.95	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5795MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW40)_HCH_5795MHz_RU26_Mid_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16621.3	-39.74	-27.00	12.74	Pass	Peak	7	16621.3	/	-27.00	/	/	AVG
2	18356.15	-40.36	-21.20	19.16	Pass	Peak	8	18356.15	-50.16	-41.20	8.96	Pass	AVG
3	19906.55	-40.01	-21.20	18.81	Pass	Peak	9	19906.55	-50.54	-41.20	9.34	Pass	AVG
4	20823.7	-39.76	-21.20	18.56	Pass	Peak	10	20823.7	-50.44	-41.20	9.24	Pass	AVG
5	22717.5	-39.67	-21.20	18.47	Pass	Peak	11	22717.5	-49.47	-41.20	8.27	Pass	AVG
6	24158.25	-39.76	-27.00	12.76	Pass	Peak	12	24158.25	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5795MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW40)_HCH_5795MHz_RU26_Right_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16317.85	-40.33	-27.00	13.33	Pass	Peak	7	16317.85	/	-27.00	/	/	AVG
2	18451.35	-40.40	-21.20	19.20	Pass	Peak	8	18451.35	-50.35	-41.20	9.15	Pass	AVG
3	20849.2	-39.57	-21.20	18.37	Pass	Peak	9	20849.2	-50.39	-41.20	9.19	Pass	AVG
4	22066.4	-38.91	-21.20	17.71	Pass	Peak	10	22066.4	-49.70	-41.20	8.50	Pass	AVG
5	24497.4	-40.46	-27.00	13.46	Pass	Peak	11	24497.4	/	-27.00	/	/	AVG
6	25467.25	-40.02	-27.00	13.02	Pass	Peak	12	25467.25	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW40)_HCH_5795MHz_RU484_Left_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16398.6	-49.70	-27.00	22.70	Pass	Peak	7	16398.6	/	-27.00	/	/	AVG
2	18330.65	-50.36	-21.20	29.16	Pass	Peak	8	18330.65	-60.19	-41.20	18.99	Pass	AVG
3	19791.8	-49.79	-21.20	28.59	Pass	Peak	9	19791.8	-60.28	-41.20	19.08	Pass	AVG
4	21440.8	-50.42	-27.00	23.42	Pass	Peak	10	21440.8	/	-27.00	/	/	AVG
5	22760.85	-49.32	-21.20	28.12	Pass	Peak	11	22760.85	-59.28	-41.20	18.08	Pass	AVG
6	26407.35	-49.26	-27.00	22.26	Pass	Peak	12	26407.35	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5775MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU26_Left_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16620.45	-39.96	-27.00	12.96	Pass	Peak	7	16620.45	/	-27.00	/	/	AVG
2	18392.7	-40.01	-21.20	18.81	Pass	Peak	8	18392.7	-50.24	-41.20	9.04	Pass	AVG
3	19840.25	-40.73	-21.20	19.53	Pass	Peak	9	19840.25	-50.55	-41.20	9.35	Pass	AVG
4	22742.15	-39.64	-21.20	18.44	Pass	Peak	10	22742.15	-49.51	-41.20	8.31	Pass	AVG
5	24380.1	-40.10	-27.00	13.10	Pass	Peak	11	24380.1	/	-27.00	/	/	AVG
6	26433.7	-40.32	-27.00	13.32	Pass	Peak	12	26433.7	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5775MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU26_Mid_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18392.7	-40.45	-21.20	19.25	Pass	Peak	7	18392.7	-50.34	-41.20	9.14	Pass	AVG
2	19345.55	-40.01	-21.20	18.81	Pass	Peak	8	19345.55	-50.87	-41.20	9.67	Pass	AVG
3	21396.6	-40.14	-21.20	18.94	Pass	Peak	9	21396.6	-50.34	-41.20	9.14	Pass	AVG
4	22758.3	-38.89	-21.20	17.69	Pass	Peak	10	22758.3	-49.58	-41.20	8.38	Pass	AVG
5	24516.95	-39.85	-27.00	12.85	Pass	Peak	11	24516.95	/	-27.00	/	/	AVG
6	26450.7	-40.11	-27.00	13.11	Pass	Peak	12	26450.7	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5775MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW80)_MCH_5775MHz_RU26_Right_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16328.05	-39.24	-27.00	12.24	Pass	Peak	7	16328.05	/	-27.00	/	/	AVG
2	18447.95	-40.57	-21.20	19.37	Pass	Peak	8	18447.95	-50.35	-41.20	9.15	Pass	AVG
3	19762.9	-40.13	-21.20	18.93	Pass	Peak	9	19762.9	-50.53	-41.20	9.33	Pass	AVG
4	20803.3	-39.83	-21.20	18.63	Pass	Peak	10	20803.3	-50.48	-41.20	9.28	Pass	AVG
5	22741.3	-39.94	-21.20	18.74	Pass	Peak	11	22741.3	-49.39	-41.20	8.19	Pass	AVG
6	24513.55	-40.55	-27.00	13.55	Pass	Peak	12	24513.55	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant7_NTNV



802.11ax(HEW80)_MCH_5775MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18740.35	-50.06	-21.20	28.86	Pass	Peak	7	18740.35	-60.86	-41.20	19.66	Pass	AVG
2	20064.65	-50.41	-21.20	29.21	Pass	Peak	8	20064.65	-60.46	-41.20	19.26	Pass	AVG
3	21348.15	-49.69	-21.20	28.49	Pass	Peak	9	21348.15	-60.11	-41.20	18.91	Pass	AVG
4	22711.55	-49.90	-21.20	28.70	Pass	Peak	10	22711.55	-59.36	-41.20	18.16	Pass	AVG
5	25103.45	-49.37	-27.00	22.37	Pass	Peak	11	25103.45	/	-27.00	/	/	AVG
6	26484.7	-49.40	-27.00	22.40	Pass	Peak	12	26484.7	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

14 APPENDIX E: RLAN Crossband

1. Duty Cycle

1.1 TEST RESULT

1.1.1 ANT7

Ant7									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5720	/	/	2.096	2.114	99.15	0.04	0.03
802.11n (HT20)	SISO	5720	/	/	3.548	3.566	99.50	0.02	0.00
802.11n (HT40)	SISO	5710	/	/	1.976	1.992	99.20	0.04	0.03
802.11ac (VHT20)	SISO	5720	/	/	3.553	3.570	99.52	0.02	0.03
802.11ac (VHT40)	SISO	5710	/	/	1.980	1.997	99.15	0.04	0.03
802.11ac (VHT80)	SISO	5690	/	/	1.200	1.216	98.68	0.06	0.03
802.11ax (HEW20)	SISO	5720	RU242	Left	2.712	2.730	99.34	0.03	0.03
802.11ax (HEW40)	SISO	5710	RU484	Left	1.583	1.599	99.00	0.04	0.03
802.11ax (HEW80)	SISO	5690	RU996	Left	1.000	1.016	98.43	0.07	0.07

Test Report No.: RF260703B007

2. Bandwidth

2.1 TEST RESULT

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5720	/	/	7	16.295	/	Pass
802.11n (HT20)	SISO	5720	/	/	7	17.530	/	Pass
802.11n (HT40)	SISO	5710	/	/	7	35.946	/	Pass
802.11ac (VHT20)	SISO	5720	/	/	7	17.498	/	Pass
802.11ac (VHT40)	SISO	5710	/	/	7	35.994	/	Pass
802.11ac (VHT80)	SISO	5690	/	/	7	75.075	/	Pass
802.11ax (HEW20)	SISO	5720	RU242	Left	7	18.875	/	Pass
802.11ax (HEW40)	SISO	5710	RU484	Left	7	37.595	/	Pass
802.11ax (HEW80)	SISO	5690	RU996	Left	7	76.863	/	Pass


Test Report No.: RF260703B007

2.1.2 26DB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5720	/	/	7	18.557	/	Pass
802.11n (HT20)	SISO	5720	/	/	7	19.854	/	Pass
802.11n (HT40)	SISO	5710	/	/	7	40.028	/	Pass
802.11ac (VHT20)	SISO	5720	/	/	7	19.895	/	Pass
802.11ac (VHT40)	SISO	5710	/	/	7	40.161	/	Pass
802.11ac (VHT80)	SISO	5690	/	/	7	81.138	/	Pass
802.11ax (HEW20)	SISO	5720	RU242	Left	7	21.217	/	Pass
802.11ax (HEW40)	SISO	5710	RU484	Left	7	40.397	/	Pass
802.11ax (HEW80)	SISO	5690	RU996	Left	7	82.048	/	Pass

Test Report No.: RF260703B007


2.2 Test Graph






Test Report No.: RF260703B007

802.11n(HT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT20)_HCH_5720MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT80)_HCH_5690MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant7_NTNV



Test Report No.: RF260703B007


802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant7_NTNV




Test Report No.: RF260703B007

2.2.2 26dB BW

802.11a_HCH_5720MHz_Ant7_NTNV




802.11n(HT20)_HCH_5720MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT20)_HCH_5720MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT80)_HCH_5690MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant7_NTNV



Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant7_NTNV



3. Maximum Conducted Output Power

3.1 TEST RESULT

3.1.1 POWER

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT7	Limit	
802.11a	SISO	5720	/	/	8.36	<=23.69	Pass
802.11n (HT20)	SISO	5720	/	/	8.45	<=23.98	Pass
802.11n (HT40)	SISO	5710	/	/	8.35	<=23.98	Pass
802.11ac (VHT20)	SISO	5720	/	/	8.45	<=23.98	Pass
802.11ac (VHT40)	SISO	5710	/	/	8.36	<=23.98	Pass
802.11ac (VHT80)	SISO	5690	/	/	8.51	<=23.98	Pass
802.11ax (HEW20)	SISO	5720	RU26	Left	-0.18	<=23.98	Pass
				Mid	-0.17	<=23.98	Pass
				Right	-0.79	<=23.98	Pass
			RU52	Left	2.70	<=23.98	Pass
				Mid	2.84	<=23.98	Pass
				Right	2.05	<=23.98	Pass
			RU106	Left	2.80	<=23.98	Pass
				Right	2.68	<=23.98	Pass
			RU242	Left	8.79	<=23.98	Pass
802.11ax (HEW40)	SISO	5710	RU484	Left	8.43	<=23.98	Pass



Test Report No.: RF260703B007

802.11ax (HEW80)	SISO	5690	RU996	Left	8.85	<=23.98	Pass
Note1: Antenna Gain: - Band: 2C+3 Ant7: -1.40dBi;							

Test Report No.: RF260703B007

4. Maximum Power Spectral Density

4.1 TEST RESULT

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT7	Limit	
802.11a	SISO	5720	/	/	-0.24	<=11	Pass
802.11n (HT20)	SISO	5720	/	/	-0.34	<=11	Pass
802.11n (HT40)	SISO	5710	/	/	-3.33	<=11	Pass
802.11ac (VHT20)	SISO	5720	/	/	-0.40	<=11	Pass
802.11ac (VHT40)	SISO	5710	/	/	-3.20	<=11	Pass
802.11ac (VHT80)	SISO	5690	/	/	-6.54	<=11	Pass
802.11ax (HEW20)	SISO	5720	RU26	Left	-0.53	<=11	Pass
				Mid	-2.13	<=11	Pass
				Right	-26.69	<=11	Pass
			RU52	Left	-1.00	<=11	Pass
				Mid	-1.35	<=11	Pass
				Right	-9.66	<=11	Pass
			RU106	Left	-3.90	<=11	Pass
				Right	-4.05	<=11	Pass
			RU242	Left	0.03	<=11	Pass
802.11ax (HEW40)	SISO	5710	RU484	Left	-3.34	<=11	Pass

Test Report No.: RF260703B007

802.11ax (HEW80)	SISO	5690	RU996	Left	-6.21	<=11	Pass
Note1: Antenna Gain: - Band: 2C+3 Ant7: -1.40dBi;							

4.1.2 PSD-BAND3


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT7	Limit	
802.11a	SISO	5720	/	/	-5.90	<=30	Pass
802.11n (HT20)	SISO	5720	/	/	-6.13	<=30	Pass
802.11n (HT40)	SISO	5710	/	/	-9.84	<=30	Pass
802.11ac (VHT20)	SISO	5720	/	/	-5.91	<=30	Pass
802.11ac (VHT40)	SISO	5710	/	/	-9.78	<=30	Pass
802.11ac (VHT80)	SISO	5690	/	/	-14.94	<=30	Pass
802.11ax (HEW20)	SISO	5720	RU26	Left	-29.03	<=30	Pass
				Mid	-30.42	<=30	Pass
				Right	-4.86	<=30	Pass
			RU52	Left	-26.79	<=30	Pass
				Mid	-25.95	<=30	Pass
				Right	-3.83	<=30	Pass
			RU106	Left	-26.10	<=30	Pass
				Right	-6.56	<=30	Pass

Test Report No.: RF260703B007

			RU242	Left	-5.39	<=30	Pass
802.11ax (HEW40)	SISO	5710	RU484	Left	-10.05	<=30	Pass
802.11ax (HEW80)	SISO	5690	RU996	Left	-14.44	<=30	Pass
Note1: Antenna Gain: - Band: 2C+3 Ant7: -1.40dBi;							


Test Report No.: RF260703B007

4.2 Test Graph




Test Report No.: RF260703B007

802.11n(HT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT20)_HCH_5720MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT80)_HCH_5690MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU26_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU52_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU52_Mid_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU52_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU106_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU106_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant7_NTNV




Test Report No.: RF260703B007

4.2.2 PSD-Band3




Test Report No.: RF260703B007

802.11n(HT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT20)_HCH_5720MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5710MHz_Ant7_NTNV




802.11ac(VHT80)_HCH_5690MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU26_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU52_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU52_Mid_Ant7_NTNV

Test Report No.: RF260703B007




802.11ax(HEW20)_HCH_5720MHz_RU52_Right_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU106_Left_Ant7_NTNV

Test Report No.: RF260703B007




802.11ax(HEW20)_HCH_5720MHz_RU106_Right_Ant7_NTNV




802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant7_NTNV

Test Report No.: RF260703B007




802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant7_NTNV



Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant7_NTNV



5. Frequency Stability

5.1 TEST RESULT

5.1.1 ANT7

Ant7									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5720	/	/	20	LV	5720.020	5470 to 5850	Pass
						NV	5719.980	5470 to 5850	Pass
						HV	5720.020	5470 to 5850	Pass
					5	NV	5720.020	5470 to 5850	Pass
					15	NV	5720.000	5470 to 5850	Pass
					25	NV	5720.020	5470 to 5850	Pass
					35	NV	5720.020	5470 to 5850	Pass
802.11n (HT20)	SISO	5720	/	/	20	LV	5720.000	5470 to 5850	Pass
						NV	5720.000	5470 to 5850	Pass
						HV	5720.020	5470 to 5850	Pass
					5	NV	5720.000	5470 to 5850	Pass
					15	NV	5720.000	5470 to 5850	Pass
					25	NV	5720.000	5470 to 5850	Pass

Test Report No.: RF260703B007

					35	NV	5720.000	5470 to 5850	Pass
802.11n (HT40)	SISO	5710	/	/	20	LV	5710.000	5470 to 5850	Pass
						NV	5710.000	5470 to 5850	Pass
						HV	5710.000	5470 to 5850	Pass
					5	NV	5710.000	5470 to 5850	Pass
					15	NV	5710.000	5470 to 5850	Pass
					25	NV	5710.000	5470 to 5850	Pass
					35	NV	5710.000	5470 to 5850	Pass
802.11ac (VHT20)	SISO	5720	/	/	20	LV	5720.000	5470 to 5850	Pass
						NV	5720.000	5470 to 5850	Pass
						HV	5719.980	5470 to 5850	Pass
					5	NV	5720.000	5470 to 5850	Pass
					15	NV	5720.000	5470 to 5850	Pass
					25	NV	5720.000	5470 to 5850	Pass
					35	NV	5719.980	5470 to 5850	Pass
802.11ac (VHT40)	SISO	5710	/	/	20	LV	5710.000	5470 to 5850	Pass
						NV	5710.000	5470 to 5850	Pass
						HV	5710.000	5470 to 5850	Pass

Test Report No.: RF260703B007

					5	NV	5710.000	5470 to 5850	Pass
					15	NV	5710.000	5470 to 5850	Pass
					25	NV	5710.000	5470 to 5850	Pass
					35	NV	5710.000	5470 to 5850	Pass
802.11ac (VHT80)	SISO	5690	/	/	20	LV	5690.075	5470 to 5850	Pass
						NV	5690.075	5470 to 5850	Pass
						HV	5690.075	5470 to 5850	Pass
					5	NV	5690.075	5470 to 5850	Pass
					15	NV	5690.075	5470 to 5850	Pass
					25	NV	5690.075	5470 to 5850	Pass
					35	NV	5690.075	5470 to 5850	Pass
					802.11ax (HEW20)	SISO	5720	RU242	Left
NV	5720.020	5470 to 5850	Pass						
HV	5720.000	5470 to 5850	Pass						
5	NV	5720.000	5470 to 5850	Pass					
15	NV	5720.000	5470 to 5850	Pass					
25	NV	5720.000	5470 to 5850	Pass					
35	NV	5720.000	5470 to 5850	Pass					

Test Report No.: RF260703B007

802.11ax (HEW40)	SISO	5710	RU484	Left	20	LV	5710.000	5470 to 5850	Pass
						NV	5709.960	5470 to 5850	Pass
						HV	5710.040	5470 to 5850	Pass
					5	NV	5709.960	5470 to 5850	Pass
					15	NV	5710.000	5470 to 5850	Pass
					25	NV	5710.000	5470 to 5850	Pass
					35	NV	5710.040	5470 to 5850	Pass
802.11ax (HEW80)	SISO	5690	RU996	Left	20	LV	5690.075	5470 to 5850	Pass
						NV	5690.075	5470 to 5850	Pass
						HV	5690.075	5470 to 5850	Pass
					5	NV	5690.075	5470 to 5850	Pass
					15	NV	5690.075	5470 to 5850	Pass
					25	NV	5690.075	5470 to 5850	Pass
					35	NV	5690.000	5470 to 5850	Pass

6. Band Edge


6.1 TEST RESULT

6.1.1 BANDEDGE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5720	/	/	7	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5720	/	/	7	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5710	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5720	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5710	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5690	/	/	7	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5720	RU242	Left	7	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5710	RU484	Left	7	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5690	RU996	Left	7	Refer To Test Graph		Pass


Test Report No.: RF260703B007

6.2 Test Graph




Test Report No.: RF260703B007

802.11n(HT20)_HCH_5720MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.780	-47.42	-21.20	26.22	Pass	Peak	7	5350.780	-55.63	-41.20	14.43	Pass	AVG
2	5370.280	-47.09	-21.20	25.89	Pass	Peak	8	5370.280	-55.86	-41.20	14.66	Pass	AVG
3	5402.260	-46.11	-21.20	24.91	Pass	Peak	9	5402.260	-56.01	-41.20	14.81	Pass	AVG
4	5429.950	-48.25	-21.20	27.05	Pass	Peak	10	5429.950	-55.50	-41.20	14.30	Pass	AVG
5	5445.160	-46.91	-21.20	25.71	Pass	Peak	11	5445.160	-55.93	-41.20	14.73	Pass	AVG
6	5458.030	-47.57	-21.20	26.37	Pass	Peak	12	5458.030	-55.97	-41.20	14.77	Pass	AVG


802.11n(HT20)_HCH_5720MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-45.28	-27.00	18.28	Pass	Peak	7	5850.000	/	-27.00	/	/	AVG
2	5862.000	-44.32	-27.00	17.32	Pass	Peak	8	5862.000	/	-27.00	/	/	AVG
3	5872.000	-44.99	-27.00	17.99	Pass	Peak	9	5872.000	/	-27.00	/	/	AVG
4	5884.400	-45.79	-27.00	18.79	Pass	Peak	10	5884.400	/	-27.00	/	/	AVG
5	5891.000	-44.97	-27.00	17.97	Pass	Peak	11	5891.000	/	-27.00	/	/	AVG
6	5897.600	-45.80	-27.00	18.80	Pass	Peak	12	5897.600	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11n(HT40)_HCH_5710MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5359.600	-47.89	-21.20	26.69	Pass	Peak	7	5359.600	-55.85	-41.20	14.65	Pass	AVG
2	5375.200	-46.29	-21.20	25.09	Pass	Peak	8	5375.200	-55.95	-41.20	14.75	Pass	AVG
3	5389.200	-47.20	-21.20	26.00	Pass	Peak	9	5389.200	-55.80	-41.20	14.60	Pass	AVG
4	5405.200	-45.61	-21.20	24.41	Pass	Peak	10	5405.200	-55.63	-41.20	14.43	Pass	AVG
5	5423.200	-47.68	-21.20	26.48	Pass	Peak	11	5423.200	-55.61	-41.20	14.41	Pass	AVG
6	5437.600	-47.32	-21.20	26.12	Pass	Peak	12	5437.600	-55.82	-41.20	14.62	Pass	AVG


802.11n(HT40)_HCH_5710MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.550	-45.52	-27.00	18.52	Pass	Peak	7	5850.550	/	-27.00	/	/	AVG
2	5858.600	-44.95	-27.00	17.95	Pass	Peak	8	5858.600	/	-27.00	/	/	AVG
3	5870.560	-44.21	-27.00	17.21	Pass	Peak	9	5870.560	/	-27.00	/	/	AVG
4	5877.690	-45.29	-27.00	18.29	Pass	Peak	10	5877.690	/	-27.00	/	/	AVG
5	5884.820	-45.80	-27.00	18.80	Pass	Peak	11	5884.820	/	-27.00	/	/	AVG
6	5893.100	-44.44	-27.00	17.44	Pass	Peak	12	5893.100	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5720MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5361.700	-46.88	-21.20	25.68	Pass	Peak	7	5361.700	-55.77	-41.20	14.57	Pass	AVG
2	5378.860	-47.95	-21.20	26.75	Pass	Peak	8	5378.860	-55.62	-41.20	14.42	Pass	AVG
3	5397.580	-47.89	-21.20	26.69	Pass	Peak	9	5397.580	-55.81	-41.20	14.61	Pass	AVG
4	5410.840	-47.71	-21.20	26.51	Pass	Peak	10	5410.840	-55.83	-41.20	14.63	Pass	AVG
5	5427.220	-48.24	-21.20	27.04	Pass	Peak	11	5427.220	-55.79	-41.20	14.59	Pass	AVG
6	5447.500	-47.08	-21.20	25.88	Pass	Peak	12	5447.500	-55.82	-41.20	14.62	Pass	AVG


802.11ac(VHT20)_HCH_5720MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5856.400	-45.26	-27.00	18.26	Pass	Peak	7	5856.400	/	-27.00	/	/	AVG
2	5863.600	-45.65	-27.00	18.65	Pass	Peak	8	5863.600	/	-27.00	/	/	AVG
3	5871.200	-44.84	-27.00	17.84	Pass	Peak	9	5871.200	/	-27.00	/	/	AVG
4	5878.000	-45.36	-27.00	18.36	Pass	Peak	10	5878.000	/	-27.00	/	/	AVG
5	5885.600	-44.97	-27.00	17.97	Pass	Peak	11	5885.600	/	-27.00	/	/	AVG
6	5895.200	-45.28	-27.00	18.28	Pass	Peak	12	5895.200	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5710MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5358.400	-47.77	-21.20	26.57	Pass	Peak	7	5358.400	-55.61	-41.20	14.41	Pass	AVG
2	5376.000	-46.78	-21.20	25.58	Pass	Peak	8	5376.000	-55.69	-41.20	14.49	Pass	AVG
3	5400.000	-46.55	-21.20	25.35	Pass	Peak	9	5400.000	-55.61	-41.20	14.41	Pass	AVG
4	5422.000	-47.21	-21.20	26.01	Pass	Peak	10	5422.000	-55.52	-41.20	14.32	Pass	AVG
5	5442.800	-46.04	-21.20	24.84	Pass	Peak	11	5442.800	-55.76	-41.20	14.56	Pass	AVG
6	5459.200	-47.45	-21.20	26.25	Pass	Peak	12	5459.200	-55.91	-41.20	14.71	Pass	AVG


802.11ac(VHT40)_HCH_5710MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5852.850	-45.95	-27.00	18.95	Pass	Peak	7	5852.850	/	-27.00	/	/	AVG
2	5861.130	-45.50	-27.00	18.50	Pass	Peak	8	5861.130	/	-27.00	/	/	AVG
3	5868.720	-45.07	-27.00	18.07	Pass	Peak	9	5868.720	/	-27.00	/	/	AVG
4	5876.770	-46.35	-27.00	19.35	Pass	Peak	10	5876.770	/	-27.00	/	/	AVG
5	5884.590	-44.67	-27.00	17.67	Pass	Peak	11	5884.590	/	-27.00	/	/	AVG
6	5892.870	-44.77	-27.00	17.77	Pass	Peak	12	5892.870	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT80)_HCH_5690MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.500	-46.46	-21.20	25.26	Pass	Peak	7	5353.500	-55.76	-41.20	14.56	Pass	AVG
2	5380.500	-46.24	-21.20	25.04	Pass	Peak	8	5380.500	-55.75	-41.20	14.55	Pass	AVG
3	5397.500	-48.37	-21.20	27.17	Pass	Peak	9	5397.500	-56.25	-41.20	15.05	Pass	AVG
4	5414.500	-48.12	-21.20	26.92	Pass	Peak	10	5414.500	-55.77	-41.20	14.57	Pass	AVG
5	5442.000	-47.70	-21.20	26.50	Pass	Peak	11	5442.000	-55.53	-41.20	14.33	Pass	AVG
6	5459.000	-45.85	-21.20	24.65	Pass	Peak	12	5459.000	-56.05	-41.20	14.85	Pass	AVG


802.11ac(VHT80)_HCH_5690MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5865.500	-45.31	-27.00	18.31	Pass	Peak	4	5865.500	/	-27.00	/	/	AVG
2	5882.500	-44.70	-27.00	17.70	Pass	Peak	5	5882.500	/	-27.00	/	/	AVG
3	5900.000	-46.27	-27.00	19.27	Pass	Peak	6	5900.000	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5355.850	-47.49	-21.20	26.29	Pass	Peak	7	5355.850	-55.61	-41.20	14.41	Pass	AVG
2	5381.590	-45.02	-21.20	23.82	Pass	Peak	8	5381.590	-55.94	-41.20	14.74	Pass	AVG
3	5401.090	-47.32	-21.20	26.12	Pass	Peak	9	5401.090	-55.93	-41.20	14.73	Pass	AVG
4	5416.690	-47.71	-21.20	26.51	Pass	Peak	10	5416.690	-55.76	-41.20	14.56	Pass	AVG
5	5435.800	-46.19	-21.20	24.99	Pass	Peak	11	5435.800	-55.77	-41.20	14.57	Pass	AVG
6	5454.910	-46.47	-21.20	25.27	Pass	Peak	12	5454.910	-55.57	-41.20	14.37	Pass	AVG


802.11ax(HEW20)_HCH_5720MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5855.400	-45.36	-27.00	18.36	Pass	Peak	7	5855.400	/	-27.00	/	/	AVG
2	5862.400	-45.57	-27.00	18.57	Pass	Peak	8	5862.400	/	-27.00	/	/	AVG
3	5870.000	-45.03	-27.00	18.03	Pass	Peak	9	5870.000	/	-27.00	/	/	AVG
4	5877.600	-45.37	-27.00	18.37	Pass	Peak	10	5877.600	/	-27.00	/	/	AVG
5	5884.000	-45.44	-27.00	18.44	Pass	Peak	11	5884.000	/	-27.00	/	/	AVG
6	5898.800	-45.15	-27.00	18.15	Pass	Peak	12	5898.800	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5357.200	-47.29	-21.20	26.09	Pass	Peak	7	5357.200	-55.92	-41.20	14.72	Pass	AVG
2	5381.200	-47.90	-21.20	26.70	Pass	Peak	8	5381.200	-55.61	-41.20	14.41	Pass	AVG
3	5396.400	-47.36	-21.20	26.16	Pass	Peak	9	5396.400	-55.96	-41.20	14.76	Pass	AVG
4	5411.600	-47.19	-21.20	25.99	Pass	Peak	10	5411.600	-55.95	-41.20	14.75	Pass	AVG
5	5433.600	-48.04	-21.20	26.84	Pass	Peak	11	5433.600	-55.83	-41.20	14.63	Pass	AVG
6	5456.000	-47.21	-21.20	26.01	Pass	Peak	12	5456.000	-55.79	-41.20	14.59	Pass	AVG


802.11ax(HEW40)_HCH_5710MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.780	-44.01	-27.00	17.01	Pass	Peak	7	5850.780	/	-27.00	/	/	AVG
2	5866.420	-45.21	-27.00	18.21	Pass	Peak	8	5866.420	/	-27.00	/	/	AVG
3	5874.010	-45.85	-27.00	18.85	Pass	Peak	9	5874.010	/	-27.00	/	/	AVG
4	5881.140	-44.18	-27.00	17.18	Pass	Peak	10	5881.140	/	-27.00	/	/	AVG
5	5888.730	-45.05	-27.00	18.05	Pass	Peak	11	5888.730	/	-27.00	/	/	AVG
6	5898.160	-44.65	-27.00	17.65	Pass	Peak	12	5898.160	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.500	-47.95	-21.20	26.75	Pass	Peak	7	5350.500	-55.99	-41.20	14.79	Pass	AVG
2	5375.500	-47.30	-21.20	26.10	Pass	Peak	8	5375.500	-55.79	-41.20	14.59	Pass	AVG
3	5395.000	-46.67	-21.20	25.47	Pass	Peak	9	5395.000	-55.85	-41.20	14.65	Pass	AVG
4	5412.500	-46.54	-21.20	25.34	Pass	Peak	10	5412.500	-55.95	-41.20	14.75	Pass	AVG
5	5435.000	-47.55	-21.20	26.35	Pass	Peak	11	5435.000	-55.33	-41.20	14.13	Pass	AVG
6	5457.500	-47.07	-21.20	25.87	Pass	Peak	12	5457.500	-55.80	-41.20	14.60	Pass	AVG

802.11ax(HEW80)_HCH_5690MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5851.500	-45.07	-27.00	18.07	Pass	Peak	4	5851.500	/	-27.00	/	/	AVG
2	5874.500	-45.03	-27.00	18.03	Pass	Peak	5	5874.500	/	-27.00	/	/	AVG
3	5892.000	-45.07	-27.00	18.07	Pass	Peak	6	5892.000	/	-27.00	/	/	AVG