



Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU52_Mid_Ant7_NTNV




802.11ax(HEW20)_LCH_5260MHz_RU52_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU106_Left_Ant7_NTNV




802.11ax(HEW20)_LCH_5260MHz_RU106_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU26_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5300MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU26_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5300MHz_RU52_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU52_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5300MHz_RU52_Right_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU106_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5300MHz_RU106_Right_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5320MHz_RU26_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW20)_HCH_5320MHz_RU52_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU52_Mid_Ant7_NTNV




802.11ax(HEW20)_HCH_5320MHz_RU52_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU106_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5320MHz_RU106_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant7_NTNV



802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant7_NTNV



5. Frequency Stability

5.1 TEST RESULT

5.1.1 ANT7

Ant7									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5260	/	/	20	LV	5260.000	5250 to 5350	Pass
						NV	5260.000	5250 to 5350	Pass
						HV	5260.020	5250 to 5350	Pass
					5	NV	5260.000	5250 to 5350	Pass
					15	NV	5260.000	5250 to 5350	Pass
					25	NV	5260.000	5250 to 5350	Pass
					35	NV	5260.000	5250 to 5350	Pass
		5300	/	/	20	LV	5300.020	5250 to 5350	Pass
						NV	5300.000	5250 to 5350	Pass
						HV	5300.020	5250 to 5350	Pass
					5	NV	5300.000	5250 to 5350	Pass
					15	NV	5300.020	5250 to 5350	Pass
					25	NV	5300.000	5250 to 5350	Pass

Test Report No.: RF260703B007

					35	NV	5300.000	5250 to 5350	Pass
		5320	/	/	20	LV	5320.020	5250 to 5350	Pass
						NV	5320.020	5250 to 5350	Pass
						HV	5320.000	5250 to 5350	Pass
					5	NV	5320.020	5250 to 5350	Pass
					15	NV	5320.000	5250 to 5350	Pass
					25	NV	5320.020	5250 to 5350	Pass
					35	NV	5320.000	5250 to 5350	Pass
802.11n (HT20)	SISO	5260	/	/	20	LV	5260.000	5250 to 5350	Pass
						NV	5260.020	5250 to 5350	Pass
						HV	5259.980	5250 to 5350	Pass
					5	NV	5260.000	5250 to 5350	Pass
					15	NV	5260.000	5250 to 5350	Pass
					25	NV	5260.020	5250 to 5350	Pass
					35	NV	5260.000	5250 to 5350	Pass
		5300	/	/	20	LV	5300.000	5250 to 5350	Pass
						NV	5300.000	5250 to 5350	Pass
						HV	5300.000	5250 to 5350	Pass

Test Report No.: RF260703B007

					5	NV	5300.000	5250 to 5350	Pass
					15	NV	5300.000	5250 to 5350	Pass
					25	NV	5300.000	5250 to 5350	Pass
					35	NV	5300.000	5250 to 5350	Pass
		5320	/	/	20	LV	5320.000	5250 to 5350	Pass
						NV	5320.000	5250 to 5350	Pass
						HV	5320.000	5250 to 5350	Pass
					5	NV	5320.000	5250 to 5350	Pass
					15	NV	5320.000	5250 to 5350	Pass
					25	NV	5320.000	5250 to 5350	Pass
					35	NV	5319.980	5250 to 5350	Pass
					20	LV	5270.000	5250 to 5350	Pass
						NV	5270.040	5250 to 5350	Pass
						HV	5270.040	5250 to 5350	Pass
					5	NV	5270.040	5250 to 5350	Pass
802.11n (HT40)	SISO	5270	/	/	15	NV	5270.000	5250 to 5350	Pass
					25	NV	5270.040	5250 to 5350	Pass
					35	NV	5270.040	5250 to 5350	Pass
					20	LV	5270.000	5250 to 5350	Pass
						NV	5270.040	5250 to 5350	Pass

Test Report No.: RF260703B007

		5310	/	/	20	LV	5310.000	5250 to 5350	Pass
						NV	5310.000	5250 to 5350	Pass
						HV	5310.000	5250 to 5350	Pass
					5	NV	5310.000	5250 to 5350	Pass
					15	NV	5310.000	5250 to 5350	Pass
					25	NV	5310.000	5250 to 5350	Pass
					35	NV	5310.000	5250 to 5350	Pass
802.11ac (VHT20)	SISO	5260	/	/	20	LV	5260.020	5250 to 5350	Pass
						NV	5260.020	5250 to 5350	Pass
						HV	5260.020	5250 to 5350	Pass
					5	NV	5260.000	5250 to 5350	Pass
					15	NV	5260.020	5250 to 5350	Pass
					25	NV	5260.000	5250 to 5350	Pass
					35	NV	5260.000	5250 to 5350	Pass
		5300	/	/	20	LV	5300.000	5250 to 5350	Pass
						NV	5300.000	5250 to 5350	Pass
						HV	5300.000	5250 to 5350	Pass
					5	NV	5300.000	5250 to 5350	Pass

Test Report No.: RF260703B007

802.11ac (VHT40)	SISO				15	NV	5300.000	5250 to 5350	Pass
					25	NV	5300.000	5250 to 5350	Pass
					35	NV	5300.000	5250 to 5350	Pass
		5320	/	/	20	LV	5320.000	5250 to 5350	Pass
						NV	5320.000	5250 to 5350	Pass
						HV	5320.020	5250 to 5350	Pass
					5	NV	5320.000	5250 to 5350	Pass
					15	NV	5320.000	5250 to 5350	Pass
					25	NV	5320.020	5250 to 5350	Pass
					35	NV	5320.000	5250 to 5350	Pass
		5270	/	/	20	LV	5270.080	5250 to 5350	Pass
						NV	5270.080	5250 to 5350	Pass
						HV	5270.040	5250 to 5350	Pass
					5	NV	5270.000	5250 to 5350	Pass
					15	NV	5270.000	5250 to 5350	Pass
					25	NV	5270.040	5250 to 5350	Pass
					35	NV	5270.040	5250 to 5350	Pass
		5310	/	/	20	LV	5310.000	5250 to 5350	Pass

Test Report No.: RF260703B007

						NV	5310.000	5250 to 5350	Pass	
						HV	5310.000	5250 to 5350	Pass	
						5	NV	5310.000	5250 to 5350	Pass
						15	NV	5310.040	5250 to 5350	Pass
						25	NV	5310.000	5250 to 5350	Pass
						35	NV	5310.000	5250 to 5350	Pass
802.11ac (VHT80)	SISO	5290	/	/	20	LV	5290.075	5250 to 5350	Pass	
						NV	5290.075	5250 to 5350	Pass	
						HV	5290.075	5250 to 5350	Pass	
					5	NV	5290.075	5250 to 5350	Pass	
					15	NV	5290.000	5250 to 5350	Pass	
					25	NV	5290.075	5250 to 5350	Pass	
					35	NV	5290.075	5250 to 5350	Pass	
802.11ax (HEW20)	SISO	5260	RU242	Left	20	LV	5260.000	5250 to 5350	Pass	
						NV	5260.000	5250 to 5350	Pass	
						HV	5260.020	5250 to 5350	Pass	
					5	NV	5260.000	5250 to 5350	Pass	
					15	NV	5260.020	5250 to 5350	Pass	

Test Report No.: RF260703B007

					25	NV	5260.000	5250 to 5350	Pass
					35	NV	5259.980	5250 to 5350	Pass
		5300	RU242	Left	20	LV	5300.020	5250 to 5350	Pass
						NV	5300.020	5250 to 5350	Pass
						HV	5300.020	5250 to 5350	Pass
					5	NV	5300.020	5250 to 5350	Pass
					15	NV	5299.980	5250 to 5350	Pass
					25	NV	5299.980	5250 to 5350	Pass
					35	NV	5300.000	5250 to 5350	Pass
		5320	RU242	Left	20	LV	5320.020	5250 to 5350	Pass
						NV	5319.960	5250 to 5350	Pass
						HV	5320.040	5250 to 5350	Pass
					5	NV	5320.000	5250 to 5350	Pass
					15	NV	5320.020	5250 to 5350	Pass
					25	NV	5320.000	5250 to 5350	Pass
					35	NV	5320.000	5250 to 5350	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	20	LV	5270.040	5250 to 5350	Pass
						NV	5270.040	5250 to 5350	Pass

Test Report No.: RF260703B007

						HV	5270.040	5250 to 5350	Pass
					5	NV	5270.040	5250 to 5350	Pass
					15	NV	5270.000	5250 to 5350	Pass
					25	NV	5270.040	5250 to 5350	Pass
					35	NV	5270.040	5250 to 5350	Pass
		5310	RU484	Left	20	LV	5310.000	5250 to 5350	Pass
						NV	5310.040	5250 to 5350	Pass
						HV	5310.000	5250 to 5350	Pass
					5	NV	5310.000	5250 to 5350	Pass
					15	NV	5310.040	5250 to 5350	Pass
					25	NV	5310.000	5250 to 5350	Pass
					35	NV	5309.960	5250 to 5350	Pass
					802.11ax (HEW80)	SISO	5290	RU996	Left
NV	5290.075	5250 to 5350	Pass						
HV	5290.075	5250 to 5350	Pass						
5	NV	5290.075	5250 to 5350	Pass					
15	NV	5290.075	5250 to 5350	Pass					
25	NV	5290.150	5250 to 5350	Pass					

Test Report No.: RF260703B007

					35	NV	5290.075	5250 to 5350	Pass
--	--	--	--	--	----	----	----------	--------------	------

6. Band Edge

6.1 TEST RESULT


6.1.1 BANDEDGE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5260	/	/	7	Refer To Test Graph		Pass
		5320	/	/	7	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5260	/	/	7	Refer To Test Graph		Pass
		5320	/	/	7	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5270	/	/	7	Refer To Test Graph		Pass
		5310	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5260	/	/	7	Refer To Test Graph		Pass
		5320	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5270	/	/	7	Refer To Test Graph		Pass
		5310	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5290	/	/	7	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5260	RU242	Left	7	Refer To Test Graph		Pass
		5320	RU242	Left	7	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	7	Refer To Test Graph		Pass
		5310	RU484	Left	7	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	7	Refer To Test Graph		Pass

Test Report No.: RF260703B007


6.2 Test Graph

802.11a_LCH_5260MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4602.500	-49.10	-21.20	27.90	Pass	Peak	7	4602.500	-56.02	-41.20	14.82	Pass	AVG
2	4668.500	-48.70	-21.20	27.50	Pass	Peak	8	4668.500	-56.03	-41.20	14.83	Pass	AVG
3	4715.000	-45.92	-21.20	24.72	Pass	Peak	9	4715.000	-55.85	-41.20	14.65	Pass	AVG
4	4772.500	-47.38	-21.20	26.18	Pass	Peak	10	4772.500	-55.91	-41.20	14.71	Pass	AVG
5	5106.000	-48.16	-21.20	26.96	Pass	Peak	11	5106.000	-55.95	-41.20	14.75	Pass	AVG
6	5145.500	-46.94	-21.20	25.74	Pass	Peak	12	5145.500	-55.85	-41.20	14.65	Pass	AVG


802.11a_HCH_5320MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5358.720	-46.69	-21.20	25.49	Pass	Peak	7	5358.720	-55.34	-41.20	14.14	Pass	AVG
2	5368.160	-46.36	-21.20	25.16	Pass	Peak	8	5368.160	-55.34	-41.20	14.14	Pass	AVG
3	5393.920	-46.38	-21.20	25.18	Pass	Peak	9	5393.920	-55.33	-41.20	14.13	Pass	AVG
4	5402.720	-47.66	-21.20	26.46	Pass	Peak	10	5402.720	-55.20	-41.20	14.00	Pass	AVG
5	5408.960	-46.32	-21.20	25.12	Pass	Peak	11	5408.960	-55.42	-41.20	14.22	Pass	AVG
6	5437.280	-47.01	-21.20	25.81	Pass	Peak	12	5437.280	-55.50	-41.20	14.30	Pass	AVG


Test Report No.: RF260703B007

802.11n(HT20)_LCH_5260MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4674.000	-48.48	-21.20	27.28	Pass	Peak	7	4674.000	-55.98	-41.20	14.78	Pass	AVG
2	4740.500	-48.02	-21.20	26.82	Pass	Peak	8	4740.500	-55.96	-41.20	14.76	Pass	AVG
3	4969.000	-47.43	-21.20	26.23	Pass	Peak	9	4969.000	-55.84	-41.20	14.64	Pass	AVG
4	5070.500	-47.83	-21.20	26.63	Pass	Peak	10	5070.500	-55.45	-41.20	14.25	Pass	AVG
5	5117.000	-48.87	-21.20	27.67	Pass	Peak	11	5117.000	-55.55	-41.20	14.35	Pass	AVG
6	5145.500	-47.76	-21.20	26.56	Pass	Peak	12	5145.500	-55.85	-41.20	14.65	Pass	AVG


802.11n(HT20)_HCH_5320MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5351.680	-46.98	-21.20	25.78	Pass	Peak	7	5351.680	-55.16	-41.20	13.96	Pass	AVG
2	5362.400	-46.64	-21.20	25.44	Pass	Peak	8	5362.400	-55.46	-41.20	14.26	Pass	AVG
3	5375.200	-46.74	-21.20	25.54	Pass	Peak	9	5375.200	-55.55	-41.20	14.35	Pass	AVG
4	5381.440	-46.64	-21.20	25.44	Pass	Peak	10	5381.440	-55.34	-41.20	14.14	Pass	AVG
5	5402.720	-45.07	-21.20	23.87	Pass	Peak	11	5402.720	-55.37	-41.20	14.17	Pass	AVG
6	5408.960	-46.89	-21.20	25.69	Pass	Peak	12	5408.960	-55.39	-41.20	14.19	Pass	AVG


Test Report No.: RF260703B007

802.11n(HT40)_LCH_5270MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4659.500	-53.72	-21.20	32.52	Pass	Peak	7	4659.500	-61.81	-41.20	20.61	Pass	AVG
2	4684.000	-53.56	-21.20	32.36	Pass	Peak	8	4684.000	-61.87	-41.20	20.67	Pass	AVG
3	4726.000	-54.45	-21.20	33.25	Pass	Peak	9	4726.000	-61.81	-41.20	20.61	Pass	AVG
4	5037.500	-54.22	-21.20	33.02	Pass	Peak	10	5037.500	-61.74	-41.20	20.54	Pass	AVG
5	5116.000	-54.66	-21.20	33.46	Pass	Peak	11	5116.000	-61.74	-41.20	20.54	Pass	AVG
6	5149.500	-52.85	-21.20	31.65	Pass	Peak	12	5149.500	-61.14	-41.20	19.94	Pass	AVG


802.11n(HT40)_HCH_5310MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.460	-45.79	-21.20	24.59	Pass	Peak	7	5352.460	-55.37	-41.20	14.17	Pass	AVG
2	5369.560	-46.13	-21.20	24.93	Pass	Peak	8	5369.560	-55.21	-41.20	14.01	Pass	AVG
3	5402.050	-46.86	-21.20	25.66	Pass	Peak	9	5402.050	-55.35	-41.20	14.15	Pass	AVG
4	5409.080	-46.76	-21.20	25.56	Pass	Peak	10	5409.080	-55.21	-41.20	14.01	Pass	AVG
5	5415.540	-46.55	-21.20	25.35	Pass	Peak	11	5415.540	-55.27	-41.20	14.07	Pass	AVG
6	5428.650	-46.44	-21.20	25.24	Pass	Peak	12	5428.650	-55.31	-41.20	14.11	Pass	AVG


Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5260MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4717.000	-46.28	-21.20	25.08	Pass	Peak	7	4717.000	-55.82	-41.20	14.62	Pass	AVG
2	4744.500	-49.54	-21.20	28.34	Pass	Peak	8	4744.500	-56.06	-41.20	14.86	Pass	AVG
3	4935.500	-48.29	-21.20	27.09	Pass	Peak	9	4935.500	-56.00	-41.20	14.80	Pass	AVG
4	5074.000	-47.59	-21.20	26.39	Pass	Peak	10	5074.000	-55.74	-41.20	14.54	Pass	AVG
5	5105.000	-48.90	-21.20	27.70	Pass	Peak	11	5105.000	-56.07	-41.20	14.87	Pass	AVG
6	5131.000	-45.75	-21.20	24.55	Pass	Peak	12	5131.000	-55.56	-41.20	14.36	Pass	AVG


802.11ac(VHT20)_HCH_5320MHz_Ant7_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5358.240	-46.75	-21.20	25.55	Pass	Peak	7	5358.240	-55.33	-41.20	14.13	Pass	AVG
2	5368.800	-47.78	-21.20	26.58	Pass	Peak	8	5368.800	-55.25	-41.20	14.05	Pass	AVG
3	5374.240	-46.41	-21.20	25.21	Pass	Peak	9	5374.240	-55.43	-41.20	14.23	Pass	AVG
4	5380.480	-46.54	-21.20	25.34	Pass	Peak	10	5380.480	-55.28	-41.20	14.08	Pass	AVG
5	5394.720	-47.47	-21.20	26.27	Pass	Peak	11	5394.720	-55.39	-41.20	14.19	Pass	AVG
6	5403.840	-48.12	-21.20	26.92	Pass	Peak	12	5403.840	-55.51	-41.20	14.31	Pass	AVG

Test Report No.: RF260703B007

802.11ac(VHT40)_LCH_5270MHz_Ant7_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT80)_MCH_5290MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4615.500	-53.62	-21.20	32.42	Pass	Peak	7	4615.500	-61.85	-41.20	20.65	Pass	AVG
2	4694.000	-54.71	-21.20	33.51	Pass	Peak	8	4694.000	-61.78	-41.20	20.58	Pass	AVG
3	5021.500	-53.21	-21.20	32.01	Pass	Peak	9	5021.500	-61.80	-41.20	20.60	Pass	AVG
4	5066.000	-54.00	-21.20	32.80	Pass	Peak	10	5066.000	-61.90	-41.20	20.70	Pass	AVG
5	5109.500	-53.80	-21.20	32.60	Pass	Peak	11	5109.500	-61.81	-41.20	20.61	Pass	AVG
6	5140.000	-53.89	-21.20	32.69	Pass	Peak	12	5140.000	-61.16	-41.20	19.96	Pass	AVG


802.11ac(VHT80)_MCH_5290MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.500	-52.56	-21.20	31.36	Pass	Peak	5	5350.500	-59.97	-41.20	18.77	Pass	AVG
2	5382.500	-53.22	-21.20	32.02	Pass	Peak	6	5382.500	-60.22	-41.20	19.02	Pass	AVG
3	5417.500	-52.78	-21.20	31.58	Pass	Peak	7	5417.500	-60.38	-41.20	19.18	Pass	AVG
4	5447.500	-53.64	-21.20	32.44	Pass	Peak	8	5447.500	-60.76	-41.20	19.56	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4628.000	-47.70	-21.20	26.50	Pass	Peak	7	4628.000	-55.80	-41.20	14.60	Pass	AVG
2	4656.000	-48.42	-21.20	27.22	Pass	Peak	8	4656.000	-55.78	-41.20	14.58	Pass	AVG
3	4737.500	-47.67	-21.20	26.47	Pass	Peak	9	4737.500	-55.95	-41.20	14.75	Pass	AVG
4	4771.000	-47.60	-21.20	26.40	Pass	Peak	10	4771.000	-55.67	-41.20	14.47	Pass	AVG
5	5109.000	-48.74	-21.20	27.54	Pass	Peak	11	5109.000	-55.90	-41.20	14.70	Pass	AVG
6	5146.500	-47.08	-21.20	25.88	Pass	Peak	12	5146.500	-55.82	-41.20	14.62	Pass	AVG


802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.920	-47.45	-21.20	26.25	Pass	Peak	7	5353.920	-55.18	-41.20	13.98	Pass	AVG
2	5368.480	-46.17	-21.20	24.97	Pass	Peak	8	5368.480	-55.15	-41.20	13.95	Pass	AVG
3	5380.000	-47.30	-21.20	26.10	Pass	Peak	9	5380.000	-55.36	-41.20	14.16	Pass	AVG
4	5385.760	-46.53	-21.20	25.33	Pass	Peak	10	5385.760	-55.37	-41.20	14.17	Pass	AVG
5	5407.680	-46.84	-21.20	25.64	Pass	Peak	11	5407.680	-55.34	-41.20	14.14	Pass	AVG
6	5419.520	-46.02	-21.20	24.82	Pass	Peak	12	5419.520	-55.28	-41.20	14.08	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4722.000	-47.81	-21.20	26.61	Pass	Peak	7	4722.000	-55.92	-41.20	14.72	Pass	AVG
2	4758.500	-46.90	-21.20	25.70	Pass	Peak	8	4758.500	-55.93	-41.20	14.73	Pass	AVG
3	4881.000	-48.92	-21.20	27.72	Pass	Peak	9	4881.000	-55.64	-41.20	14.44	Pass	AVG
4	4998.500	-47.13	-21.20	25.93	Pass	Peak	10	4998.500	-55.82	-41.20	14.62	Pass	AVG
5	5081.500	-47.21	-21.20	26.01	Pass	Peak	11	5081.500	-55.91	-41.20	14.71	Pass	AVG
6	5126.500	-46.83	-21.20	25.63	Pass	Peak	12	5126.500	-55.44	-41.20	14.24	Pass	AVG


802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5355.500	-46.38	-21.20	25.18	Pass	Peak	7	5355.500	-55.01	-41.20	13.81	Pass	AVG
2	5367.850	-46.49	-21.20	25.29	Pass	Peak	8	5367.850	-55.16	-41.20	13.96	Pass	AVG
3	5379.060	-46.54	-21.20	25.34	Pass	Peak	9	5379.060	-55.26	-41.20	14.06	Pass	AVG
4	5388.940	-47.34	-21.20	26.14	Pass	Peak	10	5388.940	-55.13	-41.20	13.93	Pass	AVG
5	5406.420	-46.77	-21.20	25.57	Pass	Peak	11	5406.420	-55.29	-41.20	14.09	Pass	AVG
6	5414.970	-46.37	-21.20	25.17	Pass	Peak	12	5414.970	-55.36	-41.20	14.16	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4626.000	-48.23	-21.20	27.03	Pass	Peak	7	4626.000	-55.96	-41.20	14.76	Pass	AVG
2	4745.000	-49.03	-21.20	27.83	Pass	Peak	8	4745.000	-55.80	-41.20	14.60	Pass	AVG
3	4932.000	-47.85	-21.20	26.65	Pass	Peak	9	4932.000	-55.98	-41.20	14.78	Pass	AVG
4	5012.500	-48.44	-21.20	27.24	Pass	Peak	10	5012.500	-55.82	-41.20	14.62	Pass	AVG
5	5077.500	-48.03	-21.20	26.83	Pass	Peak	11	5077.500	-55.88	-41.20	14.68	Pass	AVG
6	5136.000	-47.72	-21.20	26.52	Pass	Peak	12	5136.000	-55.77	-41.20	14.57	Pass	AVG

802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.500	-47.26	-21.20	26.06	Pass	Peak	4	5350.500	-55.42	-41.20	14.22	Pass	AVG
2	5401.000	-45.93	-21.20	24.73	Pass	Peak	5	5401.000	-55.31	-41.20	14.11	Pass	AVG
3	5448.000	-48.22	-21.20	27.02	Pass	Peak	6	5448.000	-55.69	-41.20	14.49	Pass	AVG

Test Report No.: RF260703B007

7. Spurious Emission

7.1 TEST RESULT


7.1.1 SE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5260	/	/	7	Refer To Test Graph		Pass
		5300	/	/	7	Refer To Test Graph		Pass
		5320	/	/	7	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5260	/	/	7	Refer To Test Graph		Pass
		5300	/	/	7	Refer To Test Graph		Pass
		5320	/	/	7	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5270	/	/	7	Refer To Test Graph		Pass
		5310	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5260	/	/	7	Refer To Test Graph		Pass
		5300	/	/	7	Refer To Test Graph		Pass
		5320	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5270	/	/	7	Refer To Test Graph		Pass
		5310	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5290	/	/	7	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5260	RU242	Left	7	Refer To Test Graph		Pass
		5300	RU242	Left	7	Refer To Test Graph		Pass
		5320	RU242	Left	7	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	7	Refer To Test Graph		Pass
		5310	RU484	Left	7	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	7	Refer To Test Graph		Pass

Test Report No.: RF260703B007


7.2 Test Graph

802.11a_LCH_5260MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6997.6	-42.80	-27.00	15.80	Pass	Peak	7	6997.6	/	-27.00	/	/	AVG
2	19893.8	-43.42	-21.20	22.22	Pass	Peak	8	19893.8	-54.14	-41.20	12.94	Pass	AVG
3	21499.45	-43.54	-27.00	16.54	Pass	Peak	9	21499.45	/	-27.00	/	/	AVG
4	22790.6	-42.42	-21.20	21.22	Pass	Peak	10	22790.6	-52.52	-41.20	11.32	Pass	AVG
5	24112.35	-43.31	-27.00	16.31	Pass	Peak	11	24112.35	/	-27.00	/	/	AVG
6	25137.45	-43.18	-27.00	16.18	Pass	Peak	12	25137.45	/	-27.00	/	/	AVG


802.11a_MCH_5300MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6921.95	-42.94	-27.00	15.94	Pass	Peak	7	6921.95	/	-27.00	/	/	AVG
2	19827.5	-42.92	-21.20	21.72	Pass	Peak	8	19827.5	-53.84	-41.20	12.64	Pass	AVG
3	21448.45	-43.08	-27.00	16.08	Pass	Peak	9	21448.45	/	-27.00	/	/	AVG
4	22499.9	-43.23	-21.20	22.03	Pass	Peak	10	22499.9	-54.25	-41.20	13.05	Pass	AVG
5	24498.25	-43.19	-27.00	16.19	Pass	Peak	11	24498.25	/	-27.00	/	/	AVG
6	26498.3	-43.07	-27.00	16.07	Pass	Peak	12	26498.3	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11a_HCH_5320MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6992.5	-43.31	-27.00	16.31	Pass	Peak	7	6992.5	/	-27.00	/	/	AVG
2	19853	-42.61	-21.20	21.41	Pass	Peak	8	19853	-54.02	-41.20	12.82	Pass	AVG
3	22092.75	-42.82	-21.20	21.62	Pass	Peak	9	22092.75	-52.58	-41.20	11.38	Pass	AVG
4	22931.7	-43.62	-21.20	22.42	Pass	Peak	10	22931.7	-53.89	-41.20	12.69	Pass	AVG
5	24135.3	-43.64	-27.00	16.64	Pass	Peak	11	24135.3	/	-27.00	/	/	AVG
6	26433.7	-43.38	-27.00	16.38	Pass	Peak	12	26433.7	/	-27.00	/	/	AVG


802.11n(HT20)_LCH_5260MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6910.05	-43.24	-27.00	16.24	Pass	Peak	7	6910.05	/	-27.00	/	/	AVG
2	19440.75	-42.57	-21.20	21.37	Pass	Peak	8	19440.75	-53.97	-41.20	12.77	Pass	AVG
3	22649.5	-42.61	-21.20	21.41	Pass	Peak	9	22649.5	-52.66	-41.20	11.46	Pass	AVG
4	23781.7	-43.07	-21.20	21.87	Pass	Peak	10	23781.7	-54.20	-41.20	13.00	Pass	AVG
5	25067.75	-43.38	-27.00	16.38	Pass	Peak	11	25067.75	/	-27.00	/	/	AVG
6	25851.45	-42.84	-27.00	15.84	Pass	Peak	12	25851.45	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11n(HT20)_MCH_5300MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6849.7	-42.38	-27.00	15.38	Pass	Peak	7	6849.7	/	-27.00	/	/	AVG
2	20865.35	-43.44	-21.20	22.24	Pass	Peak	8	20865.35	-53.54	-41.20	12.34	Pass	AVG
3	21969.5	-42.32	-27.00	15.32	Pass	Peak	9	21969.5	/	-27.00	/	/	AVG
4	22750.65	-43.16	-21.20	21.96	Pass	Peak	10	22750.65	-52.34	-41.20	11.14	Pass	AVG
5	24060.5	-43.09	-27.00	16.09	Pass	Peak	11	24060.5	/	-27.00	/	/	AVG
6	25923.7	-42.64	-27.00	15.64	Pass	Peak	12	25923.7	/	-27.00	/	/	AVG


802.11n(HT20)_HCH_5320MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6990.8	-42.80	-27.00	15.80	Pass	Peak	7	6990.8	/	-27.00	/	/	AVG
2	19029.35	-43.29	-21.20	22.09	Pass	Peak	8	19029.35	-54.21	-41.20	13.01	Pass	AVG
3	22164.15	-42.20	-21.20	21.00	Pass	Peak	9	22164.15	-52.45	-41.20	11.25	Pass	AVG
4	24023.95	-42.56	-27.00	15.56	Pass	Peak	10	24023.95	/	-27.00	/	/	AVG
5	24943.65	-43.65	-27.00	16.65	Pass	Peak	11	24943.65	/	-27.00	/	/	AVG
6	26407.35	-43.69	-27.00	16.69	Pass	Peak	12	26407.35	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11n(HT40)_LCH_5270MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	17611.55	-47.43	-27.00	20.43	Pass	Peak	7	17611.55	/	-27.00	/	/	AVG
2	18445.4	-46.88	-21.20	25.68	Pass	Peak	8	18445.4	-57.16	-41.20	15.96	Pass	AVG
3	20793.95	-47.07	-21.20	25.87	Pass	Peak	9	20793.95	-57.07	-41.20	15.87	Pass	AVG
4	22080	-46.52	-21.20	25.32	Pass	Peak	10	22080	-56.55	-41.20	15.35	Pass	AVG
5	24414.95	-47.15	-27.00	20.15	Pass	Peak	11	24414.95	/	-27.00	/	/	AVG
6	26078.4	-47.45	-27.00	20.45	Pass	Peak	12	26078.4	/	-27.00	/	/	AVG


802.11n(HT40)_HCH_5310MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18355.3	-46.94	-21.20	25.74	Pass	Peak	7	18355.3	-57.11	-41.20	15.91	Pass	AVG
2	20009.4	-46.08	-21.20	24.88	Pass	Peak	8	20009.4	-57.51	-41.20	16.31	Pass	AVG
3	21337.95	-47.89	-21.20	26.69	Pass	Peak	9	21337.95	-57.19	-41.20	15.99	Pass	AVG
4	22703.9	-45.70	-21.20	24.50	Pass	Peak	10	22703.9	-56.25	-41.20	15.05	Pass	AVG
5	25076.25	-47.09	-27.00	20.09	Pass	Peak	11	25076.25	/	-27.00	/	/	AVG
6	26046.1	-47.08	-27.00	20.08	Pass	Peak	12	26046.1	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5260MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6986.55	-42.46	-27.00	15.46	Pass	Peak	7	6986.55	/	-27.00	/	/	AVG
2	16595.8	-43.27	-27.00	16.27	Pass	Peak	8	16595.8	/	-27.00	/	/	AVG
3	17818.1	-43.28	-21.20	22.08	Pass	Peak	9	17818.1	-54.56	-41.20	13.36	Pass	AVG
4	19819.85	-42.73	-21.20	21.53	Pass	Peak	10	19819.85	-53.91	-41.20	12.71	Pass	AVG
5	22725.15	-42.73	-21.20	21.53	Pass	Peak	11	22725.15	-52.24	-41.20	11.04	Pass	AVG
6	24427.7	-43.17	-27.00	16.17	Pass	Peak	12	24427.7	/	-27.00	/	/	AVG


802.11ac(VHT20)_MCH_5300MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6931.3	-41.82	-27.00	14.82	Pass	Peak	7	6931.3	/	-27.00	/	/	AVG
2	16589.85	-43.46	-27.00	16.46	Pass	Peak	8	16589.85	/	-27.00	/	/	AVG
3	21978	-42.90	-27.00	15.90	Pass	Peak	9	21978	/	-27.00	/	/	AVG
4	22752.35	-42.67	-21.20	21.47	Pass	Peak	10	22752.35	-52.30	-41.20	11.10	Pass	AVG
5	24375.85	-42.39	-27.00	15.39	Pass	Peak	11	24375.85	/	-27.00	/	/	AVG
6	25549.7	-43.38	-27.00	16.38	Pass	Peak	12	25549.7	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5320MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6989.95	-42.06	-27.00	15.06	Pass	Peak	7	6989.95	/	-27.00	/	/	AVG
2	19060.8	-43.81	-21.20	22.61	Pass	Peak	8	19060.8	-54.26	-41.20	13.06	Pass	AVG
3	21381.3	-42.93	-21.20	21.73	Pass	Peak	9	21381.3	-53.15	-41.20	11.95	Pass	AVG
4	22743	-42.79	-21.20	21.59	Pass	Peak	10	22743	-52.31	-41.20	11.11	Pass	AVG
5	24389.45	-43.35	-27.00	16.35	Pass	Peak	11	24389.45	/	-27.00	/	/	AVG
6	26141.3	-42.52	-27.00	15.52	Pass	Peak	12	26141.3	/	-27.00	/	/	AVG


802.11ac(VHT40)_LCH_5270MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	17411.8	-47.09	-27.00	20.09	Pass	Peak	7	17411.8	/	-27.00	/	/	AVG
2	19786.7	-47.28	-21.20	26.08	Pass	Peak	8	19786.7	-57.43	-41.20	16.23	Pass	AVG
3	21414.45	-46.96	-27.00	19.96	Pass	Peak	9	21414.45	/	-27.00	/	/	AVG
4	22697.1	-46.90	-21.20	25.70	Pass	Peak	10	22697.1	-56.31	-41.20	15.11	Pass	AVG
5	24440.45	-45.84	-27.00	18.84	Pass	Peak	11	24440.45	/	-27.00	/	/	AVG
6	25800.45	-47.15	-27.00	20.15	Pass	Peak	12	25800.45	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5310MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16629.8	-47.40	-27.00	20.40	Pass	Peak	7	16629.8	/	-27.00	/	/	AVG
2	19706.8	-47.17	-21.20	25.97	Pass	Peak	8	19706.8	-57.62	-41.20	16.42	Pass	AVG
3	20763.35	-47.15	-21.20	25.95	Pass	Peak	9	20763.35	-57.03	-41.20	15.83	Pass	AVG
4	22151.4	-45.72	-21.20	24.52	Pass	Peak	10	22151.4	-56.40	-41.20	15.20	Pass	AVG
5	23968.7	-46.76	-21.20	25.56	Pass	Peak	11	23968.7	-57.59	-41.20	16.39	Pass	AVG
6	26395.45	-46.51	-27.00	19.51	Pass	Peak	12	26395.45	/	-27.00	/	/	AVG


802.11ac(VHT80)_MCH_5290MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	17801.1	-47.50	-21.20	26.30	Pass	Peak	7	17801.1	-57.44	-41.20	16.24	Pass	AVG
2	19422.9	-47.34	-21.20	26.14	Pass	Peak	8	19422.9	-57.46	-41.20	16.26	Pass	AVG
3	21440.8	-45.97	-27.00	18.97	Pass	Peak	9	21440.8	/	-27.00	/	/	AVG
4	22770.2	-46.94	-21.20	25.74	Pass	Peak	10	22770.2	-56.40	-41.20	15.20	Pass	AVG
5	25464.7	-46.81	-27.00	19.81	Pass	Peak	11	25464.7	/	-27.00	/	/	AVG
6	26258.6	-47.57	-27.00	20.57	Pass	Peak	12	26258.6	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6981.45	-42.45	-27.00	15.45	Pass	Peak	7	6981.45	/	-27.00	/	/	AVG
2	18379.95	-43.17	-21.20	21.97	Pass	Peak	8	18379.95	-53.61	-41.20	12.41	Pass	AVG
3	20438.65	-43.21	-21.20	22.01	Pass	Peak	9	20438.65	-53.87	-41.20	12.67	Pass	AVG
4	22041.75	-42.19	-21.20	20.99	Pass	Peak	10	22041.75	-52.87	-41.20	11.67	Pass	AVG
5	24413.25	-43.16	-27.00	16.16	Pass	Peak	11	24413.25	/	-27.00	/	/	AVG
6	25194.4	-43.22	-27.00	16.22	Pass	Peak	12	25194.4	/	-27.00	/	/	AVG


802.11ax(HEW20)_MCH_5300MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6840.35	-42.85	-27.00	15.85	Pass	Peak	7	6840.35	/	-27.00	/	/	AVG
2	19094.8	-43.79	-21.20	22.59	Pass	Peak	8	19094.8	-54.43	-41.20	13.23	Pass	AVG
3	20827.95	-43.09	-21.20	21.89	Pass	Peak	9	20827.95	-53.35	-41.20	12.15	Pass	AVG
4	22119.95	-42.38	-21.20	21.18	Pass	Peak	10	22119.95	-52.44	-41.20	11.24	Pass	AVG
5	24393.7	-43.02	-27.00	16.02	Pass	Peak	11	24393.7	/	-27.00	/	/	AVG
6	26471.95	-42.98	-27.00	15.98	Pass	Peak	12	26471.95	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6995.05	-42.14	-27.00	15.14	Pass	Peak	7	6995.05	/	-27.00	/	/	AVG
2	19842.8	-43.48	-21.20	22.28	Pass	Peak	8	19842.8	-53.91	-41.20	12.71	Pass	AVG
3	20793.95	-43.61	-21.20	22.41	Pass	Peak	9	20793.95	-53.17	-41.20	11.97	Pass	AVG
4	22686.05	-42.57	-21.20	21.37	Pass	Peak	10	22686.05	-52.43	-41.20	11.23	Pass	AVG
5	25123.85	-43.11	-27.00	16.11	Pass	Peak	11	25123.85	/	-27.00	/	/	AVG
6	26378.45	-43.07	-27.00	16.07	Pass	Peak	12	26378.45	/	-27.00	/	/	AVG


802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6977.2	-41.81	-27.00	14.81	Pass	Peak	7	6977.2	/	-27.00	/	/	AVG
2	18365.5	-43.36	-21.20	22.16	Pass	Peak	8	18365.5	-53.74	-41.20	12.54	Pass	AVG
3	21373.65	-43.05	-21.20	21.85	Pass	Peak	9	21373.65	-53.15	-41.20	11.95	Pass	AVG
4	22161.6	-42.44	-21.20	21.24	Pass	Peak	10	22161.6	-52.49	-41.20	11.29	Pass	AVG
5	23722.2	-43.41	-21.20	22.21	Pass	Peak	11	23722.2	-54.05	-41.20	12.85	Pass	AVG
6	25039.7	-43.31	-27.00	16.31	Pass	Peak	12	25039.7	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6979.75	-42.11	-27.00	15.11	Pass	Peak	7	6979.75	/	-27.00	/	/	AVG
2	16964.7	-43.37	-27.00	16.37	Pass	Peak	8	16964.7	/	-27.00	/	/	AVG
3	20755.7	-42.68	-21.20	21.48	Pass	Peak	9	20755.7	-53.19	-41.20	11.99	Pass	AVG
4	22114.85	-42.95	-21.20	21.75	Pass	Peak	10	22114.85	-52.37	-41.20	11.17	Pass	AVG
5	23977.2	-43.42	-21.20	22.22	Pass	Peak	11	23977.2	-53.56	-41.20	12.36	Pass	AVG
6	24756.65	-43.48	-27.00	16.48	Pass	Peak	12	24756.65	/	-27.00	/	/	AVG

802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6921.1	-40.51	-27.00	13.51	Pass	Peak	7	6921.1	/	-27.00	/	/	AVG
2	20784.6	-42.62	-21.20	21.42	Pass	Peak	8	20784.6	-53.26	-41.20	12.06	Pass	AVG
3	22687.75	-42.70	-21.20	21.50	Pass	Peak	9	22687.75	-52.48	-41.20	11.28	Pass	AVG
4	24006.95	-42.90	-27.00	15.90	Pass	Peak	10	24006.95	/	-27.00	/	/	AVG
5	24967.45	-43.12	-27.00	16.12	Pass	Peak	11	24967.45	/	-27.00	/	/	AVG
6	26430.3	-43.09	-27.00	16.09	Pass	Peak	12	26430.3	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

9 APPENDIX B: RLAN UNII-2A for RU

1. Bandwidth

1.1 TEST RESULT

1.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11ax (HEW20)	SISO	5260	RU26	Left	7	18.334	/	Pass
				Mid	7	16.557	/	Pass
				Right	7	18.379	/	Pass
		5300	RU26	Left	7	18.344	/	Pass
				Mid	7	17.130	/	Pass
				Right	7	18.226	/	Pass
		5320	RU26	Left	7	18.383	/	Pass
				Mid	7	16.234	/	Pass
				Right	7	18.381	/	Pass
802.11ax (HEW40)	SISO	5270	RU26	Left	7	38.230	/	Pass
				Mid	7	36.096	/	Pass
				Right	7	38.212	/	Pass
		5310	RU26	Left	7	38.202	/	Pass
				Mid	7	36.148	/	Pass
				Right	7	38.399	/	Pass
802.11ax (HEW80)	SISO	5290	RU26	Left	7	79.139	/	Pass
				Mid	7	75.014	/	Pass
				Right	7	79.516	/	Pass


Test Report No.: RF260703B007

1.1.2 26DB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11ax (HEW20)	SISO	5260	RU26	Left	7	19.918	/	Pass
				Mid	7	18.513	/	Pass
				Right	7	20.577	/	Pass
		5300	RU26	Left	7	20.554	/	Pass
				Mid	7	18.556	/	Pass
				Right	7	20.542	/	Pass
		5320	RU26	Left	7	20.428	/	Pass
				Mid	7	18.727	/	Pass
				Right	7	20.435	/	Pass
802.11ax (HEW40)	SISO	5270	RU26	Left	7	40.540	/	Pass
				Mid	7	38.308	/	Pass
				Right	7	40.501	/	Pass
		5310	RU26	Left	7	40.828	/	Pass
				Mid	7	38.142	/	Pass
				Right	7	40.929	/	Pass
802.11ax (HEW80)	SISO	5290	RU26	Left	7	82.411	/	Pass
				Mid	7	77.607	/	Pass
				Right	7	82.375	/	Pass


Test Report No.: RF260703B007

1.2 Test Graph




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU26_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5300MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU26_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5320MHz_RU26_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW40)_LCH_5270MHz_RU26_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5270MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW40)_LCH_5270MHz_RU26_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5310MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW40)_HCH_5310MHz_RU26_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5310MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW80)_MCH_5290MHz_RU26_Left_Ant7_NTNV



Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5290MHz_RU26_Mid_Ant7_NTNV



802.11ax(HEW80)_MCH_5290MHz_RU26_Right_Ant7_NTNV

