



Test Report No.: RF260703B007

802.11n(HT20)_MCH_5580MHz_Ant7_NTNV




802.11n(HT20)_HCH_5700MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5510MHz_Ant7_NTNV




802.11n(HT40)_MCH_5550MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_HCH_5670MHz_Ant7_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_MCH_5580MHz_Ant7_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_LCH_5510MHz_Ant7_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5670MHz_Ant7_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT80)_HCH_5610MHz_Ant7_NTNV




802.11ax(HEW20)_LCH_5500MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5580MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5700MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5510MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW40)_MCH_5550MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5670MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW80)_LCH_5530MHz_RU996_Left_Ant7_NTNV



Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5610MHz_RU996_Left_Ant7_NTNV



Test Report No.: RF260703B007

3. Maximum Conducted Output Power

3.1 TEST RESULT

3.1.1 POWER

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT7	Limit	
802.11a	SISO	5500	/	/	8.73	<=23.74	Pass
		5580	/	/	8.91	<=23.74	Pass
		5700	/	/	8.96	<=23.74	Pass
802.11n (HT20)	SISO	5500	/	/	8.17	<=23.97	Pass
		5580	/	/	8.54	<=23.97	Pass
		5700	/	/	8.58	<=23.97	Pass
802.11n (HT40)	SISO	5510	/	/	8.98	<=23.98	Pass
		5550	/	/	8.87	<=23.98	Pass
		5670	/	/	8.88	<=23.98	Pass
802.11ac (VHT20)	SISO	5500	/	/	8.76	<=23.98	Pass
		5580	/	/	8.51	<=23.98	Pass
		5700	/	/	8.55	<=23.98	Pass
802.11ac (VHT40)	SISO	5510	/	/	8.97	<=23.98	Pass
		5550	/	/	8.46	<=23.98	Pass
		5670	/	/	8.76	<=23.98	Pass
802.11ac (VHT80)	SISO	5530	/	/	8.44	<=23.98	Pass
		5610	/	/	8.49	<=23.98	Pass
802.11ax (HEW20)	SISO	5500	RU26	Left	-0.74	<=23.98	Pass
				Mid	-0.88	<=23.98	Pass
				Right	-0.88	<=23.98	Pass
			RU52	Left	2.85	<=23.98	Pass
				Mid	2.61	<=23.98	Pass
				Right	2.56	<=23.98	Pass
			RU106	Left	2.85	<=23.98	Pass
				Right	2.73	<=23.98	Pass
			RU242	Left	8.74	<=23.98	Pass

Test Report No.: RF260703B007

		5580	RU26	Left	-1.11	<=23.98	Pass
				Mid	-0.65	<=23.98	Pass
				Right	-0.69	<=23.98	Pass
			RU52	Left	2.08	<=23.98	Pass
				Mid	2.86	<=23.98	Pass
				Right	2.55	<=23.98	Pass
			RU106	Left	2.79	<=23.98	Pass
				Right	2.57	<=23.98	Pass
			RU242	Left	8.65	<=23.98	Pass
		5700	RU26	Left	-0.99	<=23.98	Pass
				Mid	-0.74	<=23.98	Pass
				Right	-0.88	<=23.98	Pass
			RU52	Left	2.64	<=23.98	Pass
				Mid	2.76	<=23.98	Pass
				Right	2.71	<=23.98	Pass
			RU106	Left	2.85	<=23.98	Pass
				Right	2.84	<=23.98	Pass
			RU242	Left	8.76	<=23.98	Pass
802.11ax (HEW40)	SISO	5510	RU484	Left	8.84	<=23.98	Pass
		5550	RU484	Left	8.75	<=23.98	Pass
		5670	RU484	Left	8.79	<=23.98	Pass
802.11ax (HEW80)	SISO	5530	RU996	Left	8.99	<=23.98	Pass
		5610	RU996	Left	8.62	<=23.98	Pass
Note1: Antenna Gain: Ant7: -1.40dBi;							

Test Report No.: RF260703B007

4. Maximum Power Spectral Density

4.1 TEST RESULT

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT7	Limit	
802.11a	SISO	5500	/	/	-0.71	<=11	Pass
		5580	/	/	-0.42	<=11	Pass
		5700	/	/	-0.34	<=11	Pass
802.11n (HT20)	SISO	5500	/	/	-1.43	<=11	Pass
		5580	/	/	-1.00	<=11	Pass
		5700	/	/	-0.84	<=11	Pass
802.11n (HT40)	SISO	5510	/	/	-3.60	<=11	Pass
		5550	/	/	-3.70	<=11	Pass
		5670	/	/	-3.75	<=11	Pass
802.11ac (VHT20)	SISO	5500	/	/	-0.83	<=11	Pass
		5580	/	/	-1.13	<=11	Pass
		5700	/	/	-1.15	<=11	Pass
802.11ac (VHT40)	SISO	5510	/	/	-3.56	<=11	Pass
		5550	/	/	-4.09	<=11	Pass
		5670	/	/	-3.92	<=11	Pass
802.11ac (VHT80)	SISO	5530	/	/	-6.39	<=11	Pass
		5610	/	/	-6.61	<=11	Pass
802.11ax (HEW20)	SISO	5500	RU26	Left	-2.16	<=11	Pass
				Mid	-4.06	<=11	Pass
				Right	-2.69	<=11	Pass
			RU52	Left	-1.85	<=11	Pass
				Mid	-2.33	<=11	Pass
				Right	-2.20	<=11	Pass
			RU106	Left	-4.96	<=11	Pass
				Right	-5.16	<=11	Pass
			RU242	Left	-0.99	<=11	Pass
		5580	RU26	Left	-2.57	<=11	Pass

Test Report No.: RF260703B007

				Mid	-4.02	<=11	Pass	
				Right	-2.41	<=11	Pass	
				RU52	Left	-2.63	<=11	Pass
					Mid	-2.28	<=11	Pass
					Right	-2.26	<=11	Pass
			RU106	Left	-4.97	<=11	Pass	
				Right	-5.20	<=11	Pass	
			RU242	Left	-1.12	<=11	Pass	
		5700	RU26	Left	-2.57	<=11	Pass	
				Mid	-3.79	<=11	Pass	
				Right	-2.67	<=11	Pass	
			RU52	Left	-2.06	<=11	Pass	
				Mid	-2.36	<=11	Pass	
				Right	-2.01	<=11	Pass	
			RU106	Left	-5.07	<=11	Pass	
				Right	-4.93	<=11	Pass	
			RU242	Left	-1.08	<=11	Pass	
802.11ax (HEW40)	SISO	5510	RU484	Left	-3.83	<=11	Pass	
		5550	RU484	Left	-4.10	<=11	Pass	
		5670	RU484	Left	-3.85	<=11	Pass	
802.11ax (HEW80)	SISO	5530	RU996	Left	-5.88	<=11	Pass	
		5610	RU996	Left	-6.27	<=11	Pass	
Note1: Antenna Gain: Ant7: -1.40dBi;								


Test Report No.: RF260703B007

4.2 Test Graph




Test Report No.: RF260703B007

802.11a_HCH_5700MHz_Ant7_NTNV




802.11n(HT20)_LCH_5500MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT20)_MCH_5580MHz_Ant7_NTNV




802.11n(HT20)_HCH_5700MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5510MHz_Ant7_NTNV




802.11n(HT40)_MCH_5550MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_HCH_5670MHz_Ant7_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_MCH_5580MHz_Ant7_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_LCH_5510MHz_Ant7_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5670MHz_Ant7_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT80)_HCH_5610MHz_Ant7_NTNV




802.11ax(HEW20)_LCH_5500MHz_RU26_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5500MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW20)_LCH_5500MHz_RU26_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5500MHz_RU52_Left_Ant7_NTNV




802.11ax(HEW20)_LCH_5500MHz_RU52_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5500MHz_RU52_Right_Ant7_NTNV




802.11ax(HEW20)_LCH_5500MHz_RU106_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5500MHz_RU106_Right_Ant7_NTNV




802.11ax(HEW20)_LCH_5500MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5580MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5580MHz_RU26_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5580MHz_RU26_Right_Ant7_NTNV




802.11ax(HEW20)_MCH_5580MHz_RU52_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5580MHz_RU52_Mid_Ant7_NTNV




802.11ax(HEW20)_MCH_5580MHz_RU52_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5580MHz_RU106_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5580MHz_RU106_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5580MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5700MHz_RU26_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5700MHz_RU26_Mid_Ant7_NTNV




802.11ax(HEW20)_HCH_5700MHz_RU26_Right_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5700MHz_RU52_Left_Ant7_NTNV




802.11ax(HEW20)_HCH_5700MHz_RU52_Mid_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5700MHz_RU52_Right_Ant7_NTNV




802.11ax(HEW20)_HCH_5700MHz_RU106_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5700MHz_RU106_Right_Ant7_NTNV




802.11ax(HEW20)_HCH_5700MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5510MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW40)_MCH_5550MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5670MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW80)_LCH_5530MHz_RU996_Left_Ant7_NTNV



Test Report No.: RF260703B007

802.11ax(HEW80)_HCH_5610MHz_RU996_Left_Ant7_NTNV



5. Frequency Stability

5.1 TEST RESULT

5.1.1 ANT7

Ant7									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5500	/	/	20	LV	5500.020	5470 to 5725	Pass
						NV	5500.000	5470 to 5725	Pass
						HV	5500.000	5470 to 5725	Pass
					5	NV	5500.020	5470 to 5725	Pass
					15	NV	5500.000	5470 to 5725	Pass
					25	NV	5500.020	5470 to 5725	Pass
					35	NV	5500.000	5470 to 5725	Pass
		5580	/	/	20	LV	5580.020	5470 to 5725	Pass
						NV	5580.020	5470 to 5725	Pass
						HV	5580.020	5470 to 5725	Pass
					5	NV	5580.000	5470 to 5725	Pass
					15	NV	5580.020	5470 to 5725	Pass
					25	NV	5580.020	5470 to 5725	Pass

Test Report No.: RF260703B007

					35	NV	5580.040	5470 to 5725	Pass
		5700	/	/	20	LV	5700.020	5470 to 5725	Pass
						NV	5700.000	5470 to 5725	Pass
						HV	5700.020	5470 to 5725	Pass
					5	NV	5700.020	5470 to 5725	Pass
					15	NV	5700.020	5470 to 5725	Pass
					25	NV	5700.000	5470 to 5725	Pass
					35	NV	5700.000	5470 to 5725	Pass
		802.11n (HT20)	SISO		20	LV	5500.000	5470 to 5725	Pass
						NV	5500.000	5470 to 5725	Pass
						HV	5500.000	5470 to 5725	Pass
					5	NV	5499.980	5470 to 5725	Pass
					15	NV	5500.000	5470 to 5725	Pass
					25	NV	5500.000	5470 to 5725	Pass
					35	NV	5500.000	5470 to 5725	Pass
					20	LV	5580.000	5470 to 5725	Pass
						NV	5580.020	5470 to 5725	Pass
						HV	5580.020	5470 to 5725	Pass

Test Report No.: RF260703B007

802.11n (HT40)	SISO				5	NV	5580.000	5470 to 5725	Pass
					15	NV	5580.020	5470 to 5725	Pass
					25	NV	5580.000	5470 to 5725	Pass
					35	NV	5580.020	5470 to 5725	Pass
		5700	/	/	20	LV	5699.980	5470 to 5725	Pass
						NV	5700.000	5470 to 5725	Pass
						HV	5700.020	5470 to 5725	Pass
					5	NV	5700.000	5470 to 5725	Pass
					15	NV	5700.000	5470 to 5725	Pass
					25	NV	5700.020	5470 to 5725	Pass
					35	NV	5700.020	5470 to 5725	Pass
					20	LV	5510.000	5470 to 5725	Pass
						NV	5510.000	5470 to 5725	Pass
						HV	5510.040	5470 to 5725	Pass
					5	NV	5510.000	5470 to 5725	Pass
					15	NV	5510.000	5470 to 5725	Pass
					25	NV	5510.040	5470 to 5725	Pass
					35	NV	5510.000	5470 to 5725	Pass

Test Report No.: RF260703B007

		5550	/	/	20	LV	5550.000	5470 to 5725	Pass
						NV	5550.000	5470 to 5725	Pass
						HV	5550.000	5470 to 5725	Pass
					5	NV	5550.000	5470 to 5725	Pass
					15	NV	5550.000	5470 to 5725	Pass
					25	NV	5550.000	5470 to 5725	Pass
					35	NV	5550.000	5470 to 5725	Pass
		5670	/	/	20	LV	5670.000	5470 to 5725	Pass
						NV	5670.000	5470 to 5725	Pass
						HV	5670.000	5470 to 5725	Pass
					5	NV	5670.000	5470 to 5725	Pass
					15	NV	5670.000	5470 to 5725	Pass
					25	NV	5670.000	5470 to 5725	Pass
					35	NV	5670.000	5470 to 5725	Pass
802.11ac (VHT20)	SISO	5500	/	/	20	LV	5500.000	5470 to 5725	Pass
						NV	5500.000	5470 to 5725	Pass
						HV	5500.000	5470 to 5725	Pass
					5	NV	5500.000	5470 to 5725	Pass

Test Report No.: RF260703B007

					15	NV	5500.000	5470 to 5725	Pass
					25	NV	5500.020	5470 to 5725	Pass
					35	NV	5500.000	5470 to 5725	Pass
		5580	/	/	20	LV	5580.000	5470 to 5725	Pass
						NV	5580.020	5470 to 5725	Pass
						HV	5580.000	5470 to 5725	Pass
					5	NV	5580.020	5470 to 5725	Pass
					15	NV	5580.020	5470 to 5725	Pass
					25	NV	5580.000	5470 to 5725	Pass
					35	NV	5580.020	5470 to 5725	Pass
		5700	/	/	20	LV	5700.000	5470 to 5725	Pass
						NV	5700.000	5470 to 5725	Pass
						HV	5700.020	5470 to 5725	Pass
					5	NV	5700.000	5470 to 5725	Pass
					15	NV	5700.000	5470 to 5725	Pass
					25	NV	5700.000	5470 to 5725	Pass
					35	NV	5700.000	5470 to 5725	Pass
		802.11ac (VHT40)	SISO	5510	/	/	20	LV	5510.040

Test Report No.: RF260703B007

						NV	5510.040	5470 to 5725	Pass
						HV	5510.040	5470 to 5725	Pass
					5	NV	5510.040	5470 to 5725	Pass
					15	NV	5510.000	5470 to 5725	Pass
					25	NV	5510.000	5470 to 5725	Pass
					35	NV	5510.000	5470 to 5725	Pass
		5550	/	/	20	LV	5550.000	5470 to 5725	Pass
						NV	5550.000	5470 to 5725	Pass
						HV	5550.000	5470 to 5725	Pass
					5	NV	5550.000	5470 to 5725	Pass
					15	NV	5550.000	5470 to 5725	Pass
					25	NV	5550.000	5470 to 5725	Pass
					35	NV	5550.000	5470 to 5725	Pass
		5670	/	/	20	LV	5670.000	5470 to 5725	Pass
						NV	5670.000	5470 to 5725	Pass
						HV	5670.000	5470 to 5725	Pass
					5	NV	5670.000	5470 to 5725	Pass
					15	NV	5670.000	5470 to 5725	Pass

Test Report No.: RF260703B007

					25	NV	5670.000	5470 to 5725	Pass
					35	NV	5670.000	5470 to 5725	Pass
802.11ac (VHT80)	SISO	5530	/	/	20	LV	5530.000	5470 to 5725	Pass
						NV	5530.000	5470 to 5725	Pass
						HV	5530.000	5470 to 5725	Pass
					5	NV	5530.000	5470 to 5725	Pass
					15	NV	5530.000	5470 to 5725	Pass
					25	NV	5530.000	5470 to 5725	Pass
					35	NV	5530.075	5470 to 5725	Pass
		5610	/	/	20	LV	5610.075	5470 to 5725	Pass
						NV	5610.075	5470 to 5725	Pass
						HV	5610.000	5470 to 5725	Pass
					5	NV	5610.075	5470 to 5725	Pass
					15	NV	5610.075	5470 to 5725	Pass
					25	NV	5610.075	5470 to 5725	Pass
					35	NV	5610.075	5470 to 5725	Pass
802.11ax (HEW20)	SISO	5500	RU242	Left	20	LV	5500.000	5470 to 5725	Pass
						NV	5500.020	5470 to 5725	Pass

Test Report No.: RF260703B007

						HV	5500.000	5470 to 5725	Pass
					5	NV	5500.000	5470 to 5725	Pass
					15	NV	5500.000	5470 to 5725	Pass
					25	NV	5500.000	5470 to 5725	Pass
					35	NV	5500.000	5470 to 5725	Pass
		5580	RU242	Left	20	LV	5580.020	5470 to 5725	Pass
						NV	5579.980	5470 to 5725	Pass
						HV	5580.000	5470 to 5725	Pass
					5	NV	5580.020	5470 to 5725	Pass
					15	NV	5580.020	5470 to 5725	Pass
					25	NV	5580.000	5470 to 5725	Pass
					35	NV	5579.980	5470 to 5725	Pass
		5700	RU242	Left	20	LV	5699.980	5470 to 5725	Pass
						NV	5699.980	5470 to 5725	Pass
						HV	5700.000	5470 to 5725	Pass
					5	NV	5700.020	5470 to 5725	Pass
					15	NV	5700.020	5470 to 5725	Pass
					25	NV	5700.020	5470 to 5725	Pass

Test Report No.: RF260703B007

					35	NV	5700.020	5470 to 5725	Pass
802.11ax (HEW40)	SISO	5510	RU484	Left	20	LV	5510.000	5470 to 5725	Pass
						NV	5510.040	5470 to 5725	Pass
						HV	5510.000	5470 to 5725	Pass
					5	NV	5510.040	5470 to 5725	Pass
					15	NV	5510.000	5470 to 5725	Pass
					25	NV	5510.000	5470 to 5725	Pass
					35	NV	5510.000	5470 to 5725	Pass
		5550	RU484	Left	20	LV	5550.000	5470 to 5725	Pass
						NV	5550.000	5470 to 5725	Pass
						HV	5550.000	5470 to 5725	Pass
					5	NV	5550.040	5470 to 5725	Pass
					15	NV	5550.000	5470 to 5725	Pass
					25	NV	5550.000	5470 to 5725	Pass
					35	NV	5550.000	5470 to 5725	Pass
		5670	RU484	Left	20	LV	5670.000	5470 to 5725	Pass
						NV	5670.000	5470 to 5725	Pass
						HV	5670.000	5470 to 5725	Pass

Test Report No.: RF260703B007

802.11ax (HEW80)	SISO				5	NV	5670.040	5470 to 5725	Pass
					15	NV	5670.000	5470 to 5725	Pass
					25	NV	5670.040	5470 to 5725	Pass
					35	NV	5670.000	5470 to 5725	Pass
		5530	RU996	Left	20	LV	5530.000	5470 to 5725	Pass
						NV	5530.000	5470 to 5725	Pass
						HV	5529.925	5470 to 5725	Pass
					5	NV	5530.000	5470 to 5725	Pass
					15	NV	5529.925	5470 to 5725	Pass
					25	NV	5529.925	5470 to 5725	Pass
					35	NV	5530.000	5470 to 5725	Pass
		5610	RU996	Left	20	LV	5610.075	5470 to 5725	Pass
						NV	5610.075	5470 to 5725	Pass
						HV	5610.000	5470 to 5725	Pass
					5	NV	5610.075	5470 to 5725	Pass
					15	NV	5610.075	5470 to 5725	Pass
					25	NV	5610.075	5470 to 5725	Pass
					35	NV	5610.000	5470 to 5725	Pass

Test Report No.: RF260703B007

6. Band Edge

6.1 TEST RESULT


6.1.1 BANDEDGE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5500	/	/	7	Refer To Test Graph		Pass
		5700	/	/	7	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5500	/	/	7	Refer To Test Graph		Pass
		5700	/	/	7	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5510	/	/	7	Refer To Test Graph		Pass
		5670	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5500	/	/	7	Refer To Test Graph		Pass
		5700	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5510	/	/	7	Refer To Test Graph		Pass
		5670	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5530	/	/	7	Refer To Test Graph		Pass
		5610	/	/	7	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5500	RU242	Left	7	Refer To Test Graph		Pass
		5700	RU242	Left	7	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5510	RU484	Left	7	Refer To Test Graph		Pass
		5670	RU484	Left	7	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5530	RU996	Left	7	Refer To Test Graph		Pass
		5610	RU996	Left	7	Refer To Test Graph		Pass

Test Report No.: RF260703B007


6.2 Test Graph

802.11a_LCH_5500MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5378.560	-47.18	-21.20	25.98	Pass	Peak	7	5378.560	-55.76	-41.20	14.56	Pass	AVG
2	5404.570	-46.76	-21.20	25.56	Pass	Peak	8	5404.570	-55.48	-41.20	14.28	Pass	AVG
3	5418.000	-46.64	-21.20	25.44	Pass	Peak	9	5418.000	-55.71	-41.20	14.51	Pass	AVG
4	5445.200	-46.13	-21.20	24.93	Pass	Peak	10	5445.200	-55.67	-41.20	14.47	Pass	AVG
5	5452.170	-47.74	-21.20	26.54	Pass	Peak	11	5452.170	-55.74	-41.20	14.54	Pass	AVG
6	5458.800	-47.86	-21.20	26.66	Pass	Peak	12	5458.800	-55.69	-41.20	14.49	Pass	AVG


802.11a_HCH_5700MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5747.200	-44.43	-27.00	17.43	Pass	Peak	7	5747.200	/	-27.00	/	/	AVG
2	5755.480	-44.08	-27.00	17.08	Pass	Peak	8	5755.480	/	-27.00	/	/	AVG
3	5760.640	-44.22	-27.00	17.22	Pass	Peak	9	5760.640	/	-27.00	/	/	AVG
4	5767.360	-43.45	-27.00	16.45	Pass	Peak	10	5767.360	/	-27.00	/	/	AVG
5	5775.880	-44.39	-27.00	17.39	Pass	Peak	11	5775.880	/	-27.00	/	/	AVG
6	5795.440	-43.95	-27.00	16.95	Pass	Peak	12	5795.440	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11n(HT20)_LCH_5500MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5382.980	-47.83	-21.20	26.63	Pass	Peak	7	5382.980	-55.77	-41.20	14.57	Pass	AVG
2	5388.760	-47.31	-21.20	26.11	Pass	Peak	8	5388.760	-55.69	-41.20	14.49	Pass	AVG
3	5403.380	-47.45	-21.20	26.25	Pass	Peak	9	5403.380	-55.64	-41.20	14.44	Pass	AVG
4	5415.960	-47.03	-21.20	25.83	Pass	Peak	10	5415.960	-55.73	-41.20	14.53	Pass	AVG
5	5427.690	-45.82	-21.20	24.62	Pass	Peak	11	5427.690	-55.49	-41.20	14.29	Pass	AVG
6	5440.440	-46.50	-21.20	25.30	Pass	Peak	12	5440.440	-55.56	-41.20	14.36	Pass	AVG


802.11n(HT20)_HCH_5700MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5735.560	-43.97	-27.00	16.97	Pass	Peak	7	5735.560	/	-27.00	/	/	AVG
2	5752.480	-44.39	-27.00	17.39	Pass	Peak	8	5752.480	/	-27.00	/	/	AVG
3	5760.040	-43.37	-27.00	16.37	Pass	Peak	9	5760.040	/	-27.00	/	/	AVG
4	5765.680	-44.02	-27.00	17.02	Pass	Peak	10	5765.680	/	-27.00	/	/	AVG
5	5779.600	-43.91	-27.00	16.91	Pass	Peak	11	5779.600	/	-27.00	/	/	AVG
6	5784.040	-44.03	-27.00	17.03	Pass	Peak	12	5784.040	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11n(HT40)_LCH_5510MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5391.800	-47.51	-21.20	26.31	Pass	Peak	7	5391.800	-55.29	-41.20	14.09	Pass	AVG
2	5399.600	-45.89	-21.20	24.69	Pass	Peak	8	5399.600	-55.47	-41.20	14.27	Pass	AVG
3	5409.400	-46.45	-21.20	25.25	Pass	Peak	9	5409.400	-55.31	-41.20	14.11	Pass	AVG
4	5432.600	-47.45	-21.20	26.25	Pass	Peak	10	5432.600	-55.50	-41.20	14.30	Pass	AVG
5	5447.000	-45.20	-21.20	24.00	Pass	Peak	11	5447.000	-55.49	-41.20	14.29	Pass	AVG
6	5453.400	-47.67	-21.20	26.47	Pass	Peak	12	5453.400	-55.03	-41.20	13.83	Pass	AVG


802.11n(HT40)_HCH_5670MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.090	-44.84	-27.00	17.84	Pass	Peak	7	5728.090	/	-27.00	/	/	AVG
2	5736.760	-44.42	-27.00	17.42	Pass	Peak	8	5736.760	/	-27.00	/	/	AVG
3	5745.090	-44.59	-27.00	17.59	Pass	Peak	9	5745.090	/	-27.00	/	/	AVG
4	5754.950	-44.85	-27.00	17.85	Pass	Peak	10	5754.950	/	-27.00	/	/	AVG
5	5766.000	-44.03	-27.00	17.03	Pass	Peak	11	5766.000	/	-27.00	/	/	AVG
6	5774.670	-44.37	-27.00	17.37	Pass	Peak	12	5774.670	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5500MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5374.820	-47.25	-21.20	26.05	Pass	Peak	7	5374.820	-55.51	-41.20	14.31	Pass	AVG
2	5385.020	-46.76	-21.20	25.56	Pass	Peak	8	5385.020	-55.76	-41.20	14.56	Pass	AVG
3	5395.220	-47.01	-21.20	25.81	Pass	Peak	9	5395.220	-55.75	-41.20	14.55	Pass	AVG
4	5425.990	-46.43	-21.20	25.23	Pass	Peak	10	5425.990	-55.80	-41.20	14.60	Pass	AVG
5	5433.980	-46.39	-21.20	25.19	Pass	Peak	11	5433.980	-55.66	-41.20	14.46	Pass	AVG
6	5455.910	-46.49	-21.20	25.29	Pass	Peak	12	5455.910	-55.67	-41.20	14.47	Pass	AVG


802.11ac(VHT20)_HCH_5700MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5745.040	-44.13	-27.00	17.13	Pass	Peak	7	5745.040	/	-27.00	/	/	AVG
2	5749.960	-43.88	-27.00	16.88	Pass	Peak	8	5749.960	/	-27.00	/	/	AVG
3	5753.680	-43.90	-27.00	16.90	Pass	Peak	9	5753.680	/	-27.00	/	/	AVG
4	5764.000	-43.54	-27.00	16.54	Pass	Peak	10	5764.000	/	-27.00	/	/	AVG
5	5777.440	-44.00	-27.00	17.00	Pass	Peak	11	5777.440	/	-27.00	/	/	AVG
6	5788.600	-43.61	-27.00	16.61	Pass	Peak	12	5788.600	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT40)_LCH_5510MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5374.200	-46.57	-21.20	25.37	Pass	Peak	7	5374.200	-55.50	-41.20	14.30	Pass	AVG
2	5387.800	-46.92	-21.20	25.72	Pass	Peak	8	5387.800	-55.56	-41.20	14.36	Pass	AVG
3	5396.800	-46.88	-21.20	25.68	Pass	Peak	9	5396.800	-55.53	-41.20	14.33	Pass	AVG
4	5427.200	-46.79	-21.20	25.59	Pass	Peak	10	5427.200	-55.55	-41.20	14.35	Pass	AVG
5	5436.000	-47.11	-21.20	25.91	Pass	Peak	11	5436.000	-55.40	-41.20	14.20	Pass	AVG
6	5459.000	-46.68	-21.20	25.48	Pass	Peak	12	5459.000	-55.52	-41.20	14.32	Pass	AVG


802.11ac(VHT40)_HCH_5670MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5727.070	-44.28	-27.00	17.28	Pass	Peak	7	5727.070	/	-27.00	/	/	AVG
2	5742.200	-43.86	-27.00	16.86	Pass	Peak	8	5742.200	/	-27.00	/	/	AVG
3	5754.610	-44.50	-27.00	17.50	Pass	Peak	9	5754.610	/	-27.00	/	/	AVG
4	5763.790	-44.65	-27.00	17.65	Pass	Peak	10	5763.790	/	-27.00	/	/	AVG
5	5769.400	-44.95	-27.00	17.95	Pass	Peak	11	5769.400	/	-27.00	/	/	AVG
6	5787.080	-44.72	-27.00	17.72	Pass	Peak	12	5787.080	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ac(VHT80)_LCH_5530MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5364.400	-47.54	-21.20	26.34	Pass	Peak	7	5364.400	-55.55	-41.20	14.35	Pass	AVG
2	5386.000	-47.61	-21.20	26.41	Pass	Peak	8	5386.000	-55.59	-41.20	14.39	Pass	AVG
3	5404.900	-46.08	-21.20	24.88	Pass	Peak	9	5404.900	-55.59	-41.20	14.39	Pass	AVG
4	5426.050	-46.81	-21.20	25.61	Pass	Peak	10	5426.050	-55.63	-41.20	14.43	Pass	AVG
5	5440.900	-47.82	-21.20	26.62	Pass	Peak	11	5440.900	-54.87	-41.20	13.67	Pass	AVG
6	5459.350	-45.67	-21.20	24.47	Pass	Peak	12	5459.350	-54.34	-41.20	13.14	Pass	AVG


802.11ac(VHT80)_HCH_5610MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5731.600	-44.78	-27.00	17.78	Pass	Peak	6	5731.600	/	-27.00	/	/	AVG
2	5749.600	-45.53	-27.00	18.53	Pass	Peak	7	5749.600	/	-27.00	/	/	AVG
3	5768.050	-44.60	-27.00	17.60	Pass	Peak	8	5768.050	/	-27.00	/	/	AVG
4	5783.800	-45.84	-27.00	18.84	Pass	Peak	9	5783.800	/	-27.00	/	/	AVG
5	5800.000	-45.48	-27.00	18.48	Pass	Peak	10	5800.000	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5500MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5369.550	-47.07	-21.20	25.87	Pass	Peak	7	5369.550	-55.62	-41.20	14.42	Pass	AVG
2	5379.410	-48.08	-21.20	26.88	Pass	Peak	8	5379.410	-55.60	-41.20	14.40	Pass	AVG
3	5412.220	-47.06	-21.20	25.86	Pass	Peak	9	5412.220	-55.50	-41.20	14.30	Pass	AVG
4	5435.680	-47.01	-21.20	25.81	Pass	Peak	10	5435.680	-55.48	-41.20	14.28	Pass	AVG
5	5443.670	-47.13	-21.20	25.93	Pass	Peak	11	5443.670	-55.51	-41.20	14.31	Pass	AVG
6	5453.190	-46.84	-21.20	25.64	Pass	Peak	12	5453.190	-55.45	-41.20	14.25	Pass	AVG


802.11ax(HEW20)_HCH_5700MHz_RU242_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5726.200	-44.55	-27.00	17.55	Pass	Peak	7	5726.200	/	-27.00	/	/	AVG
2	5729.920	-44.40	-27.00	17.40	Pass	Peak	8	5729.920	/	-27.00	/	/	AVG
3	5735.920	-44.31	-27.00	17.31	Pass	Peak	9	5735.920	/	-27.00	/	/	AVG
4	5741.200	-44.58	-27.00	17.58	Pass	Peak	10	5741.200	/	-27.00	/	/	AVG
5	5780.320	-43.96	-27.00	16.96	Pass	Peak	11	5780.320	/	-27.00	/	/	AVG
6	5798.080	-43.42	-27.00	16.42	Pass	Peak	12	5798.080	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5510MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5361.800	-46.60	-21.20	25.40	Pass	Peak	7	5361.800	-55.55	-41.20	14.35	Pass	AVG
2	5413.000	-46.83	-21.20	25.63	Pass	Peak	8	5413.000	-55.56	-41.20	14.36	Pass	AVG
3	5422.400	-47.78	-21.20	26.58	Pass	Peak	9	5422.400	-55.57	-41.20	14.37	Pass	AVG
4	5437.600	-46.80	-21.20	25.60	Pass	Peak	10	5437.600	-55.22	-41.20	14.02	Pass	AVG
5	5447.000	-46.87	-21.20	25.67	Pass	Peak	11	5447.000	-55.58	-41.20	14.38	Pass	AVG
6	5458.800	-46.30	-21.20	25.10	Pass	Peak	12	5458.800	-55.35	-41.20	14.15	Pass	AVG


802.11ax(HEW40)_HCH_5670MHz_RU484_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5730.130	-44.06	-27.00	17.06	Pass	Peak	7	5730.130	/	-27.00	/	/	AVG
2	5744.920	-43.92	-27.00	16.92	Pass	Peak	8	5744.920	/	-27.00	/	/	AVG
3	5751.890	-44.86	-27.00	17.86	Pass	Peak	9	5751.890	/	-27.00	/	/	AVG
4	5770.250	-44.51	-27.00	17.51	Pass	Peak	10	5770.250	/	-27.00	/	/	AVG
5	5783.340	-44.80	-27.00	17.80	Pass	Peak	11	5783.340	/	-27.00	/	/	AVG
6	5792.860	-44.63	-27.00	17.63	Pass	Peak	12	5792.860	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_LCH_5530MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5367.100	-47.72	-21.20	26.52	Pass	Peak	7	5367.100	-55.65	-41.20	14.45	Pass	AVG
2	5386.000	-47.38	-21.20	26.18	Pass	Peak	8	5386.000	-55.52	-41.20	14.32	Pass	AVG
3	5399.950	-47.77	-21.20	26.57	Pass	Peak	9	5399.950	-55.74	-41.20	14.54	Pass	AVG
4	5415.700	-47.19	-21.20	25.99	Pass	Peak	10	5415.700	-55.55	-41.20	14.35	Pass	AVG
5	5438.200	-45.50	-21.20	24.30	Pass	Peak	11	5438.200	-55.14	-41.20	13.94	Pass	AVG
6	5459.800	-43.77	-21.20	22.57	Pass	Peak	12	5459.800	-54.46	-41.20	13.26	Pass	AVG

802.11ax(HEW80)_HCH_5610MHz_RU996_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5737.450	-44.67	-27.00	17.67	Pass	Peak	5	5737.450	/	-27.00	/	/	AVG
2	5751.850	-45.54	-27.00	18.54	Pass	Peak	6	5751.850	/	-27.00	/	/	AVG
3	5773.900	-44.82	-27.00	17.82	Pass	Peak	7	5773.900	/	-27.00	/	/	AVG
4	5789.650	-44.60	-27.00	17.60	Pass	Peak	8	5789.650	/	-27.00	/	/	AVG

Test Report No.: RF260703B007

7. Spurious Emission

7.1 TEST RESULT


7.1.1 SE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5500	/	/	7	Refer To Test Graph		Pass
		5580	/	/	7	Refer To Test Graph		Pass
		5700	/	/	7	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5500	/	/	7	Refer To Test Graph		Pass
		5580	/	/	7	Refer To Test Graph		Pass
		5700	/	/	7	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5510	/	/	7	Refer To Test Graph		Pass
		5550	/	/	7	Refer To Test Graph		Pass
		5670	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5500	/	/	7	Refer To Test Graph		Pass
		5580	/	/	7	Refer To Test Graph		Pass
		5700	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5510	/	/	7	Refer To Test Graph		Pass
		5550	/	/	7	Refer To Test Graph		Pass
		5670	/	/	7	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5530	/	/	7	Refer To Test Graph		Pass
		5610	/	/	7	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5500	RU242	Left	7	Refer To Test Graph		Pass
		5580	RU242	Left	7	Refer To Test Graph		Pass
		5700	RU242	Left	7	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5510	RU484	Left	7	Refer To Test Graph		Pass
		5550	RU484	Left	7	Refer To Test Graph		Pass
		5670	RU484	Left	7	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5530	RU996	Left	7	Refer To Test Graph		Pass
		5610	RU996	Left	7	Refer To Test Graph		Pass

Test Report No.: RF260703B007


7.2 Test Graph

802.11a_LCH_5500MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6931.3	-43.79	-27.00	16.79	Pass	Peak	7	6931.3	/	-27.00	/	/	AVG
2	18992.8	-42.55	-21.20	21.35	Pass	Peak	8	18992.8	-54.68	-41.20	13.48	Pass	AVG
3	21447.6	-42.99	-27.00	15.99	Pass	Peak	9	21447.6	/	-27.00	/	/	AVG
4	22778.7	-42.17	-21.20	20.97	Pass	Peak	10	22778.7	-52.80	-41.20	11.60	Pass	AVG
5	24437.05	-42.48	-27.00	15.48	Pass	Peak	11	24437.05	/	-27.00	/	/	AVG
6	26447.3	-43.04	-27.00	16.04	Pass	Peak	12	26447.3	/	-27.00	/	/	AVG


802.11a_MCH_5580MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6923.65	-43.14	-27.00	16.14	Pass	Peak	7	6923.65	/	-27.00	/	/	AVG
2	18368.05	-43.87	-21.20	22.67	Pass	Peak	8	18368.05	-54.11	-41.20	12.91	Pass	AVG
3	19785	-44.24	-21.20	23.04	Pass	Peak	9	19785	-54.14	-41.20	12.94	Pass	AVG
4	20735.3	-43.93	-21.20	22.73	Pass	Peak	10	20735.3	-53.70	-41.20	12.50	Pass	AVG
5	22142.05	-42.74	-21.20	21.54	Pass	Peak	11	22142.05	-52.91	-41.20	11.71	Pass	AVG
6	25089	-42.90	-27.00	15.90	Pass	Peak	12	25089	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11a_HCH_5700MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6883.7	-42.78	-27.00	15.78	Pass	Peak	7	6883.7	/	-27.00	/	/	AVG
2	16403.7	-43.96	-27.00	16.96	Pass	Peak	8	16403.7	/	-27.00	/	/	AVG
3	20769.3	-43.08	-21.20	21.88	Pass	Peak	9	20769.3	-53.62	-41.20	12.42	Pass	AVG
4	22708.15	-42.78	-21.20	21.58	Pass	Peak	10	22708.15	-52.78	-41.20	11.58	Pass	AVG
5	25039.7	-42.02	-27.00	15.02	Pass	Peak	11	25039.7	/	-27.00	/	/	AVG
6	26498.3	-43.05	-27.00	16.05	Pass	Peak	12	26498.3	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5500MHz_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6932.15	-43.27	-27.00	16.27	Pass	Peak	7	6932.15	/	-27.00	/	/	AVG
2	18991.95	-44.20	-21.20	23.00	Pass	Peak	8	18991.95	-54.63	-41.20	13.43	Pass	AVG
3	20819.45	-43.08	-21.20	21.88	Pass	Peak	9	20819.45	-53.52	-41.20	12.32	Pass	AVG
4	22164.15	-43.01	-21.20	21.81	Pass	Peak	10	22164.15	-52.80	-41.20	11.60	Pass	AVG
5	23678	-43.97	-21.20	22.77	Pass	Peak	11	23678	-54.46	-41.20	13.26	Pass	AVG
6	25145.95	-42.90	-27.00	15.90	Pass	Peak	12	25145.95	/	-27.00	/	/	AVG